

881.5 g/m<sup>2</sup>

# Welcome In product specifications

**STYLE NUMBER** 802R0 **PRODUCT TYPE** Modular

CONSTRUCTIONMulti-Level Pattern LoopFIBER TYPEEcoSolution Q® NylonDYE METHOD100% Solution DyedPRIMARY BACKINGNon-Woven Synthetic

SECONDARY BACKING Ecoworx

US Units Metric Units

 PRODUCT SIZE
 24 inches x 24 inches
 60.96 cm x 60.96 cm

 GAUGE
 1/12 inches
 47.24 per 10 cm

 STITCHES
 10 per inches
 41 per 10 cm

 FINISHED PILE THICKNESS
 0.085 inches
 2.16 mm

26 oz/yd<sup>2</sup>

AVERAGE DENSITY


11012 oz/yd³

TOTAL THICKNESS

0.085 inches
2.16 mm
0.259 inches
6.58 mm

#### Installation Methods

**TUFTED YARN WEIGHT** 



Monolithic Bric

## **Performance Testing**

Random

PILL TEST Pass
RADIANT PANEL Class I

NBS SMOKELess than 450ELECTROSTATIC PROPENSITYLess than 3.5 kvCRI GREENLABEL PLUSGLP9968

ADA COMPLIANCE >0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes



## Walk It Off product specifications

STYLE NUMBER 802R1
PRODUCT TYPE Modular

CONSTRUCTIONMulti-Level Pattern LoopFIBER TYPEEco Solution Q® NylonDYE METHOD100% Solution DyedPRIMARY BACKINGNon-Woven Synthetic

Ecoworx

US Units Metric Units

 PRODUCT SIZE
 24 inches x 24 inches
 60.96 cm x 60.96 cm

 GAUGE
 1/12 inches
 47.24 per 10 cm

 STITCHES
 10 per inches
 41 per 10 cm

 FINISHED PILE THICKNESS
 0.111 inches
 2.82 mm


 AVERAGE DENSITY
 9081 oz/yd³

 TOTAL THICKNESS
 0.279 inches
 7.09 mm

 TUFTED YARN WEIGHT
 28 oz/yd²
 949.4 g/m²

#### Installation Methods

SECONDARY BACKING



### **Performance Testing**

PILL TEST Pass
RADIANT PANEL Class I

NBS SMOKE

Less than 450

ELECTROSTATIC PROPENSITY

CRI GREENLABEL PLUS

CLESS than 3.5 kv

GLP9968

ADA COMPLIANCE >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes



# First Step product specifications

STYLE NUMBER802R2PRODUCT TYPEModularCONSTRUCTIONHobnailFIBER TYPEPolyester

DYE METHOD100% Solution DyedPRIMARY BACKINGPolypropyleneSECONDARY BACKINGEcoworx

US Units Metric Units

**PRODUCT SIZE** 24 inches x 24 inches 60.96 cm x 60.96 cm

STITCHES0 per inches1 per 10 cmFINISHED PILE THICKNESS0.274 inches6.96 mm

**AVERAGE DENSITY** 6477 oz/yd<sup>3</sup>

 TOTAL THICKNESS
 0.362 inches
 9.19 mm

 TUFTED YARN WEIGHT
 49.3 oz/yd²
 1671.6 g/m²

INSTALLATION PATTERN REPEAT 0.03 ft W X 0.03 ft L 0.95 cm W X 0.95 cm L

#### Installation Methods



1/4 Turn

### **Performance Testing**

PILL TEST Pass
RADIANT PANEL Class I

NBS SMOKELess than 450ELECTROSTATIC PROPENSITYLess than 3.5 kvCRI GREENLABEL PLUSGLP0520

ADA COMPLIANCE >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes





## Warranty

Lifetime Commercial Limited

Please visit patcraft.com for the most current warranty information.

Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Visit patcraft.com/testing for more information.

TRANS**FORM SPACE**