

September 11, 2023

Dilan Roe, P.E.
Chief, Land & Water Division
Local Oversight & Site Cleanup Program
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94501-6577

Re: Weekly Progress Report
7825 San Leandro Street
Oakland, California
Site Cleanup Program Case Number: RO0003535
GeoTracker Global ID: T10000019792

Dear Dilan:

INTRODUCTION

Roux Associates, Inc. (Roux), on behalf of Duke Realty Foundry LP, has prepared this Weekly Progress Report (Weekly Report) as set forth in the Final Community Air Monitoring Plan (Final CAMP) (Roux, 2023) prepared in support of vertical demolition activities at 7825 San Leandro Street in Oakland, California (Site). The Final CAMP was conditionally approved via email by the Alameda County Department of Environmental Health (ACDEH) on August 24, 2023¹. This Weekly Report provides a summary of the perimeter air monitoring program conducted during demolition work at the Site from September 5 through 8, 2023. It is anticipated that demolition work will be completed in the first quarter of 2024.

The Final CAMP describes the necessary monitoring activities and control measures to be implemented for dust mitigation during vertical demolition. The Final CAMP was prepared in accordance with the Community Air Monitoring Plan Guidance (CAMP Guidance) prepared by the California Environmental Protection Agency (CalEPA) and the California Department of Toxic Substances Control (DTSC) dated January 2020 (CalEPA/DTSC, 2020). The Final CAMP incorporated changes to the scope of work requested by the ACDEH in directive letters issued on July 13, 2023, and August 23, 2023. The monitoring activities and control measures presented in the Final CAMP comply with applicable regulations and are protective of off-Site populations and on-Site construction workers.

The ACDEH Local Oversight Program (LOP) for Hazardous Materials Releases is the lead regulatory agency for the Site. Environmental investigations and clean-up actions at the Site are being undertaken under the oversight of that agency Site Clean-up Program (SCP), with GeoTracker Global ID T10000019792 and ACDEH Case Number RO0003535.

¹ Andrew York. 2023. Email reply to "ACDEH Correspondence - Cleanup Site Program Case No RO0003535 - AB&I Redevelopment - Directive Letter", August 24, 2023, 2:15 p.m.

Site Description

The Site is located at 7741, 7825, and 7929 San Leandro Street in Oakland, California. For simplicity and consistency with regulatory communication, 7825 San Leandro Street will be used to reference the location. The Site consists of approximately 14.5 acres and is currently developed with a two-story office building, multiple warehouses, a foundry and manufacturing building, material storage, and a parking lot. The Site is bounded by commercial/industrial properties to the north, south, east, and west. Union Pacific Railroad is located to the west, Oakland Truck Stop to the east, Elmhurst Creek along the southeast property corner, and San Leandro Bay is approximately one mile to the west. The nearest residential areas are approximately 1,500 feet north and east of the Site.

SITE BOUNDARY MONITORING

This Section describes the air monitoring program that was implemented at the Site from September 5 through 8, 2023 during demolition activities. Monitoring described in this section was conducted using field equipment that allowed for real-time monitoring of PM10 and meteorological conditions. Monitoring at the Site boundary consisted of the following activities in six air monitoring stations (AMS-01 through AMS-06) as shown on Figure 1:

- Dust monitoring for PM10; and
- Weather station monitoring for wind speed and direction.

Particulate Matter Monitoring

Airborne particulate matter (PM) is a complex mixture of particles that vary widely in size, shape, and chemical composition. Particles with a diameter of 10 microns or less (PM10) are particles small enough to pass through the throat and nose and enter the lungs. PM10 can be comprised of smoke, soot, salts, acids, metals, and dust, including wind-blown dust (CARB, 2023).

Measurements of real-time and 8-hour time-weighted averages (TWA) of airborne particulate concentrations were recorded daily during demolition work hours 7:00 am to 3:30 pm using TSI DustTrak II Aerosol Monitors at sampling locations AMS-01 through AMS-06 (Appendix A).

During this weekly monitoring period, dust monitoring measurements ranged from 0 to 488 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Daily time-weighted averages of PM10 measurements were calculated by Roux and are summarized in Table 1.

During the weekly monitoring period, there were no exceedances of the California Ambient Air Quality Standard (CAAQS) for PM10 adopted by BAAQMD, which specifies a ceiling level of no more than 50 $\mu\text{g}/\text{m}^3$ difference between upwind and downwind sampling locations over the course of the day.

Weather Station Monitoring

A meteorological station was placed proximate to upwind location AMS-01 because its location was free from obstruction and representative of wind patterns present at the Site (see Figure 1). Measurements of wind speed, peak wind gust, direction, ambient temperature, relative humidity, and barometric pressure were recorded every minute during demolition work period from 7:00 a.m. to 3:30 p.m. using a Lufft WS500 Weather Station (Appendix A).

During the weekly monitoring period, wind direction at the Site varied during the day but was generally westerly/southwesterly (time-weighted average of 220.7 degrees) with wind speeds that ranged from 1.1 to 15.4 miles per hour (mph).

During the weekly monitoring period, there were no exceedances of the maximum wind speed (greater than 25 mph) nor 15-minute average wind speed (greater than 20 mph) action levels.

Air Sampling for Laboratory Analysis

Lead in air sampling was not performed during this weekly monitoring period because demolition of the cupola and associated baghouses has not begun. In accordance with the August 23, 2023, directive letter, Roux toxicologists are currently preparing a Human Health Risk Assessment (HHRA) to evaluate potential risk from short-term exposure to lead adhered to particulate matter.

Dust Control Measures

The demolition contractor, Garrison Demolition Engineering (Garrison), continuously applied water to their work area and structures being demolished throughout the workday in accordance with dust control measures outlined in the Final CAMP.

Demolition Work Performed and Planned for Upcoming Week

From September 5 through 8, 2023, Garrison performed the following activities:

- Demolition of the former Special Finishing Area, casing storage area, and catwalk along the southwest portion of the main building.
- Trucking/off-haul of stockpiled demolition debris.

Upcoming work activities will include the following:

- Continue demolition in the vicinity of the former Special Finishing Area and casing storage area on the northwest portion of the Site.
- Continue demolition of the catwalk on the southwest portion of the former main building.
- Continue trucking/off-haul of stockpiled demolition debris.

CONCLUSIONS

During the period from September 5 through 8, 2023, Roux conducted a demolition air monitoring program to evaluate PM10 and meteorological conditions (wind speed, direction, temperature, humidity, etc.). As demonstrated during the baseline monitoring period (Roux, 2023b), the results indicate that PM10 levels vary significantly depending on several factors (i.e., weather conditions, the natural environment, and human activities) and ranged from 0 to 488 $\mu\text{g}/\text{m}^3$ during the weekly monitoring period. Meteorological data confirmed the prevailing wind direction from the west/southwest.

During the weekly monitoring period, there were no exceedances of the CAAQS action level for PM10, 15-minute average wind speed action level, nor maximum wind speed action level.

REFERENCES

Roux Associates, Inc. (Roux), 2023a, Final Community Air Monitoring Plan, 7825 San Leandro Street, Oakland, California, August 25.

Roux, 2023b, Baseline Ambient Air Monitoring Report, 7825 San Leandro Street, Oakland, California, September 5.

Sincerely,

ROUX ASSOCIATES, INC.



Harold Rush
Senior Engineer



Richard Maxwell
Principal Geologist/Operations Manager

Enclosures:

- Table 1 – Summary of PM10 Measurements
- Figure 1 – CAMP Monitoring Locations
- Appendices
 - A. Weekly Monitoring Data
 - B. Daily Progress Reports and Activity Logs

Weekly Progress Report
7825 San Leandro Street, Oakland, California

TABLE

Summary of PM10 Measurements

Table 1
Summary of PM10 Measurements
7825 San Leandro Street
Oakland, California

All PM10 measurements are expressed in µg/m³.


	AMS-01			AMS-02			AMS-03			AMS-04			AMS-05			AMS-06		
Weekly Monitoring Period ¹	Min	Max	TWA	Min	Max ²	TWA	Min	Max	TWA	Min	Max	TWA	Min	Max	TWA	Min	Max	TWA
9/5/2023	5	52	22.8	8	39	21.8	13	38	22.3	0	27	12.9	16	45	24.8	0	66	29.2
9/6/2023	13	58	20.5	13	368	44.7	16	70	22.7	7	156	19.1	17	46	23.5	17	117	24.8
9/7/2023	12	27	15.5	12	109	20.4	16	123	23.2	6	22	12.5	15	30	20.6	16	81	21.8
9/8/2023	5	120	24.3	0	488	77.5	11	142	28.0	0	166	21.1	16	42	25.5	11	50	25.3

Notes:
µg/m³ = Micrograms per cubic meter
Min = Minimum
Max = Maximum
TWA = Daily Time Weighted Average
¹ Samples collected during demolition period from 7:00 am to 3:30 pm.
² During a one-minute interval on 9/8/2023 at 8:09 am, a PM10 reading of 488 was measured because excavation equipment exhaust was in close proximity to the dust monitor intake.

FIGURE


CAMP Monitoring Locations

\\SRV\O\CAFP1\OAKLAND SHARED\CLIENTS\PROLOGIS\7825 SAN LEANDRO STREET\T02_ROUX WORK PRODUCT\PASSIVE SOIL GAS AND GW INVESTIGATION\CAD\2968.0018L100.DWG ETOTSUBO



LEGEND

- SITE BOUNDARY
- HISTORICAL AREA OF CONCERN
- DUST MONITORING LOCATION
- DUST MONITORING LOCATION DURING CUPOLA DEMOLITION
- AIR SAMPLE LOCATION
- METEOROLOGICAL STATION
- WINDROSE DIAGRAM
- PREVAILING WIND DIRECTION IN AZIMUTH DEGREES



Title: **CAMP MONITORING LOCATIONS**

7825 SAN LEANDRO STREET
OAKLAND, CALIFORNIA

Prepared for: **DUKE REALTY FOUNDRY LP**

	Compiled by: H.R.	Date: 8/30/23	FIGURE 1
	Prepared by: C.B.	Scale: AS SHOWN	
	Project Mgr: H.R.	Project: 2968.0018L000	
	File: 2968.0018L100.DWG		

APPENDICES

- A. Weekly Monitoring Data
- B. Daily Progress Reports & Activity Logs

APPENDIX A

Weekly Monitoring Data

Demolition Air Monitoring

7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 7:08	65.1	69.3	1013	1013	2.7	1.4	41.1	41.1			
9/5/2023 7:09	64.1	71.4	1013	1013	2.7	1.4	42.7	41.9	41	41	
9/5/2023 7:10	63.2	73.1	1013	1013	2.6	1.5	42.1	41.97	34	37	
9/5/2023 7:11	62.6	75	1013	1013	2.6	1.4	40.2	41.53	22	32	
9/5/2023 7:12	62.1	76.5	1013	1013	2.6	1.6	36.8	40.58	16	28	
9/5/2023 7:13	61.7	77.8	1013	1013	3	1.7	31.5	39.07	13	25	
9/5/2023 7:14	61.4	79.1	1013	1013	3.2	1.7	28.5	37.56	10	22	
9/5/2023 7:15	61	80.3	1013	1013	3.2	1.8	24.5	35.93	9	20	
9/5/2023 7:16	60.8	81.2	1013	1013	3.2	1.8	21.9	34.37	8	19	
9/5/2023 7:17	60.8	81.7	1013	1013	3.2	1.8	19.8	32.91	7	17	
9/5/2023 7:18	60.7	82	1013	1013	3.2	1.8	15.7	31.35	5	16	
9/5/2023 7:19	60.7	82.5	1013	1013	3.2	1.8	11.8	29.72	20	16	
9/5/2023 7:20	60.5	82.9	1013	1013	3.2	1.9	9.4	28.15	27	17	
9/5/2023 7:21	60.5	82.9	1013	1013	3.4	1.9	6.7	26.62	24	18	
9/5/2023 7:22	60.5	83.1	1013	1013	3.6	1.9	5.4	25.21	24	18	
9/5/2023 7:23	60.4	83.5	1013	1013	3.6	1.9	1.9	22.59	28	19	
9/5/2023 7:24	60.2	83.8	1013	1013	3.6	1.9	357.7	43.59	32	18	
9/5/2023 7:25	60.2	84.3	1013	1013	3.6	2	1.3	40.87	29	18	
9/5/2023 7:26	60.2	84.4	1013	1013	3.6	2.1	4.7	38.51	32	18	
9/5/2023 7:27	60	84.6	1013	1013	3.6	2.1	8.3	36.61	33	20	
9/5/2023 7:28	60	84.8	1013	1013	3.6	2.1	12	35.31	30	21	
9/5/2023 7:29	60	84.9	1013	1013	3.6	2.1	13.5	34.31	29	22	
9/5/2023 7:30	60	85.1	1013	1013	3.6	2.1	14.7	33.65	26	23	
9/5/2023 7:31	60	85.3	1013	1013	3.6	2.1	16.8	33.31	25	24	
9/5/2023 7:32	60	85.3	1013	1013	3.6	2	20.2	33.34	24	25	
9/5/2023 7:33	60	85.5	1013	1013	3.6	2	23.4	33.85	23	27	
9/5/2023 7:34	60	85.5	1013	1013	3.6	1.9	25.1	34.74	24	27	
9/5/2023 7:35	60.1	85.6	1013	1013	3.6	1.8	24.4	35.74	24	27	
9/5/2023 7:36	60.2	85.5	1013	1013	3.3	1.9	25.3	36.98	24	27	
9/5/2023 7:37	60.2	85.5	1013	1013	3.3	1.9	23.2	38.17	24	27	
9/5/2023 7:38	60.2	85.5	1013	1013	3.3	1.9	19.9	39.37	28	27	
9/5/2023 7:39	60.2	85.5	1013	1013	3.3	1.9	17.8	16.71	29	26	
9/5/2023 7:40	60.4	85.5	1013	1013	3.3	1.8	13.9	17.55	29	26	
9/5/2023 7:41	60.4	85.2	1013	1013	3.3	1.9	12.8	18.09	30	26	
9/5/2023 7:42	60.6	85.3	1013	1013	3.3	1.9	9.2	18.15	29	26	
9/5/2023 7:43	60.6	85	1013	1013	4.1	1.9	6.8	17.8	29	26	
9/5/2023 7:44	60.5	84.8	1013	1013	4.1	2.1	359.9	40.89	31	26	
9/5/2023 7:45	60.6	85.1	1013	1013	4.1	2.1	353.7	63.49	30	26	
9/5/2023 7:46	60.6	85.3	1013	1013	4.1	2.1	350.2	85.72	30	27	
9/5/2023 7:47	60.6	85.1	1013	1013	4.1	2	354.2	107.99	30	27	
9/5/2023 7:48	60.7	85.2	1013	1013	4.1	1.8	355.1	130.1	29	28	
9/5/2023 7:49	60.8	85	1013	1013	4.1	1.8	3.5	128.66	29	28	
9/5/2023 7:50	60.8	84.9	1013	1013	4.1	1.8	10.4	127.73	28	28	
9/5/2023 7:51	60.7	85	1013	1013	4.1	1.8	20.9	127.43	29	28	
9/5/2023 7:52	60.8	85.3	1013	1013	3.6	1.8	32.3	128.04	31	29	
9/5/2023 7:53	60.7	85.3	1013	1013	3.5	1.5	74.7	131.69	29	29	
9/5/2023 7:54	60.8	85.6	1013	1013	2.3	1.5	88.9	136.43	30	29	
9/5/2023 7:55	60.8	85.5	1013	1013	2.4	1.5	93.5	141.74	29	29	
9/5/2023 7:56	60.9	85.3	1013	1013	2.9	1.5	102.4	147.71	29	29	
9/5/2023 7:57	60.9	85.1	1013	1013	2.9	1.7	105.4	154.13	28	29	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 7:58	61.1	85.2	1013	1013	2.9	1.7	106.6	160.78	28	29	0.00118
9/5/2023 7:59	61.1	85	1013	1013	2.9	1.6	106	143.85	28	29	
9/5/2023 8:00	61	84.7	1013	1013	2.9	1.6	106.5	127.37	32	29	
9/5/2023 8:01	61.1	84.7	1013	1013	2.9	1.6	106.6	111.13	35	29	
9/5/2023 8:02	61.1	84.6	1013	1013	2.9	1.5	108.8	94.77	29	29	
9/5/2023 8:03	61.3	84.4	1013	1013	2.9	1.3	108.9	78.36	29	29	
9/5/2023 8:04	61.3	84	1013	1013	2.9	1.3	111.3	85.55	30	29	
9/5/2023 8:05	61.5	84.1	1013	1013	2.4	1.2	108.1	92.06	30	29	
9/5/2023 8:06	61.4	83.7	1013	1013	2.5	1.2	108.3	97.89	29	29	
9/5/2023 8:07	61.5	83.8	1013	1013	2.5	1.2	109.6	103.04	28	29	
9/5/2023 8:08	61.5	83.3	1013	1013	2.5	1.1	112.7	105.57	29	29	
9/5/2023 8:09	61.6	83.3	1013	1013	2.5	1.1	117.3	107.47	28	29	
9/5/2023 8:10	61.6	83.3	1013	1013	2.5	1	124.1	109.51	28	29	
9/5/2023 8:11	61.8	82.9	1013	1013	3.5	1	123.7	110.93	28	29	
9/5/2023 8:12	61.7	82.8	1013	1013	3.5	1.4	97.7	110.41	28	29	
9/5/2023 8:13	61.6	82.9	1013	1013	3.5	1.4	84.5	108.94	29	29	
9/5/2023 8:14	61.6	83.2	1013	1013	3.5	1.3	0	101.87	27	29	
9/5/2023 8:15	61.8	83	1013	1013	3.5	1.3	0	94.77	31	29	
9/5/2023 8:16	61.8	83.4	1013	1013	3.5	1.4	0	87.67	37	29	
9/5/2023 8:17	62	82.6	1013	1013	3.5	1.5	0	80.41	26	29	
9/5/2023 8:18	62	82.5	1013	1013	3.5	1.5	44.1	76.09	26	28	
9/5/2023 8:19	62	82.9	1013	1013	3.5	1.5	45.7	71.72	25	28	
9/5/2023 8:20	62.1	82.5	1013	1013	3.1	1.6	49	67.78	26	28	
9/5/2023 8:21	62.2	82.9	1013	1013	3.1	1.5	68.2	65.11	52	29	
9/5/2023 8:22	62.3	82.1	1013	1013	3.4	1.5	77.3	62.95	44	30	
9/5/2023 8:23	62.1	81.6	1013	1013	3.4	1.6	74.2	60.39	28	30	
9/5/2023 8:24	62.1	82	1013	1013	3.4	1.7	75.1	57.57	27	30	
9/5/2023 8:25	62.1	82.2	1013	1013	3.4	1.6	69.4	53.93	44	31	
9/5/2023 8:26	62	81.9	1013	1013	3.9	1.6	54.7	49.33	28	31	
9/5/2023 8:27	61.9	82.2	1013	1013	3.9	1.7	41.3	45.57	28	31	
9/5/2023 8:28	61.9	82.2	1013	1013	3.9	1.8	27.1	41.74	26	31	
9/5/2023 8:29	61.9	81.8	1013	1013	3.9	1.8	20.6	43.11	27	31	
9/5/2023 8:30	61.9	82.2	1013	1013	3.9	1.9	18.2	44.33	26	31	
9/5/2023 8:31	62	81.7	1013	1013	3.9	1.9	16.6	45.43	27	30	
9/5/2023 8:32	62.1	81.9	1013	1013	3.9	1.9	10.3	46.12	27	30	
9/5/2023 8:33	62.1	82	1013	1013	3.9	1.8	7.6	43.69	28	30	
9/5/2023 8:34	62.2	81.7	1013	1013	3.9	1.8	5.1	40.98	30	31	
9/5/2023 8:35	62.3	81.6	1013	1013	3.8	1.7	357.7	61.56	30	31	
9/5/2023 8:36	62.4	81.1	1013	1013	3.8	1.7	356.3	80.77	29	29	
9/5/2023 8:37	62.5	81.4	1013	1013	3.8	1.6	359.4	99.57	29	28	
9/5/2023 8:38	63.1	80.6	1013	1013	3.8	1.5	353.5	118.19	31	29	
9/5/2023 8:39	63.3	79.7	1013	1013	4.3	1.4	343.7	136.1	30	29	
9/5/2023 8:40	63.1	79.4	1013	1013	4.3	1.3	330.3	153.49	29	28	
9/5/2023 8:41	63.1	79.5	1013	1013	4.3	1.2	308.7	170.43	30	28	
9/5/2023 8:42	63.1	80.1	1013	1013	4.3	1.1	303.2	187.89	30	28	
9/5/2023 8:43	63.1	80.3	1013	1013	4.3	1	0	186.08	29	28	
9/5/2023 8:44	62.9	80.3	1013	1013	4.3	1.1	0	184.71	30	29	
9/5/2023 8:45	63	80.8	1013	1013	4.3	1.1	0	183.49	30	29	
9/5/2023 8:46	63	80.5	1013	1013	4.3	1.2	0	182.39	30	29	
9/5/2023 8:47	62.9	80.5	1013	1013	4.3	1.3	0	181.7	29	29	
9/5/2023 8:48	63	81	1013	1013	3.1	1.2	162.7	192.04	29	29	
9/5/2023 8:49	63	80.5	1013	1013	3.1	1.3	147.9	201.56	29	29	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 8:50	63.4	80.1	1013	1013	3.1	1.2	139.8	187.03	29	29	0.00292
9/5/2023 8:51	63.6	79.2	1013	1013	3	1.3	133.5	172.18	29	29	
9/5/2023 8:52	63.6	79.4	1013	1013	3.9	1.4	0	148.22	29	29	
9/5/2023 8:53	63.4	79.2	1013	1013	3.9	1.4	0	124.65	30	29	
9/5/2023 8:54	63.4	79.2	1013	1013	3.9	1.2	0	101.74	29	29	
9/5/2023 8:55	63.8	79.3	1013	1013	3.9	1	0	79.72	29	29	
9/5/2023 8:56	63.6	78.6	1013	1013	3.9	1.1	0	59.14	29	29	
9/5/2023 8:57	63.6	79.4	1013	1013	3.9	1.2	0	38.93	29	29	
9/5/2023 8:58	63.9	78.8	1013	1013	3.9	1.1	0	38.93	29	29	
9/5/2023 8:59	63.9	78.5	1013	1013	3.9	1.2	0	38.93	27	29	
9/5/2023 9:00	63.9	78.4	1013	1013	4.1	1.3	0	38.93	26	28	
9/5/2023 9:01	63.9	78.6	1013	1013	4.1	1.4	0	38.93	26	28	
9/5/2023 9:02	63.9	78.5	1013	1013	4.1	1.5	0	38.93	26	28	
9/5/2023 9:03	63.7	79.2	1013	1013	4.1	1.6	0	28.08	25	28	
9/5/2023 9:04	63.7	79.4	1013	1013	4.1	1.8	0	18.22	25	27	
9/5/2023 9:05	63.8	79	1013	1013	4.1	1.6	275.3	27.25	25	27	
9/5/2023 9:06	63.8	79	1013	1013	4.1	1.6	262.4	35.85	26	27	
9/5/2023 9:07	63.8	79.5	1013	1013	4.1	1.7	261.9	53.31	26	27	
9/5/2023 9:08	63.8	78.9	1013	1013	4.1	1.7	251.3	70.06	26	26	
9/5/2023 9:09	63.6	79.3	1013	1013	4	1.7	239.6	86.03	25	26	
9/5/2023 9:10	63.7	79.5	1013	1013	4	1.7	0	86.03	25	26	
9/5/2023 9:11	63.9	79.2	1013	1013	6.1	1.6	0	86.03	23	25	
9/5/2023 9:12	64.1	79	1013	1013	6.1	1.6	0	86.03	22	25	
9/5/2023 9:13	64.4	78.1	1013	1013	6.1	1.5	0	86.03	23	25	
9/5/2023 9:14	64.3	77.5	1013	1013	6.1	1.6	0	86.03	25	24	
9/5/2023 9:15	64.1	77.7	1013	1013	6.1	1.6	0	86.03	25	24	
9/5/2023 9:16	64.3	78.2	1013	1013	6.1	1.8	0	86.03	26	24	
9/5/2023 9:17	64.5	77.2	1013	1013	6.1	2	359.7	110.01	25	24	
9/5/2023 9:18	64.3	76.9	1013	1013	6.1	2.1	343.4	132.91	26	24	
9/5/2023 9:19	64.3	77.3	1013	1013	6.1	2.2	333.9	155.17	25	24	
9/5/2023 9:20	63.9	77.8	1013	1013	5	2.2	327.7	158.66	26	24	
9/5/2023 9:21	64.1	77.9	1013	1013	5	2.3	332.9	163.36	26	24	
9/5/2023 9:22	64.1	77.5	1013	1013	5	2.5	338.1	168.44	26	24	
9/5/2023 9:23	64.1	77.8	1013	1013	5	2.5	340.6	174.39	26	24	
9/5/2023 9:24	64.1	77.9	1013	1013	5	2.4	341.3	181.17	25	24	
9/5/2023 9:25	64.1	77.6	1013	1013	5	2.4	341.8	203.96	25	24	
9/5/2023 9:26	64.1	77.5	1013	1013	5	2.3	341.4	226.72	25	25	
9/5/2023 9:27	64.1	77.8	1013	1013	5	2.2	339.1	249.33	23	25	
9/5/2023 9:28	64.1	77.6	1013	1013	4.8	2.1	337.4	271.82	23	25	
9/5/2023 9:29	64.3	77.8	1013	1013	4.8	1.8	336.9	294.28	23	25	
9/5/2023 9:30	64.5	77.7	1013	1013	4.9	1.9	336.3	316.7	24	24	
9/5/2023 9:31	64.7	76.8	1013	1013	4.9	1.8	332.8	338.89	24	24	
9/5/2023 9:32	64.5	76.6	1013	1013	4.9	1.8	333.4	337.13	25	24	
9/5/2023 9:33	64.7	77.2	1013	1013	5.1	1.9	336.8	336.69	24	24	
9/5/2023 9:34	64.7	75.9	1013	1013	5.1	2	337.6	336.94	25	24	
9/5/2023 9:35	64.6	76.9	1013	1013	5.1	2.1	340	337.76	24	24	
9/5/2023 9:36	64.6	76.8	1013	1013	5.1	2.2	341	338.3	24	24	
9/5/2023 9:37	64.7	76.6	1013	1013	5.1	2.3	341.8	338.55	23	24	
9/5/2023 9:38	64.7	76.9	1013	1013	5.1	2.6	339.1	338.45	23	24	
9/5/2023 9:39	64.7	76.4	1013	1013	5.1	2.6	336.2	338.11	23	23	
9/5/2023 9:40	64.7	76.7	1013	1013	5.1	2.4	335.3	337.67	23	23	
9/5/2023 9:41	65	77.1	1013	1013	5.1	2.3	334.8	337.23	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 9:42	65.1	76.1	1013	1013	4.7	2.2	324.3	336.25	24	23	
9/5/2023 9:43	65.1	76.2	1013	1013	4.7	2.1	308.8	334.34	24	23	
9/5/2023 9:44	65.4	75.6	1013	1013	4.7	1.9	295.4	331.57	24	23	
9/5/2023 9:45	65.1	75.5	1013	1013	4.7	1.8	277.4	327.65	25	23	
9/5/2023 9:46	65.1	75.6	1013	1013	4.7	1.8	250.5	322.16	25	23	
9/5/2023 9:47	65.2	76.3	1013	1013	4.7	1.7	0	299.93	24	23	
9/5/2023 9:48	65.6	76.2	1013	1013	4.7	1.6	207.9	291.34	23	23	
9/5/2023 9:49	65.8	75.3	1013	1013	4.7	1.8	229.2	284.11	22	23	
9/5/2023 9:50	65.8	74.6	1013	1013	6.5	2.1	236.8	277.23	24	23	
9/5/2023 9:51	65.8	74.9	1013	1013	6.5	2.1	234.5	270.13	23	23	
9/5/2023 9:52	66	74.9	1013	1013	6.5	2	232.7	262.86	23	23	
9/5/2023 9:53	66	74.2	1013	1013	6.5	2	239.2	256.2	23	23	
9/5/2023 9:54	66.2	73.9	1013	1013	6.5	2	257.4	250.95	23	23	
9/5/2023 9:55	65.8	74.1	1013	1013	6.5	2	272.9	246.79	23	23	
9/5/2023 9:56	65.5	74.7	1013	1013	6.5	2.1	279.2	243.08	28	23	
9/5/2023 9:57	65.6	75.7	1013	1013	6.5	2.1	284	240.39	25	23	
9/5/2023 9:58	65.8	74.4	1013	1013	6.5	1.9	284.6	238.78	23	23	
9/5/2023 9:59	65.6	74.8	1013	1013	5	1.7	282.3	237.91	23	23	
9/5/2023 10:00	65.8	74.5	1013	1013	5	1.9	0	219.41	23	23	0.00466
9/5/2023 10:01	65.6	74.8	1013	1013	5	2	0	202.71	23	23	
9/5/2023 10:02	65.6	75.4	1013	1013	5	2	0	202.71	23	23	
9/5/2023 10:03	65.8	74.7	1013	1013	5	2	158.9	199.45	23	23	
9/5/2023 10:04	66	74.4	1013	1013	5.6	1.9	155.4	194.53	23	23	
9/5/2023 10:05	65.9	74.7	1013	1013	5.6	1.9	149.7	188.72	25	23	
9/5/2023 10:06	66	74.8	1013	1013	5.6	2	147	182.89	24	23	
9/5/2023 10:07	66.3	74	1013	1013	6.7	2.2	150.6	177.41	22	23	
9/5/2023 10:08	66.3	74.7	1013	1013	6.7	2.1	161.2	172.21	22	23	
9/5/2023 10:09	66.6	73.5	1013	1013	8.3	2.1	170.6	166.43	37	24	
9/5/2023 10:10	66.9	73.3	1013	1013	8.3	2	180.5	160.27	35	25	
9/5/2023 10:11	67.1	73	1013	1013	8.3	2	194.4	154.61	23	24	
9/5/2023 10:12	67.4	72.1	1013	1013	8.3	1.9	205.4	149.37	22	24	
9/5/2023 10:13	67.5	71.7	1013	1013	8.3	1.9	205.8	144.12	21	24	
9/5/2023 10:14	67.6	71.1	1013	1013	8.3	1.9	218	139.83	21	24	
9/5/2023 10:15	67.4	71.7	1013	1013	8.3	1.8	231	155.23	22	24	
9/5/2023 10:16	67.6	71.6	1013	1013	8.3	1.6	240.7	171.28	21	24	
9/5/2023 10:17	67.4	70.8	1013	1013	8.3	1.5	243.4	187.51	21	24	
9/5/2023 10:18	67.2	71.9	1013	1013	5.2	1.5			22	24	
9/5/2023 10:19	67.2	71.6	1013	1013	4.6	1.6	246.4	196.05	22	24	
9/5/2023 10:20	67.4	71.6	1013	1013	4.6	1.5	245.3	202.88	27	24	
9/5/2023 10:21	67.3	71.4	1013	1013	4.6	1.5	0	192.38	22	24	
9/5/2023 10:22	67.4	71.8	1013	1013	4.6	1.5	257.6	200.02	21	23	
9/5/2023 10:23	67.4	71.1	1013	1013	5.5	1.6	270.9	207.86	21	23	
9/5/2023 10:24	67.4	71.2	1013	1013	5.5	1.6	269	214.89	21	22	
9/5/2023 10:25	67.4	71.1	1013	1013	6.1	1.7	275	221.64	20	21	
9/5/2023 10:26	67.6	71	1013	1013	6.1	1.9	283.1	227.97	21	21	
9/5/2023 10:27	67.8	70.5	1013	1013	6.1	1.9	285.1	233.66	19	21	
9/5/2023 10:28	67.8	70.2	1013	1013	6.1	1.8	273.5	238.5	20	21	
9/5/2023 10:29	68	70.7	1013	1013	6.1	1.8	271.1	242.29	20	21	
9/5/2023 10:30	68.1	69.2	1013	1013	6.1	1.8	268.4	244.96	20	21	
9/5/2023 10:31	68.1	69.8	1013	1013	6.1	1.7	276	247.49	20	21	
9/5/2023 10:32	68.1	70.4	1013	1013	6.1	1.7	256.6	248.43	20	21	
9/5/2023 10:33	68.4	69.3	1013	1013	6.1	1.6	0	231.87	20	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 10:34	68.6	69.5	1013	1013	6.1	1.6	259.1	232.71	20	20	
9/5/2023 10:35	68.7	69.1	1013	1013	6.7	1.6	257.7	233.54	20	20	
9/5/2023 10:36	68.1	70.4	1013	1013	6.7	1.9	276.4	251.97	20	20	
9/5/2023 10:37	68								20	20	
9/5/2023 10:38	68.2	71.6	1013	1013	6.7	4.7	285.6	252.61			
9/5/2023 10:39	67.7	71.6	1013	1013	7.1	4.3	302.6	255.01			
9/5/2023 10:40	67.7	71.5	1013	1013	7.1	4.4	302.4	256.97	20	20	
9/5/2023 10:41	67.8	72	1013	1013	7.1	3.7	305.6	258.58	22	20	
9/5/2023 10:42	67.8	71	1013	1013	7.1	3.7	305	260	22	20	
9/5/2023 10:43	67.8	71.9	1013	1013	7.1	3.6	303.9	262.17	22	20	
9/5/2023 10:44	67.8	71.6	1013	1013	7.1	3.4	304.7	264.57	21	20	
9/5/2023 10:45	68.2	70.9	1013	1013	7.1	3	306.5	267.29	21	20	
9/5/2023 10:46	68.2	70	1013	1013	7.1	3	307.9	269.57	21	20	
9/5/2023 10:47	68.1	70.1	1013	1013	7.1	3.1	308.7	273.29	21	20	
9/5/2023 10:48	68	70.9	1013	1013	7.5	3.1	307.4	295.25	21	20	
9/5/2023 10:49	67.8	71.3	1013	1013	7.5	3	307.5	298.71	22	21	
9/5/2023 10:50	67.8	72	1013	1013	7.5	3.1	306.7	302.21	21	21	
9/5/2023 10:51	67.4	71.9	1013	1013	7.5	3	306.9	304.39	21	21	
9/5/2023 10:52	67.4	71.8	1013	1013	7.5	3.1	308.5	304.66	22	21	
9/5/2023 10:53	67.4	72.3	1013	1013	7.5	3.2	307.8	306.14	21	21	
9/5/2023 10:54	67.6	72.8	1013	1013	7.5	3.3	306.3	306.39	21	21	
9/5/2023 10:55	68.2	71.7	1013	1013	7.5	3.3	305.5	306.59	22	21	
9/5/2023 10:56	68.2	71	1013	1013	7.5	3.3	305.1	306.56	21	21	
9/5/2023 10:57	68.2	70.9	1013	1013	7.2	3.2	308.7	306.81	21	21	
9/5/2023 10:58	68.2	71.4	1013	1013	7.2	3.1	309.9	307.21	21	21	
9/5/2023 10:59	68.4	70.2	1013	1013	7.2	3	311.2	307.64	21	21	
9/5/2023 11:00	68.5	71.1	1013	1013	7.9	3	311.6	307.98	21	21	0.00524
9/5/2023 11:01	68.5	69.8	1013	1013	7.9	2.9	311.5	308.22	21	21	
9/5/2023 11:02	68.7	70.2	1013	1013	8.2	2.8	311.2	308.39	21	21	
9/5/2023 11:03	68.7	70.3	1013	1013	8.2	2.9	306	308.29	25	21	
9/5/2023 11:04	68.7	70.8	1013	1013	8.2	2.9	297.2	307.61	24	21	
9/5/2023 11:05	68.7	71.1	1013	1013	8.2	2.7	294.4	306.79	21	21	
9/5/2023 11:06	69.1	70.4	1013	1013	8.2	2.6	287.5	305.49	21	21	
9/5/2023 11:07	69.4	69.2	1013	1013	8.2	2.5	283.9	303.85	22	21	
9/5/2023 11:08	69.4	68.5	1013	1013	8.2	2.5	279.6	301.97	21	21	
9/5/2023 11:09	69.2	69	1013	1013	8.2	2.4	274.2	299.83	21	21	
9/5/2023 11:10	68.9	69	1013	1013	8.2	2.4	264.9	297.13	22	21	
9/5/2023 11:11	69	69.9	1013	1013	6.6	2.3	258.4	294.01	21	21	
9/5/2023 11:12	68.8	69.7	1013	1013	8	2.1	257.4	290.59	21	21	
9/5/2023 11:13	68.8	69.7	1013	1013	8	2.1	255.6	286.97	21	21	
9/5/2023 11:14	68.7	69	1013	1013	8	2.2	252.3	283.05	21	21	
9/5/2023 11:15	68.8	69.8	1013	1013	8.2	2.3	246.8	278.73	21	21	
9/5/2023 11:16	69	69.4	1013	1013	8.2	2.2	246.3	274.38	20	21	
9/5/2023 11:17	69.2	68.3	1013	1013	8.4	2.3	242.6	269.81	21	21	
9/5/2023 11:18	69.2	68.3	1013	1013	8.4	2.4	244	265.67	20	21	
9/5/2023 11:19	69.1	67.7	1013	1013	8.4	2.4	250.1	262.53	21	21	
9/5/2023 11:20	69.2	68.3	1013	1013	8.4	2.4	260.4	260.27	20	20	
9/5/2023 11:21	69.2	67.9	1013	1013	8.4	2.6	269.4	259.06	21	20	
9/5/2023 11:22	69.2	68.4	1013	1013	8.4	2.4	274.8	258.45	21	20	
9/5/2023 11:23	69.4	67.5	1013	1013	8.4	2.5	282.2	258.63	21	20	
9/5/2023 11:24	69.6	66.9	1013	1013	8.4	2.4	291.1	259.75	21	20	
9/5/2023 11:25	69.5	66.9	1013	1013	8.4	2.5	285	261.09	21	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 11:26	69.4	67.7	1013	1013	7.5	2.4	285.6	262.91	21	20	
9/5/2023 11:27	69.6	67.1	1013	1013	7.5	2.3	291.6	265.19	20	20	
9/5/2023 11:28	69.7	66.5	1013	1013	7.5	2.3	293.2	267.69	20	20	
9/5/2023 11:29	69.9	65.9	1013	1013	7.5	2.3	294.2	270.49	20	20	
9/5/2023 11:30	70.1	65.7	1013	1013	8.1	2.3	296	273.77	20	20	
9/5/2023 11:31	69.9	66.5	1013	1013	8.1	2.5	300.3	277.37	20	20	
9/5/2023 11:32	70.1	66	1013	1013	8.1	2.7	303.4	281.42	20	20	
9/5/2023 11:33	69.7	65.8	1013	1013	8.1	3	301.4	285.25	19	20	
9/5/2023 11:34	69.7	66.1	1013	1013	8.1	3	304	288.84	20	20	
9/5/2023 11:35	69.9	65.5	1013	1013	8.1	3.1	307	291.95	20	20	
9/5/2023 11:36	69.9	65.2	1013	1013	9	3.3	305.3	294.34	20	20	
9/5/2023 11:37	69.4	65.8	1013	1013	9	3.6	304.3	296.31	20	20	
9/5/2023 11:38	69.4	66.9	1013	1013	9	3.5	302.8	297.68	19	20	
9/5/2023 11:39	69.2	67	1013	1013	9	3.7	302.3	298.43	20	20	
9/5/2023 11:40	69.5	67	1013	1013	9	3.6	301	299.49	20	19	
9/5/2023 11:41	69.4	67	1013	1013	9	3.8	300	300.45	20	19	
9/5/2023 11:42	69.6	66	1013	1013	9	3.5	298.5	300.91	19	19	
9/5/2023 11:43	69.9	65	1013	1013	9	3.6	296.7	301.15	19	19	
9/5/2023 11:44	70.2	63.9	1013	1013	9	3.5	293.3	301.09	18	19	
9/5/2023 11:45	70.2	64.1	1013	1013	8.1	3.2	289.5	300.65	18	19	
9/5/2023 11:46	70.3	63.6	1013	1013	8.1	3	280.7	299.35	17	19	
9/5/2023 11:47	70.3	65	1013	1013	8.1	2.9	275.8	297.51	18	19	
9/5/2023 11:48	70.7	63.7	1013	1013	8.1	2.7	268.1	295.29	18	19	
9/5/2023 11:49	71	63.6	1013	1013	7.2	2.6	263.5	292.59	20	19	
9/5/2023 11:50	71	63.2	1013	1013	7.2	2.2	253.5	289.02	19	19	
9/5/2023 11:51	70.8	63	1013	1013	7.2	2.2	250.7	285.38	18	18	
9/5/2023 11:52	70.6	63.8	1013	1013	7.2	2	261.6	282.53	18	18	
9/5/2023 11:53	71	62.7	1013	1013	7.2	2	268.9	280.27	18	18	
9/5/2023 11:54	71.3	62.1	1013	1013	7.2	2.1	275	278.45	17	18	
9/5/2023 11:55	71.3	61.7	1013	1013	7.2	1.9	278.2	276.93	18	18	
9/5/2023 11:56	71.2	62.2	1013	1013	7.2	1.9	282.3	275.75	17	18	
9/5/2023 11:57	71	62.5	1013	1013	7.2	2	278	274.39	17	18	
9/5/2023 11:58	70.8	63.3	1013	1013	7.9	2	276.2	273.02	18	17	
9/5/2023 11:59	70.6	63.6	1013	1013	7.9	2.2	274.9	271.79	17	17	
9/5/2023 12:00	70.6	63.6	1013	1013	7.9	2.1	273.3	270.71	17	17	0.00463
9/5/2023 12:01	70.6	63.1	1013	1013	7.9	2.1	265.5	269.7	17	17	
9/5/2023 12:02	70.8	62.6	1013	1013	7.9	2.2	270.5	269.35	17	17	
9/5/2023 12:03	71	61.6	1013	1013	7.9	2.4	276.8	269.93	17	17	
9/5/2023 12:04	71	61.9	1013	1013	7.9	2.5	284.7	271.34	17	17	
9/5/2023 12:05	70.9	62.2	1013	1013	7.9	2.7	287.4	273.6	17	17	
9/5/2023 12:06	71	62.3	1013	1013	7.9	2.7	287.8	276.07	16	17	
9/5/2023 12:07	71.3	61.7	1013	1013	6.7	2.6	287.8	277.82	17	17	
9/5/2023 12:08	71.5	61.8	1013	1013	6.7	2.5	289.7	279.21	16	17	
9/5/2023 12:09	71.7	60.2	1013	1013	6.7	2.7	294.2	280.49	16	16	
9/5/2023 12:10	71.7	60.3	1013	1013	6.7	2.8	298.5	281.84	16	16	
9/5/2023 12:11	71.9	59.8	1013	1013	6.7	2.7	295.7	282.73	16	16	
9/5/2023 12:12	71.9	59.7	1013	1013	6.1	2.5	296.3	283.95	16	16	
9/5/2023 12:13	72	58.8	1013	1013	6.1	2.3	293.6	285.11	15	16	
9/5/2023 12:14	72.2	59.2	1013	1013	7.3	2.1	293.3	286.34	15	16	
9/5/2023 12:15	72.6	58.2	1013	1013	7.3	2.3	295.1	287.79	14	16	
9/5/2023 12:16	72.4	58.7	1013	1013	7.3	2.1	296.3	289.85	14	15	
9/5/2023 12:17	72.6	58.6	1013	1013	7.3	2.2	293.3	291.37	13	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 12:18	73.3	57	1013	1013	7.3	2	283.6	291.82	14	15	
9/5/2023 12:19	73.6	55.3	1013	1013	7.3	1.9	277.9	291.37	13	15	
9/5/2023 12:20	73.3	56.5	1013	1013	7.3	1.9	271.5	290.31	13	14	
9/5/2023 12:21	73.2	56	1013	1013	7.3	1.9	251.5	287.89	12	14	
9/5/2023 12:22	73.1	55.8	1013	1013	7.3	1.9	247.1	285.17	14	14	
9/5/2023 12:23	73.3	55.7	1013	1013	7.3	1.9	242.9	282.05	13	14	
9/5/2023 12:24	73.2	56	1013	1013	6.2	1.8	234	278.04	12	14	
9/5/2023 12:25	73	56.4	1013	1013	6	1.8	237.9	274	12	13	
9/5/2023 12:26	73.4	55.3	1013	1013	6.4	1.7	251.9	271.08	12	13	
9/5/2023 12:27	73.8	54.1	1013	1013	6.4	1.8	262.5	268.83	11	13	
9/5/2023 12:28	73.6	53.9	1013	1013	6.8	1.9	265.3	266.94	12	12	
9/5/2023 12:29	73.2	55.3	1013	1013	6.8	1.8	271	265.45	11	12	
9/5/2023 12:30	72.9	55.2	1013	1013	6.8	2	277.6	264.29	11	12	
9/5/2023 12:31	72.3	55.8	1013	1013	6.8	2	304.2	264.81	11	12	
9/5/2023 12:32	72	55.8	1013	1013	6.8	2.1	318	266.46	11	12	
9/5/2023 12:33	72.3	55.6	1013	1013	6.8	2	331.8	269.67	11	11	
9/5/2023 12:34	72.5	55.1	1013	1013	6.8	2	342.9	274.01	11	11	
9/5/2023 12:35	72.6	54.2	1013	1013	6.8	2.1	350.9	279.3	10	11	
9/5/2023 12:36	72.9	53.8	1013	1013	6.8	2.1	357.9	286.39	10	11	
9/5/2023 12:37	72.9	54.2	1013	1013	5.7	1.9	11.1	270.66	10	11	
9/5/2023 12:38	73	54.1	1013	1013	4.4	1.9	13.5	255.37	10	11	
9/5/2023 12:39	73.6	53.2	1013	1013	5.2	1.8	18	240.97	11	10	
9/5/2023 12:40	73.8	52.7	1013	1013	5.2	1.9	355.8	248.83	11	10	
9/5/2023 12:41	73.9	51.9	1013	1013	5.2	2	340.9	254.76	10	10	
9/5/2023 12:42	73.7	52.5	1013	1013	5.2	2	333.5	259.49	10	10	
9/5/2023 12:43	74.1	51.7	1013	1013	5.2	1.9	327.6	263.65	10	10	
9/5/2023 12:44	74.1	52.3	1013	1013	5.7	1.9	314.9	266.57	10	10	
9/5/2023 12:45	74.4	52.1	1013	1013	6.7	2	308.2	268.61	11	10	
9/5/2023 12:46	74.4	52.7	1013	1013	6.7	2.1	307.1	268.81	12	10	
9/5/2023 12:47	75	51.5	1013	1013	6.7	2.2	308.5	268.17	14	10	
9/5/2023 12:48	75.3	50.5	1013	1013	7	2.1	304.6	266.36	12	10	
9/5/2023 12:49	75.5	50.1	1013	1013	8	2.1	307.8	264.02	11	10	
9/5/2023 12:50	74.8	52.4	1013	1013	8	2.4	308.1	261.17	12	10	
9/5/2023 12:51	74.6	53.3	1013	1013	8	2.5	309.7	257.95	13	11	
9/5/2023 12:52	74.3	54.4	1013	1013	8	2.8	311.5	277.98	13	11	
9/5/2023 12:53	74.2	54.5	1013	1013	8	2.9	309.4	297.71	13	11	
9/5/2023 12:54	74.4	54.3	1012	1012	8	2.8	306.8	316.96	14	11	
9/5/2023 12:55	74.8	53.7	1013	1013	8	2.8	303	313.44	14	11	
9/5/2023 12:56	74.4	55.2	1013	1013	9.3	2.8	299.7	310.69	14	12	
9/5/2023 12:57	74.5	54.5	1012	1012	9.3	3	293.9	308.05	14	12	
9/5/2023 12:58	75	54.2	1013	1013	9.3	3	291	305.61	15	12	
9/5/2023 12:59	74.6	54.4	1012	1012	9.3	2.8	291.4	304.05	15	13	
9/5/2023 13:00	74.1	56.7	1012	1012	9.3	2.6	293.3	303.05	16	13	0.00459
9/5/2023 13:01	74.4	57.4	1012	1012	9.3	2.5	281.8	301.37	17	13	
9/5/2023 13:02	74.8	57.4	1013	1013	9.3	2.4	277.1	299.27	18	14	
9/5/2023 13:03	75.3	55.5	1013	1013	9.3	2.5	280.7	297.68	17	14	
9/5/2023 13:04	74.9	56.1	1012	1012	9.3	2.6	285.1	296.17	19	14	
9/5/2023 13:05	75	56.3	1012	1012	8.5	2.4	286.8	294.75	18	15	
9/5/2023 13:06	75	55.9	1012	1012	8.5	2.6	297.2	293.91	18	15	
9/5/2023 13:07	74.8	56.7	1012	1012	8.5	2.8	300.7	293.19	19	16	
9/5/2023 13:08	74.9	57.1	1012	1012	8.5	2.9	299.5	292.53	18	16	
9/5/2023 13:09	75.3	55.7	1012	1012	10.6	3	301	292.15	18	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 13:10	75.1	54.6	1012	1012	11.1	3.1	305	292.28	17	16	
9/5/2023 13:11	74.8	55.4	1012	1012	11.1	3.1	307	292.77	18	17	
9/5/2023 13:12	75.1	53.5	1012	1012	11.1	3.2	308.4	293.73	16	17	
9/5/2023 13:13	74.9	54.2	1012	1012	11.1	3.1	309.9	294.99	16	17	
9/5/2023 13:14	75.1	54.1	1012	1012	11.1	3.4	309.2	296.18	18	17	
9/5/2023 13:15	74.9	55	1012	1012	11.1	3.3	309.1	297.23	18	17	
9/5/2023 13:16	75.1	54.7	1012	1012	11.1	3	309.8	299.1	17	17	
9/5/2023 13:17	75.5	53.4	1012	1012	11.1	3	308.9	301.22	17	17	
9/5/2023 13:18	75.4	52.8	1012	1012	11.1	3.2	309.2	303.12	17	17	
9/5/2023 13:19	75.5	53.4	1012	1012	8	2.9	304.2	304.39	17	17	
9/5/2023 13:20	75.8	53.4	1012	1012	8	3	303	305.47	17	17	
9/5/2023 13:21	76	52.4	1012	1012	11.1	3.1	300.3	305.68	17	17	
9/5/2023 13:22	75.8	52.1	1012	1012	11.1	3	298.2	305.51	17	17	
9/5/2023 13:23	75.7	52.7	1012	1012	11.1	2.8	293.4	305.11	16	17	
9/5/2023 13:24	76.2	51.9	1012	1012	11.1	2.9	293.7	304.62	16	16	
9/5/2023 13:25	76.5	52	1012	1012	11.1	2.9	292.1	303.76	17	16	
9/5/2023 13:26	76.9	50.8	1012	1012	11.1	2.8	292	302.76	16	16	
9/5/2023 13:27	76.9	50.5	1012	1012	11.1	2.8	293.6	301.77	16	16	
9/5/2023 13:28	76.7	50.4	1012	1012	11.1	3	297.8	300.97	16	16	
9/5/2023 13:29	75.8	51.1	1012	1012	11.1	2.9	300	300.35	15	16	
9/5/2023 13:30	75.3	53.2	1012	1012	7.8	2.6	303.3	299.97	16	16	
9/5/2023 13:31	75.6	53.2	1012	1012	7.8	2.6	305.4	299.67	17	16	
9/5/2023 13:32	76	52.3	1012	1012	7.8	2.7	309.5	299.71	17	16	
9/5/2023 13:33	76.5	51.9	1012	1012	7.6	2.7	306.7	299.55	17	16	
9/5/2023 13:34	76.7	51.1	1012	1012	7.6	2.8	308.4	299.83	17	16	
9/5/2023 13:35	76.9	50.2	1012	1012	7.6	2.9	310.5	300.33	16	16	
9/5/2023 13:36	76.7	51.2	1012	1012	9.6	3	309.5	300.94	17	16	
9/5/2023 13:37	76.5	52	1012	1012	9.6	2.9	311.8	301.85	17	16	
9/5/2023 13:38	75.9	51.2	1012	1012	9.6	3.3	324	303.89	16	16	
9/5/2023 13:39	75.6	52.3	1012	1012	9.6	3.6	323.1	305.85	17	16	
9/5/2023 13:40	75.4	52.1	1012	1012	9.6	3.7	323.2	307.92	16	16	
9/5/2023 13:41	75.4	52.3	1012	1012	9.6	3.7	321.8	309.91	16	16	
9/5/2023 13:42	75.6	51.9	1012	1012	9.6	3.5	328.7	312.25	16	16	
9/5/2023 13:43	75.8	50.9	1012	1012	9.6	3.6	331.8	314.51	17	16	
9/5/2023 13:44	76.1	51.6	1012	1012	9.6	3.4	329.3	316.47	18	16	
9/5/2023 13:45	76.5	51.6	1012	1012	8.1	3.2	332	318.38	18	16	
9/5/2023 13:46	77.2	50.8	1012	1012	8.1	3.3	331.3	320.11	18	16	
9/5/2023 13:47	77.8	49.6	1012	1012	8.1	3.2	326.3	321.23	18	16	
9/5/2023 13:48	77.6	50.5	1012	1012	9.5	3.1	323.7	322.36	17	16	
9/5/2023 13:49	76.5	52.6	1012	1012	9.5	3.2	323.5	323.37	19	17	
9/5/2023 13:50	75.5	54.2	1012	1012	9.5	3.4	323.1	324.21	19	17	
9/5/2023 13:51	75	54.8	1012	1012	9.5	3.4	318.7	324.82	18	17	
9/5/2023 13:52	74.9	55.1	1012	1012	9.5	3.2	317.3	325.19	18	17	
9/5/2023 13:53	75.9	53.3	1012	1012	9.5	3.1	320	324.92	19	17	
9/5/2023 13:54	76.5	52.9	1012	1012	9.5	3.3	319.1	324.65	19	17	
9/5/2023 13:55	76.4	52.8	1012	1012	9.5	3.3	322.7	324.62	18	17	
9/5/2023 13:56	76.5	52.2	1012	1012	9.5	3.5	324.3	324.79	19	18	
9/5/2023 13:57	76.5	52.9	1012	1012	8	3.2	320.8	324.26	19	18	
9/5/2023 13:58	76	53.1	1012	1012	8	3	320.4	323.5	19	18	
9/5/2023 13:59	75.9	53.9	1012	1012	8	2.7	325.4	323.24	18	18	
9/5/2023 14:00	76.1	52.7	1012	1012	8	2.9	328.8	323.03	19	18	0.00483
9/5/2023 14:01	76.1	53	1012	1012	9.3	3.3	328.2	322.82	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 14:02	76.1	53	1012	1012	9.3	3.7	332	323.2	18	18	
9/5/2023 14:03	75.6	53.8	1012	1012	9.3	4	336.3	324.04	19	18	
9/5/2023 14:04	75.6	53.8	1012	1012	9.3	4	332.5	324.64	20	18	
9/5/2023 14:05	75.4	54.4	1012	1012	9.3	3.8	331.1	325.17	20	18	
9/5/2023 14:06	75.8	53.8	1012	1012	9.3	3.6	331.4	326.02	19	18	
9/5/2023 14:07	76.5	52.5	1012	1012	9.3	3.7	330.5	326.9	19	18	
9/5/2023 14:08	76.5	52	1012	1012	9.3	3.9	330.4	327.59	18	18	
9/5/2023 14:09	76.5	52.1	1012	1012	9.3	3.9	329	328.25	19	18	
9/5/2023 14:10	76.1	52.5	1012	1012	8.7	3.7	325.7	328.45	19	18	
9/5/2023 14:11	75.8	53.5	1012	1012	8.4	3.4	320.4	328.19	18	18	
9/5/2023 14:12	75.8	53	1012	1012	8.4	3.2	317.3	327.96	17	18	
9/5/2023 14:13	76	52.8	1012	1012	8.4	3	318.9	327.86	18	18	
9/5/2023 14:14	76.5	51.7	1012	1012	8.4	2.9	321.5	327.6	18	18	
9/5/2023 14:15	76.5	51.7	1012	1012	8.4	3.2	327	327.48	18	18	
9/5/2023 14:16	76.5	52.1	1012	1012	8.1	3.3	333.8	327.85	18	18	
9/5/2023 14:17	77	50.7	1012	1012	7.5	3.2	334.9	328.05	17	18	
9/5/2023 14:18	76.7	51.5	1012	1012	7.9	3.3	333.6	327.87	18	18	
9/5/2023 14:19	76.5	51.5	1012	1012	7.9	3.3	336.4	328.13	18	18	
9/5/2023 14:20	76.1	51.9	1012	1012	7.9	3.5	336.8	328.51	18	18	
9/5/2023 14:21	76.2	52	1012	1012	7.9	3.5	336.1	328.82	17	18	
9/5/2023 14:22	76.3	51.5	1012	1012	9.1	3.8	336	329.19	16	17	
9/5/2023 14:23	75.8	52.3	1012	1012	9.1	4	334.9	329.49	17	17	
9/5/2023 14:24	75.8	52.1	1012	1012	9.1	4	332.9	329.75	16	17	
9/5/2023 14:25	76.1	51.7	1012	1012	8.9	4.1	332.2	330.18	18	17	
9/5/2023 14:26	76.8	50.4	1012	1012	8.9	4.3	327.9	330.68	17	17	
9/5/2023 14:27	76.8	50	1012	1012	8.9	4.3	328	331.39	17	17	
9/5/2023 14:28	76.5	51.1	1012	1012	9.1	4.5	328	332	16	17	
9/5/2023 14:29	76.2	51.5	1012	1012	12.8	4.5	326.1	332.31	16	17	
9/5/2023 14:30	75.8	51.9	1012	1012	12.8	4.8	323.6	332.08	16	17	
9/5/2023 14:31	76	51	1012	1012	12.8	4.7	323.7	331.41	16	16	
9/5/2023 14:32	75.8	51.8	1012	1012	12.8	4.6	324.1	330.69	17	16	
9/5/2023 14:33	76.5	51	1012	1012	12.8	4.4	324.1	330.05	18	16	
9/5/2023 14:34	77	49.6	1012	1012	12.8	4.1	323	329.16	20	17	
9/5/2023 14:35	76.8	50.4	1012	1012	12.8	4.2	322	328.17	17	16	
9/5/2023 14:36	76.8	50.1	1012	1012	12.8	4.2	330	327.77	16	16	
9/5/2023 14:37	76.8	50.7	1012	1012	12.8	4	327.9	327.23	18	17	
9/5/2023 14:38	77	50.7	1012	1012	9.4	4	330.3	326.92	17	17	
9/5/2023 14:39	77	50.6	1012	1012	9.4	3.7	333.5	326.96	17	17	
9/5/2023 14:40	77.4	49.9	1012	1012	9.4	3.5	330.6	326.85	17	17	
9/5/2023 14:41	77.8	49.5	1012	1012	9.4	3.4	329.2	326.94	17	17	
9/5/2023 14:42	77.7	49.4	1012	1012	9.4	3.6	327	326.87	17	17	
9/5/2023 14:43	77.4	49.8	1012	1012	9.4	3.7	325.6	326.71	18	17	
9/5/2023 14:44	77.5	50.1	1012	1012	9.4	3.4	326.2	326.72	17	17	
9/5/2023 14:45	77.9	49.1	1012	1012	9.4	3.2	325.9	326.87	17	17	
9/5/2023 14:46	77.8	49.5	1012	1012	9.4	3.2	325.7	327.01	18	17	
9/5/2023 14:47	77.8	49.5	1012	1012	8.8	3.3	326	327.13	18	17	
9/5/2023 14:48	77.5	49.8	1012	1012	8.8	3.3	325.9	327.25	18	17	
9/5/2023 14:49	76.8	51	1012	1012	10.3	3.6	328.1	327.59	18	17	
9/5/2023 14:50	76.6	51.6	1012	1012	10.3	3.8	329.6	328.1	18	17	
9/5/2023 14:51	77	50.4	1012	1012	10.3	3.8	330.5	328.13	17	17	
9/5/2023 14:52	76.8	50.9	1012	1012	10.3	4	329.4	328.23	18	17	
9/5/2023 14:53	76.4	51.8	1012	1012	10.3	4.4	327.6	328.05	18	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 14:54	76.8	51.1	1012	1012	10.3	4.3	322.7	327.33	21	17	
9/5/2023 14:55	77.2	50.5	1012	1012	10.3	4.2	317	326.43	18	17	
9/5/2023 14:56	77.4	50.4	1012	1012	10.3	4	318.1	325.69	18	17	
9/5/2023 14:57	77.7	49.6	1012	1012	10.3	3.9	317.8	325.07	17	17	
9/5/2023 14:58	77.9	49.1	1012	1012	9.6	3.6	317.1	324.51	17	17	
9/5/2023 14:59	78.2	48.8	1012	1012	9.6	3.7	317.8	323.95	17	17	
9/5/2023 15:00	77.3	49.7	1012	1012	9.6	3.9	320	323.55	17	17	0.00529
9/5/2023 15:01	67.9	64	1015	1015	2.8	1.7	94.9	308.17			

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 7:19	24	24	
9/5/2023 7:20	28	26	
9/5/2023 7:21	26	26	
9/5/2023 7:22	31	27	
9/5/2023 7:23	34	28	
9/5/2023 7:24	31	29	
9/5/2023 7:25	36	30	
9/5/2023 7:26	39	31	
9/5/2023 7:27	38	31	
9/5/2023 7:28	37	32	
9/5/2023 7:29	30	32	
9/5/2023 7:30	27	31	
9/5/2023 7:31	27	31	
9/5/2023 7:32	27	31	
9/5/2023 7:33	26	30	
9/5/2023 7:34	26	30	
9/5/2023 7:35	27	30	
9/5/2023 7:36	27	30	
9/5/2023 7:37	27	30	
9/5/2023 7:38	28	30	
9/5/2023 7:39	30	30	
9/5/2023 7:40	30	29	
9/5/2023 7:41	32	29	
9/5/2023 7:42	31	28	
9/5/2023 7:43	31	28	
9/5/2023 7:44	32	28	
9/5/2023 7:45	32	28	
9/5/2023 7:46	32	29	
9/5/2023 7:47	32	29	
9/5/2023 7:48	32	29	
9/5/2023 7:49	32	30	
9/5/2023 7:50	31	30	
9/5/2023 7:51	30	30	
9/5/2023 7:52	31	31	
9/5/2023 7:53	31	31	
9/5/2023 7:54	31	31	
9/5/2023 7:55	31	31	
9/5/2023 7:56	32	31	
9/5/2023 7:57	31	31	
9/5/2023 7:58	32	31	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 7:59	32	31	0.0011463
9/5/2023 8:00	32	31	
9/5/2023 8:01	31	31	
9/5/2023 8:02	31	31	
9/5/2023 8:03	32	31	
9/5/2023 8:04	32	31	
9/5/2023 8:05	31	31	
9/5/2023 8:06	31	31	
9/5/2023 8:07	30	31	
9/5/2023 8:08	29	31	
9/5/2023 8:09	29	31	
9/5/2023 8:10	29	30	
9/5/2023 8:11	30	30	
9/5/2023 8:12	29	30	
9/5/2023 8:13	29	30	
9/5/2023 8:14	29	30	
9/5/2023 8:15	29	30	
9/5/2023 8:16	28	29	
9/5/2023 8:17	28	29	
9/5/2023 8:18	28	29	
9/5/2023 8:19	29	29	
9/5/2023 8:20	30	29	
9/5/2023 8:21	31	29	
9/5/2023 8:22	29	29	
9/5/2023 8:23	29	29	
9/5/2023 8:24	28	29	
9/5/2023 8:25	29	29	
9/5/2023 8:26	29	28	
9/5/2023 8:27	28	28	
9/5/2023 8:28	28	28	
9/5/2023 8:29	28	28	
9/5/2023 8:30	29	28	
9/5/2023 8:31	28	28	
9/5/2023 8:32	28	28	
9/5/2023 8:33	29	28	
9/5/2023 8:34	27	28	
9/5/2023 8:35	28	28	
9/5/2023 8:36	29	28	
9/5/2023 8:37	28	28	
9/5/2023 8:38	31	28	
9/5/2023 8:39	30	28	
9/5/2023 8:40	30	28	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:41	30	28	
9/5/2023 8:42	30	28	
9/5/2023 8:43	30	29	
9/5/2023 8:44	31	29	
9/5/2023 8:50	30	29	
9/5/2023 8:51	30	30	
9/5/2023 8:52	30	30	
9/5/2023 8:53	30	30	
9/5/2023 8:54	29	30	
9/5/2023 8:55	29	29	
9/5/2023 8:56	29	29	
9/5/2023 8:57	29	29	
9/5/2023 8:58	27	29	
9/5/2023 8:59	28	29	
9/5/2023 9:00	27	28	0.0022368
9/5/2023 9:01	26	28	
9/5/2023 9:02	26	28	
9/5/2023 9:03	26	28	
9/5/2023 9:04	25	28	
9/5/2023 9:05	25	27	
9/5/2023 9:06	25	27	
9/5/2023 9:07	25	27	
9/5/2023 9:08	25	26	
9/5/2023 9:09	25	26	
9/5/2023 9:10	25	26	
9/5/2023 9:11	24	25	
9/5/2023 9:12	24	25	
9/5/2023 9:13	24	25	
9/5/2023 9:14	25	25	
9/5/2023 9:15	24	24	
9/5/2023 9:16	26	24	
9/5/2023 9:17	26	24	
9/5/2023 9:18	26	24	
9/5/2023 9:19	25	24	
9/5/2023 9:20	26	25	
9/5/2023 9:21	26	25	
9/5/2023 9:22	26	25	
9/5/2023 9:23	26	25	
9/5/2023 9:24	25	25	
9/5/2023 9:25	25	25	
9/5/2023 9:26	25	25	
9/5/2023 9:27	24	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 9:28	25	25	
9/5/2023 9:29	25	25	
9/5/2023 9:30	24	25	
9/5/2023 9:31	24	25	
9/5/2023 9:32	23	25	
9/5/2023 9:33	24	24	
9/5/2023 9:34	24	24	
9/5/2023 9:35	24	24	
9/5/2023 9:36	23	24	
9/5/2023 9:37	23	24	
9/5/2023 9:38	22	24	
9/5/2023 9:43	21	23	
9/5/2023 9:44	22	23	
9/5/2023 9:45	22	22	
9/5/2023 9:46	22	22	
9/5/2023 9:47	22	22	
9/5/2023 9:48	21	22	
9/5/2023 9:49	21	22	
9/5/2023 9:50	21	21	
9/5/2023 9:51	21	21	
9/5/2023 9:52	20	21	
9/5/2023 9:53	20	21	
9/5/2023 9:54	21	21	
9/5/2023 9:55	22	21	
9/5/2023 9:56	26	21	
9/5/2023 9:57	33	22	
9/5/2023 9:58	23	22	
9/5/2023 9:59	22	22	
9/5/2023 10:00	21	22	0.0018662
9/5/2023 10:01	22	22	
9/5/2023 10:02	22	22	
9/5/2023 10:03	22	22	
9/5/2023 10:04	21	22	
9/5/2023 10:05	21	22	
9/5/2023 10:06	22	22	
9/5/2023 10:07	20	22	
9/5/2023 10:08	20	22	
9/5/2023 10:09	20	22	
9/5/2023 10:10	27	22	
9/5/2023 10:11	24	22	
9/5/2023 10:12	21	21	
9/5/2023 10:13	21	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:14	21	21	
9/5/2023 10:15	21	21	
9/5/2023 10:16	20	21	
9/5/2023 10:17	20	21	
9/5/2023 10:18	20	21	
9/5/2023 10:19	21	21	
9/5/2023 10:20	20	21	
9/5/2023 10:21	19	21	
9/5/2023 10:22	19	20	
9/5/2023 10:23	20	20	
9/5/2023 10:24	19	20	
9/5/2023 10:25	19	20	
9/5/2023 10:26	19	20	
9/5/2023 10:27	19	19	
9/5/2023 10:28	19	19	
9/5/2023 10:29	19	19	
9/5/2023 10:30	18	19	
9/5/2023 10:31	19	19	
9/5/2023 10:32	19	19	
9/5/2023 10:33	20	19	
9/5/2023 10:34	19	19	
9/5/2023 10:35	18	19	
9/5/2023 10:36	19	19	
9/5/2023 10:37	18	18	
9/5/2023 10:38	19	18	
9/5/2023 10:39	19	18	
9/5/2023 10:40	19	18	
9/5/2023 10:41	19	18	
9/5/2023 10:42	19	18	
9/5/2023 10:43	19	18	
9/5/2023 10:44	18	18	
9/5/2023 10:45	19	18	
9/5/2023 10:46	18	18	
9/5/2023 10:47	19	18	
9/5/2023 10:48	19	18	
9/5/2023 10:49	19	18	
9/5/2023 10:50	19	18	
9/5/2023 10:51	18	18	
9/5/2023 10:52	19	18	
9/5/2023 10:53	18	18	
9/5/2023 10:54	19	18	
9/5/2023 10:55	19	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:56	19	18	0.0019247
9/5/2023 10:57	19	18	
9/5/2023 10:58	18	18	
9/5/2023 10:59	18	18	
9/5/2023 11:00	18	18	
9/5/2023 11:01	18	18	
9/5/2023 11:02	18	18	
9/5/2023 11:03	19	18	
9/5/2023 11:04	19	18	
9/5/2023 11:05	19	18	
9/5/2023 11:06	19	18	
9/5/2023 11:07	18	18	
9/5/2023 11:08	19	18	
9/5/2023 11:09	18	18	
9/5/2023 11:10	18	18	
9/5/2023 11:11	19	18	
9/5/2023 11:12	19	18	
9/5/2023 11:13	19	18	
9/5/2023 11:14	19	18	
9/5/2023 11:15	19	18	
9/5/2023 11:16	18	18	
9/5/2023 11:17	18	18	
9/5/2023 11:18	18	18	
9/5/2023 11:19	19	18	
9/5/2023 11:20	19	18	
9/5/2023 11:21	18	18	
9/5/2023 11:22	18	18	
9/5/2023 11:23	18	18	
9/5/2023 11:24	18	18	
9/5/2023 11:25	19	18	
9/5/2023 11:26	18	18	
9/5/2023 11:27	19	18	
9/5/2023 11:28	17	18	
9/5/2023 11:29	18	18	
9/5/2023 11:30	18	18	
9/5/2023 11:31	18	18	
9/5/2023 11:32	18	18	
9/5/2023 11:33	18	18	
9/5/2023 11:34	18	18	
9/5/2023 11:35	18	18	
9/5/2023 11:36	18	18	
9/5/2023 11:37	17	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:38	17	17	
9/5/2023 11:39	17	17	
9/5/2023 11:40	18	17	
9/5/2023 11:41	17	17	
9/5/2023 11:42	17	17	
9/5/2023 11:43	18	17	
9/5/2023 11:44	17	17	
9/5/2023 11:45	16	17	
9/5/2023 11:46	17	17	
9/5/2023 11:47	17	17	
9/5/2023 11:48	17	17	
9/5/2023 11:49	17	17	
9/5/2023 11:50	16	17	
9/5/2023 11:51	17	17	
9/5/2023 11:52	16	16	
9/5/2023 11:53	16	16	
9/5/2023 11:54	16	16	
9/5/2023 11:55	16	16	
9/5/2023 11:56	16	16	
9/5/2023 11:57	15	16	
9/5/2023 11:58	15	16	
9/5/2023 11:59	16	16	
9/5/2023 12:00	16	16	0.0024364
9/5/2023 12:01	15	16	
9/5/2023 12:02	15	15	
9/5/2023 12:03	15	15	
9/5/2023 12:04	15	15	
9/5/2023 12:05	15	15	
9/5/2023 12:06	15	15	
9/5/2023 12:07	14	15	
9/5/2023 12:08	14	15	
9/5/2023 12:09	14	15	
9/5/2023 12:10	14	14	
9/5/2023 12:11	14	14	
9/5/2023 12:12	14	14	
9/5/2023 12:13	14	14	
9/5/2023 12:14	13	14	
9/5/2023 12:15	13	14	
9/5/2023 12:16	13	14	
9/5/2023 12:17	12	13	
9/5/2023 12:18	12	13	
9/5/2023 12:19	13	13	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 12:20	12	13	
9/5/2023 12:21	12	13	
9/5/2023 12:22	12	13	
9/5/2023 12:23	10	12	
9/5/2023 12:24	10	12	
9/5/2023 12:25	9	12	
9/5/2023 12:26	9	11	
9/5/2023 12:27	9	11	
9/5/2023 12:28	9	11	
9/5/2023 12:29	9	10	
9/5/2023 12:30	9	10	
9/5/2023 12:31	8	10	
9/5/2023 12:32	8	10	
9/5/2023 12:33	8	9	
9/5/2023 12:34	8	9	
9/5/2023 12:35	8	9	
9/5/2023 12:36	8	8	
9/5/2023 12:37	8	8	
9/5/2023 12:38	8	8	
9/5/2023 12:39	8	8	
9/5/2023 12:40	8	8	
9/5/2023 12:41	8	8	
9/5/2023 12:42	8	8	
9/5/2023 12:43	8	8	
9/5/2023 12:44	8	8	
9/5/2023 12:45	9	8	
9/5/2023 12:46	8	8	
9/5/2023 12:47	9	8	
9/5/2023 12:48	9	8	
9/5/2023 12:49	10	8	
9/5/2023 12:50	10	8	
9/5/2023 12:51	10	8	
9/5/2023 12:52	10	8	
9/5/2023 12:53	11	8	
9/5/2023 12:54	10	9	
9/5/2023 12:55	11	9	
9/5/2023 12:56	12	9	
9/5/2023 12:57	11	9	
9/5/2023 12:58	11	9	
9/5/2023 12:59	12	10	
9/5/2023 13:00	13	10	0.0030998
9/5/2023 13:01	13	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:02	13	11	
9/5/2023 13:03	14	11	
9/5/2023 13:04	14	11	
9/5/2023 13:05	15	12	
9/5/2023 13:06	16	12	
9/5/2023 13:07	16	12	
9/5/2023 13:08	15	13	
9/5/2023 13:09	15	13	
9/5/2023 13:10	14	13	
9/5/2023 13:11	15	13	
9/5/2023 13:12	13	13	
9/5/2023 13:13	14	14	
9/5/2023 13:14	14	14	
9/5/2023 13:15	14	14	
9/5/2023 13:16	15	14	
9/5/2023 13:17	14	14	
9/5/2023 13:18	14	14	
9/5/2023 13:19	14	14	
9/5/2023 13:20	14	14	
9/5/2023 13:21	13	14	
9/5/2023 13:22	14	14	
9/5/2023 13:23	15	14	
9/5/2023 13:24	14	14	
9/5/2023 13:25	13	14	
9/5/2023 13:26	14	13	
9/5/2023 13:27	13	13	
9/5/2023 13:28	13	13	
9/5/2023 13:29	12	13	
9/5/2023 13:30	13	13	
9/5/2023 13:31	14	13	
9/5/2023 13:32	13	13	
9/5/2023 13:33	14	13	
9/5/2023 13:34	13	13	
9/5/2023 13:35	13	13	
9/5/2023 13:36	13	13	
9/5/2023 13:37	14	13	
9/5/2023 13:38	14	13	
9/5/2023 13:39	13	13	
9/5/2023 13:40	13	13	
9/5/2023 13:41	13	13	
9/5/2023 13:42	12	13	
9/5/2023 13:43	13	13	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:44	16	13	
9/5/2023 13:45	15	13	
9/5/2023 13:46	14	13	
9/5/2023 13:47	15	13	
9/5/2023 13:48	14	13	
9/5/2023 13:49	15	13	
9/5/2023 13:50	15	13	
9/5/2023 13:51	15	14	
9/5/2023 13:52	15	14	
9/5/2023 13:53	16	14	
9/5/2023 13:54	15	14	
9/5/2023 13:55	15	14	
9/5/2023 13:56	15	14	
9/5/2023 13:57	15	14	
9/5/2023 13:58	15	15	
9/5/2023 13:59	15	14	
9/5/2023 14:00	15	14	0.0037879
9/5/2023 14:01	15	15	
9/5/2023 14:02	15	15	
9/5/2023 14:03	16	15	
9/5/2023 14:04	16	15	
9/5/2023 14:05	16	15	
9/5/2023 14:06	16	15	
9/5/2023 14:07	15	15	
9/5/2023 14:08	15	15	
9/5/2023 14:09	15	15	
9/5/2023 14:10	15	15	
9/5/2023 14:11	15	15	
9/5/2023 14:12	15	15	
9/5/2023 14:13	14	15	
9/5/2023 14:14	14	15	
9/5/2023 14:15	14	15	
9/5/2023 14:16	14	15	
9/5/2023 14:17	15	15	
9/5/2023 14:18	16	15	
9/5/2023 14:19	15	14	
9/5/2023 14:20	14	14	
9/5/2023 14:21	15	14	
9/5/2023 14:22	14	14	
9/5/2023 14:23	14	14	
9/5/2023 14:24	14	14	
9/5/2023 14:25	14	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 14:26	15	14	
9/5/2023 14:27	14	14	
9/5/2023 14:28	14	14	
9/5/2023 14:29	14	14	
9/5/2023 14:30	14	14	
9/5/2023 14:31	14	14	
9/5/2023 14:32	14	14	
9/5/2023 14:33	15	14	
9/5/2023 14:34	15	14	
9/5/2023 14:35	14	14	
9/5/2023 14:36	14	14	
9/5/2023 14:37	15	14	
9/5/2023 14:38	15	14	
9/5/2023 14:39	15	14	
9/5/2023 14:40	14	14	
9/5/2023 14:41	15	14	
9/5/2023 14:42	16	14	
9/5/2023 14:43	15	14	
9/5/2023 14:44	15	14	
9/5/2023 14:45	15	14	
9/5/2023 14:46	16	14	
9/5/2023 14:47	17	15	
9/5/2023 14:48	16	15	
9/5/2023 14:49	16	15	
9/5/2023 14:50	16	15	
9/5/2023 14:51	17	15	
9/5/2023 14:52	16	15	
9/5/2023 14:53	16	15	
9/5/2023 14:54	16	15	
9/5/2023 14:55	16	15	
9/5/2023 14:56	15	15	
9/5/2023 14:57	16	15	
9/5/2023 14:58	16	15	
9/5/2023 14:59	16	16	
9/5/2023 15:00	17	16	0.0045394
9/5/2023 15:01	17	16	
9/5/2023 15:02	17	16	
9/5/2023 15:03	17	16	
9/5/2023 15:04	17	16	
9/5/2023 15:05	16	16	
9/5/2023 15:06	17	16	
9/5/2023 15:07	17	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 15:08	18	16	
9/5/2023 15:09	18	16	
9/5/2023 15:10	18	16	
9/5/2023 15:11	28	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/5/2023 9:36	28	28	
9/5/2023 9:37	26	27	
9/5/2023 9:38	25	26	
9/5/2023 9:39	25	26	
9/5/2023 9:40	27	26	
9/5/2023 9:41	27	26	
9/5/2023 9:42	26	26	
9/5/2023 9:43	25	26	
9/5/2023 9:44	25	26	
9/5/2023 9:45	25	25	
9/5/2023 9:46	25	25	
9/5/2023 9:47	24	25	
9/5/2023 9:48	25	25	
9/5/2023 9:49	24	25	
9/5/2023 9:50	25	25	
9/5/2023 9:51	25	25	
9/5/2023 9:52	25	25	
9/5/2023 9:53	25	25	
9/5/2023 9:54	27	25	
9/5/2023 9:55	25	25	
9/5/2023 9:56	25	25	
9/5/2023 9:57	25	25	
9/5/2023 9:58	27	25	
9/5/2023 9:59	26	25	
9/5/2023 10:00	26	25	0.000375
9/5/2023 10:01	26	25	
9/5/2023 10:02	26	25	
9/5/2023 10:03	26	25	
9/5/2023 10:04	26	25	
9/5/2023 10:05	27	25	
9/5/2023 10:11	22	25	
9/5/2023 10:12	24	25	
9/5/2023 10:13	24	25	
9/5/2023 10:14	24	25	
9/5/2023 10:15	25	25	
9/5/2023 10:16	25	24	
9/5/2023 10:17	24	24	
9/5/2023 10:18	24	24	
9/5/2023 10:19	24	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/5/2023 10:20	23	23	
9/5/2023 10:21	23	23	
9/5/2023 10:22	23	23	
9/5/2023 10:23	24	23	
9/5/2023 10:24	24	23	
9/5/2023 10:25	23	23	
9/5/2023 10:26	23	23	
9/5/2023 10:27	23	23	
9/5/2023 10:28	23	23	
9/5/2023 10:29	25	23	
9/5/2023 10:30	24	23	
9/5/2023 10:31	23	23	
9/5/2023 10:32	23	23	
9/5/2023 10:33	24	23	
9/5/2023 10:34	23	23	
9/5/2023 10:35	23	23	
9/5/2023 10:36	23	23	
9/5/2023 10:37	23	23	
9/5/2023 10:38	28	23	
9/5/2023 10:39	23	23	
9/5/2023 10:40	22	23	
9/5/2023 10:41	23	23	
9/5/2023 10:42	23	23	
9/5/2023 10:43	23	23	
9/5/2023 10:44	23	23	
9/5/2023 10:45	24	23	
9/5/2023 10:46	24	23	
9/5/2023 10:47	25	23	
9/5/2023 10:48	24	23	
9/5/2023 10:49	24	23	
9/5/2023 10:50	25	23	
9/5/2023 10:51	30	24	
9/5/2023 10:52	25	24	
9/5/2023 10:53	23	24	
9/5/2023 10:54	23	24	
9/5/2023 10:55	24	24	
9/5/2023 10:56	24	24	
9/5/2023 10:57	23	24	
9/5/2023 10:58	24	24	
9/5/2023 10:59	26	24	
9/5/2023 11:00	23	24	0.00074205

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:01	24	24	
9/5/2023 11:02	24	24	
9/5/2023 11:03	23	24	
9/5/2023 11:04	24	24	
9/5/2023 11:05	24	24	
9/5/2023 11:06	25	23	
9/5/2023 11:07	26	24	
9/5/2023 11:08	24	24	
9/5/2023 11:09	23	24	
9/5/2023 11:10	25	24	
9/5/2023 11:11	25	24	
9/5/2023 11:12	23	24	
9/5/2023 11:13	23	24	
9/5/2023 11:14	23	23	
9/5/2023 11:15	23	23	
9/5/2023 11:16	24	23	
9/5/2023 11:17	24	23	
9/5/2023 11:18	25	24	
9/5/2023 11:19	23	24	
9/5/2023 11:20	24	24	
9/5/2023 11:21	23	23	
9/5/2023 11:22	24	23	
9/5/2023 11:23	23	23	
9/5/2023 11:24	23	23	
9/5/2023 11:25	23	23	
9/5/2023 11:26	24	23	
9/5/2023 11:27	23	23	
9/5/2023 11:28	23	23	
9/5/2023 11:29	24	23	
9/5/2023 11:30	22	23	
9/5/2023 11:31	23	23	
9/5/2023 11:32	25	23	
9/5/2023 11:33	25	23	
9/5/2023 11:34	24	23	
9/5/2023 11:35	22	23	
9/5/2023 11:36	22	23	
9/5/2023 11:37	22	23	
9/5/2023 11:38	22	23	
9/5/2023 11:39	22	23	
9/5/2023 11:40	22	23	
9/5/2023 11:41	23	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:42	22	22	
9/5/2023 11:43	23	22	
9/5/2023 11:44	24	22	
9/5/2023 11:45	23	22	
9/5/2023 11:46	30	23	
9/5/2023 11:47	22	23	
9/5/2023 11:48	22	23	
9/5/2023 11:49	23	22	
9/5/2023 11:50	26	23	
9/5/2023 11:51	23	23	
9/5/2023 11:52	23	23	
9/5/2023 11:53	21	23	
9/5/2023 11:54	21	23	
9/5/2023 11:55	22	23	
9/5/2023 11:56	20	23	
9/5/2023 11:57	21	22	
9/5/2023 11:58	23	22	
9/5/2023 11:59	25	23	
9/5/2023 12:00	22	22	0.001828
9/5/2023 12:01	20	22	
9/5/2023 12:02	20	22	
9/5/2023 12:03	21	22	
9/5/2023 12:04	21	21	
9/5/2023 12:05	20	21	
9/5/2023 12:06	21	21	
9/5/2023 12:07	20	21	
9/5/2023 12:08	20	21	
9/5/2023 12:09	19	21	
9/5/2023 12:10	18	20	
9/5/2023 12:11	19	20	
9/5/2023 12:12	19	20	
9/5/2023 12:13	19	20	
9/5/2023 12:14	19	19	
9/5/2023 12:15	20	19	
9/5/2023 12:16	19	19	
9/5/2023 12:17	19	19	
9/5/2023 12:18	18	19	
9/5/2023 12:19	19	19	
9/5/2023 12:20	18	19	
9/5/2023 12:21	19	19	
9/5/2023 12:22	16	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 12:23	16	18	
9/5/2023 12:24	16	18	
9/5/2023 12:25	18	18	
9/5/2023 12:26	16	18	
9/5/2023 12:27	14	17	
9/5/2023 12:28	14	17	
9/5/2023 12:29	14	17	
9/5/2023 12:30	13	16	
9/5/2023 12:31	13	16	
9/5/2023 12:32	13	15	
9/5/2023 12:33	13	15	
9/5/2023 12:34	13	15	
9/5/2023 12:35	14	14	
9/5/2023 12:36	14	14	
9/5/2023 12:37	14	14	
9/5/2023 12:38	14	14	
9/5/2023 12:39	14	14	
9/5/2023 12:40	15	13	
9/5/2023 12:41	13	13	
9/5/2023 12:42	13	13	
9/5/2023 12:43	13	13	
9/5/2023 12:44	14	13	
9/5/2023 12:45	14	13	
9/5/2023 12:46	17	13	
9/5/2023 12:47	16	14	
9/5/2023 12:48	15	14	
9/5/2023 12:49	14	14	
9/5/2023 12:50	15	14	
9/5/2023 12:51	16	14	
9/5/2023 12:52	17	14	
9/5/2023 12:53	18	14	
9/5/2023 12:54	19	15	
9/5/2023 12:55	17	15	
9/5/2023 12:56	17	15	
9/5/2023 12:57	17	15	
9/5/2023 12:58	18	16	
9/5/2023 12:59	19	16	
9/5/2023 13:00	19	16	0.0030252
9/5/2023 13:01	20	17	
9/5/2023 13:02	22	17	
9/5/2023 13:03	21	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:04	20	18	
9/5/2023 13:05	21	18	
9/5/2023 13:06	21	19	
9/5/2023 13:07	21	19	
9/5/2023 13:08	21	19	
9/5/2023 13:09	21	19	
9/5/2023 13:10	21	19	
9/5/2023 13:11	22	20	
9/5/2023 13:12	20	20	
9/5/2023 13:13	18	20	
9/5/2023 13:14	19	20	
9/5/2023 13:15	19	20	
9/5/2023 13:16	18	20	
9/5/2023 13:17	19	20	
9/5/2023 13:18	20	20	
9/5/2023 13:19	21	20	
9/5/2023 13:20	20	20	
9/5/2023 13:21	20	20	
9/5/2023 13:22	19	19	
9/5/2023 13:23	20	19	
9/5/2023 13:24	19	19	
9/5/2023 13:25	19	19	
9/5/2023 13:26	19	19	
9/5/2023 13:27	19	19	
9/5/2023 13:28	18	19	
9/5/2023 13:29	19	19	
9/5/2023 13:30	22	19	
9/5/2023 13:31	20	19	
9/5/2023 13:32	19	19	
9/5/2023 13:33	20	19	
9/5/2023 13:34	19	19	
9/5/2023 13:35	19	19	
9/5/2023 13:36	19	19	
9/5/2023 13:37	19	19	
9/5/2023 13:38	19	19	
9/5/2023 13:39	18	19	
9/5/2023 13:40	18	19	
9/5/2023 13:41	19	19	
9/5/2023 13:42	18	19	
9/5/2023 13:43	19	19	
9/5/2023 13:44	23	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 13:45	21	19	
9/5/2023 13:46	20	19	
9/5/2023 13:47	20	19	
9/5/2023 13:48	20	19	
9/5/2023 13:49	20	19	
9/5/2023 13:50	20	19	
9/5/2023 13:51	21	19	
9/5/2023 13:52	20	19	
9/5/2023 13:53	21	19	
9/5/2023 13:54	22	20	
9/5/2023 13:55	23	20	
9/5/2023 13:56	21	20	
9/5/2023 13:57	20	20	
9/5/2023 13:58	26	21	
9/5/2023 13:59	28	21	
9/5/2023 14:00	22	21	0.0042002
9/5/2023 14:01	23	21	
9/5/2023 14:02	25	22	
9/5/2023 14:03	23	22	
9/5/2023 14:04	22	22	
9/5/2023 14:05	22	22	
9/5/2023 14:06	24	22	
9/5/2023 14:07	26	23	
9/5/2023 14:08	24	23	
9/5/2023 14:09	27	23	
9/5/2023 14:10	23	23	
9/5/2023 14:11	24	23	
9/5/2023 14:12	22	24	
9/5/2023 14:13	21	23	
9/5/2023 14:14	19	23	
9/5/2023 14:15	22	23	
9/5/2023 14:16	21	23	
9/5/2023 14:17	38	23	
9/5/2023 14:18	23	23	
9/5/2023 14:19	22	23	
9/5/2023 14:20	21	23	
9/5/2023 14:21	19	23	
9/5/2023 14:22	19	23	
9/5/2023 14:23	21	22	
9/5/2023 14:24	23	22	
9/5/2023 14:25	26	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 14:26	26	22	
9/5/2023 14:27	24	23	
9/5/2023 14:28	22	23	
9/5/2023 14:29	20	23	
9/5/2023 14:30	19	22	
9/5/2023 14:31	19	22	
9/5/2023 14:32	20	21	
9/5/2023 14:33	24	21	
9/5/2023 14:34	23	21	
9/5/2023 14:35	20	21	
9/5/2023 14:36	20	21	
9/5/2023 14:37	23	22	
9/5/2023 14:38	25	22	
9/5/2023 14:39	27	22	
9/5/2023 14:40	22	22	
9/5/2023 14:41	22	22	
9/5/2023 14:42	21	21	
9/5/2023 14:43	24	21	
9/5/2023 14:44	26	22	
9/5/2023 14:45	24	22	
9/5/2023 14:46	30	23	
9/5/2023 14:47	30	24	
9/5/2023 14:48	22	23	
9/5/2023 14:49	21	23	
9/5/2023 14:50	21	23	
9/5/2023 14:51	22	24	
9/5/2023 14:52	22	23	
9/5/2023 14:53	21	23	
9/5/2023 14:54	21	23	
9/5/2023 14:55	21	23	
9/5/2023 14:56	21	23	
9/5/2023 14:57	22	23	
9/5/2023 15:00			0.0054398
9/5/2023 15:02	19	21	
9/5/2023 15:03	22	21	
9/5/2023 15:04	20	21	
9/5/2023 15:05	20	21	
9/5/2023 15:06	21	20	
9/5/2023 15:07	21	20	
9/5/2023 15:08	23	21	
9/5/2023 15:09	26	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 15:10	29	22	
9/5/2023 15:11	25	22	
9/5/2023 15:12	24	22	
9/5/2023 15:13	27	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 7:33	12.3			
9/5/2023 7:35	12.3	21	21	
9/5/2023 7:36		23	22	
9/5/2023 7:37		21	21	
9/5/2023 7:38		21	21	
9/5/2023 7:39		21	21	
9/5/2023 7:40	12.1	22	21	
9/5/2023 7:41		22	21	
9/5/2023 7:42		21	21	
9/5/2023 7:43		21	21	
9/5/2023 7:44		21	21	
9/5/2023 7:45	12.1	25	21	
9/5/2023 7:46		24	21	
9/5/2023 7:47		24	22	
9/5/2023 7:48		22	22	
9/5/2023 7:49		23	22	
9/5/2023 7:50	12.1	22	22	
9/5/2023 7:51		22	22	
9/5/2023 7:52		22	22	
9/5/2023 7:53		21	22	
9/5/2023 7:54		20	22	
9/5/2023 7:55	12.2	20	22	
9/5/2023 7:56		19	21	
9/5/2023 7:57		19	21	
9/5/2023 7:58		18	21	
9/5/2023 7:59		19	21	
9/5/2023 8:00	12.1	18	20	0.00042308
9/5/2023 8:01		19	20	
9/5/2023 8:02		19	20	
9/5/2023 8:03		18	19	
9/5/2023 8:04		18	19	
9/5/2023 8:05	12.1	17	19	
9/5/2023 8:06		17	18	
9/5/2023 8:07		19	18	
9/5/2023 8:08		19	18	
9/5/2023 8:09		18	18	
9/5/2023 8:10	12.1	17	18	
9/5/2023 8:11		17	18	
9/5/2023 8:12		17	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:13		16	17	
9/5/2023 8:14		18	17	
9/5/2023 8:15	12.1	17	17	
9/5/2023 8:16		16	17	
9/5/2023 8:17		16	17	
9/5/2023 8:18		16	17	
9/5/2023 8:19		16	17	
9/5/2023 8:20	12.1	16	17	
9/5/2023 8:21		16	16	
9/5/2023 8:22		16	16	
9/5/2023 8:23		16	16	
9/5/2023 8:24		16	16	
9/5/2023 8:25	12	16	16	
9/5/2023 8:26		16	16	
9/5/2023 8:27		16	16	
9/5/2023 8:28		17	16	
9/5/2023 8:29		16	16	
9/5/2023 8:30	12.1	16	16	
9/5/2023 8:31		16	16	
9/5/2023 8:32		15	16	
9/5/2023 8:33		16	16	
9/5/2023 8:34		16	16	
9/5/2023 8:35	12.1	16	16	
9/5/2023 8:36		18	16	
9/5/2023 8:37		19	16	
9/5/2023 8:38		18	16	
9/5/2023 8:39		18	16	
9/5/2023 8:40	12.1	17	16	
9/5/2023 8:41		16	16	
9/5/2023 8:42		15	16	
9/5/2023 8:43		15	16	
9/5/2023 8:44		18	16	
9/5/2023 8:45	12.1	17	16	
9/5/2023 8:46		16	16	
9/5/2023 8:47		17	16	
9/5/2023 8:48		17	16	
9/5/2023 8:49		16	16	
9/5/2023 8:50	12.1	17	16	
9/5/2023 8:51		18	16	
9/5/2023 8:52		17	16	
9/5/2023 8:53		18	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:54		25	17	
9/5/2023 8:55	12.1	21	17	
9/5/2023 8:56		16	17	
9/5/2023 8:57		16	17	
9/5/2023 8:58		16	17	
9/5/2023 8:59		15	17	
9/5/2023 9:00	12.1	15	17	0.0013282
9/5/2023 9:01		14	17	
9/5/2023 9:02		13	16	
9/5/2023 9:03		13	16	
9/5/2023 9:04		13	16	
9/5/2023 9:05	12.1	13	16	
9/5/2023 9:06		14	15	
9/5/2023 9:07		14	15	
9/5/2023 9:08		14	15	
9/5/2023 9:09		14	14	
9/5/2023 9:10	12.1	14	14	
9/5/2023 9:11		13	14	
9/5/2023 9:12		13	13	
9/5/2023 9:13		13	13	
9/5/2023 9:14		13	13	
9/5/2023 9:15	12.1	13	13	
9/5/2023 9:16		13	13	
9/5/2023 9:17		13	13	
9/5/2023 9:18		13	13	
9/5/2023 9:19		13	13	
9/5/2023 9:20	12.1	13	13	
9/5/2023 9:21		13	13	
9/5/2023 9:22		13	13	
9/5/2023 9:23		13	13	
9/5/2023 9:24		12	13	
9/5/2023 9:25	12.1	14	13	
9/5/2023 9:26		14	13	
9/5/2023 9:27		14	13	
9/5/2023 9:28		14	13	
9/5/2023 9:29		13	13	
9/5/2023 9:30	12.1	13	13	
9/5/2023 9:31		12	13	
9/5/2023 9:32		12	13	
9/5/2023 9:33		15	13	
9/5/2023 9:34		21	13	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 9:35	12.1	14	13	
9/5/2023 9:36		14	13	
9/5/2023 9:37		13	13	
9/5/2023 9:38		11	13	
9/5/2023 9:39		12	13	
9/5/2023 9:40	12.1	13	13	
9/5/2023 9:41		11	13	
9/5/2023 9:42		11	13	
9/5/2023 9:43		13	13	
9/5/2023 9:44		11	13	
9/5/2023 9:45	12.1	11	12	
9/5/2023 9:46		17	13	
9/5/2023 9:47		12	13	
9/5/2023 9:48		12	13	
9/5/2023 9:49		11	12	
9/5/2023 9:50	12	11	12	
9/5/2023 9:51		11	12	
9/5/2023 9:52		11	11	
9/5/2023 9:53		19	12	
9/5/2023 9:54		12	12	
9/5/2023 9:55	12	12	12	
9/5/2023 9:56		11	12	
9/5/2023 9:57		11	12	
9/5/2023 9:58		11	12	
9/5/2023 9:59		12	12	
9/5/2023 10:00	12.1	12	12	0.0022966
9/5/2023 10:01		12	12	
9/5/2023 10:02		11	11	
9/5/2023 10:03		11	11	
9/5/2023 10:04		10	11	
9/5/2023 10:05	12	11	11	
9/5/2023 10:06		12	11	
9/5/2023 10:07		11	11	
9/5/2023 10:08		16	11	
9/5/2023 10:09		13	11	
9/5/2023 10:10	12	13	11	
9/5/2023 10:11		10	11	
9/5/2023 10:12		10	11	
9/5/2023 10:13		11	11	
9/5/2023 10:14		11	11	
9/5/2023 10:15	12	10	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:16	12	10	11	
9/5/2023 10:17		10	11	
9/5/2023 10:18		13	11	
9/5/2023 10:19		11	11	
9/5/2023 10:20		11	11	
9/5/2023 10:21		13	11	
9/5/2023 10:22		16	11	
9/5/2023 10:23	12	14	11	
9/5/2023 10:24		14	11	
9/5/2023 10:25		9	11	
9/5/2023 10:26		9	11	
9/5/2023 10:27		9	11	
9/5/2023 10:28		9	11	
9/5/2023 10:29		11	11	
9/5/2023 10:30	12	10	11	
9/5/2023 10:31		9	11	
9/5/2023 10:32		9	11	
9/5/2023 10:33		10	10	
9/5/2023 10:34		8	10	
9/5/2023 10:35		8	10	
9/5/2023 10:36		9	10	
9/5/2023 10:37	12	9	9	
9/5/2023 10:38		9	9	
9/5/2023 10:39		9	9	
9/5/2023 10:40		9	9	
9/5/2023 10:41		11	9	
9/5/2023 10:42		9	9	
9/5/2023 10:43		9	9	
9/5/2023 10:44	12	9	9	
9/5/2023 10:45		9	9	
9/5/2023 10:46		9	9	
9/5/2023 10:47		9	9	
9/5/2023 10:48		9	9	
9/5/2023 10:49		9	9	
9/5/2023 10:50		9	9	
9/5/2023 10:51	11.9	10	9	
9/5/2023 10:52		9	9	
9/5/2023 10:53		9	9	
9/5/2023 10:54		9	9	
9/5/2023 10:55		9	9	
9/5/2023 10:56		9	9	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:57		11	9	
9/5/2023 10:58		9	9	
9/5/2023 10:59		10	9	
9/5/2023 11:00	12	9	9	0.0031433
9/5/2023 11:01		9	9	
9/5/2023 11:02		9	9	
9/5/2023 11:03		10	9	
9/5/2023 11:04		11	9	
9/5/2023 11:05	12	10	9	
9/5/2023 11:06		9	9	
9/5/2023 11:07		9	9	
9/5/2023 11:08		10	9	
9/5/2023 11:09		10	9	
9/5/2023 11:10	12	10	9	
9/5/2023 11:11		15	10	
9/5/2023 11:12		12	10	
9/5/2023 11:13		14	10	
9/5/2023 11:14		14	10	
9/5/2023 11:15	11.9	10	10	
9/5/2023 11:16		12	11	
9/5/2023 11:17		9	11	
9/5/2023 11:18		10	11	
9/5/2023 11:19		9	10	
9/5/2023 11:20	12	9	10	
9/5/2023 11:21		9	10	
9/5/2023 11:22		12	11	
9/5/2023 11:23		12	11	
9/5/2023 11:24		8	11	
9/5/2023 11:25	12	9	10	
9/5/2023 11:26		10	10	
9/5/2023 11:27		11	10	
9/5/2023 11:28		8	10	
9/5/2023 11:29		9	9	
9/5/2023 11:30	12	8	9	
9/5/2023 11:31		8	9	
9/5/2023 11:32		9	9	
9/5/2023 11:33		10	9	
9/5/2023 11:34		11	9	
9/5/2023 11:35	11.9	10	9	
9/5/2023 11:36		10	9	
9/5/2023 11:37		9	9	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:38		9	9	
9/5/2023 11:39		9	9	
9/5/2023 11:40	12	9	9	
9/5/2023 11:41		9	9	
9/5/2023 11:42		7	9	
9/5/2023 11:43		8	9	
9/5/2023 11:44		8	8	
9/5/2023 11:45	12	8	8	
9/5/2023 11:46		7	8	
9/5/2023 11:47		7	8	
9/5/2023 11:48		7	8	
9/5/2023 11:49		7	8	
9/5/2023 11:50	12	7	8	
9/5/2023 11:51		7	7	
9/5/2023 11:52		7	7	
9/5/2023 11:53		7	7	
9/5/2023 11:54		7	7	
9/5/2023 11:55	11.9	7	7	
9/5/2023 11:56		6	7	
9/5/2023 11:57		6	7	
9/5/2023 11:58		7	7	
9/5/2023 11:59		6	6	
9/5/2023 12:00	11.9	6	6	0.0039113
9/5/2023 12:01		6	6	
9/5/2023 12:02		5	6	
9/5/2023 12:03		5	6	
9/5/2023 12:04		5	6	
9/5/2023 12:05	11.9	5	6	
9/5/2023 12:06		5	6	
9/5/2023 12:07		5	5	
9/5/2023 12:08	12.4			
9/5/2023 12:10	12.1	27	7	
9/5/2023 12:11		7	7	
9/5/2023 12:12		6	7	
9/5/2023 12:13		5	7	
9/5/2023 12:14		6	7	
9/5/2023 12:15	12.2	5	7	
9/5/2023 12:16		5	7	
9/5/2023 12:17		10	7	
9/5/2023 12:18		22	8	
9/5/2023 12:19		10	9	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 12:20	12.1	4	9	
9/5/2023 12:21		4	8	
9/5/2023 12:22		3	8	
9/5/2023 12:23		3	8	
9/5/2023 12:24		3	8	
9/5/2023 12:25	12	7	6	
9/5/2023 12:26		2	6	
9/5/2023 12:27		2	6	
9/5/2023 12:28		3	5	
9/5/2023 12:29		1	5	
9/5/2023 12:30	12.1	2	5	
9/5/2023 12:31		1	5	
9/5/2023 12:32		1	4	
9/5/2023 12:33		1	3	
9/5/2023 12:34		1	2	
9/5/2023 12:35	12.1	1	2	
9/5/2023 12:36		1	2	
9/5/2023 12:37		1	2	
9/5/2023 12:38		2	1	
9/5/2023 12:39		1	1	
9/5/2023 12:40	12.1	1	1	
9/5/2023 12:41		0	1	
9/5/2023 12:42		0	1	
9/5/2023 12:43		1	1	
9/5/2023 12:44		1	1	
9/5/2023 12:45	12.1	1	0	
9/5/2023 12:46		1	0	
9/5/2023 12:47		1	0	
9/5/2023 12:48		1	0	
9/5/2023 12:49		2	1	
9/5/2023 12:50	12.1	1	1	
9/5/2023 12:51		5	1	
9/5/2023 12:52		2	1	
9/5/2023 12:53		3	1	
9/5/2023 12:54		2	1	
9/5/2023 12:55	12	5	1	
9/5/2023 12:56		9	2	
9/5/2023 12:57		3	2	
9/5/2023 12:58		3	2	
9/5/2023 12:59		3	2	
9/5/2023 13:00	12.1	4	3	0.0034433

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:01		4	3	
9/5/2023 13:02		4	3	
9/5/2023 13:03		5	3	
9/5/2023 13:04		5	3	
9/5/2023 13:05	12.1	5	4	
9/5/2023 13:06		5	4	
9/5/2023 13:07		5	4	
9/5/2023 13:08		5	4	
9/5/2023 13:09		6	4	
9/5/2023 13:10	12	4	4	
9/5/2023 13:11		4	4	
9/5/2023 13:12		6	4	
9/5/2023 13:13		4	4	
9/5/2023 13:14		4	4	
9/5/2023 13:15	11.9	5	4	
9/5/2023 13:16		5	4	
9/5/2023 13:17		3	4	
9/5/2023 13:18		4	4	
9/5/2023 13:19		4	4	
9/5/2023 13:20	11.9	6	4	
9/5/2023 13:21		5	4	
9/5/2023 13:22		7	4	
9/5/2023 13:23		5	4	
9/5/2023 13:24		4	4	
9/5/2023 13:25	12	4	4	
9/5/2023 13:26		4	4	
9/5/2023 13:27		3	4	
9/5/2023 13:28		5	4	
9/5/2023 13:29		3	4	
9/5/2023 13:30	12	7	4	
9/5/2023 13:31		5	4	
9/5/2023 13:32		4	4	
9/5/2023 13:33		3	4	
9/5/2023 13:34		3	4	
9/5/2023 13:35	11.8	2	4	
9/5/2023 13:36		3	4	
9/5/2023 13:37		4	3	
9/5/2023 13:39	12.4			
9/5/2023 13:40	12.2	6	4	
9/5/2023 13:41		6	4	
9/5/2023 13:42		4	4	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:43		5	4	
9/5/2023 13:44		5	4	
9/5/2023 13:45	12.1	5	4	
9/5/2023 13:46		6	4	
9/5/2023 13:47		6	4	
9/5/2023 13:48		6	4	
9/5/2023 13:49		6	4	
9/5/2023 13:50	12.1	7	5	
9/5/2023 13:51		7	5	
9/5/2023 13:52		6	5	
9/5/2023 13:53		7	5	
9/5/2023 13:54		7	5	
9/5/2023 13:55	12.1	6	5	
9/5/2023 13:56		6	5	
9/5/2023 13:57		6	6	
9/5/2023 13:58		6	6	
9/5/2023 13:59		6	6	
9/5/2023 14:00	12.2	6	6	0.0030278
9/5/2023 14:01		6	6	
9/5/2023 14:02		6	6	
9/5/2023 14:03		6	6	
9/5/2023 14:04		7	6	
9/5/2023 14:05	12.2	7	6	
9/5/2023 14:06		6	6	
9/5/2023 14:07		6	6	
9/5/2023 14:08		6	6	
9/5/2023 14:09		7	6	
9/5/2023 14:10	12.2	6	6	
9/5/2023 14:11		6	6	
9/5/2023 14:12		6	6	
9/5/2023 14:13		6	6	
9/5/2023 14:14		6	6	
9/5/2023 14:15	12.1	7	6	
9/5/2023 14:16		6	6	
9/5/2023 14:17		5	6	
9/5/2023 14:18		6	6	
9/5/2023 14:19		6	6	
9/5/2023 14:20	12.1	6	6	
9/5/2023 14:21		5	6	
9/5/2023 14:22		5	5	
9/5/2023 14:23		5	5	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/5/2023 14:24		5	5	
9/5/2023 14:25	12.1	6	5	
9/5/2023 14:26		7	5	
9/5/2023 14:27		13	6	
9/5/2023 14:28		6	6	
9/5/2023 14:29		4	6	
9/5/2023 14:30	12.1	4	5	
9/5/2023 14:31		5	5	
9/5/2023 14:32		5	5	
9/5/2023 14:33		5	5	
9/5/2023 14:34		9	6	
9/5/2023 14:35	12.1	5	5	
9/5/2023 14:36		5	5	
9/5/2023 14:37		5	5	
9/5/2023 14:38		5	5	
9/5/2023 14:39		5	5	
9/5/2023 14:40	12.1	5	5	
9/5/2023 14:41		5	5	
9/5/2023 14:42		5	5	
9/5/2023 14:43		6	5	
9/5/2023 14:44		6	5	
9/5/2023 14:45	12.1	6	5	
9/5/2023 14:46		5	5	
9/5/2023 14:47		6	5	
9/5/2023 14:48		6	5	
9/5/2023 14:49		6	5	
9/5/2023 14:50	12.1	6	5	
9/5/2023 14:51		6	5	
9/5/2023 14:52		6	5	
9/5/2023 14:53		5	5	
9/5/2023 14:54		5	5	
9/5/2023 14:55	12.1	5	5	
9/5/2023 14:56		5	5	
9/5/2023 14:57		5	5	
9/5/2023 14:58		5	5	
9/5/2023 14:59		4	5	
9/5/2023 15:00	12.1	6	5	0.0027389
9/5/2023 15:01		6	5	
9/5/2023 15:02		5	5	
9/5/2023 15:03		5	5	
9/5/2023 15:04		5	5	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Batt. Voltage (V)	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 15:05	12.1	5	5	
9/5/2023 15:06		6	5	
9/5/2023 15:07		5	5	
9/5/2023 15:08		6	5	
9/5/2023 15:09		7	5	
9/5/2023 15:10	12.1	7	5	
9/5/2023 15:11		7	5	
9/5/2023 15:12		6	5	
9/5/2023 15:13		7	5	
9/5/2023 15:14		7	6	
9/5/2023 15:15	12.1	7	6	
9/5/2023 15:16		7	6	
9/5/2023 15:17		6	6	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 7:41	29	29	0.00021053
9/5/2023 7:42	27	28	
9/5/2023 7:43	28	28	
9/5/2023 7:44	31	28	
9/5/2023 7:45	45	32	
9/5/2023 7:46	43	33	
9/5/2023 7:47	34	33	
9/5/2023 7:48	33	33	
9/5/2023 7:49	29	33	
9/5/2023 7:50	28	32	
9/5/2023 7:51	27	32	
9/5/2023 7:52	27	31	
9/5/2023 7:53	26	31	
9/5/2023 7:54	27	31	
9/5/2023 7:55	27	30	
9/5/2023 7:56	27	30	
9/5/2023 7:57	26	30	
9/5/2023 7:58	27	30	
9/5/2023 7:59	26	30	
9/5/2023 8:00	26	28	
9/5/2023 8:01	25	27	
9/5/2023 8:02	25	27	
9/5/2023 8:03	25	26	
9/5/2023 8:04	25	26	
9/5/2023 8:05	25	26	
9/5/2023 8:06	26	26	
9/5/2023 8:07	27	26	
9/5/2023 8:08	25	25	
9/5/2023 8:09	25	25	
9/5/2023 8:10	24	25	
9/5/2023 8:11	24	25	
9/5/2023 8:12	25	25	
9/5/2023 8:13	26	25	
9/5/2023 8:14	26	25	
9/5/2023 8:15	26	25	
9/5/2023 8:16	25	25	
9/5/2023 8:17	25	25	
9/5/2023 8:18	25	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:19	24	25	
9/5/2023 8:20	24	25	
9/5/2023 8:21	25	25	
9/5/2023 8:22	25	24	
9/5/2023 8:23	25	24	
9/5/2023 8:24	24	24	
9/5/2023 8:25	26	25	
9/5/2023 8:26	28	25	
9/5/2023 8:27	25	25	
9/5/2023 8:28	26	25	
9/5/2023 8:29	26	25	
9/5/2023 8:30	25	25	
9/5/2023 8:31	26	25	
9/5/2023 8:32	24	25	
9/5/2023 8:33	26	25	
9/5/2023 8:34	29	25	
9/5/2023 8:35	29	25	
9/5/2023 8:36	26	26	
9/5/2023 8:37	27	26	
9/5/2023 8:38	27	26	
9/5/2023 8:39	26	26	
9/5/2023 8:40	25	26	
9/5/2023 8:41	26	26	
9/5/2023 8:42	26	26	
9/5/2023 8:43	27	26	
9/5/2023 8:44	27	26	
9/5/2023 8:45	29	26	
9/5/2023 8:46	28	26	
9/5/2023 8:47	28	27	
9/5/2023 8:48	27	27	
9/5/2023 8:49	27	27	
9/5/2023 8:50	27	26	
9/5/2023 8:51	28	27	
9/5/2023 8:52	27	27	
9/5/2023 8:53	27	27	
9/5/2023 8:54	30	27	
9/5/2023 8:55	31	27	
9/5/2023 8:56	29	27	
9/5/2023 8:57	27	27	
9/5/2023 8:58	27	27	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:59	27	27	0.0015136
9/5/2023 9:00	28	27	
9/5/2023 9:01	28	27	
9/5/2023 9:02	28	27	0.0015136
9/5/2023 9:03	27	27	
9/5/2023 9:04	25	27	
9/5/2023 9:05	25	27	0.0015136
9/5/2023 9:06	25	27	
9/5/2023 9:07	26	27	
9/5/2023 9:08	26	27	0.0015136
9/5/2023 9:09	27	27	
9/5/2023 9:10	27	26	
9/5/2023 9:11	27	26	0.0015136
9/5/2023 9:12	26	26	
9/5/2023 9:13	27	26	
9/5/2023 9:14	33	27	0.0015136
9/5/2023 9:15	26	26	
9/5/2023 9:16	26	26	
9/5/2023 9:17	24	26	0.0015136
9/5/2023 9:18	23	26	
9/5/2023 9:19	24	26	
9/5/2023 9:20	24	26	0.0015136
9/5/2023 9:21	25	26	
9/5/2023 9:22	24	25	
9/5/2023 9:23	24	25	0.0015136
9/5/2023 9:24	24	25	
9/5/2023 9:25	24	25	
9/5/2023 9:26	25	25	0.0015136
9/5/2023 9:27	24	25	
9/5/2023 9:28	24	24	
9/5/2023 9:29	24	24	0.0015136
9/5/2023 9:30	24	24	
9/5/2023 9:31	24	24	
9/5/2023 9:32	25	24	0.0015136
9/5/2023 9:33	27	24	
9/5/2023 9:34	28	24	
9/5/2023 9:35	24	24	0.0015136
9/5/2023 9:36	23	24	
9/5/2023 9:37	24	24	
9/5/2023 9:38	24	24	0.0015136

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 9:39	25	24	0.0030757
9/5/2023 9:40	25	24	
9/5/2023 9:41	23	24	
9/5/2023 9:42	23	24	
9/5/2023 9:43	24	24	
9/5/2023 9:44	25	24	
9/5/2023 9:45	25	24	
9/5/2023 9:46	25	24	
9/5/2023 9:47	24	24	
9/5/2023 9:48	29	24	
9/5/2023 9:49	24	24	
9/5/2023 9:50	24	24	
9/5/2023 9:51	23	24	
9/5/2023 9:52	24	24	
9/5/2023 9:53	24	24	
9/5/2023 9:54	23	24	
9/5/2023 9:55	25	24	
9/5/2023 9:56	25	24	
9/5/2023 9:57	24	24	
9/5/2023 9:58	25	24	
9/5/2023 9:59	24	24	
9/5/2023 10:00	26	24	
9/5/2023 10:01	25	24	
9/5/2023 10:02	29	24	
9/5/2023 10:03	25	24	
9/5/2023 10:04	24	24	
9/5/2023 10:05	23	24	
9/5/2023 10:06	24	24	
9/5/2023 10:07	24	24	
9/5/2023 10:08	24	24	
9/5/2023 10:09	24	24	
9/5/2023 10:10	24	24	
9/5/2023 10:11	25	24	
9/5/2023 10:12	23	24	
9/5/2023 10:13	23	24	
9/5/2023 10:14	23	24	
9/5/2023 10:15	22	24	
9/5/2023 10:16	23	24	
9/5/2023 10:17	23	23	
9/5/2023 10:18	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:19	23	23	
9/5/2023 10:20	24	23	
9/5/2023 10:21	25	23	
9/5/2023 10:22	25	23	
9/5/2023 10:23	24	23	
9/5/2023 10:24	25	23	
9/5/2023 10:25	24	23	
9/5/2023 10:26	24	23	
9/5/2023 10:27	23	23	
9/5/2023 10:28	22	23	
9/5/2023 10:29	23	23	
9/5/2023 10:30	23	23	
9/5/2023 10:31	23	23	
9/5/2023 10:32	23	23	
9/5/2023 10:33	23	23	
9/5/2023 10:34	23	23	
9/5/2023 10:35	23	23	
9/5/2023 10:41	23	22	
9/5/2023 10:42	26	23	
9/5/2023 10:43	27	23	
9/5/2023 10:44	25	23	
9/5/2023 10:45	25	24	
9/5/2023 10:46	24	24	
9/5/2023 10:47	24	24	
9/5/2023 10:48	23	24	
9/5/2023 10:49	24	24	
9/5/2023 10:50	26	24	
9/5/2023 10:51	24	24	
9/5/2023 10:52	26	24	
9/5/2023 10:53	27	24	
9/5/2023 10:54	28	25	
9/5/2023 10:55	28	25	
9/5/2023 10:56	29	25	
9/5/2023 10:57	28	25	
9/5/2023 10:58	24	25	
9/5/2023 10:59	25	25	
9/5/2023 11:00	23	25	0.0037341
9/5/2023 11:01	24	25	
9/5/2023 11:02	23	25	
9/5/2023 11:03	23	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:04	23	25	
9/5/2023 11:05	24	25	
9/5/2023 11:06	24	25	
9/5/2023 11:07	23	25	
9/5/2023 11:08	23	24	
9/5/2023 11:09	23	24	
9/5/2023 11:10	23	24	
9/5/2023 11:11	24	23	
9/5/2023 11:12	23	23	
9/5/2023 11:13	24	23	
9/5/2023 11:14	23	23	
9/5/2023 11:15	24	23	
9/5/2023 11:16	24	23	
9/5/2023 11:17	24	23	
9/5/2023 11:18	26	23	
9/5/2023 11:19	26	23	
9/5/2023 11:20	27	24	
9/5/2023 11:21	25	24	
9/5/2023 11:22	25	24	
9/5/2023 11:23	30	24	
9/5/2023 11:24	29	25	
9/5/2023 11:25	29	25	
9/5/2023 11:26	35	26	
9/5/2023 11:27	31	26	
9/5/2023 11:28	36	27	
9/5/2023 11:29	28	27	
9/5/2023 11:30	24	27	
9/5/2023 11:31	23	27	
9/5/2023 11:32	24	27	
9/5/2023 11:33	23	27	
9/5/2023 11:34	23	27	
9/5/2023 11:35	23	27	
9/5/2023 11:36	23	27	
9/5/2023 11:37	22	26	
9/5/2023 11:38	23	26	
9/5/2023 11:39	21	25	
9/5/2023 11:40	22	25	
9/5/2023 11:41	23	24	
9/5/2023 11:42	22	24	
9/5/2023 11:43	22	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:44	22	22	0.0035073
9/5/2023 11:45	21	22	
9/5/2023 11:46	21	22	
9/5/2023 11:47	22	22	
9/5/2023 11:48	21	22	
9/5/2023 11:49	22	22	
9/5/2023 11:50	22	21	
9/5/2023 11:51	22	21	
9/5/2023 11:52	22	21	
9/5/2023 11:53	22	21	
9/5/2023 11:54	21	21	
9/5/2023 11:55	21	21	
9/5/2023 11:56	21	21	
9/5/2023 11:57	21	21	
9/5/2023 11:58	21	21	
9/5/2023 11:59	21	21	
9/5/2023 12:00	22	21	
9/5/2023 12:01	21	21	
9/5/2023 12:02	20	21	
9/5/2023 12:03	21	21	
9/5/2023 12:04	21	21	
9/5/2023 12:05	21	21	
9/5/2023 12:06	27	21	
9/5/2023 12:07	21	21	
9/5/2023 12:08	20	21	
9/5/2023 12:09	20	21	
9/5/2023 12:10	20	21	
9/5/2023 12:11	20	21	
9/5/2023 12:12	20	21	
9/5/2023 12:13	20	21	
9/5/2023 12:14	20	20	
9/5/2023 12:15	19	20	
9/5/2023 12:16	18	20	
9/5/2023 12:17	19	20	
9/5/2023 12:18	18	20	
9/5/2023 12:19	18	20	
9/5/2023 12:20	18	19	
9/5/2023 12:21	17	19	
9/5/2023 12:22	18	19	
9/5/2023 12:23	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 12:24	17	18	
9/5/2023 12:25	17	18	
9/5/2023 12:26	18	18	
9/5/2023 12:27	18	18	
9/5/2023 12:28	16	17	
9/5/2023 12:29	16	17	
9/5/2023 12:30	17	17	
9/5/2023 12:31	17	17	
9/5/2023 12:32	16	17	
9/5/2023 12:33	16	17	
9/5/2023 12:34	16	17	
9/5/2023 12:35	16	16	
9/5/2023 12:36	19	17	
9/5/2023 12:37	21	17	
9/5/2023 12:38	21	17	
9/5/2023 12:39	20	17	
9/5/2023 12:40	17	17	
9/5/2023 12:41	17	17	
9/5/2023 12:42	21	17	
9/5/2023 12:43	16	17	
9/5/2023 12:44	16	17	
9/5/2023 12:45	16	17	
9/5/2023 12:46	20	17	
9/5/2023 12:47	17	17	
9/5/2023 12:48	17	18	
9/5/2023 12:49	23	18	
9/5/2023 12:50	17	18	
9/5/2023 12:51	20	18	
9/5/2023 12:52	20	18	
9/5/2023 12:53	19	18	
9/5/2023 12:54	18	18	
9/5/2023 12:55	18	18	
9/5/2023 12:56	18	18	
9/5/2023 12:57	18	18	
9/5/2023 12:58	19	18	
9/5/2023 12:59	20	18	
9/5/2023 13:00	21	19	0.0037949
9/5/2023 13:01	21	19	
9/5/2023 13:02	23	19	
9/5/2023 13:03	22	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:04	22	19	
9/5/2023 13:05	24	20	
9/5/2023 13:06	23	20	
9/5/2023 13:07	23	20	
9/5/2023 13:08	24	20	
9/5/2023 13:09	27	21	
9/5/2023 13:10	24	21	
9/5/2023 13:11	26	22	
9/5/2023 13:12	27	23	
9/5/2023 13:13	22	23	
9/5/2023 13:14	25	23	
9/5/2023 13:15	24	23	
9/5/2023 13:16	24	24	
9/5/2023 13:17	30	24	
9/5/2023 13:18	33	25	
9/5/2023 13:19	29	25	
9/5/2023 13:20	29	26	
9/5/2023 13:21	21	25	
9/5/2023 13:22	22	25	
9/5/2023 13:23	25	25	
9/5/2023 13:24	26	25	
9/5/2023 13:25	24	25	
9/5/2023 13:26	23	25	
9/5/2023 13:27	24	25	
9/5/2023 13:28	23	25	
9/5/2023 13:29	21	25	
9/5/2023 13:30	21	25	
9/5/2023 13:31	21	24	
9/5/2023 13:32	21	24	
9/5/2023 13:33	22	23	
9/5/2023 13:34	22	23	
9/5/2023 13:35	24	22	
9/5/2023 13:36	23	22	
9/5/2023 13:37	23	22	
9/5/2023 13:38	22	22	
9/5/2023 13:39	24	22	
9/5/2023 13:40	23	22	
9/5/2023 13:41	24	22	
9/5/2023 13:42	32	23	
9/5/2023 13:43	22	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:44	22	23	
9/5/2023 13:45	21	23	
9/5/2023 13:46	23	23	
9/5/2023 13:47	22	23	
9/5/2023 13:48	23	23	
9/5/2023 13:49	26	23	
9/5/2023 13:50	27	23	
9/5/2023 13:51	26	24	
9/5/2023 13:52	26	24	
9/5/2023 13:53	25	24	
9/5/2023 13:54	26	24	
9/5/2023 13:55	30	25	
9/5/2023 13:56	24	25	
9/5/2023 13:57	24	24	
9/5/2023 13:58	28	24	
9/5/2023 13:59	26	25	
9/5/2023 14:00	23	25	0.0043957
9/5/2023 14:01	24	25	
9/5/2023 14:02	23	25	
9/5/2023 14:03	23	25	
9/5/2023 14:04	24	25	
9/5/2023 14:05	26	25	
9/5/2023 14:06	30	25	
9/5/2023 14:07	40	26	
9/5/2023 14:08	30	26	
9/5/2023 14:09	28	26	
9/5/2023 14:10	25	26	
9/5/2023 14:11	26	26	
9/5/2023 14:12	27	26	
9/5/2023 14:13	33	27	
9/5/2023 14:14	23	27	
9/5/2023 14:15	25	27	
9/5/2023 14:16	24	27	
9/5/2023 14:17	24	27	
9/5/2023 14:18	23	27	
9/5/2023 14:19	26	27	
9/5/2023 14:20	26	27	
9/5/2023 14:21	31	27	
9/5/2023 14:22	29	26	
9/5/2023 14:23	29	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 14:24	25	26	
9/5/2023 14:25	24	26	
9/5/2023 14:26	24	26	
9/5/2023 14:27	27	26	
9/5/2023 14:28	33	26	
9/5/2023 14:29	29	26	
9/5/2023 14:30	34	27	
9/5/2023 14:31	34	27	
9/5/2023 14:32	28	28	
9/5/2023 14:33	25	28	
9/5/2023 14:34	31	28	
9/5/2023 14:35	27	28	
9/5/2023 14:36	24	28	
9/5/2023 14:37	23	27	
9/5/2023 14:38	23	27	
9/5/2023 14:39	23	27	
9/5/2023 14:40	23	27	
9/5/2023 14:41	22	27	
9/5/2023 14:42	23	26	
9/5/2023 14:43	23	26	
9/5/2023 14:44	23	25	
9/5/2023 14:45	23	25	
9/5/2023 14:46	23	24	
9/5/2023 14:47	24	24	
9/5/2023 14:48	24	23	
9/5/2023 14:49	24	23	
9/5/2023 14:50	23	23	
9/5/2023 14:51	24	23	
9/5/2023 14:52	23	23	
9/5/2023 14:53	23	23	
9/5/2023 14:54	23	23	
9/5/2023 14:55	23	23	
9/5/2023 14:56	23	23	
9/5/2023 14:57	24	23	
9/5/2023 14:58	24	23	
9/5/2023 14:59	23	23	
9/5/2023 15:00	23	23	0.0052545
9/5/2023 15:01	23	23	
9/5/2023 15:02	24	23	
9/5/2023 15:03	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 15:10	24	23	
9/5/2023 15:11	27	23	
9/5/2023 15:12	25	24	
9/5/2023 15:13	25	24	
9/5/2023 15:14	24	24	
9/5/2023 15:15	24	24	
9/5/2023 15:16	25	24	
9/5/2023 15:17	24	24	
9/5/2023 15:18	25	24	
9/5/2023 15:19	25	24	
9/5/2023 15:20	25	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 7:49	34	34	0
9/5/2023 7:50	38	36	
9/5/2023 7:51	33	35	
9/5/2023 7:52	33	34	
9/5/2023 7:53	33	34	
9/5/2023 7:54	34	34	
9/5/2023 7:55	35	34	
9/5/2023 7:56	34	34	
9/5/2023 7:57	34	34	
9/5/2023 7:58	34	34	
9/5/2023 7:59	34	34	
9/5/2023 8:00	34	34	
9/5/2023 8:01	33	34	
9/5/2023 8:02	34	34	
9/5/2023 8:03	33	34	
9/5/2023 8:04	34	34	
9/5/2023 8:05	35	33	
9/5/2023 8:06	35	33	
9/5/2023 8:07	34	34	
9/5/2023 8:08	34	34	
9/5/2023 8:09	35	34	
9/5/2023 8:10	36	34	
9/5/2023 8:11	36	34	
9/5/2023 8:12	36	34	
9/5/2023 8:13	33	34	
9/5/2023 8:14	33	34	
9/5/2023 8:15	33	34	
9/5/2023 8:16	33	34	
9/5/2023 8:17	33	34	
9/5/2023 8:18	33	34	
9/5/2023 8:19	33	34	
9/5/2023 8:20	33	34	
9/5/2023 8:21	32	33	
9/5/2023 8:22	32	33	
9/5/2023 8:23	33	33	
9/5/2023 8:24	32	33	
9/5/2023 8:25	33	33	
9/5/2023 8:26	33	33	
9/5/2023 8:27	33	32	
9/5/2023 8:28	33	32	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 8:29	34	32	
9/5/2023 8:30	35	33	
9/5/2023 8:31	35	33	
9/5/2023 8:32	35	33	
9/5/2023 8:33	35	33	
9/5/2023 8:34	37	33	
9/5/2023 8:35	36	33	
9/5/2023 8:36	37	34	
9/5/2023 8:37	36	34	
9/5/2023 8:38	36	34	
9/5/2023 8:39	35	34	
9/5/2023 8:40	36	35	
9/5/2023 8:41	37	35	
9/5/2023 8:42	38	35	
9/5/2023 8:43	38	36	
9/5/2023 8:44	37	36	
9/5/2023 8:45	37	36	
9/5/2023 8:46	37	36	
9/5/2023 8:47	37	36	
9/5/2023 8:48	37	36	
9/5/2023 8:49	37	36	
9/5/2023 8:50	36	36	
9/5/2023 8:51	38	36	
9/5/2023 8:52	37	36	
9/5/2023 8:53	37	36	
9/5/2023 8:54	37	37	
9/5/2023 8:55	37	37	
9/5/2023 8:56	37	37	
9/5/2023 8:57	36	37	
9/5/2023 8:58	36	36	
9/5/2023 8:59	36	36	
9/5/2023 9:00	37	36	0.0014583
9/5/2023 9:01	35	36	
9/5/2023 9:02	33	36	
9/5/2023 9:03	32	36	
9/5/2023 9:04	33	35	
9/5/2023 9:05	33	35	
9/5/2023 9:06	35	35	
9/5/2023 9:07	34	35	
9/5/2023 9:08	35	35	
9/5/2023 9:09	36	35	
9/5/2023 9:10	35	34	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 9:11	32	34	
9/5/2023 9:12	33	34	
9/5/2023 9:13	32	34	
9/5/2023 9:14	31	33	
9/5/2023 9:15	32	33	
9/5/2023 9:16	31	33	
9/5/2023 9:17	31	33	
9/5/2023 9:18	32	33	
9/5/2023 9:19	32	32	
9/5/2023 9:20	32	32	
9/5/2023 9:21	32	32	
9/5/2023 9:22	32	32	
9/5/2023 9:23	32	32	
9/5/2023 9:24	32	32	
9/5/2023 9:25	31	31	
9/5/2023 9:26	32	31	
9/5/2023 9:27	32	31	
9/5/2023 9:28	32	31	
9/5/2023 9:29	31	31	
9/5/2023 9:30	32	31	
9/5/2023 9:31	31	31	
9/5/2023 9:32	31	31	
9/5/2023 9:33	31	31	
9/5/2023 9:34	32	31	
9/5/2023 9:35	33	31	
9/5/2023 9:36	37	32	
9/5/2023 9:37	37	32	
9/5/2023 9:38	33	32	
9/5/2023 9:39	31	32	
9/5/2023 9:40	31	32	
9/5/2023 9:41	31	32	
9/5/2023 9:42	31	32	
9/5/2023 9:43	31	32	
9/5/2023 9:44	31	32	
9/5/2023 9:45	32	32	
9/5/2023 9:46	32	32	
9/5/2023 9:47	32	32	
9/5/2023 9:48	33	32	
9/5/2023 9:49	31	32	
9/5/2023 9:50	30	32	
9/5/2023 9:51	32	31	
9/5/2023 9:52	31	31	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 9:53	31	31	
9/5/2023 9:54	30	31	
9/5/2023 9:55	31	31	
9/5/2023 9:56	33	31	
9/5/2023 9:57	37	31	
9/5/2023 9:58	34	32	
9/5/2023 9:59	32	32	
9/5/2023 10:00	65	34	0.0034111
9/5/2023 10:01	32	34	
9/5/2023 10:02	30	34	
9/5/2023 10:03	31	34	
9/5/2023 10:04	32	34	
9/5/2023 10:05	31	34	
9/5/2023 10:06	30	34	
9/5/2023 10:07	30	33	
9/5/2023 10:08	30	33	
9/5/2023 10:09	30	33	
9/5/2023 10:10	37	34	
9/5/2023 10:11	36	34	
9/5/2023 10:12	30	34	
9/5/2023 10:13	29	33	
9/5/2023 10:14	29	33	
9/5/2023 10:15	29	31	
9/5/2023 10:16	29	30	
9/5/2023 10:17	29	30	
9/5/2023 10:18	30	30	
9/5/2023 10:19	29	30	
9/5/2023 10:20	29	30	
9/5/2023 10:21	31	30	
9/5/2023 10:22	31	30	
9/5/2023 10:23	30	30	
9/5/2023 10:24	30	30	
9/5/2023 10:25	31	30	
9/5/2023 10:26	29	29	
9/5/2023 10:27	29	29	
9/5/2023 10:28	28	29	
9/5/2023 10:29	28	29	
9/5/2023 10:30	28	29	
9/5/2023 10:31	28	29	
9/5/2023 10:32	28	29	
9/5/2023 10:33	28	29	
9/5/2023 10:34	29	29	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 10:35	29	29	
9/5/2023 10:36	28	28	
9/5/2023 10:37	45	29	
9/5/2023 10:38	50	31	
9/5/2023 10:39	30	31	
9/5/2023 10:40	29	31	
9/5/2023 10:41	33	31	
9/5/2023 10:42	29	31	
9/5/2023 10:43	29	31	
9/5/2023 10:44	33	31	
9/5/2023 10:45	30	31	
9/5/2023 10:46	28	31	
9/5/2023 10:47	28	31	
9/5/2023 10:48	28	31	
9/5/2023 10:49	29	31	
9/5/2023 10:50	28	31	
9/5/2023 10:51	28	31	
9/5/2023 10:52	32	30	
9/5/2023 10:53	33	29	
9/5/2023 10:54	35	30	
9/5/2023 10:55	45	31	
9/5/2023 10:56	53	32	
9/5/2023 10:57	29	32	
9/5/2023 10:58	28	32	
9/5/2023 10:59	28	32	
9/5/2023 11:00	31	32	0.0054083
9/5/2023 11:01	29	32	
9/5/2023 11:02	29	32	
9/5/2023 11:03	28	32	
9/5/2023 11:04	29	32	
9/5/2023 11:05	29	32	
9/5/2023 11:06	28	32	
9/5/2023 11:07	29	32	
9/5/2023 11:08	28	31	
9/5/2023 11:09	28	31	
9/5/2023 11:10	29	30	
9/5/2023 11:11	28	28	
9/5/2023 11:12	28	28	
9/5/2023 11:13	28	28	
9/5/2023 11:14	28	28	
9/5/2023 11:15	28	28	
9/5/2023 11:16	28	28	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:17	27	28	
9/5/2023 11:18	28	28	
9/5/2023 11:19	28	28	
9/5/2023 11:20	28	28	
9/5/2023 11:21	29	28	
9/5/2023 11:22	28	28	
9/5/2023 11:23	28	28	
9/5/2023 11:24	28	28	
9/5/2023 11:25	66	30	
9/5/2023 11:26	31	30	
9/5/2023 11:27	27	30	
9/5/2023 11:28	27	30	
9/5/2023 11:29	27	30	
9/5/2023 11:30	28	30	
9/5/2023 11:31	27	30	
9/5/2023 11:32	27	30	
9/5/2023 11:33	26	30	
9/5/2023 11:34	26	30	
9/5/2023 11:35	27	30	
9/5/2023 11:36	27	30	
9/5/2023 11:37	26	29	
9/5/2023 11:38	26	29	
9/5/2023 11:39	26	29	
9/5/2023 11:40	26	26	
9/5/2023 11:41	26	26	
9/5/2023 11:42	26	26	
9/5/2023 11:43	26	26	
9/5/2023 11:44	25	26	
9/5/2023 11:45	25	26	
9/5/2023 11:46	25	26	
9/5/2023 11:47	25	25	
9/5/2023 11:48	26	25	
9/5/2023 11:49	25	25	
9/5/2023 11:50	26	25	
9/5/2023 11:51	25	25	
9/5/2023 11:52	25	25	
9/5/2023 11:53	25	25	
9/5/2023 11:54	25	25	
9/5/2023 11:55	25	25	
9/5/2023 11:56	24	25	
9/5/2023 11:57	25	25	
9/5/2023 11:58	25	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 11:59	24	25	0.0073733
9/5/2023 12:00	28	25	
9/5/2023 12:01	25	25	
9/5/2023 12:02	26	25	
9/5/2023 12:03	26	25	
9/5/2023 12:04	32	25	
9/5/2023 12:05	60	28	
9/5/2023 12:06	62	30	
9/5/2023 12:07	27	30	
9/5/2023 12:08	23	30	
9/5/2023 12:09	26	30	
9/5/2023 12:10	23	30	
9/5/2023 12:11	22	30	
9/5/2023 12:12	22	30	
9/5/2023 12:13	22	29	
9/5/2023 12:14	21	29	
9/5/2023 12:15	20	29	
9/5/2023 12:16	21	28	
9/5/2023 12:17	20	28	
9/5/2023 12:18	21	28	
9/5/2023 12:19	20	27	
9/5/2023 12:20	20	24	
9/5/2023 12:21	20	21	
9/5/2023 12:22	21	21	
9/5/2023 12:23	19	21	
9/5/2023 12:24	19	20	
9/5/2023 12:25	19	20	
9/5/2023 12:26	20	20	
9/5/2023 12:27	19	20	
9/5/2023 12:28	18	19	
9/5/2023 12:29	18	19	
9/5/2023 12:30	19	19	
9/5/2023 12:31	18	19	
9/5/2023 12:32	18	19	
9/5/2023 12:33	18	19	
9/5/2023 12:34	18	18	
9/5/2023 12:35	18	18	
9/5/2023 12:36	17	18	
9/5/2023 12:37	17	18	
9/5/2023 12:38	17	18	
9/5/2023 12:39	17	18	
9/5/2023 12:40	20	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 12:41	26	18	
9/5/2023 12:42	18	18	
9/5/2023 12:43	23	18	
9/5/2023 12:44	21	19	
9/5/2023 12:45	18	18	
9/5/2023 12:46	20	19	
9/5/2023 12:47	18	19	
9/5/2023 12:48	17	19	
9/5/2023 12:49	17	18	
9/5/2023 12:50	18	18	
9/5/2023 12:51	21	19	
9/5/2023 12:52	20	19	
9/5/2023 12:53	21	19	
9/5/2023 12:54	19	19	
9/5/2023 12:55	20	19	
9/5/2023 12:56	20	19	
9/5/2023 12:57	20	19	
9/5/2023 12:58	21	19	
9/5/2023 12:59	21	19	
9/5/2023 13:00	22	19	0.0092167
9/5/2023 13:01	24	19	
9/5/2023 13:02	24	20	
9/5/2023 13:03	23	20	
9/5/2023 13:04	23	21	
9/5/2023 13:05	24	21	
9/5/2023 13:06	24	21	
9/5/2023 13:07	25	22	
9/5/2023 13:08	30	22	
9/5/2023 13:09	28	23	
9/5/2023 13:10	26	23	
9/5/2023 13:11	27	24	
9/5/2023 13:12	25	24	
9/5/2023 13:13	24	24	
9/5/2023 13:14	25	24	
9/5/2023 13:15	30	25	
9/5/2023 13:16	25	25	
9/5/2023 13:17	27	25	
9/5/2023 13:18	24	25	
9/5/2023 13:22	0	24	
9/5/2023 13:23	0	21	
9/5/2023 13:24	0	19	
9/5/2023 13:25	0	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 13:30	10	10	
9/5/2023 13:31	16	9	
9/5/2023 13:32	17	8	
9/5/2023 13:33	17	7	
9/5/2023 13:34	17	8	
9/5/2023 13:35	17	9	
9/5/2023 13:36	17	10	
9/5/2023 13:37	17	11	
9/5/2023 13:38	17	13	
9/5/2023 13:39	17	14	
9/5/2023 13:40	20	16	
9/5/2023 13:41	21	16	
9/5/2023 13:42	15	16	
9/5/2023 13:43	17	16	
9/5/2023 13:44	16	16	
9/5/2023 13:45	17	17	
9/5/2023 13:46	20	17	
9/5/2023 13:47	19	17	
9/5/2023 13:48	18	17	
9/5/2023 13:49	26	18	
9/5/2023 13:50	19	18	
9/5/2023 13:51	18	18	
9/5/2023 13:52	17	18	
9/5/2023 13:53	19	18	
9/5/2023 13:54	19	18	
9/5/2023 13:55	19	18	
9/5/2023 13:56	18	18	
9/5/2023 13:57	30	19	
9/5/2023 13:58	23	19	
9/5/2023 13:59	20	20	
9/5/2023 14:00	17	20	0.0089755
9/5/2023 14:01	19	20	
9/5/2023 14:02	24	20	
9/5/2023 14:03	53	22	
9/5/2023 14:04	30	23	
9/5/2023 14:05	19	23	
9/5/2023 14:06	19	23	
9/5/2023 14:07	19	23	
9/5/2023 14:08	18	23	
9/5/2023 14:09	17	23	
9/5/2023 14:10	18	22	
9/5/2023 14:11	18	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 14:12	17	22	
9/5/2023 14:13	19	21	
9/5/2023 14:14	17	21	
9/5/2023 14:15	17	21	
9/5/2023 14:16	18	21	
9/5/2023 14:17	20	21	
9/5/2023 14:18	19	19	
9/5/2023 14:19	18	18	
9/5/2023 14:20	17	18	
9/5/2023 14:21	18	18	
9/5/2023 14:22	20	18	
9/5/2023 14:23	22	18	
9/5/2023 14:24	18	18	
9/5/2023 14:25	18	18	
9/5/2023 14:26	20	18	
9/5/2023 14:27	20	18	
9/5/2023 14:28	19	18	
9/5/2023 14:29	23	19	
9/5/2023 14:30	23	19	
9/5/2023 14:31	26	20	
9/5/2023 14:32	27	20	
9/5/2023 14:33	22	20	
9/5/2023 14:34	19	20	
9/5/2023 14:35	20	21	
9/5/2023 14:36	18	21	
9/5/2023 14:37	17	20	
9/5/2023 14:38	17	20	
9/5/2023 14:39	17	20	
9/5/2023 14:40	17	20	
9/5/2023 14:41	17	20	
9/5/2023 14:42	30	20	
9/5/2023 14:43	17	20	
9/5/2023 14:44	18	20	
9/5/2023 14:45	17	19	
9/5/2023 14:46	17	19	
9/5/2023 14:47	19	18	
9/5/2023 14:48	23	18	
9/5/2023 14:49	20	18	
9/5/2023 14:50	20	18	
9/5/2023 14:51	19	19	
9/5/2023 14:52	20	19	
9/5/2023 14:53	18	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/5/2023 14:54	18	19	0.0081702
9/5/2023 14:55	18	19	
9/5/2023 14:56	18	19	
9/5/2023 14:57	17	18	
9/5/2023 14:58	17	18	
9/5/2023 14:59	17	18	
9/5/2023 15:00	18	18	
9/5/2023 15:01	18	18	
9/5/2023 15:02	18	18	
9/5/2023 15:03	18	18	
9/5/2023 15:04	18	18	
9/5/2023 15:05	18	18	
9/5/2023 15:06	18	17	
9/5/2023 15:07	18	17	
9/5/2023 15:08	17	17	
9/5/2023 15:09	18	17	
9/5/2023 15:10	18	17	
9/5/2023 15:11	18	17	
9/5/2023 15:12	18	17	
9/5/2023 15:13	18	17	
9/5/2023 15:14	18	17	
9/5/2023 15:15	19	18	
9/5/2023 15:16	19	18	
9/5/2023 15:17	19	18	
9/5/2023 15:18	19	18	
9/5/2023 15:19	19	18	
9/5/2023 15:20	20	18	
9/5/2023 15:21	22	18	
9/5/2023 15:22	20	18	
9/5/2023 15:23	20	19	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 6:33									103.2			
9/6/2023 6:33	18.9	66	67.9	1015	1015	2.8	1.4	103.2				
9/6/2023 6:34	18.1	64.6	70.2	1015	1015	2.9	1.5	93.3				
9/6/2023 6:35	17.6	63.7	72.4	1015	1015	3.4	1.5	75.9	98.25	29	29	
9/6/2023 6:36	17.3	63.2	74.3	1015	1015	3.4	1.6	66	84.6	30	29	
9/6/2023 6:37	17	62.6	75.8	1015	1015	4.5	1.7	59.9	79.66	31	30	
9/6/2023 6:38	16.8	62.2	77	1015	1015	4.5	1.8	58.6	76.15	29	29	
9/6/2023 6:39	16.6	61.9	78.2	1015	1015	4.5	2	57	73.41	28	29	
9/6/2023 6:40	16.5	61.7	79.1	1015	1015	4.5	2	56.3	71.27	28	29	
9/6/2023 6:41	16.4	61.6	79.9	1015	1015	4.5	2	53	69.24	28	29	
9/6/2023 6:42	16.2	61.2	80.6	1015	1015	4.5	2.2	44.7	66.79	28	28	
9/6/2023 6:43	16.1	61	81.3	1015	1015	4.5	2.3	41.8	64.52	27	28	
9/6/2023 6:44	16.1	60.9	81.8	1015	1015	4.5	2.4	43.2	62.74	27	28	
9/6/2023 6:45	16	60.9	82.3	1015	1015	4.5	2.3	43.5	61.26	28	28	
9/6/2023 6:46	15.9	60.7	82.6	1015	1015	4.7	2.2	42.7	59.94	27	28	
9/6/2023 6:47	15.8	60.5	83	1015	1015	4.7	2.1	39.8	58.59	27	28	
9/6/2023 6:48	15.9	60.5	83.3	1015	1015	3.7	1.8	37.7	54.23	27	28	
9/6/2023 6:49	15.8	60.5	83.7	1015	1015	3.7	1.7	36.3	50.43	28	28	
9/6/2023 6:50	15.8	60.4	83.9	1015	1015	3.6	1.6	36.7	47.81	28	28	
9/6/2023 6:51	15.8	60.4	84.1	1015	1015	3.6	1.5	37.9	45.94	29	28	
9/6/2023 6:52	15.8	60.4	84.1	1015	1015	3.3	1.4	35.3	44.3	28	27	
9/6/2023 6:53	15.8	60.4	84.3	1015	1015	3.1	1.3	28.5	42.29	28	27	
9/6/2023 6:54	15.7	60.3	84.3	1015	1015	3.1	1.3	22.4	39.99	29	27	
9/6/2023 6:55	15.8	60.4	84.5	1015	1015	3.1	1.3	19.8	37.55	29	27	
9/6/2023 6:56	15.7	60.2	84.4	1015	1015	3.1	1.4	19.3	35.31	29	27	
9/6/2023 6:57	15.7	60.3	84.3	1015	1015	3.1	1.5	19.3	33.61	28	27	
9/6/2023 6:58	15.6	60.1	84.6	1015	1015	3.1	1.7	24.4	32.45	28	28	
9/6/2023 6:59	15.6	60.1	84.6	1015	1015	3.3	1.7	0	29.57	29	28	
9/6/2023 7:00	15.6	60.1	84.7	1015	1015	3.3	1.5	0	26.67	28	28	0.0004
9/6/2023 7:01	15.5	59.9	84.4	1015	1015	3.3	1.3	0	23.83	27	28	
9/6/2023 7:02	15.4	59.7	83.8	1015	1015	3.3	1.3	0	21.17	23	27	
9/6/2023 7:03	15.4	59.7	83.3	1015	1015	3.3	1.3	0	18.66	20	27	
9/6/2023 7:04	15.3	59.6	82.7	1015	1015	3.7	1.3	184.6	28.55	19	26	
9/6/2023 7:05	15.3	59.6	82.3	1015	1015	3.7	1.3	182.9	38.29	18	26	
9/6/2023 7:06	15.4	59.7	82.1	1015	1015	3.7	1.2	183.9	48.03	19	25	
9/6/2023 7:07	15.4	59.7	81.7	1015	1015	3.7	1	190.4	58.37	19	24	
9/6/2023 7:08	15.4	59.7	81.5	1015	1015	3.7	0.8	198.4	69.69	18	24	
9/6/2023 7:09	15.4	59.7	81.3	1015	1015	3.7	0.9	198.3	81.42	18	23	
9/6/2023 7:10	15.4	59.7	81.2	1015	1015	3.7	1	199.6	93.41	17	22	
9/6/2023 7:11	15.4	59.7	80.9	1015	1015	3.7	0.9	204.1	105.73	17	21	
9/6/2023 7:12	15.4	59.7	80.7	1015	1015	3.7	0.9	207.1	118.25	17	21	
9/6/2023 7:13	15.5	59.9	80.6	1015	1015	3.1	0.8	212.4	130.78	16	20	
9/6/2023 7:14	15.5	59.9	80.5	1015	1015	2.7	0	0	130.78	16	19	
9/6/2023 7:15	15.5	59.9	80.5	1015	1015	2.7	0	0	130.78	17	18	
9/6/2023 7:16	15.6	60	80.4	1015	1015	2.7	0	0	130.78	17	18	
9/6/2023 7:17	15.6	60.1	80.4	1015	1015	2.9	0	0	130.78	16	17	
9/6/2023 7:18	15.6	60.1	80.3	1015	1015	4.3	0	0	130.78	16	17	
9/6/2023 7:19	15.7	60.3	80.3	1015	1015	4.3	0.8	0	118.47	16	17	
9/6/2023 7:20	15.7	60.3	80.2	1015	1015	4.3	0.8	0	106.28	15	16	
9/6/2023 7:21	15.7	60.3	80.2	1015	1015	4.3	0.8	0	94.02	16	16	
9/6/2023 7:22	15.8	60.5	80.2	1015	1015	4.3	0.8	0	81.33	16	16	
9/6/2023 7:23	15.8	60.5	80.1	1015	1015	4.3	0.9	0	68.1	16	16	
9/6/2023 7:24	15.9	60.6	80.1	1015	1015	4.3	0.9	231	70.28	16	16	
9/6/2023 7:25	15.9	60.6	80.2	1015	1015	4.3	1	229.2	72.25	16	16	
9/6/2023 7:26	15.9	60.7	80.2	1015	1015	4.3	1.1	228.3	73.87	16	16	
9/6/2023 7:27	15.9	60.7	80.1	1015	1015	3.2	1	230.4	75.42	16	16	
9/6/2023 7:28	15.9	60.6	80.1	1015	1015	3.2	0.9	223.4	76.15	16	16	
9/6/2023 7:29	16	60.8	80.1	1015	1015	3.2	0.9	218.1	90.69	17	16	
9/6/2023 7:30	16	60.8	80.1	1015	1015	4.2	1	227.9	105.89	16	16	
9/6/2023 7:31	16	60.8	80.2	1015	1015	4.2	1.1	235.9	121.61	16	16	
9/6/2023 7:32	15.9	60.7	80.2	1015	1015	4.2	1.2	238.2	137.49	16	16	
9/6/2023 7:33	16	60.7	80.4	1015	1015	4.2	1.3	241.5	153.59	16	16	
9/6/2023 7:34	16	60.8	80.3	1015	1015	4.2	1.3	248.4	170.15	17	16	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 7:35	16	60.7	80.1	1015	1015	4.2	1.3	255.1	187.16	16	16	
9/6/2023 7:36	15.9	60.7	80.2	1015	1015	4.2	1.3	260.5	204.53	17	16	
9/6/2023 7:37	16	60.8	80.3	1015	1015	4.2	1.4	262.5	222.03	17	16	
9/6/2023 7:38	16	60.8	80.2	1015	1015	4.2	1.5	267.5	239.86	17	16	
9/6/2023 7:39	16	60.8	80.2	1015	1015	4.2	1.5	268.6	242.37	17	16	
9/6/2023 7:40	16	60.8	80.1	1015	1015	4.2	1.5	272	245.22	18	16	
9/6/2023 7:41	16.1	60.9	80	1015	1015	4.2	1.3	278.2	248.55	18	16	
9/6/2023 7:42	16.1	61	79.5	1015	1015	5	1.3	277.3	251.67	17	16	
9/6/2023 7:43	16.1	61	79.6	1015	1015	7.7	1.5	274.7	255.09	18	16	
9/6/2023 7:44	16.1	61	79.5	1015	1015	7.7	1.5	278	259.09	18	16	
9/6/2023 7:45	16.1	61	79.5	1015	1015	7.7	1.6	276.5	262.33	18	17	
9/6/2023 7:46	16.2	61.2	79.4	1015	1015	7.7	1.6	283.8	265.52	17	17	
9/6/2023 7:47	16.2	61.2	79.2	1015	1015	7.7	1.5	286.9	268.77	18	17	
9/6/2023 7:48	16.2	61.2	79.3	1015	1015	7.7	1.6	291.2	272.08	18	17	
9/6/2023 7:49	16.2	61.2	79.4	1015	1015	7.7	1.5	292.2	275	18	17	
9/6/2023 7:50	16.3	61.3	79.5	1015	1015	7.7	1.7	293.2	277.54	18	17	
9/6/2023 7:51	16.3	61.4	79.5	1015	1015	7.7	1.8	293.2	279.72	20	17	
9/6/2023 7:52	16.3	61.4	79.5	1015	1015	5.3	1.7	295.1	281.89	19	17	
9/6/2023 7:53	16.3	61.4	79.7	1015	1015	5.3	1.7	294.7	283.71	19	18	
9/6/2023 7:54	16.3	61.4	79.8	1015	1015	7.5	1.9	293.4	285.36	19	18	
9/6/2023 7:55	16.3	61.4	79.9	1015	1015	7.5	1.8	288.8	286.48	18	18	
9/6/2023 7:56	16.3	61.4	79.9	1015	1015	7.5	1.9	288.2	287.15	19	18	
9/6/2023 7:57	16.3	61.4	79.6	1015	1015	7.5	1.8	286.7	287.77	19	18	
9/6/2023 7:58	16.3	61.4	79.3	1015	1015	7.5	1.9	288.1	288.67	18	18	
9/6/2023 7:59	16.3	61.4	79.3	1015	1015	7.5	2	283.1	289.01	18	18	
9/6/2023 8:00	16.4	61.5	79.4	1016	1016	7.5	1.9	287.5	289.74	19	18	0.001542
9/6/2023 8:01	16.4	61.6	79.4	1015	1015	7.5	2	287.9	290.01	19	18	
9/6/2023 8:02	16.5	61.6	79.4	1015	1015	7.5	2	289.1	290.16	19	18	
9/6/2023 8:03	16.4	61.6	79.3	1016	1016	7	2	296	290.48	18	18	
9/6/2023 8:04	16.5	61.7	79.3	1015	1015	7	2.1	298.9	290.93	19	18	
9/6/2023 8:05	16.5	61.8	79.2	1015	1015	7	2	299.4	291.34	19	18	
9/6/2023 8:06	16.5	61.8	78.8	1016	1016	7	2.1	299.9	291.79	18	18	
9/6/2023 8:07	16.5	61.8	78.8	1015	1015	7	2.2	301.1	292.19	18	18	
9/6/2023 8:08	16.5	61.8	78.8	1015	1015	7	2.1	308.5	293.11	19	18	
9/6/2023 8:09	16.5	61.8	78.9	1015	1015	7	2.2	309	294.15	19	18	
9/6/2023 8:10	16.5	61.8	79	1016	1016	6.3	2.2	313.2	295.77	19	18	
9/6/2023 8:11	16.5	61.8	79.1	1015	1015	6	2.3	313.8	297.48	19	18	
9/6/2023 8:12	16.5	61.8	79.1	1015	1015	5.5	2.2	312.1	299.17	19	18	
9/6/2023 8:13	16.6	61.8	79.2	1015	1015	5.5	2.2	313	300.83	19	18	
9/6/2023 8:14	16.6	61.9	78.9	1015	1015	5.5	2.2	313.5	302.86	19	18	
9/6/2023 8:15	16.6	61.9	78.9	1015	1015	5.5	2.2	316	304.76	19	18	
9/6/2023 8:16	16.7	62	78.8	1015	1015	5.5	2.1	317	306.7	19	18	
9/6/2023 8:17	16.7	62.1	78.6	1016	1016	5.5	2.2	316.6	308.53	18	18	
9/6/2023 8:18	16.7	62.1	78.8	1016	1016	5.5	2.2	317	309.93	19	18	
9/6/2023 8:19	16.7	62.1	78.5	1016	1016	5.5	2.2	316.5	311.11	19	18	
9/6/2023 8:20	16.7	62.1	78.7	1016	1016	5.5	2.1	316.6	312.25	19	18	
9/6/2023 8:21	16.7	62.1	78.7	1016	1016	5.5	2.1	315.6	313.3	19	18	
9/6/2023 8:22	16.7	62.1	78.6	1016	1016	5.5	2	311.1	313.97	19	18	
9/6/2023 8:23	16.8	62.2	78.5	1016	1016	5.5	2	306.7	313.85	20	19	
9/6/2023 8:24	16.7	62.1	78.6	1016	1016	5.5	2	299.6	313.22	21	19	
9/6/2023 8:25	16.7	62.1	78.5	1016	1016	6.1	2	293.3	311.89	21	19	
9/6/2023 8:26	16.8	62.2	78.5	1016	1016	6.1	2	290.1	310.31	20	19	
9/6/2023 8:27	16.8	62.3	78.3	1016	1016	6.8	1.9	280.5	308.21	20	19	
9/6/2023 8:28	16.8	62.3	78.3	1016	1016	7.4	1.8	264	304.94	20	19	
9/6/2023 8:29	16.8	62.3	78.2	1016	1016	7.4	1.9	254.3	300.99	20	19	
9/6/2023 8:30	16.8	62.3	78.3	1016	1016	7.4	1.9	254.1	296.87	20	19	
9/6/2023 8:31	16.9	62.4	78.1	1016	1016	7.5	2	257.5	292.9	20	19	
9/6/2023 8:32	16.8	62.3	77.7	1016	1016	7.5	2.1	261.1	289.2	18	19	
9/6/2023 8:33	16.9	62.3	77.7	1016	1016	7.5	2.1	261.8	285.52	20	19	
9/6/2023 8:34	16.9	62.4	77.6	1016	1016	7.5	2	260.4	281.78	19	19	
9/6/2023 8:35	16.9	62.5	77.9	1016	1016	7.5	1.9	255.6	277.71	19	19	
9/6/2023 8:36	16.9	62.5	77.4	1016	1016	7.5	1.8	257.2	273.82	19	19	
9/6/2023 8:37	17	62.7	77.6	1016	1016	7.5	1.8	257	270.21	19	19	
9/6/2023 8:38	16.9	62.5	76.9	1016	1016	7.7	1.9	263.3	267.32	19	19	
9/6/2023 8:39	16.9	62.5	77.4	1016	1016	7.7	2	259.7	264.66	19	19	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 8:40	16.9	62.5	77.1	1016	1016	7.8	2.1	264.4	262.73	19	19	
9/6/2023 8:41	16.9	62.5	77.4	1016	1016	7.8	2.1	266.4	261.15	19	19	
9/6/2023 8:42	17	62.7	77.2	1016	1016	7.8	2.1	271.4	260.55	19	19	
9/6/2023 8:43	17	62.7	76.7	1016	1016	7.8	2.2	279.8	261.6	19	19	
9/6/2023 8:44	17	62.7	76.6	1016	1016	7.8	2.3	282.4	263.47	19	19	
9/6/2023 8:45	17	62.7	76.3	1016	1016	7.8	2.5	285.2	265.55	19	19	
9/6/2023 8:46	17	62.7	76.9	1016	1016	7.8	2.6	291.3	267.8	19	19	
9/6/2023 8:47	17.1	62.7	76.4	1016	1016	7.8	2.5	293.7	269.97	20	19	
9/6/2023 8:48	17.1	62.8	76.5	1016	1016	7.8	2.3	297.6	272.36	19	19	
9/6/2023 8:49	17.1	62.9	76.4	1016	1016	6.8	2.1	297.7	274.85	21	19	
9/6/2023 8:50	17.1	62.9	76.5	1016	1016	6.8	2	294	277.41	19	19	
9/6/2023 8:51	17.2	63	76.3	1016	1016	6.8	2	294.3	279.88	20	19	
9/6/2023 8:52	17.3	63.1	75.9	1016	1016	6.8	1.9	289.5	282.05	20	19	
9/6/2023 8:53	17.2	63	75.5	1016	1016	6.4	2	295	284.16	20	19	
9/6/2023 8:54	17.2	63	75.8	1016	1016	6.3	2	294.9	286.51	19	19	
9/6/2023 8:55	17.2	62.9	75.9	1016	1016	6.3	2	293.5	288.45	19	19	
9/6/2023 8:56	17.2	63	75.8	1016	1016	6.3	2	299.4	290.65	18	19	
9/6/2023 8:57	17.2	63	75.8	1016	1016	6.3	2	302.8	292.74	18	19	
9/6/2023 8:58	17.2	63	75.8	1016	1016	6.3	2.2	304.2	294.37	19	19	
9/6/2023 8:59	17.3	63.2	75.9	1016	1016	6.3	2.2	307.8	296.06	20	19	
9/6/2023 9:00	17.3	63.2	75.3	1016	1016	6.3	2.2	308.9	297.64	21	19	0.002694
9/6/2023 9:01	17.4	63.4	74.8	1016	1016	6.1	2.1	312.8	299.07	23	19	
9/6/2023 9:02	17.4	63.4	74.9	1016	1016	6.1	2	314	300.43	52	21	
9/6/2023 9:03	17.4	63.4	74.6	1016	1016	6.1	2	316.4	301.68	32	22	
9/6/2023 9:04	17.3	63.2	74.9	1016	1016	6.1	2	319.8	303.15	24	22	
9/6/2023 9:05	17.3	63.2	75.4	1016	1016	6.1	2.1	318.3	304.77	22	23	
9/6/2023 9:06	17.4	63.4	75	1016		6.1	2.1	316.6	306.26	20	23	
9/6/2023 9:07	17.4	63.4	74.9	1016	1016	6.1	2.1	318.7	308.21	20	23	
9/6/2023 9:08	17.4	63.4	74.8	1016	1016	6.1	2.2	320.3	309.89	21	23	
9/6/2023 9:09	17.4	63.4	74.9	1016	1016	6.1	2.2	317.1	311.37	20	23	
9/6/2023 9:10	17.5	63.4	74.7	1016	1016	6.1	2.2	316.5	312.91	19	23	
9/6/2023 9:11	17.5	63.4	74.9	1016	1016	6.1	2.2	315	313.95	24	23	
9/6/2023 9:12	17.4	63.4	74.8	1016	1016	6.1	2.3	312.3	314.58	22	23	
9/6/2023 9:13	17.4	63.4	75.3	1016	1016	6.1	2.3	311.5	315.07	33	24	
9/6/2023 9:14	17.4	63.4	75	1016	1016	6.3	2.4	314.1	315.49	58	27	
9/6/2023 9:15	17.4	63.4	74.8	1016	1016	6.3	2.4	316.4	315.99	31	28	
9/6/2023 9:16	17.4	63.3	75.2	1016	1016	6.3	2.5	319.2	316.41	19	27	
9/6/2023 9:17	17.5	63.5	75.1	1016	1016	6.3	2.5	318.5	316.71	34	26	
9/6/2023 9:18	17.7	63.9	74.4	1016	1016	6.3	2.5	317.7	316.8	23	26	
9/6/2023 9:19	17.8	64.1	73.8	1016	1016	6.3	2.7	315	316.48	20	25	
9/6/2023 9:20	17.8	64.1	73.8	1016	1016	6.3	2.6	313.3	316.15	18	25	
9/6/2023 9:21	17.9	64.3	73.7	1016	1016	6.3	2.4	311.7	315.82	18	25	
9/6/2023 9:22	18.1	64.6	73.7	1016	1016	6.4	2.5	303	314.77	18	25	
9/6/2023 9:23	18.2	64.8	72.5	1016	1016	6.8	2.4	290.3	312.77	18	25	
9/6/2023 9:24	18.2	64.8	72.3	1016	1016	7.4	2.5	266.4	309.39	18	24	
9/6/2023 9:25	18.1	64.6	72.6	1016	1016	7.4	2.6	210	302.29	18	24	
9/6/2023 9:26	18.2	64.8	72.5	1016	1016	7.4	2.6	198.5	294.53	18	24	
9/6/2023 9:27	18.2	64.8	71.9	1016	1016	7.4	2.7	185.7	286.09	17	24	
9/6/2023 9:28	18	64.3	72	1016	1016	7.4	2.9	175.4	277.01	17	23	
9/6/2023 9:29	17.7	63.9	73.5	1016	1016	7.4	3.1	172.5	267.57	18	20	
9/6/2023 9:30	17.7	63.9	74.2	1016	1016	7.4	3.1	172.4	257.97	18	19	
9/6/2023 9:31	17.8	64	73.3	1016	1016	7.4	3	170.6	248.07	21	19	
9/6/2023 9:32	17.7	63.8	73.5	1016	1016	8.6	3.2	170	238.17	19	18	
9/6/2023 9:33	17.8	64	73.9	1016	1016	8.6	3.1	171.7	228.43	18	18	
9/6/2023 9:34	17.9	64.2	73.2	1016	1016	8.6	2.8	174.4	219.06	18	18	
9/6/2023 9:35	17.9	64.2	72.9	1016	1016	8.6	2.6	178.7	210.09	18	18	
9/6/2023 9:36	17.9	64.2	72.8	1016	1016	8.6	2.7	177.5	201.14	18	18	
9/6/2023 9:37	17.9	64.2	72.5	1016	1016	8.6	2.5	178.9	192.87	18	18	
9/6/2023 9:38	17.8	64	72.9	1016	1016	8.6	2.7	177.4	185.34	17	18	
9/6/2023 9:39	17.8	64	73.1	1016	1016	8.6	3	173.1	179.12	17	18	
9/6/2023 9:40	17.7	63.8	73.3	1016	1016	8.6	3.2	171.2	176.53	17	17	
9/6/2023 9:41	17.9	64.2	73.3	1016	1016	8.5	3.2	171.1	174.71	18	17	
9/6/2023 9:42	18.1	64.6	72.3	1016	1016	8.5	3.2	169.8	173.65	17	17	
9/6/2023 9:43	18.1	64.6	71.7	1016	1016	8.5	3.4	168.4	173.18	18	18	
9/6/2023 9:44	18.2	64.8	71.6	1016	1016	8.5	3.5	167.1	172.82	17	17	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 9:45	18.4	65.1	70.9	1016	1016	8.5	3.3	168.2	172.54	18	17	
9/6/2023 9:46	18.5	65.2	71.1	1016	1016	8.5	3	170.1	172.51	18	17	
9/6/2023 9:47	18.7	65.7	70	1016	1016	8.5	2.6	169.6	172.48	19	17	
9/6/2023 9:48	18.6	65.5	69.8	1016	1016	8.5	2.6	170.7	172.41	18	17	
9/6/2023 9:49	18.5	65.3	69.9	1016	1016	6.7	2.4	171.2	172.2	20	17	
9/6/2023 9:50	18.4	65.1	71.1	1016	1016	6.7	2.3	171.6	171.73	18	17	
9/6/2023 9:51	18.5	65.3	71.4	1016	1016	6.1	2.1	173.2	171.44	17	17	
9/6/2023 9:52	18.7	65.6	71	1016	1016	6.1	2	176.4	171.27	18	17	
9/6/2023 9:53	18.8	65.8	70.2	1016	1016	6.4	2.1	185.3	171.8	18	17	
9/6/2023 9:54	18.7	65.7	70.4	1016	1016	6.4	2.1	190.4	172.95	17	17	
9/6/2023 9:55	18.7	65.6	70.9	1016	1016	7.4	2.2	195.4	174.57	18	17	
9/6/2023 9:56	18.7	65.6	70.4	1016	1016	7.4	2.5	207.3	176.98	25	18	
9/6/2023 9:57	18.6	65.4	70.4	1016	1016	7.4	2.4	234.5	181.29	23	18	
9/6/2023 9:58	18.6	65.4	70.5	1016	1016	7.4	2.4	267.7	187.91	25	19	
9/6/2023 9:59	18.4	65	70.6	1016	1016	7.4	2.6	287	195.91	20	19	
9/6/2023 10:00	18.4	65	70.2	1016	1016	7.4	2.8	295.9	204.42	18	19	0.003954
9/6/2023 10:01	18.3	64.9	70.5	1016	1016	7.5	3	303.3	213.3	17	19	
9/6/2023 10:02	18.3	64.9	70.1	1016	1016	7.5	3.1	307.1	222.47	18	19	
9/6/2023 10:03	18.4	65	70.6	1016	1016	7.5	3.1	309.9	231.75	16	19	
9/6/2023 10:04	18.3	64.9	69.8	1016	1016	9.3	3.4	318.4	241.56	16	18	
9/6/2023 10:05	18.4	65.1	70	1016	1016	9.3	3.4	316.2	251.2	19	19	
9/6/2023 10:06	18.6	65.5	69.5	1016	1016	9.3	3.5	314.3	260.61	19	19	
9/6/2023 10:07	18.6	65.5	69.1	1016	1016	9.3	3.4	312.9	269.71	16	19	
9/6/2023 10:08	18.7	65.6	68.4	1016	1016	9.3	3.2	310.5	278.05	15	18	
9/6/2023 10:09	18.7	65.6	66.8	1016	1016	9.3	3.2	313	286.23	16	18	
9/6/2023 10:10	18.6	65.4	68.2	1016	1016	9.3	3.2	313.2	294.08	15	18	
9/6/2023 10:11	18.6	65.5	68.1	1016	1016	9.3	3	315.2	301.27	17	18	
9/6/2023 10:12	18.8	65.8	67.5	1016	1016	14.8	2.9	317.3	306.79	18	17	
9/6/2023 10:13	18.7	65.6	68	1016	1016	14.8	3.2	316.8	310.07	17	17	
9/6/2023 10:14	18.7	65.6	68.4	1016	1016	14.8	3.4	313.7	311.85	16	16	
9/6/2023 10:15	18.7	65.6	68.6	1016	1016	14.8	3	314	313.05	16	16	
9/6/2023 10:16	18.9	66	67.1	1016	1016	14.8	2.8	313.3	313.72	16	16	
9/6/2023 10:17	18.9	66	66.6	1016	1016	14.8	2.9	312.4	314.07	15	16	
9/6/2023 10:18	19.1	66.4	67.1	1016	1016	14.8	2.8	303.5	313.65	16	16	
9/6/2023 10:19	19.1	66.4	67.1	1016	1016	14.8	2.8	284.2	311.37	15	16	
9/6/2023 10:20	19.1	66.4	67.1	1016	1016	14.8	3	269.2	308.23	16	16	
9/6/2023 10:21	19.2	66.6	66.6	1016	1016	8.8	2.9	263.5	304.85	16	16	
9/6/2023 10:22	19.2	66.6	65.8	1016	1016	8	2.4	237.7	299.83	15	15	
9/6/2023 10:23	19.1	66.3	66.2	1016	1016	8	1.9	187.4	291.63	16	16	
9/6/2023 10:24	19	66.1	67	1016	1016	8	2	186	283.16	16	16	
9/6/2023 10:25	19.2	66.5	66.3	1016	1016	8	2.1	187.1	274.75	16	16	
9/6/2023 10:26	19.2	66.5	67.1	1016	1016	8	2.1	188.6	266.31	16	16	
9/6/2023 10:27	19.3	66.7	66.4	1016	1016	8	1.9	194.3	258.11	16	15	
9/6/2023 10:28	19.4	67	66.3	1016	1016	4.9	1.7	199.7	250.31	17	15	
9/6/2023 10:29	19.7	67.4	65.8	1016	1016	5.6	1.6	205.4	243.09	17	15	
9/6/2023 10:30	19.7	67.4	65.1	1016	1016	5.6	1.7	207.1	235.96	17	16	
9/6/2023 10:31	19.5	67	65.9	1016	1016	6.9	1.9	215.3	229.43	17	16	
9/6/2023 10:32	19.3	66.8	66.9	1016	1016	6.9	2.1	230.2	223.95	24	16	
9/6/2023 10:33	19.4	66.9	66	1016	1016	6.9	2	234.6	219.35	19	16	
9/6/2023 10:34	19.4	66.9	66	1016	1016	6.9	2	236.7	216.19	17	17	
9/6/2023 10:35	19.6	67.2	64.6	1016	1016	9	2	246.4	214.67	16	17	
9/6/2023 10:36	19.5	67	64.9	1016	1016	9	2.1	244.4	213.39	15	16	
9/6/2023 10:37	19.6	67.3	64.7	1016	1016	9	2.1	242.1	213.69	15	16	
9/6/2023 10:38	19.6	67.2	64.9	1016	1016	9	2.2	244	217.46	16	16	
9/6/2023 10:39	19.5	67	65.2	1016	1016	9	2.3	254.9	222.05	16	16	
9/6/2023 10:40	19.3	66.7	66.5	1016	1016	9	2.3	249.9	226.24	16	16	
9/6/2023 10:41	19.2	66.5	67.2	1016	1016	9	2.1	240.2	229.68	16	16	
9/6/2023 10:42	19.4	66.9	66.5	1016	1016	9	2.2	239.1	232.67	16	16	
9/6/2023 10:43	19.4	66.9	65.1	1016	1016	9	2.3	257.6	236.53	16	16	
9/6/2023 10:44	19.4	66.9	65.5	1016	1016	8.2	2.2	261.2	240.25	16	16	
9/6/2023 10:45	19.4	66.9	65.8	1016	1016	8.2	2.3	271.7	244.55	22	17	
9/6/2023 10:46	19.6	67.2	64.6	1016	1016	8.8	2.3	277.9	248.73	19	17	
9/6/2023 10:47	19.7	67.4	65.1	1016	1016	8.8	2.4	279	251.98	17	16	
9/6/2023 10:48	19.8	67.6	64.7	1016	1016	8.8	2.2	274.7	254.65	16	16	
9/6/2023 10:49	19.9	67.8	63.9	1016	1016	8.9	2.2	275.5	257.24	17	16	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 10:50	20	68	63.4	1016	1016	8.9	2.3	283.4	259.71	17	16	0.005167
9/6/2023 10:51	19.8	67.6	64.1	1016	1016	8.9	2.4	289.6	262.72	16	16	
9/6/2023 10:52	19.8	67.6	64.2	1016	1016	8.9	2.2	297	266.38	17	16	
9/6/2023 10:53	19.6	67.2	64.5	1016	1016	8.9	2.6	305	270.45	16	16	
9/6/2023 10:54	19.7	67.4	64.4	1016	1016	8.9	2.6	302.4	273.61	16	16	
9/6/2023 10:55	19.6	67.2	64.4	1016	1016	8.9	2.7	298.6	276.86	16	16	
9/6/2023 10:56	19.5	67	65.1	1016	1016	8.9	2.7	303.1	281.05	15	16	
9/6/2023 10:57	19.6	67.2	64.9	1016	1016	8.9	2.8	300.6	285.15	16	16	
9/6/2023 10:58	19.7	67.4	64.4	1016	1016	8.6	2.7	302.8	288.17	16	16	
9/6/2023 10:59	19.7	67.4	64.3	1016	1016	8.6	2.8	297.4	290.58	16	16	
9/6/2023 11:00	19.8	67.6	64	1016	1016	8.6	2.9	281.7	291.25	16	16	
9/6/2023 11:01	19.9	67.8	62.9	1016	1016	8.6	3	285.7	291.77	15	16	
9/6/2023 11:02	19.9	67.8	62.6	1016	1016	8.6	2.9	275.8	291.55	14	15	
9/6/2023 11:03	19.9	67.8	61.9	1016	1016	8.6	3	280	291.91	14	15	
9/6/2023 11:04	19.9	67.8	62.5	1016	1016	8.6	2.9	293.4	293.1	13	15	
9/6/2023 11:05	20	68	62.1	1016	1016	8.6	2.7	294.3	293.83	14	15	
9/6/2023 11:06	20	68	62	1016	1016	7.2	2.7	294.1	294.13	15	15	
9/6/2023 11:07	20	68	62.4	1016	1016	7.3	2.9	291.7	293.77	15	15	
9/6/2023 11:08	20	68	61.7	1016	1016	7.6	2.8	294	293.04	15	15	
9/6/2023 11:09	20	68	62.2	1016	1016	7.6	2.9	291.9	292.34	15	15	
9/6/2023 11:10	20	68	61.4	1016	1016	7.6	3	276.8	290.89	14	14	
9/6/2023 11:11	19.8	67.6	61.9	1016	1016	7.6	2.9	250.4	287.37	14	14	
9/6/2023 11:12	19.9	67.8	61.4	1016	1016	7.6	2.7	224.8	282.32	14	14	
9/6/2023 11:14	19.9	67.8	61.9	1016	1016	6.5	3.2	290.3	280.35			
9/6/2023 11:15	20.1	68.2	61.9	1016	1016	7.4	3	304.6	281.99	15	14	
9/6/2023 11:16	20.1	68.2	60.8	1016	1016	8.3	3.3	309	283.65	14	14	
9/6/2023 11:17	20.3	68.6	61.1	1016	1016	8.3	3.3	307.4	285.91	14	14	
9/6/2023 11:18	20.5	68.8	60.8	1016	1016	8.3	3.2	309.9	288.04	16	14	
9/6/2023 11:19	20.3	68.5	61.2	1016	1016	8.3	3.2	313.4	289.47	16	14	
9/6/2023 11:20	20.3	68.5	61.8	1016	1016	8.3	3.2	312.1	290.74	15	14	
9/6/2023 11:21	20.2	68.3	60.9	1016	1016	8.3	3.2	314.6	292.21	14	14	
9/6/2023 11:22	20.2	68.3	61.9	1016	1016	8.3	3.3	320	294.23	14	14	
9/6/2023 11:23	20.4	68.7	61.4	1016	1016	8.3	3.2	327.2	296.6	14	14	
9/6/2023 11:24	20.4	68.7	61.4	1016	1016	8.3	3.3	327.1	299.11	14	14	
9/6/2023 11:25	20.3	68.6	61.2	1016	1016	7.9	3.3	327	302.7	14	14	
9/6/2023 11:26	20.3	68.5	62.2	1016	1016	7.9	3.3	325.9	308.09	14	14	
9/6/2023 11:27	20.5	69	61	1016	1016	7.9	3.4	328	315.46	14	14	
9/6/2023 11:28	20.7	69.2	60.7	1016	1016	7.9	3.3	326.7	316.21	14	14	
9/6/2023 11:29	20.6	69	60.8	1016	1016	7.9	3.4	329.7	318.84	14	14	
9/6/2023 11:30	20.6	69	60.6	1016	1016	8.3	3.5	326.1	320.27	14	14	
9/6/2023 11:31	20.5	68.9	59.6	1016	1016	8.3	3.4	321	321.07	13	14	
9/6/2023 11:32	20.3	68.5	60.3	1016	1016	8.3	3.6	316.5	321.68	14	14	
9/6/2023 11:33	20.1	68.1	61.3	1016	1016	8.3	3.5	320.3	322.37	14	14	
9/6/2023 11:34	20.2	68.3	61.7	1016	1016	7.3	3.4	323.1	323.02	14	14	
9/6/2023 11:35	20	67.9	61.8	1016	1016	7.3	3.3	327.1	324.02	13	13	
9/6/2023 11:36	20	67.9	62.5	1016	1016	7.3	3.2	326.7	324.83	15	13	
9/6/2023 11:37	20.2	68.3	62.1	1016	1016	7.3	3.3	328.5	325.39	15	14	
9/6/2023 11:38	20.2	68.4	61.7	1016	1016	7.8	3.3	324	325.18	18	14	
9/6/2023 11:39	20.2	68.4	61.9	1016	1016	8.7	3.3	325.1	325.05	17	14	
9/6/2023 11:40	20.1	68.1	62.6	1016	1016	8.7	3.3	323.9	324.84	15	14	
9/6/2023 11:41	19.9	67.8	63.5	1016	1016	8.7	3.2	326.1	324.85	16	14	
9/6/2023 11:42	19.6	67.4	63.9	1016	1016	8.7	3.3	328.7	324.9	16	14	
9/6/2023 11:43	19.7	67.4	63.7	1016	1016	8.7	3.3	330.9	325.18	15	14	
9/6/2023 11:44	19.8	67.6	64.3	1016	1016	9.2	3.5	333.9	325.46	15	14	
9/6/2023 11:45	19.7	67.4	64.8	1016	1016	9.2	3.6	333.8	325.97	14	14	
9/6/2023 11:46	19.8	67.6	64.1	1016	1016	9.2	3.6	333	326.77	14	15	
9/6/2023 11:47	19.9	67.8	63.6	1016	1016	9.2	3.6	334.3	327.96	16	15	
9/6/2023 11:48	20.1	68.1	63.1	1016	1016	9.2	3.4	336.7	329.05	16	15	
9/6/2023 11:49	20.4	68.8	62.1	1016	1016	9.2	3.2	339.5	330.15	17	15	
9/6/2023 11:50	20.6	69.1	61.3	1016	1016	9.2	3.3	340.2	331.02	18	15	
9/6/2023 11:51	20.4	68.7	61.8	1016	1016	9.2	3.4	333.8	331.49	18	16	
9/6/2023 11:52	20.3	68.5	62.5	1016	1016	9.2	3.1	325.2	331.27	17	16	
9/6/2023 11:53	20.2	68.3	63	1016	1016	8.7	2.9	323.4	331.23	16	16	
9/6/2023 11:54	20.4	68.7	62.5	1016	1016	8.7	2.8	320.9	330.95	16	15	
9/6/2023 11:55	20.5	68.9	61.3	1016	1016	8.7	2.7	318.7	330.61	17	16	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 11:56	20.3	68.5	62.2	1016	1016	8.7	2.6	320.2	330.21	15	16	0.004791
9/6/2023 11:57	20.5	68.9	62.4	1016	1016	8.7	2.6	322.2	329.78	15	15	
9/6/2023 11:58	20.8	69.4	60.9	1016	1016	8.7	2.6	322.1	329.19	15	15	
9/6/2023 11:59	21	69.8	60.2	1016	1016	6.8	2.5	321.2	328.35	15	15	
9/6/2023 12:00	21.2	70.1	59.6	1016	1016	5.7	2.2	326.8	327.88	16	16	
9/6/2023 12:01	21.3	70.3	59.6	1016	1016	5.7	2.1	326.9	327.47	16	16	
9/6/2023 12:02	21.4	70.5	59.1	1016	1016	6.8	2.2	318.6	326.43	16	16	
9/6/2023 12:03	21.3	70.3	59.9	1016	1016	6.8	2.3	317.8	325.17	15	16	
9/6/2023 12:04	21.3	70.3	59.3	1016	1016	6.8	2.2	318	323.73	15	16	
9/6/2023 12:05	21.1	69.9	60.3	1016	1016	6.8	2.3	319.4	322.35	15	15	
9/6/2023 12:06	20.9	69.7	60.3	1016	1016	6.8	2.5	315.2	321.11	16	15	
9/6/2023 12:07	20.9	69.7	60.6	1016	1016	8.3	2.5	311.5	320.19	19	15	
9/6/2023 12:08	20.8	69.5	60.2	1016	1016	8.3	2.6	312	319.43	15	15	
9/6/2023 12:09	20.6	69	61.4	1016	1016	8.3	2.9	311.3	318.79	15	15	
9/6/2023 12:10	20.6	69.2	60.9	1016	1016	8.3	3.1	310.6	318.25	15	15	
9/6/2023 12:11	20.6	69.2	61	1016	1016	8.3	3.2	309.8	317.56	16	15	
9/6/2023 12:12	20.8	69.4	60.8	1016	1016	8.3	3.1	310.8	316.8	15	15	
9/6/2023 12:13	20.8	69.3	60.6	1016	1016	8.3	3.2	312.2	316.14	16	15	
9/6/2023 12:14	21	69.7	59.7	1016	1016	8.3	3.3	311.1	315.47	16	15	
9/6/2023 12:15	20.9	69.6	59.3	1016	1016	8.3	3.2	311.3	314.43	15	15	
9/6/2023 12:16	21	69.7	59.9	1016	1016	8.2	3	314	313.57	15	15	
9/6/2023 12:17	21.3	70.4	58.2	1016	1016	8.2	2.9	312.2	313.15	16	15	
9/6/2023 12:18	21.5	70.6	57.9	1016	1016	8.2	2.6	309.7	312.61	16	15	
9/6/2023 12:19	21.5	70.6	58.1	1016	1016	8.2	2.7	311.6	312.18	16	15	
9/6/2023 12:20	21.7	71	57.9	1016	1016	6.7	2.5	311.4	311.65	16	15	
9/6/2023 12:21	21.7	71.1	56.8	1016	1016	6.7	2.5	312.3	311.45	17	15	
9/6/2023 12:22	21.6	70.9	57.2	1016	1016	6.7	2.4	310.4	311.38	16	15	
9/6/2023 12:23	21.8	71.2	56.4	1016	1016	6.5	2.2	308.2	311.13	16	15	
9/6/2023 12:24	21.8	71.3	56.6	1016	1016	6.5	2.1	308.9	310.97	16	15	
9/6/2023 12:25	21.8	71.3	56.4	1016	1016	6.5	2.2	308.3	310.81	15	15	
9/6/2023 12:26	21.9	71.5	56.1	1016	1016	6.5	2.3	310.4	310.85	16	15	
9/6/2023 12:27	21.8	71.3	56.1	1016	1016	6.5	2.4	311.8	310.92	16	15	
9/6/2023 12:28	21.6	70.9	56.9	1016	1016	6.5	2.3	309.4	310.73	16	15	
9/6/2023 12:29	21.6	70.9	56.4	1016	1016	9.2	2.5	311.8	310.78	15	15	
9/6/2023 12:30	21.6	70.9	56.1	1016	1016	9.2	2.6	301.3	310.11	15	15	
9/6/2023 12:31	21.6	70.9	54.8	1016	1016	9.2	2.6	298.5	309.08	14	15	
9/6/2023 12:32	21.6	70.9	56.2	1016	1016	9.2	2.6	295.8	307.99	16	15	
9/6/2023 12:33	21.8	71.3	56.1	1016	1016	9.2	2.5	294.8	306.99	17	15	
9/6/2023 12:34	21.9	71.4	55.7	1016	1016	9.2	2.6	298.8	306.14	18	15	
9/6/2023 12:35	21.8	71.3	55.8	1016	1016	9.2	2.6	300.6	305.42	18	16	
9/6/2023 12:36	21.9	71.5	56.4	1016	1016	9.2	2.7	305.9	304.99	21	16	
9/6/2023 12:37	21.7	71.1	56.4	1016	1016	9.2	2.9	311.1	305.04	16	16	
9/6/2023 12:38	21.6	70.9	57.6	1016	1016	9.2	3.1	310.5	305.19	17	16	
9/6/2023 12:39	21.8	71.3	56	1016	1016	8.3	2.9	317.8	305.79	18	16	
9/6/2023 12:40	22	71.7	53.3	1016	1016	8.3	3	313.8	306.15	15	16	
9/6/2023 12:41	21.9	71.5	54.6	1016	1016	8.3	3.1	309	306.06	15	16	
9/6/2023 12:42	21.8	71.3	55.5	1016	1016	8.3	3.3	304.1	305.55	18	16	
9/6/2023 12:43	21.8	71.3	53.1	1016	1016	8.3	3.2	300	304.92	20	16	
9/6/2023 12:44	21.8	71.3	54.3	1016	1016	8.3	2.9	296.4	303.89	16	16	
9/6/2023 12:45	21.9	71.5	55.5	1016	1016	8.3	2.9	295	303.47	18	17	
9/6/2023 12:46	21.7	71.1	55.6	1016	1016	8.3	2.8	292.1	303.05	15	17	
9/6/2023 12:47	21.6	70.9	56.9	1016	1016	7.8	2.6	288.5	302.56	15	17	
9/6/2023 12:48	21.6	70.9	56.6	1016	1016	7.1	2.7	287.6	302.08	15	17	
9/6/2023 12:49	21.8	71.3	55.7	1016	1016	7.1	2.6	291.5	301.59	15	16	
9/6/2023 12:50	21.7	71.1	57.1	1016	1016	7.7	2.8	304.5	301.85	15	16	
9/6/2023 12:51	21.7	71	54.7	1015	1015	8.3	3	308.4	302.02	16	16	
9/6/2023 12:52	21.8	71.3	53.9	1016	1016	8.3	3.1	310.8	302	22	16	
9/6/2023 12:53	21.7	71.1	54.1	1016	1016	8.3	3.3	310.3	301.99	16	16	
9/6/2023 12:54	21.9	71.3	52.2	1016	1016	8.3	3.2	308.5	301.37	26	17	
9/6/2023 12:55	22	71.7	52.4	1016	1016	8.3	2.9	307.6	300.95	20	17	
9/6/2023 12:56	22.1	71.8	55	1015	1015	8.3	2.9	306.8	300.81	28	18	
9/6/2023 12:57	22	71.6	55.1	1015	1015	8.3	2.9	313.9	301.46	45	20	
9/6/2023 12:58	21.9	71.5	54.9	1015	1015	8.7	3.2	321.2	302.87	18	20	
9/6/2023 12:59	21.9	71.4	52	1015	1015	8.7	3.1	322	304.58	16	20	
9/6/2023 13:00	21.8	71.3	52.6	1015	1015	8.7	2.9	330.5	306.95	15	19	0.004469

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 13:01	21.9	71.4	57.7	1015	1015	9.5	3.1	330.1	309.48	17	19	
9/6/2023 13:02	21.9	71.5	57.7	1016	1016	9.5	3.3	329.3	312.2	18	20	
9/6/2023 13:03	21.8	71.3	56.9	1015	1015	9.5	3.4	331.6	315.13	17	20	
9/6/2023 13:04	21.8	71.3	58.4	1015	1015	9.5	3.4	333.5	317.93	18	20	
9/6/2023 13:05	21.9	71.5	58.5	1015	1015	9.5	3.5	332.8	319.82	17	20	
9/6/2023 13:06	22.1	71.8	58.7	1015	1015	9.5	3.5	327.9	321.12	17	20	
9/6/2023 13:07	22.3	72.2	57.9	1015	1015	9.5	3.4	323.8	321.99	18	20	
9/6/2023 13:08	22.2	72	58.9	1016	1016	9.5	3.5	324.5	322.93	19	20	
9/6/2023 13:09	22	71.7	59.3	1015	1015	9.5	3.6	319.7	323.68	19	20	
9/6/2023 13:10	22.1	71.8	59.2	1015	1015	9.4	3.6	318.4	324.4	18	20	
9/6/2023 13:11	21.9	71.5	60.3	1015	1015	9.4	3.6	318.2	325.16	20	19	
9/6/2023 13:12	22	71.6	59.7	1015	1015	9.4	3.7	317.3	325.39	20	17	
9/6/2023 13:13	21.8	71.3	59.4	1015	1015	9.4	3.8	317	325.11	20	17	
9/6/2023 13:14	21.6	70.9	60.1	1015	1015	9.4	3.8	321.3	325.06	20	18	
9/6/2023 13:15	21.6	70.9	61.2	1015	1015	9.4	3.7	325.8	324.75	20	18	
9/6/2023 13:16	21.9	71.5	59.8	1015	1015	9.4	3.6	322.7	324.25	20	18	
9/6/2023 13:17	22	71.6	59.7	1015	1015	9.4	3.5	318.6	323.54	20	18	
9/6/2023 13:18	22.1	71.8	59.4	1015	1015	9.4	3.4	315.2	322.45	20	19	
9/6/2023 13:19	22.3	72.2	58.3	1015	1015	9	3.3	318.8	321.47	39	20	
9/6/2023 13:20	22.5	72.5	57.6	1015	1015	9	3.2	324.8	320.93	37	21	
9/6/2023 13:21	22.3	72.2	57.7	1015	1015	9	3.2	330.2	321.09	23	22	
9/6/2023 13:22	22.2	72	58.1	1015	1015	9	3.3	330.6	321.54	22	22	
9/6/2023 13:23	22	71.6	58.8	1015	1015	9	3.5	329.9	321.9	22	22	
9/6/2023 13:24	21.9	71.5	59.1	1015	1015	9	3.4	328.2	322.47	23	22	
9/6/2023 13:25	22	71.6	58.9	1015	1015	9	3.6	330.9	323.3	23	23	
9/6/2023 13:26	22.2	72	58.3	1015	1015	9	3.5	336.6	324.53	27	23	
9/6/2023 13:27	22.5	72.4	57.3	1015	1015	9.3	3.4	341.4	326.13	25	24	
9/6/2023 13:28	22.3	72.2	57.8	1015	1015	9.3	3.6	339.1	327.61	21	24	
9/6/2023 13:29	22.3	72.2	57.9	1015	1015	9.3	3.3	333.3	328.41	21	24	
9/6/2023 13:30	22.4	72.3	58.3	1015	1015	10.3	3.4	333.5	328.92	26	24	
9/6/2023 13:31	22.3	72.2	58.5	1015	1015	10.3	3.6	338.1	329.95	32	25	
9/6/2023 13:32	22.2	72	58.6	1015	1015	10.3	3.5	340.2	331.39	25	25	
9/6/2023 13:33	22.3	72.2	58.9	1015	1015	10.3	3.5	340.3	333.06	35	26	
9/6/2023 13:34	22.4	72.3	58.2	1015	1015	10.3	3.6	340.3	334.49	22	25	
9/6/2023 13:35	22.2	72	58.5	1015	1015	10.3	3.7	341.3	335.59	20	24	
9/6/2023 13:36	22.2	72	59.2	1015	1015	10.3	3.9	342.2	336.39	21	24	
9/6/2023 13:37	22	71.7	59.8	1015	1015	10.3	3.9	345.1	337.36	19	24	
9/6/2023 13:38	22.1	71.8	59.6	1015	1015	10.3	4.1	346.2	338.45	20	24	
9/6/2023 13:39	22.2	72	59.4	1015	1015	8.4	4	343.4	339.46	19	23	
9/6/2023 13:40	22.2	71.9	59.4	1015	1015	8.4	3.8	341.5	340.17	19	23	
9/6/2023 13:41	21.9	71.5	59.7	1015	1015	8.4	3.7	337.4	340.22	20	23	
9/6/2023 13:42	22	71.7	59.9	1015	1015	8.4	3.6	333.3	339.68	20	22	
9/6/2023 13:43	22.3	72.2	58.8	1015	1015	8.8	3.4	333	339.27	20	22	
9/6/2023 13:44	22.3	72.2	58.7	1015	1015	8.8	3.3	329.3	339.01	20	22	
9/6/2023 13:45	22.4	72.4	59.4	1015	1015	8.8	3.3	327.4	338.6	20	22	
9/6/2023 13:46	22.7	72.8	57.8	1015	1015	8.8	3.2	328.1	337.93	19	21	
9/6/2023 13:47	22.7	72.9	57.5	1015	1015	8.3	3.2	326.7	337.03	19	20	
9/6/2023 13:48	22.6	72.7	58.3	1015	1015	8.1	3	328.5	336.25	19	19	
9/6/2023 13:49	22.6	72.7	58.5	1015	1015	8.1	2.9	322.5	335.06	20	19	
9/6/2023 13:50	22.6	72.7	58.6	1015	1015	9.6	3.1	324.8	333.96	23	19	
9/6/2023 13:51	22.4	72.3	58.7	1015	1015	9.6	3.2	327.6	332.99	19	19	
9/6/2023 13:52	22.2	71.9	60	1015	1015	9.6	3.4	328.5	331.88	20	19	
9/6/2023 13:53	22.1	71.8	61	1015	1015	9.6	3.4	328.2	330.68	18	19	
9/6/2023 13:54	22.2	72	59.6	1015	1015	9.5	3.4	328.6	329.69	23	19	
9/6/2023 13:55	22	71.6	60.3	1015	1015	9.5	3.5	329.4	328.89	22	20	
9/6/2023 13:56	22	71.6	60.4	1015	1015	9.5	3.6	330.5	328.43	22	20	
9/6/2023 13:57	22.3	72.1	60	1015	1015	9.5	3.7	332	328.34	22	20	
9/6/2023 13:58	22.4	72.3	59.4	1015	1015	9.5	4	338.1	328.68	22	20	
9/6/2023 13:59	22.3	72.2	59.6	1015	1015	9.5	3.9	336.3	329.15	19	20	
9/6/2023 14:00	22	71.6	60.8	1015	1015	9.9	4.1	336	329.72	19	20	0.004539
9/6/2023 14:01	21.8	71.2	62.4	1015	1015	9.9	4.2	339.1	330.45	34	21	
9/6/2023 14:02	21.9	71.4	62.2	1015	1015	9.9	4.3	340	331.34	27	21	
9/6/2023 14:03	21.8	71.3	62	1015	1015	9.9	4.4	338	331.97	18	21	
9/6/2023 14:04	21.8	71.3	62.3	1015	1015	9.9	4.4	336.6	332.91	18	21	
9/6/2023 14:06	21.9	71.5	62.1	1015	1015	8.3	1.6	5.7	310.5			

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 14:07	22	71.7	62	1015	1015	11.2	5.6	344.6	311.65	40	23	
9/6/2023 14:08	22	71.7	62	1015	1015	11.2	5.4	343.7	312.76	25	23	
9/6/2023 14:09	22.2	72	61.8	1015	1015	11.2	4.9	339.8	313.56	32	24	
9/6/2023 14:10	22.5	72.6	61	1015	1015	11.2	4.7	340.3	314.34	30	25	
9/6/2023 14:11	22.3	72.2	61.2	1015	1015	11.2	4.7	341.8	315.14	23	25	
9/6/2023 14:12	22.2	72	61.9	1015	1015	11.2	4.5	340.4	315.74	20	25	
9/6/2023 14:13	22.2	72	62.2	1015	1015	11.2	4.5	342.2	316.04	22	25	
9/6/2023 14:14	22.2	72	61.5	1015	1015	11.2	4.5	341.3	316.39	18	25	
9/6/2023 14:15	22.2	72	61.7	1015	1015	11.2	4.7	339.2	316.62	17	24	
9/6/2023 14:16	22.3	72.2	61.6	1015	1015	10.2	4.2	338.1	316.55	18	23	
9/6/2023 14:17	22.3	72.2	61.5	1015	1015	10.2	4.1	338.3	316.43	20	23	
9/6/2023 14:18	22.2	72	61.3	1015	1015	10.2	4.3	339.2	316.51	17	23	
9/6/2023 14:19	22	71.6	62.2	1015	1015	10.2	4.6	340.7	316.81	25	23	
9/6/2023 14:20	22	71.6	62.8	1015	1015	10.2	4.6	339.5	318.32	19	23	
9/6/2023 14:21	22.3	72.2	61.7	1015	1015	10.2	4.7	339.4	340.57	20	23	
9/6/2023 14:22	22.2	72	61.5	1015	1015	10.2	4.7	336.3	340.01	18	21	
9/6/2023 14:23	22.2	72	62.3	1015	1015	10.2	4.8	337.2	339.58	33	22	
9/6/2023 14:26	22.1	71.8	61.7	1015	1015	11.6	5	328.2	338.46			
9/6/2023 14:27	22.2	71.9	62.1	1015	1015	11.6	5	338.6	338.32	23	20	
9/6/2023 14:28	22.3	72.2	61.3	1015	1015	12.8	5.4	342.5	338.35	31	21	
9/6/2023 14:29	22.2	72	61.4	1015	1015	12.8	5.3	348.7	338.92	25	22	
9/6/2023 14:30	22.2	72	61.4	1015	1015	12.8	5.3	346.8	339.5	29	23	
9/6/2023 14:31	22.4	72.2	60.9	1015	1015	12.8	5.1	345.3	340.05	22	23	
9/6/2023 14:32	22.6	72.8	60.2	1015	1015	12.8	4.9	344.7	340.55	19	23	
9/6/2023 14:33	22.7	72.9	59.2	1015	1015	12.8	4.7	344.5	340.95	18	23	
9/6/2023 14:34	22.6	72.7	59.5	1015	1015	12.8	4.6	337.4	340.7	18	22	
9/6/2023 14:35	22.5	72.6	60.1	1015	1015	12.8	4.5	337.1	340.52	18	22	
9/6/2023 14:36	22.6	72.7	59.8	1015	1015	12.8	4.4	337.1	340.34	18	22	
9/6/2023 14:37	22.3	72.2	60.7	1015	1015	10.4	4.2	334.1	340.17	18	22	
9/6/2023 14:38	22.2	72	61.4	1015	1015	9.7	4.1	332.6	339.82	17	21	
9/6/2023 14:39	22.2	72	60.5	1015	1015	9.7	4.1	335.6	339.51	17	21	
9/6/2023 14:40	22.1	71.7	60.9	1015	1015	9.7	4.3	337.5	339.38	18	20	
9/6/2023 14:41	22	71.6	61.4	1015	1015	10.1	4.2	336.9	339.96	18	20	
9/6/2023 14:42	22.1	71.8	61.3	1015	1015	10.1	4.4	336.5	339.82	17	20	
9/6/2023 14:43	22.2	71.9	60.9	1015	1015	10.1	4.4	340.8	339.71	16	19	
9/6/2023 14:44	22.3	72.2	60.8	1015	1015	10.1	4.4	345.7	339.51	17	18	
9/6/2023 14:45	22.3	72.2	60.4	1015	1015	10.1	4.4	342.6	339.23	17	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/ m^3 AVG 8h (mg/ m^3)
9/6/2023 6:52	33	33	
9/6/2023 6:53	34	33	
9/6/2023 6:54	33	33	
9/6/2023 6:55	34	33	
9/6/2023 6:56	34	33	
9/6/2023 6:57	32	33	
9/6/2023 6:58	32	33	
9/6/2023 6:59	32	33	
9/6/2023 7:00	32	32	0
9/6/2023 7:01	33	32	
9/6/2023 7:02	28	32	
9/6/2023 7:03	30	32	
9/6/2023 7:04	26	31	
9/6/2023 7:05	24	31	
9/6/2023 7:06	23	30	
9/6/2023 7:07	21	29	
9/6/2023 7:08	21	29	
9/6/2023 7:09	22	28	
9/6/2023 7:10	21	27	
9/6/2023 7:11	21	26	
9/6/2023 7:12	20	25	
9/6/2023 7:13	20	24	
9/6/2023 7:14	19	24	
9/6/2023 7:15	20	23	
9/6/2023 7:16	20	22	
9/6/2023 7:17	20	21	
9/6/2023 7:18	20	21	
9/6/2023 7:19	19	20	
9/6/2023 7:20	19	20	
9/6/2023 7:21	19	20	
9/6/2023 7:22	19	20	
9/6/2023 7:23	19	19	
9/6/2023 7:24	18	19	
9/6/2023 7:25	19	19	
9/6/2023 7:26	19	19	
9/6/2023 7:27	19	19	
9/6/2023 7:28	19	19	
9/6/2023 7:29	18	19	
9/6/2023 7:30	18	19	
9/6/2023 7:31	19	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 7:32	19	18	
9/6/2023 7:33	19	18	
9/6/2023 7:34	20	18	
9/6/2023 7:35	19	18	
9/6/2023 7:36	20	18	
9/6/2023 7:37	20	19	
9/6/2023 7:38	20	19	
9/6/2023 7:39	20	19	
9/6/2023 7:40	20	19	
9/6/2023 7:41	20	19	
9/6/2023 7:42	20	19	
9/6/2023 7:43	20	19	
9/6/2023 7:44	19	19	
9/6/2023 7:45	20	19	
9/6/2023 7:46	20	19	
9/6/2023 7:47	21	19	
9/6/2023 7:48	20	19	
9/6/2023 7:49	21	20	
9/6/2023 7:50	21	20	
9/6/2023 7:51	21	20	
9/6/2023 7:52	21	20	
9/6/2023 7:53	22	20	
9/6/2023 7:54	22	20	
9/6/2023 7:55	21	20	
9/6/2023 7:56	23	20	
9/6/2023 7:57	23	21	
9/6/2023 7:58	22	21	
9/6/2023 7:59	21	21	
9/6/2023 8:00	21	21	0.00091667
9/6/2023 8:01	21	21	
9/6/2023 8:02	21	21	
9/6/2023 8:03	21	21	
9/6/2023 8:04	21	21	
9/6/2023 8:05	21	21	
9/6/2023 8:06	20	21	
9/6/2023 8:07	21	21	
9/6/2023 8:08	21	21	
9/6/2023 8:09	22	21	
9/6/2023 8:10	21	21	
9/6/2023 8:11	21	21	
9/6/2023 8:12	21	21	
9/6/2023 8:13	21	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 8:14	21	21	
9/6/2023 8:15	21	21	
9/6/2023 8:16	21	21	
9/6/2023 8:17	21	21	
9/6/2023 8:18	21	21	
9/6/2023 8:19	21	21	
9/6/2023 8:20	21	21	
9/6/2023 8:21	21	21	
9/6/2023 8:22	22	21	
9/6/2023 8:23	21	21	
9/6/2023 8:24	22	21	
9/6/2023 8:25	22	21	
9/6/2023 8:26	22	21	
9/6/2023 8:27	23	21	
9/6/2023 8:28	23	21	
9/6/2023 8:29	23	21	
9/6/2023 8:30	22	21	
9/6/2023 8:31	23	21	
9/6/2023 8:32	22	21	
9/6/2023 8:33	22	22	
9/6/2023 8:34	21	22	
9/6/2023 8:35	21	22	
9/6/2023 8:36	22	22	
9/6/2023 8:37	21	22	
9/6/2023 8:38	21	22	
9/6/2023 8:39	21	21	
9/6/2023 8:40	21	21	
9/6/2023 8:41	22	21	
9/6/2023 8:42	22	21	
9/6/2023 8:43	21	21	
9/6/2023 8:44	22	21	
9/6/2023 8:45	22	21	
9/6/2023 8:46	21	21	
9/6/2023 8:47	21	21	
9/6/2023 8:48	22	21	
9/6/2023 8:49	21	21	
9/6/2023 8:50	22	21	
9/6/2023 8:51	25	21	
9/6/2023 8:52	23	21	
9/6/2023 8:53	20	21	
9/6/2023 8:54	21	21	
9/6/2023 8:55	23	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 8:56	21	21	0.0021444
9/6/2023 8:57	43	23	
9/6/2023 8:58	40	24	
9/6/2023 8:59	24	24	
9/6/2023 9:00	52	26	
9/6/2023 9:01	82	30	
9/6/2023 9:02	33	31	
9/6/2023 9:03	25	31	
9/6/2023 9:04	23	31	
9/6/2023 9:05	22	31	
9/6/2023 9:06	26	31	
9/6/2023 9:07	58	34	
9/6/2023 9:08	128	41	
9/6/2023 9:09	122	48	
9/6/2023 9:10	133	55	
9/6/2023 9:11	59	58	
9/6/2023 9:12	26	56	
9/6/2023 9:13	21	55	
9/6/2023 9:14	34	56	
9/6/2023 9:15	22	54	
9/6/2023 9:20	21	59	
9/6/2023 9:21	20	58	
9/6/2023 9:22	21	55	
9/6/2023 9:23	93	52	
9/6/2023 9:24	75	47	
9/6/2023 9:25	34	38	
9/6/2023 9:26	22	35	
9/6/2023 9:27	23	35	
9/6/2023 9:28	22	35	
9/6/2023 9:29	192	49	
9/6/2023 9:30	75	54	
9/6/2023 9:31	21	51	
9/6/2023 9:32	21	49	
9/6/2023 9:33	37	48	
9/6/2023 9:34	34	47	
9/6/2023 9:35	22	47	
9/6/2023 9:36	22	47	
9/6/2023 9:37	24	47	
9/6/2023 9:38	49	44	
9/6/2023 9:39	60	43	
9/6/2023 9:40	45	44	
9/6/2023 9:41	29	45	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:42	57	47	0.0023807
9/6/2023 9:43	29	47	
9/6/2023 9:44	24	36	
9/6/2023 9:45	20	32	
9/6/2023 9:46	20	32	
9/6/2023 9:47	18	32	
9/6/2023 9:48	21	31	
9/6/2023 9:49	20	30	
9/6/2023 9:50	100	35	
9/6/2023 9:51	40	37	
9/6/2023 9:52	22	36	
9/6/2023 9:53	22	35	
9/6/2023 9:54	23	32	
9/6/2023 9:55	19	30	
9/6/2023 9:56	21	30	
9/6/2023 9:57	20	27	
9/6/2023 9:58	18	27	
9/6/2023 9:59	18	26	
9/6/2023 10:00	17	26	
9/6/2023 10:01	16	26	
9/6/2023 10:02	17	26	
9/6/2023 10:03	18	26	
9/6/2023 10:04	16	25	
9/6/2023 10:05	18	20	
9/6/2023 10:06	16	18	
9/6/2023 10:07	17	18	
9/6/2023 10:08	15	17	
9/6/2023 10:09	15	17	
9/6/2023 10:10	14	17	
9/6/2023 10:11	16	16	
9/6/2023 10:12	15	16	
9/6/2023 10:13	15	16	
9/6/2023 10:14	15	16	
9/6/2023 10:15	19	16	
9/6/2023 10:16	24	16	
9/6/2023 10:17	23	17	
9/6/2023 10:18	17	17	
9/6/2023 10:19	22	17	
9/6/2023 10:20	30	18	
9/6/2023 10:21	67	21	
9/6/2023 10:22	63	24	
9/6/2023 10:23	29	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 10:24	28	26	
9/6/2023 10:25	26	27	
9/6/2023 10:26	20	27	
9/6/2023 10:27	16	27	
9/6/2023 10:28	17	27	
9/6/2023 10:29	20	28	
9/6/2023 10:30	26	28	
9/6/2023 10:31	30	28	
9/6/2023 10:32	32	29	
9/6/2023 10:33	48	31	
9/6/2023 10:34	37	32	
9/6/2023 10:35	19	31	
9/6/2023 10:36	15	28	
9/6/2023 10:37	15	25	
9/6/2023 10:38	27	25	
9/6/2023 10:39	27	25	
9/6/2023 10:40	20	24	
9/6/2023 10:41	37	25	
9/6/2023 10:42	25	26	
9/6/2023 10:43	24	26	
9/6/2023 10:44	19	26	
9/6/2023 10:45	18	26	
9/6/2023 10:46	19	25	
9/6/2023 10:47	18	24	
9/6/2023 10:48	17	22	
9/6/2023 10:49	21	21	
9/6/2023 10:50	26	21	
9/6/2023 10:51	18	22	
9/6/2023 10:52	17	22	
9/6/2023 10:53	16	21	
9/6/2023 10:54	16	20	
9/6/2023 10:55	21	20	
9/6/2023 10:56	25	20	
9/6/2023 10:57	26	20	
9/6/2023 10:58	22	19	
9/6/2023 10:59	16	19	
9/6/2023 11:00	16	19	0.0028012
9/6/2023 11:01	14	19	
9/6/2023 11:02	14	19	
9/6/2023 11:03	15	18	
9/6/2023 11:04	13	18	
9/6/2023 11:05	14	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 11:06	13	17	
9/6/2023 11:07	13	16	
9/6/2023 11:08	15	16	
9/6/2023 11:09	20	17	
9/6/2023 11:10	14	16	
9/6/2023 11:11	14	15	
9/6/2023 11:12	13	15	
9/6/2023 11:13	13	14	
9/6/2023 11:14	13	14	
9/6/2023 11:15	14	14	
9/6/2023 11:16	13	14	
9/6/2023 11:17	14	14	
9/6/2023 11:18	15	14	
9/6/2023 11:19	30	15	
9/6/2023 11:20	15	15	
9/6/2023 11:21	21	15	
9/6/2023 11:22	14	15	
9/6/2023 11:23	13	15	
9/6/2023 11:24	25	16	
9/6/2023 11:25	14	16	
9/6/2023 11:26	14	16	
9/6/2023 11:27	14	16	
9/6/2023 11:28	15	16	
9/6/2023 11:29	14	16	
9/6/2023 11:30	14	16	
9/6/2023 11:31	13	16	
9/6/2023 11:32	14	16	
9/6/2023 11:33	14	16	
9/6/2023 11:34	22	15	
9/6/2023 11:35	13	15	
9/6/2023 11:36	14	15	
9/6/2023 11:37	15	15	
9/6/2023 11:38	15	15	
9/6/2023 11:39	15	14	
9/6/2023 11:40	15	14	
9/6/2023 11:41	15	14	
9/6/2023 11:42	15	14	
9/6/2023 11:43	16	14	
9/6/2023 11:44	14	14	
9/6/2023 11:45	14	14	
9/6/2023 11:46	14	15	
9/6/2023 11:47	14	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 11:48	16	15	
9/6/2023 11:49	16	14	
9/6/2023 11:50	17	15	
9/6/2023 11:51	16	15	
9/6/2023 11:52	13	15	
9/6/2023 11:53	19	15	
9/6/2023 11:54	19	15	
9/6/2023 11:55	15	15	
9/6/2023 11:56	15	15	
9/6/2023 11:57	14	15	
9/6/2023 11:58	13	15	
9/6/2023 11:59	14	15	
9/6/2023 12:00	14	15	0.0034899
9/6/2023 12:01	14	15	
9/6/2023 12:02	14	15	
9/6/2023 12:03	14	15	
9/6/2023 12:04	14	15	
9/6/2023 12:05	14	14	
9/6/2023 12:06	14	14	
9/6/2023 12:07	14	14	
9/6/2023 12:08	14	14	
9/6/2023 12:09	28	15	
9/6/2023 12:10	19	15	
9/6/2023 12:11	18	15	
9/6/2023 12:12	14	15	
9/6/2023 12:13	14	15	
9/6/2023 12:14	14	15	
9/6/2023 12:15	15	15	
9/6/2023 12:16	15	15	
9/6/2023 12:17	14	15	
9/6/2023 12:18	15	15	
9/6/2023 12:19	14	15	
9/6/2023 12:20	14	15	
9/6/2023 12:21	15	15	
9/6/2023 12:22	15	15	
9/6/2023 12:23	14	15	
9/6/2023 12:24	14	14	
9/6/2023 12:25	14	14	
9/6/2023 12:26	14	14	
9/6/2023 12:27	14	14	
9/6/2023 12:28	15	14	
9/6/2023 12:29	14	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 12:30	14	14	
9/6/2023 12:31	14	14	
9/6/2023 12:32	18	14	
9/6/2023 12:33	14	14	
9/6/2023 12:34	14	14	
9/6/2023 12:35	13	14	
9/6/2023 12:36	14	14	
9/6/2023 12:37	14	14	
9/6/2023 12:38	15	14	
9/6/2023 12:39	15	14	
9/6/2023 12:40	14	14	
9/6/2023 12:41	14	14	
9/6/2023 12:42	14	14	
9/6/2023 12:43	14	14	
9/6/2023 12:44	14	14	
9/6/2023 12:45	14	14	
9/6/2023 12:46	24	15	
9/6/2023 12:47	38	16	
9/6/2023 12:48	16	16	
9/6/2023 12:49	15	16	
9/6/2023 12:50	14	16	
9/6/2023 12:51	15	16	
9/6/2023 12:52	15	16	
9/6/2023 12:53	14	16	
9/6/2023 12:54	16	16	
9/6/2023 12:55	18	17	
9/6/2023 12:56	21	17	
9/6/2023 12:57	18	17	
9/6/2023 12:58	14	17	
9/6/2023 12:59	13	17	
9/6/2023 13:00	13	17	0.0042675
9/6/2023 13:01	16	17	
9/6/2023 13:02	16	15	
9/6/2023 13:03	17	15	
9/6/2023 13:04	17	15	
9/6/2023 13:05	17	16	
9/6/2023 13:06	22	16	
9/6/2023 13:07	28	17	
9/6/2023 13:08	69	21	
9/6/2023 13:09	21	21	
9/6/2023 13:10	40	22	
9/6/2023 13:11	27	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/6/2023 13:12	20	23	
9/6/2023 13:13	21	23	
9/6/2023 13:14	28	24	
9/6/2023 13:15	60	27	
9/6/2023 13:16	28	28	
9/6/2023 13:17	32	29	
9/6/2023 13:18	54	32	
9/6/2023 13:19	25	32	
9/6/2023 13:20	30	33	
9/6/2023 13:21	25	33	
9/6/2023 13:22	42	34	
9/6/2023 13:23	43	33	
9/6/2023 13:24	28	33	
9/6/2023 13:25	21	32	
9/6/2023 13:26	368	55	
9/6/2023 13:27	48	56	
9/6/2023 13:28	24	57	
9/6/2023 13:29	33	57	
9/6/2023 13:30	21	54	
9/6/2023 13:31	21	54	
9/6/2023 13:32	17	53	
9/6/2023 13:37	17	58	
9/6/2023 13:38	17	55	
9/6/2023 13:39	17	54	
9/6/2023 13:40	17	54	
9/6/2023 13:41	18	22	
9/6/2023 13:42	17	19	
9/6/2023 13:43	18	19	
9/6/2023 13:44	18	18	
9/6/2023 13:45	20	17	
9/6/2023 13:46	18	17	
9/6/2023 13:47	17	17	
9/6/2023 13:48	18	17	
9/6/2023 13:49	18	17	
9/6/2023 13:50	18	17	
9/6/2023 13:51	19	17	
9/6/2023 13:52	17	17	
9/6/2023 13:53	16	17	
9/6/2023 13:54	16	17	
9/6/2023 13:55	16	17	
9/6/2023 13:56	17	17	
9/6/2023 13:57	16	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 13:58	17	17	0.0045667
9/6/2023 13:59	32	18	
9/6/2023 14:00	18	18	
9/6/2023 14:01	22	18	0.0045667
9/6/2023 14:02	20	18	
9/6/2023 14:03	28	19	
9/6/2023 14:04	26	19	0.0045667
9/6/2023 14:05	18	19	
9/6/2023 14:06	16	19	
9/6/2023 14:07	16	19	0.0045667
9/6/2023 14:08	21	19	
9/6/2023 14:09	20	20	
9/6/2023 14:10	19	20	0.0045667
9/6/2023 14:11	17	20	
9/6/2023 14:12	16	20	
9/6/2023 14:13	16	20	0.0045667
9/6/2023 14:14	15	19	
9/6/2023 14:15	15	19	
9/6/2023 14:16	15	18	0.0045667
9/6/2023 14:17	15	18	
9/6/2023 14:18	15	17	
9/6/2023 14:19	15	16	0.0045667
9/6/2023 14:20	15	16	
9/6/2023 14:21	21	16	
9/6/2023 14:22	16	16	0.0045667
9/6/2023 14:23	18	16	
9/6/2023 14:24	16	16	
9/6/2023 14:25	33	17	0.0045667
9/6/2023 14:26	19	17	
9/6/2023 14:27	15	17	
9/6/2023 14:28	16	17	0.0045667
9/6/2023 14:29	16	17	
9/6/2023 14:30	14	17	
9/6/2023 14:31	15	17	0.0045667
9/6/2023 14:32	15	17	
9/6/2023 14:33	16	17	
9/6/2023 14:34	16	17	0.0045667
9/6/2023 14:35	16	17	
9/6/2023 14:36	16	17	
9/6/2023 14:37	15	17	0.0045667
9/6/2023 14:38	14	16	
9/6/2023 14:39	14	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:40	16	15	
9/6/2023 14:41	16	15	
9/6/2023 14:42	15	15	
9/6/2023 14:43	15	15	
9/6/2023 14:44	16	15	
9/6/2023 14:45	15	15	
9/6/2023 14:46	15	15	
9/6/2023 14:47	16	15	
9/6/2023 14:48	17	15	
9/6/2023 14:49	17	15	
9/6/2023 14:50	15	15	
9/6/2023 14:51	16	15	
9/6/2023 14:52	16	15	
9/6/2023 14:53	16	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 6:49	29	29	0
9/6/2023 6:50	29	29	
9/6/2023 6:51	29	29	
9/6/2023 6:52	30	29	
9/6/2023 6:53	30	29	
9/6/2023 6:58	27	29	
9/6/2023 6:59	28	28	
9/6/2023 7:00	29	28	
9/6/2023 7:01	28	28	
9/6/2023 7:02	26	28	
9/6/2023 7:03	24	28	
9/6/2023 7:04	24	27	
9/6/2023 7:05	21	26	
9/6/2023 7:06	20	26	
9/6/2023 7:07	20	25	
9/6/2023 7:08	18	24	
9/6/2023 7:09	19	23	
9/6/2023 7:10	18	23	
9/6/2023 7:11	18	22	
9/6/2023 7:12	18	22	
9/6/2023 7:13	20	22	
9/6/2023 7:14	18	21	
9/6/2023 7:15	17	20	
9/6/2023 7:16	16	19	
9/6/2023 7:17	17	19	
9/6/2023 7:18	16	18	
9/6/2023 7:19	17	18	
9/6/2023 7:20	17	17	
9/6/2023 7:21	17	17	
9/6/2023 7:22	18	17	
9/6/2023 7:23	17	17	
9/6/2023 7:24	18	17	
9/6/2023 7:25	18	17	
9/6/2023 7:26	18	17	
9/6/2023 7:27	18	17	
9/6/2023 7:28	18	17	
9/6/2023 7:29	18	17	
9/6/2023 7:30	18	17	
9/6/2023 7:31	22	17	
9/6/2023 7:32	19	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 7:33	19	18	
9/6/2023 7:39	18	18	
9/6/2023 7:40	20	18	
9/6/2023 7:41	19	18	
9/6/2023 7:42	19	19	
9/6/2023 7:43	19	19	
9/6/2023 7:44	20	19	
9/6/2023 7:45	20	19	
9/6/2023 7:46	20	19	
9/6/2023 7:47	19	19	
9/6/2023 7:48	19	19	
9/6/2023 7:49	19	19	
9/6/2023 7:50	19	19	
9/6/2023 7:51	20	19	
9/6/2023 7:52	21	19	
9/6/2023 7:53	36	20	
9/6/2023 7:54	23	20	
9/6/2023 7:55	21	20	
9/6/2023 7:56	22	21	
9/6/2023 7:57	22	21	
9/6/2023 7:58	21	21	
9/6/2023 7:59	23	21	
9/6/2023 8:00	22	21	0.00024545
9/6/2023 8:01	24	22	
9/6/2023 8:02	22	22	
9/6/2023 8:03	23	22	
9/6/2023 8:04	23	22	
9/6/2023 8:05	20	22	
9/6/2023 8:06	24	23	
9/6/2023 8:07	70	26	
9/6/2023 8:08	29	25	
9/6/2023 8:09	36	26	
9/6/2023 8:10	24	27	
9/6/2023 8:11	23	27	
9/6/2023 8:12	22	27	
9/6/2023 8:13	21	27	
9/6/2023 8:14	21	26	
9/6/2023 8:15	21	26	
9/6/2023 8:16	22	26	
9/6/2023 8:17	21	26	
9/6/2023 8:18	21	26	
9/6/2023 8:19	20	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 8:20	19	26	
9/6/2023 8:21	21	26	
9/6/2023 8:22	21	22	
9/6/2023 8:23	21	22	
9/6/2023 8:24	22	21	
9/6/2023 8:25	22	21	
9/6/2023 8:26	22	21	
9/6/2023 8:27	23	21	
9/6/2023 8:28	23	21	
9/6/2023 8:29	23	21	
9/6/2023 8:30	23	21	
9/6/2023 8:31	22	21	
9/6/2023 8:32	22	21	
9/6/2023 8:33	23	21	
9/6/2023 8:34	26	22	
9/6/2023 8:35	22	22	
9/6/2023 8:36	52	24	
9/6/2023 8:37	36	25	
9/6/2023 8:38	28	25	
9/6/2023 8:39	24	26	
9/6/2023 8:40	21	26	
9/6/2023 8:41	25	26	
9/6/2023 8:42	23	26	
9/6/2023 8:43	22	26	
9/6/2023 8:44	23	26	
9/6/2023 8:45	24	26	
9/6/2023 8:46	23	26	
9/6/2023 8:47	23	26	
9/6/2023 8:48	25	26	
9/6/2023 8:49	25	26	
9/6/2023 8:50	25	26	
9/6/2023 8:51	23	24	
9/6/2023 8:52	22	23	
9/6/2023 8:53	22	23	
9/6/2023 8:54	22	23	
9/6/2023 8:55	23	23	
9/6/2023 8:56	25	23	
9/6/2023 8:57	22	23	
9/6/2023 8:58	23	23	
9/6/2023 8:59	23	23	
9/6/2023 9:00	23	23	0.0010081
9/6/2023 9:01	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 9:02	25	23	
9/6/2023 9:03	24	23	
9/6/2023 9:04	32	23	
9/6/2023 9:05	25	23	
9/6/2023 9:06	24	23	
9/6/2023 9:07	23	23	
9/6/2023 9:08	22	23	
9/6/2023 9:09	23	24	
9/6/2023 9:10	23	24	
9/6/2023 9:11	22	23	
9/6/2023 9:12	22	23	
9/6/2023 9:13	23	23	
9/6/2023 9:14	22	23	
9/6/2023 9:15	21	23	
9/6/2023 9:16	21	23	
9/6/2023 9:17	21	23	
9/6/2023 9:18	25	23	
9/6/2023 9:19	27	22	
9/6/2023 9:20	26	23	
9/6/2023 9:21	23	22	
9/6/2023 9:22	21	22	
9/6/2023 9:23	21	22	
9/6/2023 9:24	25	22	
9/6/2023 9:25	25	23	
9/6/2023 9:26	21	22	
9/6/2023 9:27	20	22	
9/6/2023 9:28	21	22	
9/6/2023 9:29	23	22	
9/6/2023 9:30	22	22	
9/6/2023 9:31	22	22	
9/6/2023 9:32	21	22	
9/6/2023 9:33	22	22	
9/6/2023 9:34	20	22	
9/6/2023 9:35	20	21	
9/6/2023 9:36	20	21	
9/6/2023 9:37	20	21	
9/6/2023 9:38	20	21	
9/6/2023 9:39	21	21	
9/6/2023 9:40	23	21	
9/6/2023 9:41	21	21	
9/6/2023 9:42	20	21	
9/6/2023 9:43	19	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc.	Mass Conc.	Total TWA mg/m ³ AVG 8h (mg/m ³)
	Total (µg/m ³)	Total µg/m ³ AVG 15m (µg/m ³)	
9/6/2023 9:44	20	20	0.0021352
9/6/2023 9:45	20	20	
9/6/2023 9:46	20	20	
9/6/2023 9:47	20	20	
9/6/2023 9:48	20	20	
9/6/2023 9:49	21	20	
9/6/2023 9:50	21	20	
9/6/2023 9:51	21	20	
9/6/2023 9:52	21	20	
9/6/2023 9:53	20	20	
9/6/2023 9:54	20	20	
9/6/2023 9:55	20	20	
9/6/2023 9:56	20	20	
9/6/2023 9:57	22	20	
9/6/2023 9:58	20	20	
9/6/2023 9:59	21	20	
9/6/2023 10:00	21	20	
9/6/2023 10:01	20	20	
9/6/2023 10:02	19	20	
9/6/2023 10:03	19	20	
9/6/2023 10:04	18	20	
9/6/2023 10:05	21	20	
9/6/2023 10:06	19	20	
9/6/2023 10:07	21	20	
9/6/2023 10:08	18	19	
9/6/2023 10:09	25	20	
9/6/2023 10:10	20	20	
9/6/2023 10:11	19	20	
9/6/2023 10:12	18	19	
9/6/2023 10:13	20	19	
9/6/2023 10:14	20	19	
9/6/2023 10:15	19	19	
9/6/2023 10:16	19	19	
9/6/2023 10:17	21	19	
9/6/2023 10:18	22	20	
9/6/2023 10:19	19	20	
9/6/2023 10:20	19	19	
9/6/2023 10:21	18	19	
9/6/2023 10:22	19	19	
9/6/2023 10:23	20	19	
9/6/2023 10:24	27	20	
9/6/2023 10:25	70	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 10:26	31	24	
9/6/2023 10:27	20	24	
9/6/2023 10:28	22	24	
9/6/2023 10:29	20	24	
9/6/2023 10:30	20	24	
9/6/2023 10:31	20	24	
9/6/2023 10:32	23	24	
9/6/2023 10:33	20	24	
9/6/2023 10:34	20	24	
9/6/2023 10:35	20	24	
9/6/2023 10:36	21	24	
9/6/2023 10:37	30	25	
9/6/2023 10:38	18	25	
9/6/2023 10:39	19	24	
9/6/2023 10:40	19	21	
9/6/2023 10:41	20	20	
9/6/2023 10:42	20	20	
9/6/2023 10:43	21	20	
9/6/2023 10:44	19	20	
9/6/2023 10:45	19	20	
9/6/2023 10:46	19	20	
9/6/2023 10:47	20	20	
9/6/2023 10:48	19	20	
9/6/2023 10:49	20	20	
9/6/2023 10:50	19	20	
9/6/2023 10:51	20	20	
9/6/2023 10:52	20	19	
9/6/2023 10:53	20	19	
9/6/2023 10:59	17	19	
9/6/2023 11:00	19	19	0.00333
9/6/2023 11:01	18	19	
9/6/2023 11:02	18	19	
9/6/2023 11:03	18	18	
9/6/2023 11:04	23	19	
9/6/2023 11:05	19	19	
9/6/2023 11:06	17	18	
9/6/2023 11:07	18	18	
9/6/2023 11:08	18	18	
9/6/2023 11:09	69	23	
9/6/2023 11:10	27	23	
9/6/2023 11:11	18	23	
9/6/2023 11:12	18	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 11:13	18	22	
9/6/2023 11:14	20	22	
9/6/2023 11:15	19	22	
9/6/2023 11:16	18	22	
9/6/2023 11:17	19	22	
9/6/2023 11:18	19	22	
9/6/2023 11:19	21	22	
9/6/2023 11:20	19	22	
9/6/2023 11:21	17	22	
9/6/2023 11:22	32	23	
9/6/2023 11:23	18	23	
9/6/2023 11:24	19	20	
9/6/2023 11:25	19	19	
9/6/2023 11:26	19	19	
9/6/2023 11:27	18	19	
9/6/2023 11:28	20	19	
9/6/2023 11:29	19	19	
9/6/2023 11:30	19	19	
9/6/2023 11:31	19	19	
9/6/2023 11:32	18	19	
9/6/2023 11:33	23	20	
9/6/2023 11:34	18	19	
9/6/2023 11:35	17	19	
9/6/2023 11:36	18	19	
9/6/2023 11:37	19	18	
9/6/2023 11:38	19	18	
9/6/2023 11:39	20	19	
9/6/2023 11:40	20	19	
9/6/2023 11:41	21	19	
9/6/2023 11:42	22	19	
9/6/2023 11:43	22	19	
9/6/2023 11:44	19	19	
9/6/2023 11:45	19	19	
9/6/2023 11:46	18	19	
9/6/2023 11:47	18	19	
9/6/2023 11:48	19	19	
9/6/2023 11:49	20	19	
9/6/2023 11:50	20	19	
9/6/2023 11:51	24	20	
9/6/2023 11:52	19	20	
9/6/2023 11:53	18	19	
9/6/2023 11:54	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 11:55	18	19	
9/6/2023 11:56	19	19	
9/6/2023 11:57	19	19	
9/6/2023 11:58	18	19	
9/6/2023 11:59	18	19	
9/6/2023 12:00	18	19	0.0029861
9/6/2023 12:01	18	19	
9/6/2023 12:02	18	19	
9/6/2023 12:03	18	18	
9/6/2023 12:04	18	18	
9/6/2023 12:05	18	18	
9/6/2023 12:06	19	18	
9/6/2023 12:07	19	18	
9/6/2023 12:08	18	18	
9/6/2023 12:09	19	18	
9/6/2023 12:10	20	18	
9/6/2023 12:11	20	18	
9/6/2023 12:12	19	18	
9/6/2023 12:13	19	18	
9/6/2023 12:14	21	18	
9/6/2023 12:15	19	18	
9/6/2023 12:16	20	19	
9/6/2023 12:17	21	19	
9/6/2023 12:18	19	19	
9/6/2023 12:19	19	19	
9/6/2023 12:20	19	19	
9/6/2023 12:21	19	19	
9/6/2023 12:22	18	19	
9/6/2023 12:23	19	19	
9/6/2023 12:24	19	19	
9/6/2023 12:25	19	19	
9/6/2023 12:26	18	19	
9/6/2023 12:27	19	19	
9/6/2023 12:28	19	19	
9/6/2023 12:29	19	19	
9/6/2023 12:30	19	19	
9/6/2023 12:31	19	19	
9/6/2023 12:32	19	18	
9/6/2023 12:33	18	18	
9/6/2023 12:34	18	18	
9/6/2023 12:35	18	18	
9/6/2023 12:36	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 12:37	18	18	
9/6/2023 12:38	19	18	
9/6/2023 12:39	20	18	
9/6/2023 12:40	19	18	
9/6/2023 12:41	20	18	
9/6/2023 12:42	19	18	
9/6/2023 12:43	19	18	
9/6/2023 12:44	18	18	
9/6/2023 12:45	19	18	
9/6/2023 12:46	19	18	
9/6/2023 12:47	18	18	
9/6/2023 12:48	19	18	
9/6/2023 12:49	19	18	
9/6/2023 12:50	22	19	
9/6/2023 12:51	27	19	
9/6/2023 12:52	20	19	
9/6/2023 12:53	19	19	
9/6/2023 12:54	19	19	
9/6/2023 12:55	18	19	
9/6/2023 12:56	19	19	
9/6/2023 12:57	20	19	
9/6/2023 12:58	19	19	
9/6/2023 12:59	19	19	
9/6/2023 13:00	18	19	0.0031095
9/6/2023 13:01	20	19	
9/6/2023 13:02	21	19	
9/6/2023 13:03	20	20	
9/6/2023 13:04	21	20	
9/6/2023 13:05	21	20	
9/6/2023 13:06	22	19	
9/6/2023 13:07	25	20	
9/6/2023 13:08	24	20	
9/6/2023 13:09	22	20	
9/6/2023 13:10	21	20	
9/6/2023 13:11	27	21	
9/6/2023 13:12	23	21	
9/6/2023 13:13	29	22	
9/6/2023 13:14	24	22	
9/6/2023 13:15	22	22	
9/6/2023 13:16	21	22	
9/6/2023 13:17	22	22	
9/6/2023 13:18	22	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc.	Mass Conc. Total $\mu\text{g}/\text{m}^3$	Total TWA mg/m^3
	Total ($\mu\text{g}/\text{m}^3$)	AVG 15m ($\mu\text{g}/\text{m}^3$)	AVG 8h (mg/m^3)
9/6/2023 13:19	22	23	
9/6/2023 13:20	22	23	
9/6/2023 13:21	22	23	
9/6/2023 13:22	23	23	
9/6/2023 13:23	22	22	
9/6/2023 13:24	22	22	
9/6/2023 13:25	22	23	
9/6/2023 13:26	26	22	
9/6/2023 13:27	24	23	
9/6/2023 13:28	23	22	
9/6/2023 13:29	22	22	
9/6/2023 13:30	21	22	
9/6/2023 13:31	22	22	
9/6/2023 13:32	22	22	
9/6/2023 13:33	23	22	
9/6/2023 13:34	22	22	
9/6/2023 13:35	21	22	
9/6/2023 13:36	21	22	
9/6/2023 13:37	23	22	
9/6/2023 13:38	24	22	
9/6/2023 13:39	22	22	
9/6/2023 13:40	22	22	
9/6/2023 13:41	23	22	
9/6/2023 13:42	23	22	
9/6/2023 13:43	22	22	
9/6/2023 13:44	24	22	
9/6/2023 13:45	25	22	
9/6/2023 13:46	23	22	
9/6/2023 13:47	23	22	
9/6/2023 13:48	26	22	
9/6/2023 13:49	23	23	
9/6/2023 13:50	22	23	
9/6/2023 13:51	24	23	
9/6/2023 13:52	22	23	
9/6/2023 13:53	21	23	
9/6/2023 13:54	21	22	
9/6/2023 13:55	21	22	
9/6/2023 13:56	21	22	
9/6/2023 13:57	21	22	
9/6/2023 13:58	21	22	
9/6/2023 13:59	21	22	
9/6/2023 14:00	22	22	0.0035312

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc.	Mass Conc.	
	Total ($\mu\text{g}/\text{m}^3$)	Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:01	22	22	
9/6/2023 14:02	21	21	
9/6/2023 14:03	21	21	
9/6/2023 14:04	31	22	
9/6/2023 14:05	27	22	
9/6/2023 14:06	22	22	
9/6/2023 14:07	22	22	
9/6/2023 14:08	23	22	
9/6/2023 14:09	21	22	
9/6/2023 14:10	22	22	
9/6/2023 14:11	21	22	
9/6/2023 14:12	22	22	
9/6/2023 14:13	22	22	
9/6/2023 14:14	23	22	
9/6/2023 14:15	21	22	
9/6/2023 14:16	20	22	
9/6/2023 14:17	21	22	
9/6/2023 14:18	22	22	
9/6/2023 14:19	21	22	
9/6/2023 14:20	20	21	
9/6/2023 14:21	21	21	
9/6/2023 14:22	22	21	
9/6/2023 14:23	21	21	
9/6/2023 14:24	22	21	
9/6/2023 14:25	20	21	
9/6/2023 14:26	23	21	
9/6/2023 14:27	21	21	
9/6/2023 14:28	21	21	
9/6/2023 14:29	20	21	
9/6/2023 14:30	19	20	
9/6/2023 14:31	37	22	
9/6/2023 14:32	22	22	
9/6/2023 14:33	21	22	
9/6/2023 14:34	20	22	
9/6/2023 14:35	25	22	
9/6/2023 14:36	22	22	
9/6/2023 14:37	20	22	
9/6/2023 14:38	20	22	
9/6/2023 14:39	20	22	
9/6/2023 14:40	21	22	
9/6/2023 14:41	24	22	
9/6/2023 14:42	23	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 14:43	20	22	
9/6/2023 14:44	22	22	
9/6/2023 14:45	21	22	
9/6/2023 14:46	22	21	
9/6/2023 14:47	22	21	
9/6/2023 14:48	25	21	
9/6/2023 14:49	22	21	
9/6/2023 14:50	20	21	
9/6/2023 14:51	22	21	
9/6/2023 14:52	21	21	
9/6/2023 14:53	20	21	
9/6/2023 14:54	19	21	
9/6/2023 14:55	21	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 6:57	25	25	0
9/6/2023 6:58	25	25	
9/6/2023 6:59	23	24	
9/6/2023 7:00	21	23	
9/6/2023 7:01	21	23	
9/6/2023 7:02	22	22	
9/6/2023 7:03	21	22	
9/6/2023 7:04	41	24	
9/6/2023 7:05	21	24	
9/6/2023 7:06	17	23	
9/6/2023 7:07	23	23	
9/6/2023 7:08	16	23	
9/6/2023 7:09	17	22	
9/6/2023 7:10	16	22	
9/6/2023 7:11	16	21	
9/6/2023 7:12	14	20	
9/6/2023 7:13	14	20	
9/6/2023 7:14	15	19	
9/6/2023 7:15	15	19	
9/6/2023 7:16	15	18	
9/6/2023 7:17	156	27	
9/6/2023 7:18	39	29	
9/6/2023 7:19	60	30	
9/6/2023 7:20	19	30	
9/6/2023 7:21	19	30	
9/6/2023 7:22	21	30	
9/6/2023 7:23	15	30	
9/6/2023 7:24	20	30	
9/6/2023 7:25	21	30	
9/6/2023 7:26	21	30	
9/6/2023 7:27	16	31	
9/6/2023 7:28	20	31	
9/6/2023 7:29	16	31	
9/6/2023 7:30	19	31	
9/6/2023 7:31	15	31	
9/6/2023 7:32	13	22	
9/6/2023 7:33	14	20	
9/6/2023 7:34	14	17	
9/6/2023 7:35	14	17	
9/6/2023 7:36	15	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 7:37	14	16	0.00065517
9/6/2023 7:38	14	16	
9/6/2023 7:39	18	16	
9/6/2023 7:40	17	16	
9/6/2023 7:41	17	15	
9/6/2023 7:42	14	15	
9/6/2023 7:43	14	15	
9/6/2023 7:44	16	15	
9/6/2023 7:45	14	14	
9/6/2023 7:46	13	14	
9/6/2023 7:47	14	14	
9/6/2023 7:48	15	14	
9/6/2023 7:49	21	15	
9/6/2023 7:50	20	15	
9/6/2023 7:51	16	15	
9/6/2023 7:52	16	15	
9/6/2023 7:53	15	16	
9/6/2023 7:56	19	15	
9/6/2023 7:57	20	16	
9/6/2023 7:58	19	16	
9/6/2023 7:59	18	16	
9/6/2023 8:00	17	17	
9/6/2023 8:01	18	17	
9/6/2023 8:02	18	17	
9/6/2023 8:03	15	17	
9/6/2023 8:04	17	17	
9/6/2023 8:05	16	17	
9/6/2023 8:06	15	17	
9/6/2023 8:07	15	17	
9/6/2023 8:08	16	17	
9/6/2023 8:09	16	17	
9/6/2023 8:10	16	17	
9/6/2023 8:11	16	16	
9/6/2023 8:12	16	16	
9/6/2023 8:13	15	16	
9/6/2023 8:14	17	16	
9/6/2023 8:15	15	16	
9/6/2023 8:16	15	15	
9/6/2023 8:17	14	15	
9/6/2023 8:18	15	15	
9/6/2023 8:19	15	15	
9/6/2023 8:20	16	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 8:21	16	15	
9/6/2023 8:22	17	15	
9/6/2023 8:23	21	16	
9/6/2023 8:24	32	17	
9/6/2023 8:25	18	17	
9/6/2023 8:26	19	17	
9/6/2023 8:27	24	17	
9/6/2023 8:28	31	19	
9/6/2023 8:29	18	19	
9/6/2023 8:30	25	19	
9/6/2023 8:31	21	20	
9/6/2023 8:32	20	20	
9/6/2023 8:33	19	20	
9/6/2023 8:34	16	20	
9/6/2023 8:35	16	20	
9/6/2023 8:36	20	21	
9/6/2023 8:37	29	21	
9/6/2023 8:38	28	22	
9/6/2023 8:39	17	21	
9/6/2023 8:40	18	21	
9/6/2023 8:41	18	21	
9/6/2023 8:42	17	20	
9/6/2023 8:43	18	20	
9/6/2023 8:44	19	20	
9/6/2023 8:45	15	19	
9/6/2023 8:46	16	19	
9/6/2023 8:47	15	18	
9/6/2023 8:48	17	18	
9/6/2023 8:49	18	18	
9/6/2023 8:50	28	19	
9/6/2023 8:51	18	19	
9/6/2023 8:52	16	18	
9/6/2023 8:53	16	17	
9/6/2023 8:54	17	17	
9/6/2023 8:55	15	17	
9/6/2023 8:56	15	17	
9/6/2023 8:57	19	17	
9/6/2023 8:58	15	17	
9/6/2023 8:59	16	17	
9/6/2023 9:00	15	17	0.00084789
9/6/2023 9:01	15	17	
9/6/2023 9:02	16	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:03	16	17	
9/6/2023 9:04	15	16	
9/6/2023 9:05	15	15	
9/6/2023 9:06	15	15	
9/6/2023 9:07	16	15	
9/6/2023 9:08	16	15	
9/6/2023 9:09	16	15	
9/6/2023 9:10	15	15	
9/6/2023 9:11	16	15	
9/6/2023 9:12	16	15	
9/6/2023 9:13	15	15	
9/6/2023 9:14	15	15	
9/6/2023 9:15	16	15	
9/6/2023 9:16	14	15	
9/6/2023 9:17	18	15	
9/6/2023 9:18	16	15	
9/6/2023 9:19	15	15	
9/6/2023 9:20	24	16	
9/6/2023 9:21	16	16	
9/6/2023 9:22	17	16	
9/6/2023 9:23	14	16	
9/6/2023 9:24	13	16	
9/6/2023 9:25	14	15	
9/6/2023 9:26	14	15	
9/6/2023 9:27	14	15	
9/6/2023 9:32	24	16	
9/6/2023 9:33	21	16	
9/6/2023 9:34	20	17	
9/6/2023 9:35	21	17	
9/6/2023 9:36	25	17	
9/6/2023 9:37	16	17	
9/6/2023 9:38	21	18	
9/6/2023 9:39	20	19	
9/6/2023 9:40	22	19	
9/6/2023 9:41	20	20	
9/6/2023 9:42	20	20	
9/6/2023 9:43	16	20	
9/6/2023 9:44	14	20	
9/6/2023 9:45	13	19	
9/6/2023 9:46	14	19	
9/6/2023 9:47	14	18	
9/6/2023 9:48	14	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:49	14	17	0.0010645
9/6/2023 9:50	13	17	
9/6/2023 9:51	12	16	
9/6/2023 9:52	13	16	
9/6/2023 9:53	14	15	
9/6/2023 9:54	14	15	
9/6/2023 9:55	13	14	
9/6/2023 9:56	14	14	
9/6/2023 9:57	13	13	
9/6/2023 9:58	12	13	
9/6/2023 9:59	12	13	
9/6/2023 10:00	14	13	
9/6/2023 10:01	12	13	
9/6/2023 10:02	11	13	
9/6/2023 10:03	12	12	
9/6/2023 10:04	12	12	
9/6/2023 10:05	15	12	
9/6/2023 10:06	10	12	
9/6/2023 10:07	10	12	
9/6/2023 10:08	10	12	
9/6/2023 10:09	17	12	
9/6/2023 10:10	10	12	
9/6/2023 10:11	9	11	
9/6/2023 10:12	10	11	
9/6/2023 10:13	11	11	
9/6/2023 10:14	10	11	
9/6/2023 10:15	10	11	
9/6/2023 10:16	11	11	
9/6/2023 10:17	13	11	
9/6/2023 10:18	12	11	
9/6/2023 10:19	11	11	
9/6/2023 10:20	10	10	
9/6/2023 10:21	10	10	
9/6/2023 10:22	10	10	
9/6/2023 10:23	10	10	
9/6/2023 10:24	10	10	
9/6/2023 10:25	10	10	
9/6/2023 10:26	10	10	
9/6/2023 10:27	10	10	
9/6/2023 10:28	10	10	
9/6/2023 10:29	10	10	
9/6/2023 10:30	10	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 10:31	10	10	
9/6/2023 10:32	10	10	
9/6/2023 10:33	11	10	
9/6/2023 10:34	11	10	
9/6/2023 10:35	10	10	
9/6/2023 10:36	10	10	
9/6/2023 10:37	9	10	
9/6/2023 10:38	9	10	
9/6/2023 10:39	9	9	
9/6/2023 10:40	10	9	
9/6/2023 10:41	10	9	
9/6/2023 10:42	9	9	
9/6/2023 10:43	10	9	
9/6/2023 10:44	10	9	
9/6/2023 10:45	16	10	
9/6/2023 10:46	12	10	
9/6/2023 10:47	10	10	
9/6/2023 10:48	10	10	
9/6/2023 10:49	10	10	
9/6/2023 10:50	11	10	
9/6/2023 10:51	15	10	
9/6/2023 10:52	12	10	
9/6/2023 10:53	9	10	
9/6/2023 10:54	9	10	
9/6/2023 10:55	10	10	
9/6/2023 10:56	8	10	
9/6/2023 10:57	10	10	
9/6/2023 10:58	9	10	
9/6/2023 10:59	9	10	
9/6/2023 11:00	9	10	0.0011783
9/6/2023 11:01	15	10	
9/6/2023 11:02	18	10	
9/6/2023 11:03	9	10	
9/6/2023 11:04	7	10	
9/6/2023 11:05	10	10	
9/6/2023 11:06	21	11	
9/6/2023 11:07	9	10	
9/6/2023 11:08	9	10	
9/6/2023 11:09	8	10	
9/6/2023 11:10	8	10	
9/6/2023 11:11	8	10	
9/6/2023 11:12	8	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 11:13	8	10	
9/6/2023 11:14	8	10	
9/6/2023 11:15	7	10	
9/6/2023 11:16	8	9	
9/6/2023 11:17	7	9	
9/6/2023 11:18	8	8	
9/6/2023 11:19	8	9	
9/6/2023 11:20	7	8	
9/6/2023 11:21	7	7	
9/6/2023 11:22	7	7	
9/6/2023 11:23	7	7	
9/6/2023 11:24	7	7	
9/6/2023 11:25	8	7	
9/6/2023 11:26	9	7	
9/6/2023 11:27	8	7	
9/6/2023 11:28	9	7	
9/6/2023 11:29	10	7	
9/6/2023 11:30	9	7	
9/6/2023 11:31	7	7	
9/6/2023 11:32	7	7	
9/6/2023 11:33	8	7	
9/6/2023 11:34	8	7	
9/6/2023 11:35	8	7	
9/6/2023 11:36	8	8	
9/6/2023 11:37	11	8	
9/6/2023 11:38	9	8	
9/6/2023 11:39	10	8	
9/6/2023 11:40	10	8	
9/6/2023 11:41	9	8	
9/6/2023 11:42	10	8	
9/6/2023 11:43	10	8	
9/6/2023 11:44	9	8	
9/6/2023 11:45	8	8	
9/6/2023 11:46	9	8	
9/6/2023 11:47	8	9	
9/6/2023 11:48	10	9	
9/6/2023 11:49	10	9	
9/6/2023 11:50	20	10	
9/6/2023 11:51	17	10	
9/6/2023 11:52	12	10	
9/6/2023 11:53	9	10	
9/6/2023 11:54	10	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 11:55	10	10	0.0014763
9/6/2023 11:56	9	10	
9/6/2023 11:57	8	10	
9/6/2023 11:58	8	10	
9/6/2023 11:59	8	10	
9/6/2023 12:00	8	10	
9/6/2023 12:01	8	10	
9/6/2023 12:02	8	10	
9/6/2023 12:03	8	10	
9/6/2023 12:04	8	10	
9/6/2023 12:05	8	9	
9/6/2023 12:06	8	8	
9/6/2023 12:07	9	8	
9/6/2023 12:08	12	8	
9/6/2023 12:09	12	8	
9/6/2023 12:10	8	8	
9/6/2023 12:11	8	8	
9/6/2023 12:12	9	8	
9/6/2023 12:13	8	8	
9/6/2023 12:14	8	8	
9/6/2023 12:15	8	8	
9/6/2023 12:16	8	8	
9/6/2023 12:17	9	8	
9/6/2023 12:18	9	8	
9/6/2023 12:19	12	9	
9/6/2023 12:20	9	9	
9/6/2023 12:21	11	9	
9/6/2023 12:22	10	9	
9/6/2023 12:23	10	9	
9/6/2023 12:24	8	9	
9/6/2023 12:25	8	9	
9/6/2023 12:26	8	9	
9/6/2023 12:27	11	9	
9/6/2023 12:28	8	9	
9/6/2023 12:29	8	9	
9/6/2023 12:30	9	9	
9/6/2023 12:31	8	9	
9/6/2023 12:32	8	9	
9/6/2023 12:33	9	9	
9/6/2023 12:34	8	8	
9/6/2023 12:35	7	8	
9/6/2023 12:36	8	8	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 12:37	8	8	
9/6/2023 12:38	9	8	
9/6/2023 12:39	9	8	
9/6/2023 12:40	9	8	
9/6/2023 12:41	7	8	
9/6/2023 12:42	9	8	
9/6/2023 12:43	12	8	
9/6/2023 12:44	9	8	
9/6/2023 12:45	8	8	
9/6/2023 12:46	11	8	
9/6/2023 12:47	8	8	
9/6/2023 12:48	29	10	
9/6/2023 12:49	9	10	
9/6/2023 12:50	14	10	
9/6/2023 12:51	19	11	
9/6/2023 12:52	8	11	
9/6/2023 12:53	13	11	
9/6/2023 12:54	10	11	
9/6/2023 12:55	12	11	
9/6/2023 12:56	10	12	
9/6/2023 12:57	11	12	
9/6/2023 12:58	8	11	
9/6/2023 12:59	8	11	
9/6/2023 13:00	8	11	0.0018678
9/6/2023 13:01	10	11	
9/6/2023 13:02	12	12	
9/6/2023 13:03	11	10	
9/6/2023 13:04	10	10	
9/6/2023 13:05	11	10	
9/6/2023 13:06	9	10	
9/6/2023 13:07	11	10	
9/6/2023 13:08	12	10	
9/6/2023 13:09	11	10	
9/6/2023 13:10	11	10	
9/6/2023 13:11	12	10	
9/6/2023 13:12	12	10	
9/6/2023 13:13	13	10	
9/6/2023 13:14	11	10	
9/6/2023 13:15	11	11	
9/6/2023 13:16	12	11	
9/6/2023 13:17	13	11	
9/6/2023 13:18	14	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 13:19	13	11	
9/6/2023 13:20	13	11	
9/6/2023 13:21	12	12	
9/6/2023 13:22	12	12	
9/6/2023 13:23	12	12	
9/6/2023 13:24	12	12	
9/6/2023 13:25	13	12	
9/6/2023 13:26	11	12	
9/6/2023 13:27	12	12	
9/6/2023 13:28	13	12	
9/6/2023 13:29	12	12	
9/6/2023 13:30	13	12	
9/6/2023 13:31	11	12	
9/6/2023 13:32	11	12	
9/6/2023 13:33	11	12	
9/6/2023 13:34	10	11	
9/6/2023 13:35	10	11	
9/6/2023 13:36	11	11	
9/6/2023 13:37	11	11	
9/6/2023 13:38	10	11	
9/6/2023 13:39	11	11	
9/6/2023 13:40	10	11	
9/6/2023 13:41	10	11	
9/6/2023 13:42	10	10	
9/6/2023 13:43	11	10	
9/6/2023 13:50	17	11	
9/6/2023 13:51	16	11	
9/6/2023 13:52	16	12	
9/6/2023 13:53	16	13	
9/6/2023 13:54	16	13	
9/6/2023 13:55	15	14	
9/6/2023 13:56	16	14	
9/6/2023 13:57	15	15	
9/6/2023 13:58	16	15	
9/6/2023 13:59	16	15	
9/6/2023 14:00	20	16	0.0021853
9/6/2023 14:01	17	16	
9/6/2023 14:02	15	16	
9/6/2023 14:03	18	16	
9/6/2023 14:04	28	17	
9/6/2023 14:05	17	17	
9/6/2023 14:06	15	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:07	23	17	
9/6/2023 14:08	15	17	
9/6/2023 14:09	16	17	
9/6/2023 14:10	16	17	
9/6/2023 14:11	17	17	
9/6/2023 14:12	19	17	
9/6/2023 14:13	14	17	
9/6/2023 14:14	16	17	
9/6/2023 14:15	15	17	
9/6/2023 14:16	14	17	
9/6/2023 14:17	14	17	
9/6/2023 14:18	16	17	
9/6/2023 14:19	14	16	
9/6/2023 14:20	17	16	
9/6/2023 14:21	17	16	
9/6/2023 14:22	15	15	
9/6/2023 14:23	16	15	
9/6/2023 14:24	14	15	
9/6/2023 14:25	16	15	
9/6/2023 14:26	17	15	
9/6/2023 14:27	14	15	
9/6/2023 14:28	14	15	
9/6/2023 14:29	14	15	
9/6/2023 14:30	14	15	
9/6/2023 14:31	14	15	
9/6/2023 14:32	14	15	
9/6/2023 14:33	15	15	
9/6/2023 14:34	14	15	
9/6/2023 14:35	16	14	
9/6/2023 14:36	17	14	
9/6/2023 14:37	16	15	
9/6/2023 14:38	14	14	
9/6/2023 14:39	14	14	
9/6/2023 14:40	16	14	
9/6/2023 14:41	19	15	
9/6/2023 14:42	16	15	
9/6/2023 14:43	14	15	
9/6/2023 14:44	14	15	
9/6/2023 14:45	14	15	
9/6/2023 14:46	14	15	
9/6/2023 14:47	14	15	
9/6/2023 14:48	15	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:49	15	15	
9/6/2023 14:50	14	15	
9/6/2023 14:51	14	14	
9/6/2023 14:52	14	14	
9/6/2023 14:53	14	14	
9/6/2023 14:54	14	14	
9/6/2023 14:55	14	14	
9/6/2023 14:56	17	14	
9/6/2023 14:57	14	14	
9/6/2023 14:58	14	14	
9/6/2023 14:59	15	14	
9/6/2023 15:00	14	14	0.002354
9/6/2023 15:01	15	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 7:02	36	36	
9/6/2023 7:03	32	34	
9/6/2023 7:04	24	30	
9/6/2023 7:05	22	28	
9/6/2023 7:06	22	27	
9/6/2023 7:07	21	26	
9/6/2023 7:08	19	25	
9/6/2023 7:09	20	24	
9/6/2023 7:10	19	23	
9/6/2023 7:11	18	23	
9/6/2023 7:12	19	22	
9/6/2023 7:13	18	22	
9/6/2023 7:14	19	22	
9/6/2023 7:15	19	22	
9/6/2023 7:16	18	21	
9/6/2023 7:17	17	20	
9/6/2023 7:18	17	19	
9/6/2023 7:19	17	19	
9/6/2023 7:20	17	18	
9/6/2023 7:21	17	18	
9/6/2023 7:22	17	18	
9/6/2023 7:23	18	18	
9/6/2023 7:24	18	17	
9/6/2023 7:25	19	17	
9/6/2023 7:26	19	17	
9/6/2023 7:27	19	17	
9/6/2023 7:28	19	18	
9/6/2023 7:29	18	17	
9/6/2023 7:30	23	18	
9/6/2023 7:33	23	18	
9/6/2023 7:34	26	19	
9/6/2023 7:35	28	20	
9/6/2023 7:36	27	21	
9/6/2023 7:37	26	21	
9/6/2023 7:38	27	22	
9/6/2023 7:39	21	22	
9/6/2023 7:40	23	23	
9/6/2023 7:41	20	23	
9/6/2023 7:42	20	23	
9/6/2023 7:43	20	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 7:44	23	23	
9/6/2023 7:45	21	23	
9/6/2023 7:46	23	23	
9/6/2023 7:47	21	23	
9/6/2023 7:48	23	23	
9/6/2023 7:49	22	23	
9/6/2023 7:50	23	22	
9/6/2023 7:51	26	22	
9/6/2023 7:52	29	22	
9/6/2023 7:53	25	22	
9/6/2023 7:54	26	23	
9/6/2023 7:55	29	23	
9/6/2023 7:56	28	23	
9/6/2023 7:57	23	24	
9/6/2023 7:58	22	24	
9/6/2023 7:59	22	24	
9/6/2023 8:00	24	24	0.00046429
9/6/2023 8:01	22	24	
9/6/2023 8:02	25	24	
9/6/2023 8:03	25	24	
9/6/2023 8:04	25	24	
9/6/2023 8:05	30	25	
9/6/2023 8:06	40	26	
9/6/2023 8:07	27	26	
9/6/2023 8:08	29	26	
9/6/2023 8:09	29	26	
9/6/2023 8:10	26	26	
9/6/2023 8:11	28	26	
9/6/2023 8:12	31	27	
9/6/2023 8:13	25	27	
9/6/2023 8:14	25	27	
9/6/2023 8:15	28	27	
9/6/2023 8:16	26	27	
9/6/2023 8:17	24	27	
9/6/2023 8:18	24	27	
9/6/2023 8:19	26	27	
9/6/2023 8:20	28	27	
9/6/2023 8:21	31	27	
9/6/2023 8:22	27	27	
9/6/2023 8:23	23	26	
9/6/2023 8:24	23	26	
9/6/2023 8:25	23	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 8:26	24	25	
9/6/2023 8:27	23	25	
9/6/2023 8:28	24	25	
9/6/2023 8:29	23	25	
9/6/2023 8:30	23	24	
9/6/2023 8:31	22	24	
9/6/2023 8:32	22	24	
9/6/2023 8:33	22	24	
9/6/2023 8:34	22	24	
9/6/2023 8:35	23	23	
9/6/2023 8:36	22	23	
9/6/2023 8:37	22	22	
9/6/2023 8:38	22	22	
9/6/2023 8:39	22	22	
9/6/2023 8:40	22	22	
9/6/2023 8:41	22	22	
9/6/2023 8:42	24	22	
9/6/2023 8:43	23	22	
9/6/2023 8:44	23	22	
9/6/2023 8:45	21	22	
9/6/2023 8:46	22	22	
9/6/2023 8:47	22	22	
9/6/2023 8:51	23	22	
9/6/2023 8:52	24	22	
9/6/2023 8:53	24	22	
9/6/2023 8:54	26	23	
9/6/2023 8:55	24	23	
9/6/2023 8:56	24	23	
9/6/2023 8:57	31	23	
9/6/2023 8:58	23	23	
9/6/2023 8:59	22	23	
9/6/2023 9:00	23	24	0.00139
9/6/2023 9:01	22	24	
9/6/2023 9:02	22	24	
9/6/2023 9:03	23	23	
9/6/2023 9:04	23	23	
9/6/2023 9:05	24	23	
9/6/2023 9:06	23	23	
9/6/2023 9:07	22	23	
9/6/2023 9:08	24	23	
9/6/2023 9:09	23	23	
9/6/2023 9:10	22	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc.	Mass Conc.	
	Total ($\mu\text{g}/\text{m}^3$)	Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:11	25	23	
9/6/2023 9:12	27	23	
9/6/2023 9:13	23	23	
9/6/2023 9:14	28	23	
9/6/2023 9:15	27	23	
9/6/2023 9:16	23	23	
9/6/2023 9:17	22	23	
9/6/2023 9:18	23	23	
9/6/2023 9:19	28	24	
9/6/2023 9:20	22	24	
9/6/2023 9:21	21	24	
9/6/2023 9:22	24	24	
9/6/2023 9:23	23	24	
9/6/2023 9:24	22	24	
9/6/2023 9:25	24	24	
9/6/2023 9:26	24	24	
9/6/2023 9:27	22	23	
9/6/2023 9:28	25	23	
9/6/2023 9:29	21	23	
9/6/2023 9:30	23	23	
9/6/2023 9:31	21	23	
9/6/2023 9:32	21	22	
9/6/2023 9:33	20	22	
9/6/2023 9:34	21	22	
9/6/2023 9:35	21	22	
9/6/2023 9:36	21	22	
9/6/2023 9:37	21	22	
9/6/2023 9:38	21	21	
9/6/2023 9:39	21	21	
9/6/2023 9:40	23	21	
9/6/2023 9:41	35	22	
9/6/2023 9:42	26	22	
9/6/2023 9:43	21	22	
9/6/2023 9:44	22	22	
9/6/2023 9:45	22	22	
9/6/2023 9:46	23	22	
9/6/2023 9:47	25	22	
9/6/2023 9:48	22	23	
9/6/2023 9:49	23	23	
9/6/2023 9:50	22	23	
9/6/2023 9:51	23	23	
9/6/2023 9:52	24	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 9:53	24	23	
9/6/2023 9:54	21	23	
9/6/2023 9:55	21	23	
9/6/2023 9:56	22	22	
9/6/2023 9:57	21	22	
9/6/2023 9:58	22	22	
9/6/2023 9:59	23	22	
9/6/2023 10:00	23	22	0.0015434
9/6/2023 10:01	22	22	
9/6/2023 10:02	22	22	
9/6/2023 10:03	20	22	
9/6/2023 10:04	20	22	
9/6/2023 10:05	20	21	
9/6/2023 10:06	20	21	
9/6/2023 10:07	22	21	
9/6/2023 10:08	22	21	
9/6/2023 10:09	19	21	
9/6/2023 10:10	45	22	
9/6/2023 10:11	46	24	
9/6/2023 10:12	30	25	
9/6/2023 10:13	24	25	
9/6/2023 10:14	22	25	
9/6/2023 10:15	23	25	
9/6/2023 10:16	20	25	
9/6/2023 10:17	19	24	
9/6/2023 10:18	19	24	
9/6/2023 10:19	19	24	
9/6/2023 10:20	19	24	
9/6/2023 10:21	20	24	
9/6/2023 10:22	20	24	
9/6/2023 10:23	19	24	
9/6/2023 10:24	20	24	
9/6/2023 10:25	20	22	
9/6/2023 10:26	20	20	
9/6/2023 10:27	20	20	
9/6/2023 10:28	20	20	
9/6/2023 10:29	21	19	
9/6/2023 10:30	19	19	
9/6/2023 10:31	20	19	
9/6/2023 10:32	20	19	
9/6/2023 10:33	22	19	
9/6/2023 10:34	21	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 10:35	20	20	
9/6/2023 10:36	20	20	
9/6/2023 10:37	20	20	
9/6/2023 10:38	20	20	
9/6/2023 10:39	20	20	
9/6/2023 10:40	20	20	
9/6/2023 10:41	20	20	
9/6/2023 10:42	20	20	
9/6/2023 10:43	21	20	
9/6/2023 10:44	21	20	
9/6/2023 10:45	20	20	
9/6/2023 10:46	20	20	
9/6/2023 10:47	21	20	
9/6/2023 10:48	21	20	
9/6/2023 10:49	21	20	
9/6/2023 10:50	20	20	
9/6/2023 10:51	21	20	
9/6/2023 10:52	20	20	
9/6/2023 10:53	20	20	
9/6/2023 10:54	20	20	
9/6/2023 10:55	21	20	
9/6/2023 10:56	20	20	
9/6/2023 10:57	20	20	
9/6/2023 10:58	20	20	
9/6/2023 10:59	20	20	
9/6/2023 11:00	21	20	0.0023659
9/6/2023 11:01	21	20	
9/6/2023 11:02	20	20	
9/6/2023 11:03	19	20	
9/6/2023 11:04	19	20	
9/6/2023 11:05	19	20	
9/6/2023 11:06	20	20	
9/6/2023 11:07	20	20	
9/6/2023 11:08	20	20	
9/6/2023 11:09	19	19	
9/6/2023 11:10	19	19	
9/6/2023 11:11	19	19	
9/6/2023 11:12	19	19	
9/6/2023 11:13	19	19	
9/6/2023 11:14	19	19	
9/6/2023 11:15	19	19	
9/6/2023 11:16	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 11:17	19	19	
9/6/2023 11:18	19	19	
9/6/2023 11:19	21	19	
9/6/2023 11:20	21	19	
9/6/2023 11:21	19	19	
9/6/2023 11:22	22	19	
9/6/2023 11:23	19	19	
9/6/2023 11:24	20	19	
9/6/2023 11:25	22	19	
9/6/2023 11:26	19	19	
9/6/2023 11:30	26	20	
9/6/2023 11:31	23	20	
9/6/2023 11:32	22	21	
9/6/2023 11:33	20	21	
9/6/2023 11:34	20	21	
9/6/2023 11:35	19	20	
9/6/2023 11:36	19	20	
9/6/2023 11:37	22	20	
9/6/2023 11:38	20	21	
9/6/2023 11:39	21	21	
9/6/2023 11:40	22	21	
9/6/2023 11:41	22	21	
9/6/2023 11:42	22	21	
9/6/2023 11:43	22	21	
9/6/2023 11:44	23	21	
9/6/2023 11:45	21	21	
9/6/2023 11:46	20	21	
9/6/2023 11:47	21	20	
9/6/2023 11:48	24	21	
9/6/2023 11:49	21	21	
9/6/2023 11:50	22	21	
9/6/2023 11:51	22	21	
9/6/2023 11:52	23	21	
9/6/2023 11:53	23	21	
9/6/2023 11:54	21	21	
9/6/2023 11:55	20	21	
9/6/2023 11:56	21	21	
9/6/2023 11:57	20	21	
9/6/2023 11:58	20	21	
9/6/2023 11:59	20	21	
9/6/2023 12:00	20	21	0.0025769
9/6/2023 12:01	20	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc.	Mass Conc.	
	Total ($\mu\text{g}/\text{m}^3$)	Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 12:02	20	21	
9/6/2023 12:03	20	20	
9/6/2023 12:04	20	20	
9/6/2023 12:05	20	20	
9/6/2023 12:06	21	20	
9/6/2023 12:07	24	20	
9/6/2023 12:08	24	20	
9/6/2023 12:09	24	20	
9/6/2023 12:10	22	21	
9/6/2023 12:11	22	21	
9/6/2023 12:12	21	21	
9/6/2023 12:13	21	21	
9/6/2023 12:14	21	21	
9/6/2023 12:15	21	21	
9/6/2023 12:16	21	21	
9/6/2023 12:17	21	21	
9/6/2023 12:18	21	21	
9/6/2023 12:19	21	21	
9/6/2023 12:20	21	21	
9/6/2023 12:21	21	21	
9/6/2023 12:22	21	21	
9/6/2023 12:23	20	21	
9/6/2023 12:24	21	21	
9/6/2023 12:25	21	21	
9/6/2023 12:26	21	20	
9/6/2023 12:27	20	20	
9/6/2023 12:28	20	20	
9/6/2023 12:29	20	20	
9/6/2023 12:30	21	20	
9/6/2023 12:31	20	20	
9/6/2023 12:32	20	20	
9/6/2023 12:33	20	20	
9/6/2023 12:34	22	20	
9/6/2023 12:35	21	20	
9/6/2023 12:36	22	20	
9/6/2023 12:37	22	20	
9/6/2023 12:38	22	20	
9/6/2023 12:39	22	20	
9/6/2023 12:40	21	20	
9/6/2023 12:41	21	20	
9/6/2023 12:42	20	20	
9/6/2023 12:43	21	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 12:44	20	21	
9/6/2023 12:45	21	21	
9/6/2023 12:46	31	21	
9/6/2023 12:47	21	21	
9/6/2023 12:48	21	21	
9/6/2023 12:49	21	21	
9/6/2023 12:50	21	21	
9/6/2023 12:51	21	21	
9/6/2023 12:52	22	21	
9/6/2023 12:53	21	21	
9/6/2023 12:54	21	21	
9/6/2023 12:55	22	21	
9/6/2023 12:56	22	21	
9/6/2023 12:57	23	21	
9/6/2023 12:58	23	22	
9/6/2023 12:59	22	22	
9/6/2023 13:00	21	22	0.0026057
9/6/2023 13:01	20	21	
9/6/2023 13:02	21	21	
9/6/2023 13:03	24	21	
9/6/2023 13:04	23	21	
9/6/2023 13:05	23	21	
9/6/2023 13:06	24	22	
9/6/2023 13:07	21	22	
9/6/2023 13:08	25	22	
9/6/2023 13:09	24	22	
9/6/2023 13:10	23	22	
9/6/2023 13:11	25	22	
9/6/2023 13:12	26	23	
9/6/2023 13:13	26	23	
9/6/2023 13:14	26	23	
9/6/2023 13:15	26	23	
9/6/2023 13:16	26	24	
9/6/2023 13:17	25	24	
9/6/2023 13:18	26	24	
9/6/2023 13:19	25	24	
9/6/2023 13:20	25	24	
9/6/2023 13:21	26	25	
9/6/2023 13:22	26	25	
9/6/2023 13:23	27	25	
9/6/2023 13:24	27	25	
9/6/2023 13:25	27	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 13:26	27	26	
9/6/2023 13:27	27	26	
9/6/2023 13:28	29	26	
9/6/2023 13:29	26	26	
9/6/2023 13:30	26	26	
9/6/2023 13:31	28	26	
9/6/2023 13:32	26	26	
9/6/2023 13:33	26	26	
9/6/2023 13:34	26	26	
9/6/2023 13:35	26	26	
9/6/2023 13:36	26	26	
9/6/2023 13:37	26	26	
9/6/2023 13:38	26	26	
9/6/2023 13:39	27	26	
9/6/2023 13:40	26	26	
9/6/2023 13:41	26	26	
9/6/2023 13:42	26	26	
9/6/2023 13:43	25	26	
9/6/2023 13:44	26	26	
9/6/2023 13:45	27	26	
9/6/2023 13:46	25	26	
9/6/2023 13:47	25	25	
9/6/2023 13:48	25	25	
9/6/2023 13:49	26	25	
9/6/2023 13:50	25	25	
9/6/2023 13:51	25	25	
9/6/2023 13:52	26	25	
9/6/2023 13:53	25	25	
9/6/2023 13:54	25	25	
9/6/2023 13:55	25	25	
9/6/2023 13:56	26	25	
9/6/2023 13:57	27	25	
9/6/2023 13:58	25	25	
9/6/2023 13:59	41	26	
9/6/2023 14:00	26	26	0.0030406
9/6/2023 14:01	27	26	
9/6/2023 14:02	25	26	
9/6/2023 14:03	25	26	
9/6/2023 14:04	26	26	
9/6/2023 14:05	28	26	
9/6/2023 14:06	25	26	
9/6/2023 14:07	25	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 14:08	25	26	
9/6/2023 14:09	24	26	
9/6/2023 14:10	25	26	
9/6/2023 14:11	24	26	
9/6/2023 14:12	25	26	
9/6/2023 14:13	33	26	
9/6/2023 14:14	26	25	
9/6/2023 14:15	24	25	
9/6/2023 14:16	25	25	
9/6/2023 14:17	24	25	
9/6/2023 14:18	26	25	
9/6/2023 14:19	25	25	
9/6/2023 14:20	25	25	
9/6/2023 14:21	27	25	
9/6/2023 14:22	28	25	
9/6/2023 14:23	27	25	
9/6/2023 14:24	26	26	
9/6/2023 14:25	30	26	
9/6/2023 14:26	29	26	
9/6/2023 14:27	26	26	
9/6/2023 14:28	26	26	
9/6/2023 14:29	25	26	
9/6/2023 14:30	26	26	
9/6/2023 14:31	26	26	
9/6/2023 14:32	26	26	
9/6/2023 14:33	25	26	
9/6/2023 14:34	24	26	
9/6/2023 14:35	24	26	
9/6/2023 14:36	24	26	
9/6/2023 14:37	24	25	
9/6/2023 14:38	24	25	
9/6/2023 14:39	24	25	
9/6/2023 14:40	24	25	
9/6/2023 14:41	25	24	
9/6/2023 14:42	26	24	
9/6/2023 14:43	24	24	
9/6/2023 14:44	24	24	
9/6/2023 14:45	24	24	
9/6/2023 14:46	24	24	
9/6/2023 14:47	25	24	
9/6/2023 14:48	25	24	
9/6/2023 14:49	25	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m	Total TWA mg/m^3 AVG 8h (mg/m^3)
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	
9/6/2023 14:50	24	24	
9/6/2023 14:51	24	24	
9/6/2023 14:52	24	24	
9/6/2023 14:53	24	24	
9/6/2023 14:54	24	24	
9/6/2023 14:55	25	24	
9/6/2023 14:56	24	24	
9/6/2023 14:57	25	24	
9/6/2023 14:58	23	24	
9/6/2023 14:59	24	24	
9/6/2023 15:00	23	24	0.0037814
9/6/2023 15:01	24	24	
9/6/2023 15:02	24	24	
9/6/2023 15:03	25	24	
9/6/2023 15:04	26	24	
9/6/2023 15:05	26	24	
9/6/2023 15:06	25	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 7:06	23	23	
9/6/2023 7:07	21	22	
9/6/2023 7:08	20	21	
9/6/2023 7:09	20	21	
9/6/2023 7:10	19	20	
9/6/2023 7:11	19	20	
9/6/2023 7:12	19	20	
9/6/2023 7:13	20	20	
9/6/2023 7:14	19	20	
9/6/2023 7:15	20	20	
9/6/2023 7:16	18	19	
9/6/2023 7:17	17	19	
9/6/2023 7:18	17	19	
9/6/2023 7:19	18	19	
9/6/2023 7:20	18	19	
9/6/2023 7:21	18	18	
9/6/2023 7:22	18	18	
9/6/2023 7:23	18	18	
9/6/2023 7:24	18	18	
9/6/2023 7:25	19	18	
9/6/2023 7:26	20	18	
9/6/2023 7:27	19	18	
9/6/2023 7:28	18	18	
9/6/2023 7:29	19	18	
9/6/2023 7:30	19	18	
9/6/2023 7:31	19	18	
9/6/2023 7:32	19	18	
9/6/2023 7:33	19	18	
9/6/2023 7:34	20	18	
9/6/2023 7:35	20	18	
9/6/2023 7:36	20	19	
9/6/2023 7:37	19	19	
9/6/2023 7:38	20	19	
9/6/2023 7:39	19	19	
9/6/2023 7:40	20	19	
9/6/2023 7:41	20	19	
9/6/2023 7:42	20	19	
9/6/2023 7:43	20	19	
9/6/2023 7:44	20	19	
9/6/2023 7:45	20	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 7:46	21	19	0.0010364
9/6/2023 7:47	21	19	
9/6/2023 7:48	21	20	
9/6/2023 7:49	21	20	
9/6/2023 7:50	21	20	
9/6/2023 7:51	22	20	
9/6/2023 7:52	23	20	
9/6/2023 7:53	22	20	
9/6/2023 7:54	23	21	
9/6/2023 7:55	23	21	
9/6/2023 7:56	22	21	
9/6/2023 7:57	21	21	
9/6/2023 7:58	22	21	
9/6/2023 7:59	22	21	
9/6/2023 8:00	21	21	
9/6/2023 8:01	22	21	
9/6/2023 8:02	22	21	
9/6/2023 8:03	22	21	
9/6/2023 8:04	23	22	
9/6/2023 8:05	117	28	
9/6/2023 8:06	38	29	
9/6/2023 8:07	24	29	
9/6/2023 8:08	22	29	
9/6/2023 8:09	22	29	
9/6/2023 8:10	22	29	
9/6/2023 8:11	23	29	
9/6/2023 8:12	23	29	
9/6/2023 8:13	23	29	
9/6/2023 8:14	22	29	
9/6/2023 8:15	22	29	
9/6/2023 8:16	22	29	
9/6/2023 8:17	22	29	
9/6/2023 8:18	22	29	
9/6/2023 8:19	23	29	
9/6/2023 8:20	23	23	
9/6/2023 8:21	23	22	
9/6/2023 8:22	23	22	
9/6/2023 8:23	23	22	
9/6/2023 8:24	24	22	
9/6/2023 8:25	24	22	
9/6/2023 8:26	24	22	
9/6/2023 8:27	25	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 8:28	25	23	
9/6/2023 8:29	25	23	
9/6/2023 8:30	24	23	
9/6/2023 8:31	24	23	
9/6/2023 8:32	24	23	
9/6/2023 8:33	22	23	
9/6/2023 8:34	23	23	
9/6/2023 8:35	23	23	
9/6/2023 8:36	22	23	
9/6/2023 8:37	22	23	
9/6/2023 8:38	23	23	
9/6/2023 8:39	22	23	
9/6/2023 8:40	22	23	
9/6/2023 8:41	22	23	
9/6/2023 8:42	22	23	
9/6/2023 8:43	22	22	
9/6/2023 8:44	23	22	
9/6/2023 8:45	22	22	
9/6/2023 8:46	23	22	
9/6/2023 8:47	22	22	
9/6/2023 8:48	23	22	
9/6/2023 8:49	22	22	
9/6/2023 8:50	22	22	
9/6/2023 8:51	23	22	
9/6/2023 8:52	24	22	
9/6/2023 8:53	24	22	
9/6/2023 8:54	24	22	
9/6/2023 8:55	25	22	
9/6/2023 8:56	22	22	
9/6/2023 8:57	22	22	
9/6/2023 8:58	23	22	
9/6/2023 8:59	22	22	
9/6/2023 9:00	23	22	0.0024848
9/6/2023 9:01	23	22	
9/6/2023 9:02	23	23	
9/6/2023 9:03	23	23	
9/6/2023 9:04	23	23	
9/6/2023 9:05	24	23	
9/6/2023 9:06	24	23	
9/6/2023 9:07	29	23	
9/6/2023 9:08	53	25	
9/6/2023 9:09	61	28	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:10	45	29	
9/6/2023 9:11	34	30	
9/6/2023 9:12	31	30	
9/6/2023 9:13	104	36	
9/6/2023 9:14	64	38	
9/6/2023 9:15	30	39	
9/6/2023 9:16	23	39	
9/6/2023 9:17	31	39	
9/6/2023 9:18	38	40	
9/6/2023 9:19	27	41	
9/6/2023 9:20	24	41	
9/6/2023 9:21	32	41	
9/6/2023 9:22	39	42	
9/6/2023 9:23	30	40	
9/6/2023 9:24	29	38	
9/6/2023 9:25	28	37	
9/6/2023 9:26	46	38	
9/6/2023 9:27	26	38	
9/6/2023 9:28	28	33	
9/6/2023 9:29	22	30	
9/6/2023 9:30	22	29	
9/6/2023 9:31	21	29	
9/6/2023 9:32	21	28	
9/6/2023 9:33	21	27	
9/6/2023 9:34	21	27	
9/6/2023 9:35	21	27	
9/6/2023 9:36	21	26	
9/6/2023 9:37	23	25	
9/6/2023 9:38	40	26	
9/6/2023 9:39	48	27	
9/6/2023 9:40	46	28	
9/6/2023 9:41	24	27	
9/6/2023 9:42	22	26	
9/6/2023 9:43	21	26	
9/6/2023 9:44	21	26	
9/6/2023 9:45	21	26	
9/6/2023 9:46	21	26	
9/6/2023 9:47	21	26	
9/6/2023 9:48	21	26	
9/6/2023 9:49	21	26	
9/6/2023 9:50	20	26	
9/6/2023 9:51	22	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 9:52	23	26	0.0041788
9/6/2023 9:53	30	25	
9/6/2023 9:54	26	24	
9/6/2023 9:55	21	22	
9/6/2023 9:56	30	22	
9/6/2023 9:57	27	23	
9/6/2023 9:58	25	23	
9/6/2023 9:59	38	24	
9/6/2023 10:00	28	24	
9/6/2023 10:01	23	25	
9/6/2023 10:02	23	25	
9/6/2023 10:03	20	25	
9/6/2023 10:04	25	25	
9/6/2023 10:05	25	25	
9/6/2023 10:06	25	25	
9/6/2023 10:07	26	26	
9/6/2023 10:08	24	25	
9/6/2023 10:09	21	25	
9/6/2023 10:10	25	25	
9/6/2023 10:11	21	25	
9/6/2023 10:12	18	24	
9/6/2023 10:13	19	24	
9/6/2023 10:14	25	23	
9/6/2023 10:15	23	22	
9/6/2023 10:16	20	22	
9/6/2023 10:17	19	22	
9/6/2023 10:18	20	22	
9/6/2023 10:19	20	22	
9/6/2023 10:20	20	21	
9/6/2023 10:21	21	21	
9/6/2023 10:22	20	21	
9/6/2023 10:23	20	20	
9/6/2023 10:24	23	20	
9/6/2023 10:25	22	20	
9/6/2023 10:26	21	20	
9/6/2023 10:27	20	20	
9/6/2023 10:28	21	21	
9/6/2023 10:29	21	20	
9/6/2023 10:30	22	20	
9/6/2023 10:31	21	20	
9/6/2023 10:32	28	21	
9/6/2023 10:33	27	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 10:34	21	21	0.0058049
9/6/2023 10:35	21	21	
9/6/2023 10:36	22	22	
9/6/2023 10:37	20	22	
9/6/2023 10:38	21	22	
9/6/2023 10:39	19	21	
9/6/2023 10:40	19	21	
9/6/2023 10:41	20	21	
9/6/2023 10:42	20	21	
9/6/2023 10:43	20	21	
9/6/2023 10:44	20	21	
9/6/2023 10:45	21	21	
9/6/2023 10:46	23	21	
9/6/2023 10:47	22	21	
9/6/2023 10:48	21	20	
9/6/2023 10:49	20	20	
9/6/2023 10:50	21	20	
9/6/2023 10:51	20	20	
9/6/2023 10:52	22	20	
9/6/2023 10:53	21	20	
9/6/2023 10:54	20	20	
9/6/2023 10:55	20	20	
9/6/2023 10:56	20	20	
9/6/2023 10:57	20	20	
9/6/2023 10:58	21	20	
9/6/2023 10:59	21	20	
9/6/2023 11:00	22	20	
9/6/2023 11:01	20	20	
9/6/2023 11:02	19	20	
9/6/2023 11:03	18	20	
9/6/2023 11:04	18	20	
9/6/2023 11:05	21	20	
9/6/2023 11:06	20	20	
9/6/2023 11:07	21	20	
9/6/2023 11:08	19	20	
9/6/2023 11:09	19	19	
9/6/2023 11:10	18	19	
9/6/2023 11:11	18	19	
9/6/2023 11:12	19	19	
9/6/2023 11:13	18	19	
9/6/2023 11:14	18	19	
9/6/2023 11:15	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 11:16	18	18	
9/6/2023 11:17	18	18	
9/6/2023 11:18	19	18	
9/6/2023 11:19	22	19	
9/6/2023 11:20	26	19	
9/6/2023 11:21	18	19	
9/6/2023 11:22	20	19	
9/6/2023 11:23	20	19	
9/6/2023 11:24	19	19	
9/6/2023 11:25	18	19	
9/6/2023 11:26	18	19	
9/6/2023 11:27	22	19	
9/6/2023 11:28	18	19	
9/6/2023 11:29	21	19	
9/6/2023 11:30	20	19	
9/6/2023 11:31	18	19	
9/6/2023 11:32	18	19	
9/6/2023 11:33	18	19	
9/6/2023 11:34	18	19	
9/6/2023 11:35	21	19	
9/6/2023 11:36	18	19	
9/6/2023 11:37	21	19	
9/6/2023 11:38	21	19	
9/6/2023 11:39	20	19	
9/6/2023 11:40	20	19	
9/6/2023 11:41	20	19	
9/6/2023 11:42	20	19	
9/6/2023 11:43	20	19	
9/6/2023 11:44	21	19	
9/6/2023 11:45	21	19	
9/6/2023 11:46	20	19	
9/6/2023 11:47	19	19	
9/6/2023 11:48	28	20	
9/6/2023 11:49	24	20	
9/6/2023 11:50	24	21	
9/6/2023 11:51	28	21	
9/6/2023 11:52	26	22	
9/6/2023 11:53	21	22	
9/6/2023 11:54	21	22	
9/6/2023 11:55	20	22	
9/6/2023 11:56	20	22	
9/6/2023 11:57	19	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 11:58	19	22	0.0072906
9/6/2023 11:59	19	21	
9/6/2023 12:00	18	21	
9/6/2023 12:01	21	21	
9/6/2023 12:02	20	21	
9/6/2023 12:03	19	21	
9/6/2023 12:04	18	20	
9/6/2023 12:05	19	20	
9/6/2023 12:06	20	20	
9/6/2023 12:07	21	19	
9/6/2023 12:08	21	19	
9/6/2023 12:09	20	19	
9/6/2023 12:10	20	19	
9/6/2023 12:11	19	19	
9/6/2023 12:12	19	19	
9/6/2023 12:13	20	19	
9/6/2023 12:14	19	19	
9/6/2023 12:15	19	19	
9/6/2023 12:16	19	19	
9/6/2023 12:17	19	19	
9/6/2023 12:18	19	19	
9/6/2023 12:19	19	19	
9/6/2023 12:20	20	19	
9/6/2023 12:21	20	19	
9/6/2023 12:22	20	19	
9/6/2023 12:23	19	19	
9/6/2023 12:24	19	19	
9/6/2023 12:25	21	19	
9/6/2023 12:26	20	19	
9/6/2023 12:27	19	19	
9/6/2023 12:28	19	19	
9/6/2023 12:29	19	19	
9/6/2023 12:30	19	19	
9/6/2023 12:31	19	19	
9/6/2023 12:32	19	19	
9/6/2023 12:33	19	19	
9/6/2023 12:34	20	19	
9/6/2023 12:35	20	19	
9/6/2023 12:36	19	19	
9/6/2023 12:37	19	19	
9/6/2023 12:38	20	19	
9/6/2023 12:39	20	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 12:40	19	19	0.0087199
9/6/2023 12:41	19	19	
9/6/2023 12:42	18	19	
9/6/2023 12:43	18	19	
9/6/2023 12:44	18	19	
9/6/2023 12:45	19	19	
9/6/2023 12:46	19	19	
9/6/2023 12:47	18	19	
9/6/2023 12:48	18	18	
9/6/2023 12:49	18	18	
9/6/2023 12:50	18	18	
9/6/2023 12:51	19	18	
9/6/2023 12:52	18	18	
9/6/2023 12:53	19	18	
9/6/2023 12:54	34	19	
9/6/2023 12:55	24	19	
9/6/2023 12:56	19	19	
9/6/2023 12:57	19	19	
9/6/2023 12:58	18	19	
9/6/2023 12:59	17	19	
9/6/2023 13:00	17	19	
9/6/2023 13:01	18	19	
9/6/2023 13:02	19	19	
9/6/2023 13:03	19	19	
9/6/2023 13:04	19	19	
9/6/2023 13:05	20	19	
9/6/2023 13:06	19	19	
9/6/2023 13:07	19	20	
9/6/2023 13:08	20	20	
9/6/2023 13:09	20	19	
9/6/2023 13:10	21	18	
9/6/2023 13:11	22	19	
9/6/2023 13:12	22	19	
9/6/2023 13:13	23	19	
9/6/2023 13:14	23	20	
9/6/2023 13:15	23	20	
9/6/2023 13:16	22	20	
9/6/2023 13:17	22	20	
9/6/2023 13:18	22	21	
9/6/2023 13:19	22	21	
9/6/2023 13:20	23	21	
9/6/2023 13:21	26	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 13:22	25	22	
9/6/2023 13:23	24	22	
9/6/2023 13:24	23	22	
9/6/2023 13:25	23	23	
9/6/2023 13:26	24	23	
9/6/2023 13:27	23	23	
9/6/2023 13:28	23	23	
9/6/2023 13:29	22	23	
9/6/2023 13:30	22	23	
9/6/2023 13:31	23	23	
9/6/2023 13:32	25	23	
9/6/2023 13:33	23	23	
9/6/2023 13:34	23	23	
9/6/2023 13:35	23	23	
9/6/2023 13:36	23	23	
9/6/2023 13:37	22	23	
9/6/2023 13:38	21	22	
9/6/2023 13:39	22	22	
9/6/2023 13:40	22	22	
9/6/2023 13:41	22	22	
9/6/2023 13:42	23	22	
9/6/2023 13:43	22	22	
9/6/2023 13:44	22	22	
9/6/2023 13:45	21	22	
9/6/2023 13:46	21	22	
9/6/2023 13:47	22	22	
9/6/2023 13:48	21	22	
9/6/2023 13:49	21	21	
9/6/2023 13:50	22	21	
9/6/2023 13:51	22	21	
9/6/2023 13:52	21	21	
9/6/2023 13:53	22	21	
9/6/2023 13:54	21	21	
9/6/2023 13:55	23	21	
9/6/2023 13:56	21	21	
9/6/2023 13:57	21	21	
9/6/2023 13:58	22	21	
9/6/2023 13:59	22	21	
9/6/2023 14:00	21	21	0.01011
9/6/2023 14:01	21	21	
9/6/2023 14:02	21	21	
9/6/2023 14:03	22	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:04	22	21	
9/6/2023 14:05	21	21	
9/6/2023 14:06	21	21	
9/6/2023 14:07	21	21	
9/6/2023 14:08	26	21	
9/6/2023 14:09	23	21	
9/6/2023 14:10	25	22	
9/6/2023 14:11	24	22	
9/6/2023 14:12	21	22	
9/6/2023 14:13	19	22	
9/6/2023 14:14	21	21	
9/6/2023 14:15	22	22	
9/6/2023 14:16	25	22	
9/6/2023 14:17	21	22	
9/6/2023 14:18	20	22	
9/6/2023 14:19	21	22	
9/6/2023 14:20	23	22	
9/6/2023 14:21	20	22	
9/6/2023 14:22	21	22	
9/6/2023 14:23	21	21	
9/6/2023 14:24	25	21	
9/6/2023 14:25	21	21	
9/6/2023 14:26	20	21	
9/6/2023 14:27	20	21	
9/6/2023 14:28	21	21	
9/6/2023 14:29	26	21	
9/6/2023 14:30	24	21	
9/6/2023 14:31	25	21	
9/6/2023 14:32	21	21	
9/6/2023 14:33	20	21	
9/6/2023 14:34	20	21	
9/6/2023 14:35	19	21	
9/6/2023 14:36	19	21	
9/6/2023 14:37	19	21	
9/6/2023 14:38	21	21	
9/6/2023 14:39	20	21	
9/6/2023 14:40	20	21	
9/6/2023 14:41	20	21	
9/6/2023 14:42	20	21	
9/6/2023 14:43	19	20	
9/6/2023 14:44	20	20	
9/6/2023 14:45	20	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/6/2023 14:46	20	19	
9/6/2023 14:47	20	19	
9/6/2023 14:48	20	19	
9/6/2023 14:49	20	19	
9/6/2023 14:50	20	19	
9/6/2023 14:51	20	19	
9/6/2023 14:52	19	19	
9/6/2023 14:53	19	19	
9/6/2023 14:54	19	19	
9/6/2023 14:55	20	19	
9/6/2023 14:56	19	19	
9/6/2023 14:57	19	19	
9/6/2023 14:58	20	19	
9/6/2023 14:59	19	19	
9/6/2023 15:00	20	19	0.011498
9/6/2023 15:01	20	19	
9/6/2023 15:02	20	19	
9/6/2023 15:03	20	19	
9/6/2023 15:04	20	19	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 6:00												
9/7/2023 6:28												
9/7/2023 6:30	17.3	63.1	73.8	1015	1015	5.7	2.4	176.6	176.6			
9/7/2023 6:31	17	62.6	75.4	1015	1015	5.7	2.4	175.9	176.25	20	20	
9/7/2023 6:32	16.8	62.3	76.7	1015	1015	5.7	2.4	177.8	176.77	22	21	
9/7/2023 6:33	16.6	61.9	77.8	1015	1015	5.7	2.2	179.2	177.38	21	21	
9/7/2023 6:34	16.5	61.8	78.6	1015	1015	5.7	2.2	178.7	177.64	21	21	
9/7/2023 6:35	16.5	61.6	79.3	1015	1015	5.7	2.1	178.9	177.85	21	21	
9/7/2023 6:36	16.4	61.5	80.1	1015	1015	5.7	2.2	176.8	177.7	19	20	
9/7/2023 6:37	16.3	61.3	80.4	1015	1015	5.7	2.2	175.8	177.46	18	20	
9/7/2023 6:38	16.2	61.1	81	1015	1015	6.8	2.5	175.5	177.24	17	19	
9/7/2023 6:39	16.1	60.9	81.7	1015	1015	6.8	2.5	174.2	176.94	16	19	
9/7/2023 6:40	16.1	60.9	82	1015	1015	6.8	2.3	172.4	176.53	16	19	
9/7/2023 6:41	16	60.7	82.3	1015	1015	6.8	2.3	169	175.9	16	18	
9/7/2023 6:42	16	60.8	82.6	1015	1015	6.8	2.4	165.9	175.13	16	18	
9/7/2023 6:43	15.9	60.6	82.6	1015	1015	6.8	2.4	166.7	174.53	15	18	
9/7/2023 6:44	15.9	60.6	83	1015	1015	6.8	2.4	166	173.96	15	18	
9/7/2023 6:45	15.9	60.6	83.1	1015	1015	6.8	2.4	165	173.19	15	17	
9/7/2023 6:46	15.8	60.4	83	1015	1015	6.8	2.2	167.1	172.6	15	17	
9/7/2023 6:47	15.8	60.4	83.4	1015	1015	5.7	2	164.5	171.71	15	17	
9/7/2023 6:48	15.8	60.4	83.3	1015	1015	5.7	1.9	166.5	170.87	15	16	
9/7/2023 6:49	15.8	60.4	83.5	1015	1015	5.7	1.9	171.7	170.4	15	16	
9/7/2023 6:50	15.7	60.3	83.3	1015	1015	5.7	1.9	174.2	170.09	15	15	
9/7/2023 6:51	15.7	60.2	83.7	1015	1015	5.7	2	179.7	170.28	15	15	
9/7/2023 6:52	15.7	60.2	83.6	1015	1015	5	2	180.3	170.58	16	15	
9/7/2023 6:53	15.7	60.2	83.9	1015	1015	5	2	181.7	170.99	19	15	
9/7/2023 6:54	15.7	60.2	83.8	1015	1015	5	1.9	184.9	171.71	26	16	
9/7/2023 6:55	15.7	60.2	83.9	1015	1015	5	1.7	188.8	172.8	24	16	
9/7/2023 6:56	15.7	60.3	83.9	1015	1015	5	1.8	189.2	174.15	15	16	
9/7/2023 6:57	15.7	60.3	83.6	1015	1015	5	2	186.9	175.55	14	16	
9/7/2023 6:58	15.6	60.1	83.9	1015	1015	5	1.9	182	176.57	15	16	
9/7/2023 6:59	15.6	60.1	84	1015	1015	5	2	179.7	177.48	15	16	
9/7/2023 7:00	15.6	60.1	84.2	1015	1015	5	2	175	178.15	15	16	0.00051724
9/7/2023 7:01	15.6	60.1	84.1	1015	1015	5	2	173	178.54	15	16	
9/7/2023 7:02	15.6	60.1	84	1015	1015	5	2.1	171.8	179.03	15	16	
9/7/2023 7:03	15.6	60.1	84.1	1015	1015	5	2.2	170	179.26	15	16	
9/7/2023 7:04	15.6	60.1	84	1015	1015	5	2.4	170.3	179.17	14	16	
9/7/2023 7:05	15.6	60.1	84.3	1015	1015	4.8	2.4	169.7	178.87	15	16	
9/7/2023 7:06	15.6	60.1	84.3	1015	1015	4.8	2.3	170.3	178.24	17	16	
9/7/2023 7:07	15.6	60.1	84.1	1015	1015	4.5	2.3	170.1	177.56	17	16	
9/7/2023 7:08	15.6	60.1	84.1	1015	1015	4.6	2.3	170.3	176.8	15	16	
9/7/2023 7:09	15.6	60.1	84.2	1015	1015	4.6	2.1	173	176.01	14	15	
9/7/2023 7:10	15.6	60.1	84.2	1015	1015	4.6	2.3	172.5	174.92	16	15	
9/7/2023 7:11	15.6	60.1	84.2	1015	1015	4.6	2.3	173.4	173.87	16	15	
9/7/2023 7:12	15.6	60.1	84.4	1016	1016	4.6	2.2	177.6	173.25	17	15	
9/7/2023 7:13	15.6	60.2	84.6	1016	1016	4.6	2.2	178	172.98	18	15	
9/7/2023 7:14	15.7	60.3	84	1016	1016	4.6	2.1	178.5	172.9	16	15	
9/7/2023 7:15	15.7	60.2	84.1	1016	1016	4.6	2.1	177.4	173.06	17	15	
9/7/2023 7:16	15.6	60.1	84	1016	1016	4.4	1.9	178.2	173.41	16	15	
9/7/2023 7:17	15.7	60.3	84.4	1016	1016	4.4	1.8	183.2	174.17	17	16	
9/7/2023 7:18	15.7	60.3	84.3	1016	1016	3.6	1.8	186.2	175.25	19	16	
9/7/2023 7:19	15.7	60.3	84.1	1016	1016	3.6	1.6	191.8	176.68	16	16	
9/7/2023 7:20	15.7	60.3	83.8	1016	1016	3.6	1.4	186.7	177.81	14	16	
9/7/2023 7:21	15.7	60.3	84	1016	1016	3.1	1.2	178.7	178.37	15	16	
9/7/2023 7:22	15.8	60.5	83.9	1016	1016	3.1	1.2	175.9	178.76	17	16	
9/7/2023 7:23	15.8	60.5	83.8	1016	1016	3.1	1.1	0	167.41	21	16	
9/7/2023 7:24	15.9	60.6	83.4	1016	1016	3.3	1.1	0	155.87	17	16	
9/7/2023 7:25	15.8	60.5	83.1	1016	1016	3.3	1.2	169.9	155.7	14	16	
9/7/2023 7:26	15.8	60.4	83.5	1016	1016	4.4	1.2	166.9	155.27	15	16	
9/7/2023 7:27	15.8	60.4	83.5	1016	1016	5	1.3	170.5	154.79	15	16	
9/7/2023 7:28	15.8	60.4	83.5	1016	1016	5	1.5	178.9	154.85	15	16	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 7:29	15.8	60.4	83.4	1016	1016	5	1.6	197	156.09	18	16	
9/7/2023 7:30	15.8	60.5	83.6	1016	1016	5	1.7	198.9	157.52	16	16	
9/7/2023 7:31	15.9	60.6	83.3	1016	1016	5	1.8	203.6	159.21	15	16	
9/7/2023 7:32	15.9	60.6	83.6	1016	1016	5	1.9	205.1	160.67	15	16	
9/7/2023 7:33	15.9	60.6	83.4	1016	1016	5	1.9	207.5	162.09	15	15	
9/7/2023 7:34	15.9	60.6	83.4	1016	1016	5	1.9	209.5	163.27	17	15	
9/7/2023 7:35	15.9	60.6	83.2	1016	1016	5	1.9	207.7	164.67	16	16	
9/7/2023 7:36	15.9	60.6	83.1	1016	1016	4.5	1.7	204.9	166.42	15	16	
9/7/2023 7:37	15.9	60.6	82.9	1016	1016	4.5	1.6	197.9	167.89	14	15	
9/7/2023 7:38	15.9	60.6	83	1016	1016	4.5	1.6	191.9	180.68	14	15	
9/7/2023 7:39	15.9	60.6	83	1016	1016	4.5	1.7	181.2	192.76	15	15	
9/7/2023 7:40	15.9	60.6	83.6	1016	1016	4.7	1.6	179.2	193.38	17	15	
9/7/2023 7:41	15.9	60.6	83.2	1016	1016	4.7	1.6	178.7	194.17	15	15	
9/7/2023 7:42	15.9	60.6	83	1016	1016	4.7	1.7	181	194.87	16	15	
9/7/2023 7:43	15.9	60.6	83.1	1016	1016	4.6	1.9	187.2	195.42	15	15	
9/7/2023 7:44	15.9	60.6	83.3	1016	1016	4.6	1.9	189.1	194.89	21	15	
9/7/2023 7:45	15.9	60.6	83.1	1016	1016	4.6	2	187.6	194.14	17	15	
9/7/2023 7:46	15.9	60.6	83.2	1016	1016	4.6	2	188.9	193.16	24	16	
9/7/2023 7:47	16	60.8	83.2	1016	1016	4.6	1.9	190.3	192.17	20	16	
9/7/2023 7:48	15.9	60.6	82.9	1016	1016	4.6	1.9	190.6	191.05	14	16	
9/7/2023 7:49	15.9	60.6	83.2	1016	1016	4.6	1.9	189.1	189.69	14	16	
9/7/2023 7:50	15.9	60.6	83.3	1016	1016	4.6	1.8	184.5	188.14	14	16	
9/7/2023 7:51	15.9	60.6	83.4	1016	1016	4.6	1.6	180.3	186.5	14	16	
9/7/2023 7:52	16	60.8	83.1	1016	1016	4.1	1.4	172.1	184.78	14	16	
9/7/2023 7:53	15.9	60.7	83.1	1016	1016	4.1	1.4	167.9	183.18	14	16	
9/7/2023 7:54	15.9	60.6	83.1	1016	1016	4.1	1.4	160	181.77	14	16	
9/7/2023 7:55	15.9	60.6	83.4	1016	1016	4.1	1.4	160	180.49	15	16	
9/7/2023 7:56	16	60.8	83	1016	1016	4.1	1.6	157.8	179.09	16	16	
9/7/2023 7:57	15.9	60.6	83.1	1016	1016	4.6	1.5	154	177.29	16	16	
9/7/2023 7:58	15.9	60.6	83.3	1016	1016	4.6	1.6	153	175.01	15	16	
9/7/2023 7:59	15.9	60.6	83.2	1016	1016	5.4	1.7	166.2	173.49	17	15	
9/7/2023 8:00	15.9	60.6	83.4	1016	1016	5.4	1.9	173.8	172.57	14	15	0.0013253
9/7/2023 8:01	15.9	60.6	83.7	1016	1016	5.4	2	179.5	171.94	16	15	
9/7/2023 8:02	15.9	60.7	84	1016	1016	5.4	2	184.1	171.53	18	15	
9/7/2023 8:03	16	60.8	83.6	1016	1016	5.4	2	196.8	171.94	18	15	
9/7/2023 8:04	16	60.8	83.7	1016	1016	5.4	2.1	197.5	172.5	17	15	
9/7/2023 8:05	16	60.8	83.6	1016	1016	5.4	2	200.3	173.55	17	15	
9/7/2023 8:06	16	60.9	83	1016	1016	5.4	2	203.5	175.1	16	15	
9/7/2023 8:07	16	60.8	83.5	1016	1016	5.4	2.1	203.3	177.18	17	16	
9/7/2023 8:08	16.1	61	83	1016	1016	4.9	2.1	200.4	179.35	16	16	
9/7/2023 8:09	16.1	61	83	1016	1016	4.8	2	194	181.61	15	16	
9/7/2023 8:10	16	60.8	83.2	1016	1016	4.8	2	193.9	183.87	15	16	
9/7/2023 8:11	16	60.8	83.3	1016	1016	6.4	2.3	200.2	186.7	15	16	
9/7/2023 8:12	16	60.8	83.5	1016	1016	6.4	2.3	199.3	189.72	14	16	
9/7/2023 8:13	16	60.8	83.8	1016	1016	6.4	2.4	202.3	193.01	15	16	
9/7/2023 8:14	15.9	60.6	83.6	1016	1016	6.4	2.5	199.5	195.23	14	15	
9/7/2023 8:15	16	60.8	84	1016	1016	6.4	2.4	197.3	196.79	15	15	
9/7/2023 8:16	16	60.8	83.8	1016	1016	6.4	2.3	199.6	198.13	14	15	
9/7/2023 8:17	16	60.8	83.7	1016	1016	6.4	2.1	194.2	198.81	14	15	
9/7/2023 8:18	16	60.8	83.5	1016	1016	6.4	2.1	187.9	198.21	15	15	
9/7/2023 8:19	16	60.8	83.5	1016	1016	6.4	2.1	179.4	197.01	15	15	
9/7/2023 8:20	16	60.8	83.3	1016	1016	5.2	1.9	168.2	194.87	15	15	
9/7/2023 8:21	16	60.8	83.3	1016	1016	5.2	1.8	162	192.1	15	14	
9/7/2023 8:22	16	60.8	83.6	1016	1016	5.2	1.6	153.8	188.8	16	14	
9/7/2023 8:23	16	60.8	83.4	1016	1016	5.2	1.5	161.4	186.2	15	14	
9/7/2023 8:24	16	60.8	83.4	1016	1016	5.2	1.5	166.3	184.35	16	14	
9/7/2023 8:25	16	60.8	83.5	1016	1016	5.2	1.7	170.8	182.81	16	14	
9/7/2023 8:26	16	60.8	83.6	1016	1016	5.2	1.7	176.6	181.24	16	15	
9/7/2023 8:27	16.1	60.9	83.4	1016	1016	6.6	1.8	185.1	180.29	15	15	
9/7/2023 8:28	16.1	61	83.1	1016	1016	6.6	1.9	184.3	179.09	14	15	
9/7/2023 8:29	16.1	61	83.3	1016	1016	6.6	2	183.1	178	14	15	
9/7/2023 8:30	16.1	61	83.3	1016	1016	6.6	2	181.3	176.93	14	14	
9/7/2023 8:31	16.1	61	83.1	1016	1016	6.6	2.1	180.6	175.67	14	14	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 8:32	16.1	61	83.2	1016	1016	6.6	2.3	175.9	174.45	14	14	
9/7/2023 8:33	16.1	60.9	83.2	1016	1016	6.6	2.4	172.7	173.43	14	14	
9/7/2023 8:34	16.1	61	83.1	1016	1016	6.6	2.3	172	172.94	14	14	
9/7/2023 8:35	16.1	61	83	1016	1016	6.6	2.3	171.4	173.15	16	14	
9/7/2023 8:36	16.1	61	82.8	1016	1016	6.6	2.3	173.4	173.91	15	14	
9/7/2023 8:37	16.2	61.1	82.7	1016	1016	5.8	2.1	177.4	175.49	14	14	
9/7/2023 8:38	16.1	61	82.6	1016	1016	5.8	2.3	185.5	177.09	14	14	
9/7/2023 8:39	16.1	61	83.2	1016	1016	5.8	2.4	186.4	178.43	15	14	
9/7/2023 8:40	16.2	61.2	82.5	1016	1016	5.8	2.3	183.9	179.31	14	14	
9/7/2023 8:41	16.2	61.2	82.8	1016	1016	5.8	2.2	187.5	180.03	15	14	
9/7/2023 8:42	16.2	61.2	82.2	1016	1016	5.8	2.3	187.4	180.19	14	14	
9/7/2023 8:43	16.2	61.2	82.4	1016	1016	5.8	2.4	186.9	180.36	14	14	
9/7/2023 8:44	16.2	61.1	82.3	1016	1016	5.8	2.4	192.3	180.97	14	14	
9/7/2023 8:45	16.1	61	82.7	1016	1016	6.4	2.4	193.9	181.81	14	14	
9/7/2023 8:46	16.1	61	82.7	1016	1016	6.4	2.5	202.7	183.29	13	14	
9/7/2023 8:47	16.1	61	83	1016	1016	6.4	2.3	195.5	184.59	13	14	
9/7/2023 8:48	16.2	61.2	83	1016	1016	6.4	2.2	191.2	185.83	14	14	
9/7/2023 8:49	16.2	61.2	82.3	1016	1016	6.4	2.1	190.3	187.05	14	14	
9/7/2023 8:50	16.3	61.4	82.3	1016	1016	6.4	2.1	186.7	188.07	14	14	
9/7/2023 8:51	16.3	61.3	81.8	1016	1016	6.4	1.9	188.5	189.07	14	14	
9/7/2023 8:52	16.3	61.3	82	1016	1016	6.4	1.7	188.8	189.83	14	14	
9/7/2023 8:53	16.3	61.3	82	1016	1016	6.4	1.6	177.3	189.29	13	13	
9/7/2023 8:54	16.4	61.5	81.8	1016	1016	4.7	1.5	162.1	187.67	13	13	
9/7/2023 8:55	16.4	61.5	81.6	1016	1016	4.7	1.3	129.5	184.04	14	13	
9/7/2023 8:56	16.5	61.7	81.4	1016	1016	4.7	1.4	126.7	179.99	13	13	
9/7/2023 8:57	16.6	61.9	80.8	1016	1016	5.5	1.5	133.9	176.42	13	13	
9/7/2023 8:58	16.6	61.9	80.1	1016	1016	5.5	1.4	137.4	173.12	13	13	
9/7/2023 8:59	16.5	61.7	80.8	1016	1016	5.5	1.3	134.8	169.29	13	13	
9/7/2023 9:00	16.6	61.9	80.8	1016	1016	5.5	1.3	139.9	165.69	15	13	0.0022724
9/7/2023 9:01	16.7	62	80.3	1016	1016	5.9	1.5	149.1	162.11	15	13	
9/7/2023 9:02												
9/7/2023 9:03	16.4	61.6	80.6	1016	1016	2.2	1.5	222.5	161.96			
9/7/2023 9:04	16.4	61.5	81	1016	1016	2.2	1.4	228.3	164.68	13	13	
9/7/2023 9:05	16.5	61.7	81.2	1016	1016	3.7	1.1	217.1	166.85	14	13	
9/7/2023 9:06	16.5	61.6	80.8	1016	1016	3.7	1.4	205.2	168.04	14	13	
9/7/2023 9:07	16.4	61.5	81.2	1016	1016	3.7	1.5	209	169.49	15	13	
9/7/2023 9:08	16.4	61.5	81.1	1016	1016	3.7	1.4	214.5	172.14	15	13	
9/7/2023 9:09	16.4	61.5	81.3	1016	1016	3.7	1.2	216	175.99	14	13	
9/7/2023 9:10	16.5	61.7	81.2	1016	1016	3.7	1.2	213.1	181.96	15	14	
9/7/2023 9:11	16.5	61.7	81.1	1016	1016	5.2	1.2	215.4	188.3	15	14	
9/7/2023 9:12	16.5	61.7	81.2	1016	1016	5.7	1.4	203	193.24	14	14	
9/7/2023 9:13	16.6	61.9	80.7	1016	1016	5.7	1.7	184.5	196.6	15	14	
9/7/2023 9:14	16.6	61.9	80.7	1016	1016	5.7	1.8	184.7	200.16	15	14	
9/7/2023 9:15	16.6	61.9	80.3	1016	1016	5.7	1.9	183.5	203.28	14	14	
9/7/2023 9:16	16.5	61.7	80.7	1016	1016	5.7	1.9	178.2	205.36	15	14	
9/7/2023 9:17	16.6	61.8	81.1	1016	1016	5.7	2	172.8	203.19	18	14	
9/7/2023 9:18	16.6	61.8	80.9	1016	1016	5.7	2.2	177.6	200.19	17	14	
9/7/2023 9:19	16.7	62	80.6	1016	1016	5.7	2.3	179.3	196.93	17	15	
9/7/2023 9:20	16.8	62.2	79.8	1016	1016	5.7	2.3	176.5	194.22	18	15	
9/7/2023 9:21	16.8	62.2	79.3	1016	1016	5.3	2.2	175.1	192.21	15	15	
9/7/2023 9:22	16.8	62.2	79.6	1016	1016	5.3	2.1	173.1	189.82	15	15	
9/7/2023 9:23	16.8	62.2	79.8	1016	1016	5.3	2	173.2	187.07	14	15	
9/7/2023 9:24	16.8	62.2	79.8	1016	1016	4.8	1.8	171.5	184.1	14	15	
9/7/2023 9:25	16.9	62.4	79.5	1016	1016	4.8	1.7	168.4	181.12	14	15	
9/7/2023 9:26	17	62.5	79.1	1016	1016	4.8	1.7	170.7	178.14	14	15	
9/7/2023 9:27	17.1	62.7	79.4	1016	1016	4.8	1.5	153.5	174.84	15	15	
9/7/2023 9:28	17.3	63.1	78.1	1016	1016	4.8	1.3	136.3	171.63	14	15	
9/7/2023 9:29	17.4	63.3	78	1016	1016	4.4	1.4	122.6	167.49	14	15	
9/7/2023 9:30	17.5	63.5	77.4	1016	1016	6.2	1.2	0	155.25	14	15	
9/7/2023 9:31	17.5	63.5	77.5	1016	1016	6.3	1.3	0	143.37	15	15	
9/7/2023 9:32	17.6	63.6	76.9	1016	1016	6.3	1.6	96.3	138.27	16	15	
9/7/2023 9:33	17.7	63.8	76.2	1016	1016	6.3	1.6	98.8	133.02	14	14	
9/7/2023 9:34	17.8	64	76.2	1016	1016	6.3	1.7	93.2	127.28	15	14	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 9:35	17.8	64.1	75.8	1016	1016	6.3	1.8	91.2	121.59	14	14	
9/7/2023 9:36	17.8	64	75.5	1016	1016	6.8	2	95.4	116.28	14	14	
9/7/2023 9:37	17.8	64	76.2	1016	1016	6.9	2.2	100.5	111.44	14	14	
9/7/2023 9:38	17.6	63.6	76.2	1016	1016	6.9	2.4	111.1	107.3	14	14	
9/7/2023 9:39	17.7	63.8	77	1016	1016	6.9	2.4	118.6	103.77	14	14	
9/7/2023 9:40	17.8	64	76.8	1016	1016	6.9	2.3	119.1	100.49	13	14	
9/7/2023 9:41	17.9	64.1	75.5	1016	1016	6.9	2	113.5	96.67	13	14	
9/7/2023 9:42	18	64.3	75.6	1016	1016	6.9	2	122	94.57	14	14	
9/7/2023 9:43	18.1	64.5	74.9	1016	1016	7.3	2.2	129.1	94.09	13	14	
9/7/2023 9:44	18.1	64.5	74.6	1016	1016	7.3	2.2	142.1	95.39	14	14	
9/7/2023 9:45	18.1	64.5	75	1016	1016	7.3	2.3	156.8	105.85	14	14	
9/7/2023 9:46	18	64.3	75	1016	1016	7.3	2.2	167.3	117	14	14	
9/7/2023 9:47	18.1	64.5	74.8	1016	1016	7.3	2.1	160	121.25	15	13	
9/7/2023 9:48	18.1	64.5	74.5	1016	1016	7.3	2.1	157.9	125.19	14	13	
9/7/2023 9:49	18.1	64.5	74	1016	1016	7.3	2.2	152.5	129.14	13	13	
9/7/2023 9:50	17.9	64.3	75.4	1016	1016	7.3	2.4	161.2	133.81	13	13	
9/7/2023 9:51	17.8	64.1	75	1016	1016	7.3	2.5	175.8	139.17	14	13	
9/7/2023 9:52	17.9	64.1	75.4	1016	1016	5.8	2.4	181.7	144.58	16	13	
9/7/2023 9:53	17.7	63.9	75.5	1016	1016	5.8	2.4	178.2	149.05	16	14	
9/7/2023 9:54	17.7	63.9	76.4	1016	1016	5.9	2.1	176.1	152.89	15	14	
9/7/2023 9:55	17.8	64.1	76.5	1016	1016	5.9	2	178	156.81	15	14	
9/7/2023 9:56	18	64.4	75.4	1016	1016	5.9	2	178.2	161.13	14	14	
9/7/2023 9:57	18	64.5	75.1	1016	1016	5.9	2	176.2	164.74	14	14	
9/7/2023 9:58	18.1	64.7	75.3	1016	1016	5.6	2	174.4	167.76	15	14	
9/7/2023 9:59	18.1	64.7	74.3	1016	1016	5.6	1.9	172.9	169.81	15	14	
9/7/2023 10:00	18.2	64.7	75	1016	1016	5.6	2	166.4	170.45	14	14	0.0019543
9/7/2023 10:01	18.3	64.9	74.7	1016	1016	5.6	1.9	141.7	168.75	14	14	
9/7/2023 10:02	18.1	64.7	74.3	1016	1016	7.6	2	122.9	166.27	14	14	
9/7/2023 10:03	18.3	64.9	74.9	1016	1016	7.6	2.1	127.1	164.22	14	14	
9/7/2023 10:04	18.3	64.9	73.8	1016	1016	8.6	2.4	125.5	162.42	14	14	
9/7/2023 10:05	18.2	64.8	74.4	1016	1016	8.6	2.6	128	160.21	14	14	
9/7/2023 10:06	18.2	64.7	73.9	1016	1016	8.6	2.7	129.9	157.15	14	14	
9/7/2023 10:07	18	64.5	74.9	1016	1016	8.6	2.8	133.9	153.96	13	14	
9/7/2023 10:08	17.9	64.3	74.9	1016	1016	8.6	2.9	130.3	150.77	14	14	
9/7/2023 10:09	17.8	64.1	75.8	1016	1016	8.6	2.8	129.4	147.65	13	14	
9/7/2023 10:10	17.9	64.3	75.7	1016	1016	8.6	2.8	138.1	144.99	14	14	
9/7/2023 10:11	18.1	64.6	75.4	1016	1016	8.6	2.6	141.4	142.54	14	14	
9/7/2023 10:12	18.2	64.7	74.2	1016	1016	8.6	2.5	138.1	140	14	14	
9/7/2023 10:13	18.2	64.7	74.7	1016	1016	7.6	2.3	140.1	137.71	13	13	
9/7/2023 10:14	18.3	64.9	73.8	1016	1016	6.1	2.1	141.4	135.61	13	13	
9/7/2023 10:15	18.3	64.9	74.3	1016	1016	6.1	2	143.5	134.09	14	13	
9/7/2023 10:16	18.4	65.1	73.8	1016	1016	7.2	2	138.2	133.85	15	13	
9/7/2023 10:17	18.3	64.9	73.8	1016	1016	7.2	1.9	134.4	134.62	14	13	
9/7/2023 10:18	18.2	64.7	74.5	1016	1016	7.2	2	130.6	134.85	14	13	
9/7/2023 10:19	18.3	65	73.8	1016	1016	7.2	2	130.7	135.2	14	13	
9/7/2023 10:20	18.5	65.2	74.3	1016	1016	7.2	2	135.8	135.72	15	13	
9/7/2023 10:21	18.5	65.2	73.1	1016	1016	7.2	2.1	138.7	136.31	14	13	
9/7/2023 10:22	18.6	65.4	73.5	1016	1016	7.2	2.2	144.8	137.03	14	13	
9/7/2023 10:23	18.5	65.2	72.6	1016	1016	7.2	2.3	141.3	137.77	14	13	
9/7/2023 10:24	18.4	65	73.2	1016	1016	7.2	2.4	138	138.34	14	14	
9/7/2023 10:25	18.3	65	74.2	1016	1016	5.7	2.2	138.9	138.39	13	13	
9/7/2023 10:26	18.7	65.6	73	1016	1016	5.7	2	145.6	138.67	13	13	
9/7/2023 10:27	18.6	65.4	72.6	1016	1016	5.7	2	157.4	139.96	14	13	
9/7/2023 10:28	18.3	65	73.2	1016	1016	5.6	2.3	168.4	141.85	14	13	
9/7/2023 10:29	18.2	64.8	74.1	1016	1016	5.6	2.3	175.8	144.14	14	14	
9/7/2023 10:30	18.1	64.6	74.9	1016	1016	5.6	2.3	181.5	146.67	14	14	
9/7/2023 10:31	18.2	64.7	75	1016	1016	5.6	2.1	179.3	149.41	14	13	
9/7/2023 10:32	18.2	64.8	74.6	1016	1016	5.6	1.9	186.2	152.87	14	13	
9/7/2023 10:33	18.4	65.2	74.8	1016	1016	5.9	1.8	198.9	157.42	14	13	
9/7/2023 10:34	18.4	65.2	72.8	1016	1016	7.7	2.1	190.1	161.38	14	13	
9/7/2023 10:35	18.2	64.8	73.8	1016	1016	7.7	2.3	184	164.59	15	13	
9/7/2023 10:36	18.2	64.8	74.7	1016	1016	7.7	2.3	174.3	166.97	14	13	
9/7/2023 10:37	18.3	65	74.3	1016	1016	7.7	2.2	162.1	168.12	14	13	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 10:38	18.3	65	73.8	1016	1016	7.7	2.1	151.5	168.8	15	14	
9/7/2023 10:39	18.1	64.6	74.2	1016	1016	7.6	2.6	155.4	169.96	15	14	
9/7/2023 10:40	18	64.5	75.7	1016	1016	7.6	2.7	160.2	171.38	15	14	
9/7/2023 10:41	18.4	65	75.2	1016	1016	7.6	2.9	161.7	172.45	15	14	
9/7/2023 10:42	18.6	65.4	73.6	1016	1016	7.6	3	162.9	172.82	16	14	
9/7/2023 10:43	18.5	65.2	73.3	1016	1016	7.6	3	171.8	173.05	17	14	
9/7/2023 10:44	18.4	65	74.3	1016	1016	7.6	2.9	178.4	173.22	16	14	
9/7/2023 10:45	18.6	65.4	74.4	1016	1016	7.6	2.8	184.1	173.39	18	15	
9/7/2023 10:46	18.7	65.6	71.9	1016	1016	7.6	2.7	186.4	173.87	17	15	
9/7/2023 10:47	18.6	65.4	73.3	1016	1016	7.6	2.8	187.3	173.94	16	15	
9/7/2023 10:48	18.5	65.2	72.8	1016	1016	8.2	2.7	184.6	172.99	16	15	
9/7/2023 10:49	18.5	65.2	73.7	1016	1016	8.2	2.6	174.9	171.97	16	15	
9/7/2023 10:50	18.8	65.8	72.8	1016	1016	8.2	2.6	175.4	171.4	16	15	
9/7/2023 10:51	18.8	65.8	72.5	1016	1016	8.2	2.4	174.2	171.39	16	15	
9/7/2023 10:52	18.9	66	72	1016	1016	8.2	2.2	161.1	171.33	15	15	
9/7/2023 10:53	18.9	65.9	72.2	1016	1016	8.2	2.2	152.3	171.38	16	16	
9/7/2023 10:54	19.1	66.3	71.5	1016	1016	8.2	2.4	149.2	170.97	15	16	
9/7/2023 10:55	19.1	66.3	70.5	1016	1016	8.2	2.4	148.5	170.19	15	16	
9/7/2023 10:56	19	66.1	71.2	1016	1016	8.2	2.5	147.9	169.27	15	16	
9/7/2023 10:57	18.9	65.9	71	1016	1016	7	2.5	150	168.41	15	15	
9/7/2023 10:58	18.6	65.5	72.5	1016	1016	7	2.7	151.7	167.07	15	15	
9/7/2023 10:59	18.6	65.4	72.4	1016	1016	7	2.8	154.4	165.47	15	15	
9/7/2023 11:00	18.5	65.3	73.5	1016	1016	7	2.9	160.8	163.91	16	15	0.0020934
9/7/2023 11:01	18.6	65.4	72.5	1016	1016	7	3	160	162.15	15	15	
9/7/2023 11:02	18.7	65.7	72.7	1016	1016	7	2.9	161	160.4	15	15	
9/7/2023 11:03	18.9	65.9	72.3	1016	1016	7	2.8	160.8	158.81	15	15	
9/7/2023 11:04	19	66.1	72.1	1016	1016	7	2.8	157.4	157.65	15	15	
9/7/2023 11:05	19.1	66.3	70.6	1016	1016	7	2.6	157.5	156.45	15	15	
9/7/2023 11:06	19.2	66.5	70.8	1016	1016	6.3	2.5	151.6	154.95	15	15	
9/7/2023 11:07	19.2	66.6	70.3	1016	1016	6.3	2.2	148	154.07	15	15	
9/7/2023 11:08	19.4	66.9	70.2	1016	1016	6.3	2.1	140.7	153.3	16	15	
9/7/2023 11:09	19.5	67.1	68.4	1016	1016	7.2	2.1	135.7	152.4	16	15	
9/7/2023 11:10	19.2	66.5	70.3	1016	1016	7.2	2.1	141.4	151.93	15	15	
9/7/2023 11:11	19.2	66.5	71.1	1016	1016	7.2	2.1	135.6	151.11	16	15	
9/7/2023 11:12	19.5	67.1	69.9	1016	1016	7.2	2	139.1	150.38	16	15	
9/7/2023 11:13	19.5	67	69.4	1016	1016	7.2	2.1	143.4	149.83	15	15	
9/7/2023 11:14	19.6	67.2	68.1	1016	1016	7.2	2.1	139	148.8	15	15	
9/7/2023 11:15	19.1	66.5	69.2	1016	1016	7.2	2.2	143.1	147.62	16	15	
9/7/2023 11:16	18.9	66.1	71.3	1016	1016	7.2	2.3	147.8	146.81	15	15	
9/7/2023 11:17	18.9	66.1	71.4	1016	1016	7.2	2.5	149.3	146.03	15	15	
9/7/2023 11:18	19	66.1	70.2	1016	1016	7.8	2.7	158.5	145.87	15	15	
9/7/2023 11:19	18.8	65.9	71.1	1016	1016	7.8	2.8	159.9	146.04	13	15	
9/7/2023 11:20	18.9	66.1	70.2	1016	1016	7.8	3	164.5	146.51	14	15	
9/7/2023 11:21	19	66.1	70.6	1016	1016	7.8	3.1	164.7	147.38	14	15	
9/7/2023 11:22	18.9	66.1	70.3	1016	1016	9.1	3	162.6	148.35	14	15	
9/7/2023 11:23	19.1	66.5	70.3	1016	1016	9.1	3.2	164.6	149.95	14	14	
9/7/2023 11:24	19.2	66.5	70.5	1016	1016	9.1	3.2	169.1	152.17	14	14	
9/7/2023 11:25	19.2	66.5	70	1016	1016	9.1	3.3	169.1	154.02	15	14	
9/7/2023 11:26	19.2	66.5	69.9	1016	1016	9.1	3.3	170.4	156.34	14	14	
9/7/2023 11:27	19.2	66.5	69.9	1016	1016	9.1	3.3	168.4	158.29	15	14	
9/7/2023 11:28	19.2	66.5	69.7	1016	1016	9.1	3	164.2	159.68	15	14	
9/7/2023 11:29	19.2	66.5	70.4	1016	1016	9.1	3.1	165.5	161.45	15	14	
9/7/2023 11:30	19.2	66.5	69.5	1016	1016	9.1	3.2	162.1	162.71	15	14	
9/7/2023 11:31	19.2	66.5	69.5	1016	1016	7.1	3.2	163.4	163.75	14	14	
9/7/2023 11:32	19	66.3	70.2	1016	1016	7.1	3	158.6	164.37	15	14	
9/7/2023 11:33	19.1	66.3	71.3	1016	1016	7.1	3.1	147.7	163.65	15	14	
9/7/2023 11:34	19.4	67	68.7	1016	1016	7.9	2.9	147.6	162.83	15	14	
9/7/2023 11:35	19.6	67.2	68.7	1016	1016	7.9	2.8	143.1	161.41	14	14	
9/7/2023 11:36	19.8	67.6	68	1016	1016	7.9	2.6	139.5	159.73	15	14	
9/7/2023 11:37	19.9	67.8	68.6	1016	1016	7.9	2.6	128.6	157.46	16	14	
9/7/2023 11:38	19.9	67.8	68.6	1016	1016	7.9	2.6	121.9	154.61	16	14	
9/7/2023 11:39	19.9	67.8	68.6	1016	1016	7.9	2.6	118.7	151.25	16	15	
9/7/2023 11:40	19.9	67.8	69.7	1016	1016	7.9	2.6	115.3	147.67	17	15	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 11:41	20.1	68.1	67.6	1016	1016	7.9	2.7	122.9	144.5	16	15	
9/7/2023 11:42	20	68	67.9	1016	1016	7.9	2.6	127.8	141.79	16	15	
9/7/2023 11:43	20	67.9	67.7	1016	1016	7.7	2.7	125.8	139.23	16	15	
9/7/2023 11:44	20	67.9	67.7	1016	1016	7.7	2.7	126.3	136.62	15	15	
9/7/2023 11:45	20.2	68.3	67.8	1016	1016	7.7	2.9	127.9	134.34	16	15	
9/7/2023 11:46	20.1	68.1	67	1016	1016	7.4	2.8	128.6	132.02	16	15	
9/7/2023 11:47	20.2	68.3	67.3	1016	1016	7.4	2.6	124.9	129.77	16	15	
9/7/2023 11:48	20.4	68.7	67.3	1016	1016	7.4	2.6	124.9	128.25	16	15	
9/7/2023 11:49	20.4	68.7	66.4	1016	1016	7.4	2.6	128.4	126.97	17	15	
9/7/2023 11:50	20.4	68.7	67.8	1016	1016	7.4	2.6	123.4	125.66	17	16	
9/7/2023 11:51	20.4	68.7	67.1	1016	1016	7.4	2.4	128	124.89	17	16	
9/7/2023 11:52	20.4	68.7	67.4	1016	1016	7.2	2.3	130.6	125.03	17	16	
9/7/2023 11:53	20.5	68.8	67.2	1016	1016	6.9	2.3	131.8	125.69	17	16	
9/7/2023 11:54	20.7	69.2	66.6	1016	1016	6.9	2.2	133.8	126.69	17	16	
9/7/2023 11:55	20.7	69.2	66.7	1016	1016	6.9	2.2	137.8	128.19	18	16	
9/7/2023 11:56	20.6	69	66.7	1016	1016	6.9	2.2	142.2	129.48	18	16	
9/7/2023 11:57	20.6	69	67	1016	1016	6.9	2.2	145.1	130.63	18	16	
9/7/2023 11:58	20.7	69.2	66.7	1016	1016	9.4	2.4	151	132.31	17	16	
9/7/2023 11:59	20.2	68.4	67.3	1016	1016	9.4	2.5	156.5	134.33	18	17	
9/7/2023 12:00	20	68	68.1	1016	1016	9.4	2.5	146.4	135.56	17	17	0.0025112
9/7/2023 12:01	20	68	68.3	1016	1016	9.4	2.5	142.7	136.5	18	17	
9/7/2023 12:02	20.1	68.1	68.3	1016	1016	9.4	2.5	144.4	137.8	17	17	
9/7/2023 12:03	20.2	68.3	68.2	1016	1016	9.4	2.6	142.2	138.95	17	17	
9/7/2023 12:04	20.1	68.2	68.2	1016	1016	9.4	2.7	140.9	139.79	17	17	
9/7/2023 12:05	20	68.1	68.3	1016	1016	9.4	2.8	138.4	140.79	18	17	
9/7/2023 12:06	20.1	68.3	67.4	1016	1016	9.4	2.9	137.6	141.43	17	17	
9/7/2023 12:07	20	68.1	69	1016	1016	9.4	2.8	135.3	141.74	17	17	
9/7/2023 12:08	20.4	68.6	67.8	1016	1016	8.6	2.7	134.8	141.94	17	17	
9/7/2023 12:09	20.4	68.7	67.2	1016	1016	8.6	2.8	140.4	142.38	17	17	
9/7/2023 12:10	20.4	68.6	67.2	1016	1016	8.6	3	140.1	142.53	18	17	
9/7/2023 12:11	20.5	68.8	67	1016	1016	8.6	3	138.8	142.31	17	17	
9/7/2023 12:12	20.5	68.8	66.5	1016	1016	8.6	2.8	139.9	141.96	18	17	
9/7/2023 12:13	20.6	69	66.8	1016	1016	8.6	2.8	140.3	141.25	17	17	
9/7/2023 12:14	20.5	68.8	67.2	1016	1016	8.6	2.8	141.8	140.27	17	17	
9/7/2023 12:15	20.7	69.2	66.7	1016	1016	8.6	2.8	145.2	140.19	18	17	
9/7/2023 12:16	20.8	69.4	66	1016	1016	8.6	2.6	136.6	139.78	17	17	
9/7/2023 12:17	20.9	69.6	65.4	1016	1016	7.9	2.6	131	138.89	17	17	
9/7/2023 12:18	21	69.8	65.3	1016	1016	10.5	2.5	124.1	137.68	17	17	
9/7/2023 12:19	21.1	69.9	64.4	1016	1016	10.5	2.6	131.5	137.05	17	17	
9/7/2023 12:20	21	69.7	65.3	1016	1016	10.5	2.9	135.9	136.89	17	17	
9/7/2023 12:21	21	69.7	65.5	1016	1016	10.5	2.9	135.8	136.77	16	17	
9/7/2023 12:22	21.1	70.1	64.7	1016	1016	10.5	2.9	135.9	136.81	16	17	
9/7/2023 12:23	21.2	70.2	64.4	1016	1016	10.5	3	140.2	137.17	16	17	
9/7/2023 12:24	21.3	70.3	63.6	1016	1016	10.5	3	138.8	137.06	16	16	
9/7/2023 12:25	21.3	70.3	63.8	1016	1016	10.5	3.2	144.7	137.37	16	16	
9/7/2023 12:26	21.3	70.3	64.1	1016	1016	10.5	3.3	145.2	137.79	16	16	
9/7/2023 12:27	21.5	70.6	64.1	1016	1016	9.7	3.3	147.1	138.27	17	16	
9/7/2023 12:28	21.6	70.8	63	1016	1016	8.9	3.3	146.2	138.67	16	16	
9/7/2023 12:29	21.3	70.3	63.6	1016	1016	9.9	3.4	148.4	139.11	16	16	
9/7/2023 12:30	20.8	69.5	65.2	1016	1016	9.9	3.6	151.9	139.55	16	16	
9/7/2023 12:31	20.6	69.1	65.8	1016	1016	9.9	3.9	156	140.85	15	16	
9/7/2023 12:32	20.5	69	67	1016	1016	9.9	4.1	156.1	142.52	15	16	
9/7/2023 12:33	20.6	69.1	67.1	1016	1016	9.9	4.1	155.6	144.62	15	16	
9/7/2023 12:34	20.8	69.4	66.1	1016	1016	9.9	4.1	151.5	145.95	14	15	
9/7/2023 12:35	20.6	69.2	66.9	1016	1016	9.9	4.4	150.1	146.9	14	15	
9/7/2023 12:36	20.7	69.3	66.7	1016	1016	9.9	4.3	150.8	147.9	15	15	
9/7/2023 12:37	20.7	69.3	66.2	1016	1016	9.9	4.3	146.4	148.6	15	15	
9/7/2023 12:38	21	69.7	65.3	1016	1016	9.6	4.2	143.9	148.85	15	15	
9/7/2023 12:39	21	69.7	65.8	1016	1016	9.6	4.2	142.1	149.07	18	15	
9/7/2023 12:40	21.1	69.9	65.2	1015	1015	15.4	4	133.7	148.33	15	15	
9/7/2023 12:41	21.3	70.3	63.7	1016	1016	15.4	4.1	133.2	147.53	16	15	
9/7/2023 12:42	21.4	70.5	63.5	1016	1016	15.4	4.1	135	146.73	16	15	
9/7/2023 12:43	21.6	70.8	62.2	1016	1016	15.4	4	141.7	146.43	18	15	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 12:44	21.5	70.6	62.3	1016	1016	15.4	4	145.5	146.23	21	15	
9/7/2023 12:45	21.4	70.4	62	1016	1016	15.4	4	159.4	146.73	21	16	
9/7/2023 12:46	21.4	70.4	63.2	1016	1016	15.4	3.8	167.6	147.51	27	17	
9/7/2023 12:47	21.2	70.2	64.1	1016	1016	15.4	3.8	162.5	147.93	16	17	
9/7/2023 12:48	21.4	70.4	64.3	1016	1016	15.4	3.6	157.6	148.07	15	17	
9/7/2023 12:49	21.7	71	62.5	1016	1016	9.9	3.5	164.6	148.94	17	17	
9/7/2023 12:50	21.6	70.8	61.6	1016	1016	9.9	3.4	166.4	150.03	16	17	
9/7/2023 12:51	21.4	70.5	61.8	1016	1016	9.9	3.3	169.8	151.29	17	17	
9/7/2023 12:52	21.2	70.2	63	1016	1016	9.9	3.3	169.3	152.82	15	17	
9/7/2023 12:53	21.2	70.2	63.3	1016	1016	9.9	3.3	174.4	154.85	14	17	
9/7/2023 12:54	21.4	70.6	62.3	1016	1016	9.4	3.1	0	145.38	16	17	
9/7/2023 12:55	21.7	71	61.3	1016	1016	9.4	3.3	0	136.47	16	17	
9/7/2023 12:56	21.6	70.9	61.7	1015	1015	9.4	3.1	295.9	147.31	15	17	
9/7/2023 12:57	21.8	71.2	61.4	1016	1016	9.4	3.1	302.1	158.45	14	17	
9/7/2023 12:58	21.8	71.2	62.5	1016	1016	8.9	3.2	306.1	169.41	13	16	
9/7/2023 12:59	21.7	71	62.5	1016	1016	8.9	3.1	306.9	180.17	13	16	
9/7/2023 13:00	21.4	70.5	64.2	1016	1016	9.6	3.4	300.2	189.56	14	15	0.0031144
9/7/2023 13:01	21.3	70.4	64.2	1015	1015	9.6	3.5	289.2	197.67	15	15	
9/7/2023 13:02	21.4	70.6	63.5	1015	1015	9.6	3.4	284.2	205.78	14	14	
9/7/2023 13:03	21.7	71.1	62.7	1016	1016	9.6	3.4	280.6	213.98	14	14	
9/7/2023 13:04	21.5	70.8	63.2	1015	1015	11.3	3.8	274	221.27	13	14	
9/7/2023 13:05	21.4	70.6	64.3	1015	1015	11.3	3.8	270.6	228.22	13	14	
9/7/2023 13:06	21.6	70.8	63	1015	1015	11.3	3.7	268.3	234.79	13	14	
9/7/2023 13:07	21.7	71	62.1	1015	1015	11.3	3.8	270.2	241.51	13	14	
9/7/2023 13:08	22	71.5	61.5	1015	1015	11.3	3.7	275.7	248.27	13	13	
9/7/2023 13:09	22	71.5	60.8	1015	1015	11.3	3.5	282.9	267.13	15	13	
9/7/2023 13:10	21.9	71.5	61.5	1015	1015	11.3	3.3	292.5	286.63	15	13	
9/7/2023 13:11	21.6	71	62.9	1015	1015	11.3	3.6	297.3	286.72	14	13	
9/7/2023 13:12	21.8	71.2	62.7	1015	1015	11.3	3.6	297.6	286.42	13	13	
9/7/2023 13:13	21.7	71	63.2	1015	1015	10.8	3.5	296.1	285.75	15	13	
9/7/2023 13:14	21.8	71.3	61.9	1015	1015	10.8	3.4	304.8	285.61	14	13	
9/7/2023 13:15	21.7	71.1	62.3	1015	1015	10.8	3.6	305.9	285.99	13	13	
9/7/2023 13:16	21.6	70.9	61.3	1015	1015	10.8	3.6	308.9	287.31	15	13	
9/7/2023 13:17	21.5	70.8	62.1	1015	1015	10.8	3.8	311.1	289.1	16	13	
9/7/2023 13:18	21.6	71	61.2	1015	1015	10.8	3.9	315	291.39	16	14	
9/7/2023 13:19	21.4	70.5	62.4	1015	1015	10.8	4	317	294.26	15	14	
9/7/2023 13:20	21.4	70.6	61.9	1015	1015	10.8	3.8	316.9	297.35	16	14	
9/7/2023 13:21	21.5	70.8	61.5	1015	1015	10.2	3.7	318.5	300.69	17	14	
9/7/2023 13:22	21.6	71	61.9	1015	1015	9.8	3.5	322.3	304.17	16	14	
9/7/2023 13:23	21.8	71.2	62	1015	1015	9.8	3.2	324.2	307.4	14	14	
9/7/2023 13:24	21.9	71.5	61.9	1015	1015	10.2	3.2	320.2	309.89	13	14	
9/7/2023 13:25	21.9	71.5	62	1015	1015	10.2	3.1	314.9	311.38	13	14	
9/7/2023 13:26	22	71.5	62.8	1015	1015	10.2	2.9	309	312.16	13	14	
9/7/2023 13:27	21.8	71.2	61.5	1015	1015	10.2	3	304.6	312.63	13	14	
9/7/2023 13:28	21.6	70.8	61.9	1015	1015	10.2	3	306.8	313.34	14	14	
9/7/2023 13:29	21.6	70.9	62.3	1015	1015	10.2	3	306.1	313.43	14	14	
9/7/2023 13:30	21.8	71.3	62.1	1015	1015	10.2	3.2	304.8	313.35	13	14	
9/7/2023 13:31	21.8	71.2	62.7	1015	1015	10.2	3.3	301.8	312.88	13	14	
9/7/2023 13:32	21.9	71.5	61.1	1015	1015	10.2	3.4	303	312.34	14	14	
9/7/2023 13:33	22	71.7	60.9	1015	1015	8.6	3.6	302.5	311.51	14	14	
9/7/2023 13:34	22	71.7	61.3	1015	1015	8.6	3.6	302.2	310.52	13	14	
9/7/2023 13:35	22.1	71.9	60.8	1015	1015	8.6	3.7	304.3	309.68	13	13	
9/7/2023 13:36	22.2	72	59.9	1015	1015	10.6	3.7	303.1	308.65	16	13	
9/7/2023 13:37	22.1	71.9	60.3	1015	1015	10.6	3.6	301.1	307.24	16	13	
9/7/2023 13:38	22	71.7	59.8	1015	1015	10.6	3.7	303.3	305.85	16	13	
9/7/2023 13:39	21.8	71.3	61	1015	1015	10.6	3.5	304.9	304.83	17	14	
9/7/2023 13:40	21.7	71.1	62	1015	1015	10.6	3.6	304.3	304.12	16	14	
9/7/2023 13:41	21.6	70.9	62.4	1015	1015	11.4	3.8	303.8	303.77	13	14	
9/7/2023 13:42	21.4	70.6	63.3	1015	1015	11.7	4	305.5	303.83	13	14	
9/7/2023 13:43	21.4	70.6	63.6	1015	1015	11.7	4	303.7	303.63	12	14	
9/7/2023 13:44	21.4	70.6	63.9	1015	1015	11.7	4	298.7	303.13	13	14	
9/7/2023 13:45	21.5	70.7	63.5	1015	1015	11.7	3.9	296.6	302.59	12	14	
9/7/2023 13:46	21.7	71.1	62.5	1015	1015	11.7	3.8	296	302.2	13	14	

Demolition Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 13:47	21.8	71.3	60.8	1015	1015	11.7	3.8	291.4	301.43	13	14	
9/7/2023 13:48	21.7	71.1	61.3	1015	1015	11.7	3.9	287.9	300.45	15	14	
9/7/2023 13:49	21.6	70.9	61.7	1015	1015	11.7	3.8	288.5	299.54	14	14	
9/7/2023 13:50	21.8	71.2	61.3	1015	1015	11.7	3.9	288.6	298.49	14	14	
9/7/2023 13:51	21.8	71.3	60.2	1015	1015	10.2	3.6	288.1	297.49	14	14	
9/7/2023 13:52	21.9	71.5	60.4	1015	1015	8.2	3.5	291.7	296.87	14	13	
9/7/2023 13:53	21.7	71.1	60.9	1015	1015	10.7	3.6	298.8	296.57	16	13	
9/7/2023 13:54	21.6	70.9	61.7	1015	1015	10.7	3.6	304.7	296.55	22	14	
9/7/2023 13:55	21.8	71.3	61	1015	1015	10.7	3.6	301.6	296.37	16	14	
9/7/2023 13:56	21.9	71.4	60.1	1015	1015	10.7	3.5	304.2	296.4	15	14	
9/7/2023 13:57	21.7	71.1	60.9	1015	1015	10.7	3.7	305.7	296.41	15	14	
9/7/2023 13:58	21.6	70.9	61.7	1015	1015	10.7	3.9	305.8	296.55	15	14	
9/7/2023 13:59	21.7	71.1	61.3	1015	1015	10.7	3.9	307.5	297.14	16	14	
9/7/2023 14:00	22	71.5	60.3	1015	1015	10.7	3.8	307.5	297.87	16	15	0.0038063
9/7/2023 14:01	22.3	72.1	59.5	1015	1015	10.7	3.8	307.7	298.65	16	15	
9/7/2023 14:02	22.5	72.4	58.8	1015	1015	9.9	3.7	309	299.82	17	15	
9/7/2023 14:03	22	71.7	60	1015	1015	9.9	3.8	305.5	300.99	15	15	
9/7/2023 14:04	22	71.7	60.3	1015	1015	9.9	3.8	308.6	302.33	16	15	
9/7/2023 14:05	22.2	72	59.2	1015	1015	9.9	3.7	310.1	303.77	15	15	
9/7/2023 14:06	22.4	72.4	58.7	1015	1015	9.9	3.5	315.1	305.57	15	15	
9/7/2023 14:07	22.6	72.6	58.6	1015	1015	9.9	3.4	317.4	307.28	14	15	
9/7/2023 14:08	22.6	72.7	58.1	1015	1015	8.9	3.3	318.1	308.57	15	15	
9/7/2023 14:09	22.5	72.5	58.2	1015	1015	8.9	3.3	320.5	309.62	15	15	
9/7/2023 14:10	22.5	72.5	58	1015	1015	8.9	3.4	322.9	311.04	15	15	
9/7/2023 14:11	22.4	72.4	58.2	1015	1015	8.8	3.3	321.8	312.21	16	15	
9/7/2023 14:12	22.3	72.2	59.3	1015	1015	8.8	3.2	324.1	313.44	17	15	
9/7/2023 14:13	22.3	72.2	59.3	1015	1015	8.8	3.4	324.6	314.69	17	15	
9/7/2023 14:14	22.5	72.5	58.7	1015	1015	8.8	3.4	324.3	315.81	16	15	
9/7/2023 14:15	22.7	72.9	58.1	1015	1015	8.8	3.3	323	316.85	14	15	
9/7/2023 14:16	22.7	72.9	57.4	1015	1015	8.8	3.2	322.3	317.82	14	15	
9/7/2023 14:17	22.3	72.1	58.7	1015	1015	8.8	3.4	325.1	318.89	15	15	
9/7/2023 14:18	22.1	71.8	59.7	1015	1015	8.8	3.4	323.9	320.12	14	15	
9/7/2023 14:19	22.1	71.8	59.4	1015	1015	10.1	3.4	321	320.95	14	15	
9/7/2023 14:20	21.9	71.4	60.2	1015	1015	10.1	3.7	320.3	321.63	15	15	
9/7/2023 14:21	21.7	71	60.4	1015	1015	10.1	3.6	317.8	321.81	16	15	
9/7/2023 14:22	21.6	70.9	61.1	1015	1015	10.1	3.5	312.4	321.47	15	15	
9/7/2023 14:23	22	71.6	59.7	1015	1015	10.1	3.5	311.2	321.01	13	15	
9/7/2023 14:24	22.2	72	58.7	1015	1015	10.1	3.7	309	320.25	14	15	
9/7/2023 14:25	22.2	72	59.5	1015	1015	10.1	3.7	306.8	319.17	14	14	
9/7/2023 14:26	22.3	72.2	59.2	1015	1015	10.1	3.7	301.5	317.82	15	14	
9/7/2023 14:27	22	71.6	59.9	1015	1015	10.1	3.9	301.9	316.34	14	14	
9/7/2023 14:28	21.9	71.4	60.5	1015	1015	11.4	3.9	300.6	314.74	15	14	
9/7/2023 14:29	21.9	71.4	60.2	1015	1015	11.4	3.8	303.4	313.35	14	14	
9/7/2023 14:30	21.7	71.1	60.9	1015	1015	11.4	3.8	301.2	311.89	14	14	
9/7/2023 14:31	21.6	70.9	61.2	1015	1015	11.4	4	306.3	310.83	15	14	
9/7/2023 14:32	21.6	70.9	61.2	1015	1015	11.4	4.2	307	309.62	14	14	
9/7/2023 14:33	21.6	70.9	61.3	1015	1015	11.4	4.3	307.8	308.55	14	14	
9/7/2023 14:34	21.6	70.9	61.2	1015	1015	11.4	4.4	310.5	307.85	14	14	
9/7/2023 14:35	21.5	70.7	60.9	1015	1015	11.4	4.5	316.5	307.59	15	14	
9/7/2023 14:36	21.6	70.9	61	1015	1015	11.4	4.6	320.1	307.75	17	14	
9/7/2023 14:37	21.5	70.8	61.3	1015	1015	9.9	4.7	323	308.45	15	14	
9/7/2023 14:38	21.4	70.6	61.6	1015	1015	9.9	4.8	323.6	309.28	14	14	
9/7/2023 14:39	21.6	70.9	61.2	1015	1015	9.9	4.9	327.2	310.49	14	14	
9/7/2023 14:40	21.8	71.3	60.4	1015	1015	9.9	4.8	326	311.77	14	14	
9/7/2023 14:41	22	71.7	59.8	1015	1015	9.9	4.8	327.8	313.53	14	14	
9/7/2023 14:42	22.1	71.9	59.1	1015	1015	9.8	4.8	329.8	315.39	15	14	
9/7/2023 14:43	21.9	71.5	60.3	1015	1015	9.8	4.6	331.9	317.47	15	14	
9/7/2023 14:44	22	71.7	59.8	1015	1015	9.6	4.5	328.8	319.17	14	14	
9/7/2023 14:45	22	71.7	59.6	1015	1015	9.6	4.2	324.1	320.69	14	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:01	23	23	
9/7/2023 7:02	40	31	
9/7/2023 7:04	21	28	
9/7/2023 7:05	20	26	
9/7/2023 7:06	20	24	
9/7/2023 7:07	20	24	
9/7/2023 7:08	19	23	
9/7/2023 7:09	18	22	
9/7/2023 7:10	17	22	
9/7/2023 7:11	17	21	
9/7/2023 7:12	40	23	
9/7/2023 7:13	109	30	
9/7/2023 7:14	24	29	
9/7/2023 7:15	22	29	
9/7/2023 7:16	22	29	
9/7/2023 7:17	19	27	
9/7/2023 7:18	18	27	
9/7/2023 7:19	18	26	
9/7/2023 7:20	20	26	
9/7/2023 7:21	21	26	
9/7/2023 7:22	19	26	
9/7/2023 7:23	18	26	
9/7/2023 7:24	18	26	
9/7/2023 7:25	17	26	
9/7/2023 7:26	17	26	
9/7/2023 7:27	17	25	
9/7/2023 7:28	17	19	
9/7/2023 7:29	17	18	
9/7/2023 7:30	17	18	
9/7/2023 7:31	17	18	
9/7/2023 7:32	18	17	
9/7/2023 7:33	17	17	
9/7/2023 7:34	18	17	
9/7/2023 7:35	17	17	
9/7/2023 7:36	17	17	
9/7/2023 7:37	18	17	
9/7/2023 7:38	19	17	
9/7/2023 7:39	20	17	
9/7/2023 7:40	19	17	
9/7/2023 7:41	19	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:42	18	17	
9/7/2023 7:43	18	17	
9/7/2023 7:44	22	18	
9/7/2023 7:45	19	18	
9/7/2023 7:46	19	18	
9/7/2023 7:51	18	19	
9/7/2023 7:52	18	19	
9/7/2023 7:53	18	18	
9/7/2023 7:54	18	18	
9/7/2023 7:55	18	18	
9/7/2023 7:56	25	19	
9/7/2023 7:57	22	19	
9/7/2023 7:58	20	19	
9/7/2023 7:59	21	19	
9/7/2023 8:00	19	19	0.00071154
9/7/2023 8:01	20	19	
9/7/2023 8:02	20	19	
9/7/2023 8:03	22	19	
9/7/2023 8:04	20	19	
9/7/2023 8:05	20	19	
9/7/2023 8:06	21	20	
9/7/2023 8:07	20	20	
9/7/2023 8:08	21	20	
9/7/2023 8:09	18	20	
9/7/2023 8:10	18	20	
9/7/2023 8:11	18	20	
9/7/2023 8:12	18	19	
9/7/2023 8:13	18	19	
9/7/2023 8:14	18	19	
9/7/2023 8:15	18	19	
9/7/2023 8:16	18	19	
9/7/2023 8:17	18	19	
9/7/2023 8:18	18	18	
9/7/2023 8:19	18	18	
9/7/2023 8:20	18	18	
9/7/2023 8:21	18	18	
9/7/2023 8:22	20	18	
9/7/2023 8:23	20	18	
9/7/2023 8:24	18	18	
9/7/2023 8:25	18	18	
9/7/2023 8:26	18	18	
9/7/2023 8:27	19	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:28	19	18	
9/7/2023 8:29	17	18	
9/7/2023 8:30	17	18	
9/7/2023 8:31	17	18	
9/7/2023 8:32	19	18	
9/7/2023 8:33	17	18	
9/7/2023 8:34	17	18	
9/7/2023 8:35	17	18	
9/7/2023 8:36	18	18	
9/7/2023 8:37	17	17	
9/7/2023 8:38	17	17	
9/7/2023 8:39	18	17	
9/7/2023 8:40	17	17	
9/7/2023 8:41	17	17	
9/7/2023 8:42	17	17	
9/7/2023 8:43	16	17	
9/7/2023 8:44	16	17	
9/7/2023 8:45	16	17	
9/7/2023 8:46	18	17	
9/7/2023 8:47	20	17	
9/7/2023 8:48	21	17	
9/7/2023 8:49	17	17	
9/7/2023 8:50	16	17	
9/7/2023 8:51	16	17	
9/7/2023 8:52	19	17	
9/7/2023 8:53	26	18	
9/7/2023 8:54	17	17	
9/7/2023 8:55	17	17	
9/7/2023 8:56	22	18	
9/7/2023 8:57	16	18	
9/7/2023 8:58	17	18	
9/7/2023 8:59	19	18	
9/7/2023 9:00	19	18	0.0011224
9/7/2023 9:01	16	18	
9/7/2023 9:02	16	18	
9/7/2023 9:03	17	18	
9/7/2023 9:04	18	18	
9/7/2023 9:05	16	18	
9/7/2023 9:06	16	18	
9/7/2023 9:07	17	17	
9/7/2023 9:08	16	17	
9/7/2023 9:09	18	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 9:10	40	18	
9/7/2023 9:11	24	19	
9/7/2023 9:12	18	19	
9/7/2023 9:13	17	19	
9/7/2023 9:14	18	19	
9/7/2023 9:15	17	18	
9/7/2023 9:16	16	18	
9/7/2023 9:17	16	18	
9/7/2023 9:18	16	18	
9/7/2023 9:19	16	18	
9/7/2023 9:20	16	18	
9/7/2023 9:21	17	18	
9/7/2023 9:22	21	19	
9/7/2023 9:23	108	25	
9/7/2023 9:24	22	25	
9/7/2023 9:25	24	24	
9/7/2023 9:26	26	24	
9/7/2023 9:27	18	24	
9/7/2023 9:28	28	25	
9/7/2023 9:29	23	25	
9/7/2023 9:30	24	26	
9/7/2023 9:31	18	26	
9/7/2023 9:32	17	26	
9/7/2023 9:33	17	26	
9/7/2023 9:34	17	26	
9/7/2023 9:35	16	26	
9/7/2023 9:36	18	26	
9/7/2023 9:37	17	26	
9/7/2023 9:38	16	20	
9/7/2023 9:39	15	19	
9/7/2023 9:40	15	19	
9/7/2023 9:41	15	18	
9/7/2023 9:42	16	18	
9/7/2023 9:43	17	17	
9/7/2023 9:44	16	16	
9/7/2023 9:45	16	16	
9/7/2023 9:46	16	16	
9/7/2023 9:47	16	16	
9/7/2023 9:48	15	16	
9/7/2023 9:49	15	15	
9/7/2023 9:50	16	15	
9/7/2023 9:51	19	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 9:52	17	16	0.0020872
9/7/2023 9:53	18	16	
9/7/2023 9:54	16	16	
9/7/2023 9:55	16	16	
9/7/2023 9:56	31	17	
9/7/2023 9:57	15	17	
9/7/2023 9:58	16	17	
9/7/2023 9:59	15	17	
9/7/2023 10:00	16	17	
9/7/2023 10:01	29	18	
9/7/2023 10:02	14	17	
9/7/2023 10:03	14	17	
9/7/2023 10:04	14	17	
9/7/2023 10:05	15	17	
9/7/2023 10:06	16	17	
9/7/2023 10:07	15	17	
9/7/2023 10:08	14	17	
9/7/2023 10:09	15	17	
9/7/2023 10:10	19	17	
9/7/2023 10:11	15	16	
9/7/2023 10:12	20	16	
9/7/2023 10:13	17	16	
9/7/2023 10:14	14	16	
9/7/2023 10:15	14	16	
9/7/2023 10:16	15	15	
9/7/2023 10:17	14	15	
9/7/2023 10:18	14	15	
9/7/2023 10:19	15	15	
9/7/2023 10:20	14	15	
9/7/2023 10:21	14	15	
9/7/2023 10:22	14	15	
9/7/2023 10:23	14	15	
9/7/2023 10:24	14	15	
9/7/2023 10:25	14	14	
9/7/2023 10:26	21	15	
9/7/2023 10:27	15	14	
9/7/2023 10:28	33	15	
9/7/2023 10:29	19	16	
9/7/2023 10:30	22	16	
9/7/2023 10:39	25	21	
9/7/2023 10:40	26	23	
9/7/2023 10:41	16	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:42	17	22	
9/7/2023 10:43	17	20	
9/7/2023 10:44	16	19	
9/7/2023 10:45	15	18	
9/7/2023 10:46	16	18	
9/7/2023 10:47	17	18	
9/7/2023 10:48	16	18	
9/7/2023 10:49	22	18	
9/7/2023 10:50	16	18	
9/7/2023 10:51	16	18	
9/7/2023 10:52	15	17	
9/7/2023 10:53	15	17	
9/7/2023 10:54	28	17	
9/7/2023 10:55	17	17	
9/7/2023 10:56	16	17	
9/7/2023 10:57	15	17	
9/7/2023 10:58	15	17	
9/7/2023 10:59	16	17	
9/7/2023 11:00	15	17	0.0024548
9/7/2023 11:01	15	16	
9/7/2023 11:02	16	16	
9/7/2023 11:03	15	16	
9/7/2023 11:04	15	16	
9/7/2023 11:05	19	16	
9/7/2023 11:06	15	16	
9/7/2023 11:07	15	16	
9/7/2023 11:08	17	16	
9/7/2023 11:09	30	16	
9/7/2023 11:10	15	16	
9/7/2023 11:11	14	16	
9/7/2023 11:12	15	16	
9/7/2023 11:13	17	16	
9/7/2023 11:14	16	16	
9/7/2023 11:15	16	16	
9/7/2023 11:16	15	16	
9/7/2023 11:17	14	16	
9/7/2023 11:18	14	16	
9/7/2023 11:19	14	16	
9/7/2023 11:20	14	16	
9/7/2023 11:21	14	16	
9/7/2023 11:22	14	15	
9/7/2023 11:23	14	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 11:24	14	14	
9/7/2023 11:25	14	14	
9/7/2023 11:26	15	14	
9/7/2023 11:27	15	14	
9/7/2023 11:28	15	14	
9/7/2023 11:29	14	14	
9/7/2023 11:30	15	14	
9/7/2023 11:31	14	14	
9/7/2023 11:32	15	14	
9/7/2023 11:33	14	14	
9/7/2023 11:34	14	14	
9/7/2023 11:35	14	14	
9/7/2023 11:36	15	14	
9/7/2023 11:37	15	14	
9/7/2023 11:38	15	14	
9/7/2023 11:39	15	14	
9/7/2023 11:40	16	14	
9/7/2023 11:41	16	14	
9/7/2023 11:42	16	14	
9/7/2023 11:43	16	14	
9/7/2023 11:44	15	15	
9/7/2023 11:45	15	15	
9/7/2023 11:46	15	15	
9/7/2023 11:47	17	15	
9/7/2023 11:48	17	15	
9/7/2023 11:49	16	15	
9/7/2023 11:50	17	15	
9/7/2023 11:51	16	15	
9/7/2023 11:52	16	15	
9/7/2023 11:53	16	15	
9/7/2023 11:54	17	16	
9/7/2023 11:55	20	16	
9/7/2023 11:56	17	16	
9/7/2023 11:57	17	16	
9/7/2023 11:58	19	16	
9/7/2023 11:59	18	16	
9/7/2023 12:00	17	17	0.0023238
9/7/2023 12:01	16	17	
9/7/2023 12:02	16	17	
9/7/2023 12:03	16	16	
9/7/2023 12:04	16	16	
9/7/2023 12:05	16	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:06	17	16	
9/7/2023 12:07	17	17	
9/7/2023 12:08	21	17	
9/7/2023 12:09	16	17	
9/7/2023 12:10	17	17	
9/7/2023 12:11	17	17	
9/7/2023 12:12	17	17	
9/7/2023 12:13	17	16	
9/7/2023 12:14	17	16	
9/7/2023 12:15	17	16	
9/7/2023 12:16	16	16	
9/7/2023 12:17	17	16	
9/7/2023 12:18	19	17	
9/7/2023 12:19	17	17	
9/7/2023 12:20	16	17	
9/7/2023 12:21	20	17	
9/7/2023 12:22	24	17	
9/7/2023 12:23	17	17	
9/7/2023 12:24	16	17	
9/7/2023 12:25	15	17	
9/7/2023 12:26	16	17	
9/7/2023 12:27	16	17	
9/7/2023 12:28	15	17	
9/7/2023 12:29	16	17	
9/7/2023 12:30	16	17	
9/7/2023 12:31	16	17	
9/7/2023 12:32	14	16	
9/7/2023 12:33	14	16	
9/7/2023 12:34	18	16	
9/7/2023 12:35	16	16	
9/7/2023 12:36	14	16	
9/7/2023 12:37	17	15	
9/7/2023 12:38	18	15	
9/7/2023 12:39	16	15	
9/7/2023 12:40	16	15	
9/7/2023 12:41	17	15	
9/7/2023 12:42	20	16	
9/7/2023 12:43	19	16	
9/7/2023 12:44	17	16	
9/7/2023 12:45	19	16	
9/7/2023 12:46	17	16	
9/7/2023 12:47	15	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:48	14	16	
9/7/2023 12:49	15	16	
9/7/2023 12:50	16	16	
9/7/2023 12:51	16	16	
9/7/2023 12:52	17	16	
9/7/2023 12:53	16	16	
9/7/2023 12:54	15	16	
9/7/2023 12:55	15	16	
9/7/2023 12:56	16	16	
9/7/2023 12:57	13	16	
9/7/2023 12:58	14	15	
9/7/2023 12:59	14	15	
9/7/2023 13:00	25	15	0.0025893
9/7/2023 13:01	26	16	
9/7/2023 13:02	21	16	
9/7/2023 13:03	15	16	
9/7/2023 13:04	22	17	
9/7/2023 13:05	18	17	
9/7/2023 13:06	12	17	
9/7/2023 13:07	14	17	
9/7/2023 13:08	14	16	
9/7/2023 13:09	14	16	
9/7/2023 13:10	14	16	
9/7/2023 13:11	14	16	
9/7/2023 13:12	14	16	
9/7/2023 13:13	14	16	
9/7/2023 13:14	14	16	
9/7/2023 13:15	14	16	
9/7/2023 13:16	14	15	
9/7/2023 13:17	14	14	
9/7/2023 13:18	14	14	
9/7/2023 13:19	14	14	
9/7/2023 13:20	14	13	
9/7/2023 13:21	14	14	
9/7/2023 13:22	14	14	
9/7/2023 13:23	14	14	
9/7/2023 13:24	14	14	
9/7/2023 13:25	14	14	
9/7/2023 13:26	14	14	
9/7/2023 13:27	14	14	
9/7/2023 13:28	14	14	
9/7/2023 13:29	14	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 13:30	14	14	
9/7/2023 13:31	14	14	
9/7/2023 13:32	14	14	
9/7/2023 13:33	14	14	
9/7/2023 13:34	14	14	
9/7/2023 13:39	15	14	
9/7/2023 13:40	16	14	
9/7/2023 13:41	14	14	
9/7/2023 13:42	16	14	
9/7/2023 13:43	13	14	
9/7/2023 13:44	49	17	
9/7/2023 13:45	20	18	
9/7/2023 13:46	14	18	
9/7/2023 13:47	15	18	
9/7/2023 13:48	14	18	
9/7/2023 13:49	13	18	
9/7/2023 13:50	13	17	
9/7/2023 13:51	14	17	
9/7/2023 13:52	16	17	
9/7/2023 13:53	17	17	
9/7/2023 13:54	22	17	
9/7/2023 13:55	18	17	
9/7/2023 13:56	17	18	
9/7/2023 13:57	18	18	
9/7/2023 13:58	17	18	
9/7/2023 13:59	23	16	
9/7/2023 14:00	17	16	0.0026766
9/7/2023 14:01	14	16	
9/7/2023 14:02	14	16	
9/7/2023 14:03	14	16	
9/7/2023 14:04	14	16	
9/7/2023 14:05	14	16	
9/7/2023 14:06	15	16	
9/7/2023 14:07	14	16	
9/7/2023 14:08	16	16	
9/7/2023 14:09	14	15	
9/7/2023 14:10	13	15	
9/7/2023 14:11	15	15	
9/7/2023 14:12	15	15	
9/7/2023 14:13	14	15	
9/7/2023 14:14	15	14	
9/7/2023 14:15	13	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 14:16	15	14	
9/7/2023 14:17	18	14	
9/7/2023 14:18	14	14	
9/7/2023 14:19	14	14	
9/7/2023 14:20	15	14	
9/7/2023 14:21	18	14	
9/7/2023 14:22	14	14	
9/7/2023 14:23	15	14	
9/7/2023 14:24	14	14	
9/7/2023 14:25	15	14	
9/7/2023 14:26	15	14	
9/7/2023 14:27	15	14	
9/7/2023 14:28	19	15	
9/7/2023 14:29	17	15	
9/7/2023 14:30	14	15	
9/7/2023 14:31	13	15	
9/7/2023 14:32	21	15	
9/7/2023 14:33	29	16	
9/7/2023 14:34	19	16	
9/7/2023 14:35	15	16	
9/7/2023 14:36	14	16	
9/7/2023 14:37	19	16	
9/7/2023 14:38	14	16	
9/7/2023 14:39	13	16	
9/7/2023 14:40	13	16	
9/7/2023 14:41	13	16	
9/7/2023 14:42	14	16	
9/7/2023 14:43	14	16	
9/7/2023 14:44	14	15	
9/7/2023 14:45	14	15	
9/7/2023 14:46	13	15	
9/7/2023 14:47	13	15	
9/7/2023 14:48	13	14	
9/7/2023 14:49	13	13	
9/7/2023 14:50	13	13	
9/7/2023 14:51	13	13	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 6:50	16	16	0
9/7/2023 6:52	54	35	
9/7/2023 6:53	29	33	
9/7/2023 6:54	19	29	
9/7/2023 6:55	17	27	
9/7/2023 6:56	17	25	
9/7/2023 6:57	19	24	
9/7/2023 6:58	24	24	
9/7/2023 6:59	27	24	
9/7/2023 7:00	19	24	
9/7/2023 7:01	18	23	
9/7/2023 7:02	17	23	
9/7/2023 7:03	16	22	
9/7/2023 7:04	18	22	
9/7/2023 7:05	19	22	
9/7/2023 7:06	19	22	
9/7/2023 7:07	18	19	
9/7/2023 7:08	20	19	
9/7/2023 7:09	22	19	
9/7/2023 7:10	19	19	
9/7/2023 7:11	20	19	
9/7/2023 7:12	19	19	
9/7/2023 7:13	23	19	
9/7/2023 7:14	20	19	
9/7/2023 7:15	22	19	
9/7/2023 7:16	20	19	
9/7/2023 7:17	20	19	
9/7/2023 7:18	22	20	
9/7/2023 7:19	21	20	
9/7/2023 7:20	22	20	
9/7/2023 7:21	26	20	
9/7/2023 7:22	44	22	
9/7/2023 7:23	29	23	
9/7/2023 7:24	21	23	
9/7/2023 7:25	19	23	
9/7/2023 7:26	17	23	
9/7/2023 7:27	17	22	
9/7/2023 7:28	19	22	
9/7/2023 7:29	17	22	
9/7/2023 7:30	17	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:31	17	21	
9/7/2023 7:32	18	21	
9/7/2023 7:33	19	21	
9/7/2023 7:34	23	21	
9/7/2023 7:35	19	21	
9/7/2023 7:36	20	21	
9/7/2023 7:37	18	19	
9/7/2023 7:38	19	18	
9/7/2023 7:39	20	18	
9/7/2023 7:40	21	18	
9/7/2023 7:41	30	19	
9/7/2023 7:42	34	20	
9/7/2023 7:43	37	21	
9/7/2023 7:44	35	23	
9/7/2023 7:45	23	23	
9/7/2023 7:46	20	23	
9/7/2023 7:47	19	23	
9/7/2023 7:48	20	23	
9/7/2023 7:49	20	23	
9/7/2023 7:50	20	23	
9/7/2023 7:51	21	23	
9/7/2023 7:53	21	24	
9/7/2023 7:54	21	24	
9/7/2023 7:55	20	24	
9/7/2023 7:56	19	23	
9/7/2023 7:57	19	22	
9/7/2023 7:58	19	21	
9/7/2023 7:59	20	20	
9/7/2023 8:00	19	19	0.00067797
9/7/2023 8:01	19	19	
9/7/2023 8:02	19	19	
9/7/2023 8:03	20	19	
9/7/2023 8:04	19	19	
9/7/2023 8:05	19	19	
9/7/2023 8:06	20	19	
9/7/2023 8:07	21	19	
9/7/2023 8:08	25	19	
9/7/2023 8:09	51	21	
9/7/2023 8:10	24	22	
9/7/2023 8:11	20	22	
9/7/2023 8:12	19	22	
9/7/2023 8:13	19	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:14	19	22	
9/7/2023 8:15	19	22	
9/7/2023 8:16	21	22	
9/7/2023 8:17	18	22	
9/7/2023 8:18	18	22	
9/7/2023 8:19	18	22	
9/7/2023 8:20	18	22	
9/7/2023 8:21	28	22	
9/7/2023 8:22	32	23	
9/7/2023 8:23	22	23	
9/7/2023 8:24	22	21	
9/7/2023 8:25	23	21	
9/7/2023 8:26	32	21	
9/7/2023 8:27	32	22	
9/7/2023 8:28	22	22	
9/7/2023 8:29	20	23	
9/7/2023 8:30	18	22	
9/7/2023 8:31	18	22	
9/7/2023 8:32	18	22	
9/7/2023 8:33	19	22	
9/7/2023 8:34	19	22	
9/7/2023 8:35	19	22	
9/7/2023 8:36	19	22	
9/7/2023 8:37	18	21	
9/7/2023 8:38	19	21	
9/7/2023 8:39	19	21	
9/7/2023 8:40	18	20	
9/7/2023 8:41	18	19	
9/7/2023 8:42	17	18	
9/7/2023 8:43	17	18	
9/7/2023 8:44	17	18	
9/7/2023 8:45	18	18	
9/7/2023 8:46	19	18	
9/7/2023 8:47	21	18	
9/7/2023 8:48	21	18	
9/7/2023 8:49	18	18	
9/7/2023 8:50	17	18	
9/7/2023 8:51	17	18	
9/7/2023 8:52	18	18	
9/7/2023 8:53	27	18	
9/7/2023 8:54	23	19	
9/7/2023 8:55	26	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:56	32	20	0.00098531
9/7/2023 8:57	22	20	
9/7/2023 8:58	19	21	
9/7/2023 8:59	21	21	
9/7/2023 9:00	19	21	
9/7/2023 9:01	20	21	
9/7/2023 9:02	19	21	
9/7/2023 9:03	22	21	
9/7/2023 9:04	23	21	
9/7/2023 9:05	22	22	
9/7/2023 9:06	20	22	
9/7/2023 9:07	19	22	
9/7/2023 9:08	19	21	
9/7/2023 9:09	18	21	
9/7/2023 9:10	17	20	
9/7/2023 9:11	19	19	
9/7/2023 9:12	18	19	
9/7/2023 9:13	19	19	
9/7/2023 9:14	17	19	
9/7/2023 9:15	18	19	
9/7/2023 9:16	18	19	
9/7/2023 9:17	19	19	
9/7/2023 9:18	21	19	
9/7/2023 9:19	18	18	
9/7/2023 9:20	19	18	
9/7/2023 9:21	19	18	
9/7/2023 9:22	20	18	
9/7/2023 9:23	18	18	
9/7/2023 9:24	24	18	
9/7/2023 9:25	22	19	
9/7/2023 9:26	21	19	
9/7/2023 9:27	19	19	
9/7/2023 9:28	19	19	
9/7/2023 9:29	21	19	
9/7/2023 9:30	24	20	
9/7/2023 9:31	22	20	
9/7/2023 9:32	18	20	
9/7/2023 9:33	18	20	
9/7/2023 9:34	21	20	
9/7/2023 9:35	22	20	
9/7/2023 9:36	19	20	
9/7/2023 9:37	19	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 9:38	20	20	
9/7/2023 9:39	19	20	
9/7/2023 9:40	18	20	
9/7/2023 9:41	18	19	
9/7/2023 9:42	19	19	
9/7/2023 9:43	20	19	
9/7/2023 9:44	20	19	
9/7/2023 9:45	19	19	
9/7/2023 9:46	18	19	
9/7/2023 9:47	21	19	
9/7/2023 9:48	19	19	
9/7/2023 9:49	18	19	
9/7/2023 9:50	18	19	
9/7/2023 9:51	19	19	
9/7/2023 9:52	22	19	
9/7/2023 9:53	20	19	
9/7/2023 9:54	24	19	
9/7/2023 9:55	18	19	
9/7/2023 9:56	18	19	
9/7/2023 9:57	21	19	
9/7/2023 9:58	25	20	
9/7/2023 9:59	22	20	
9/7/2023 10:00	23	20	0.0017931
9/7/2023 10:01	19	20	
9/7/2023 10:02	18	20	
9/7/2023 10:03	26	20	
9/7/2023 10:04	38	22	
9/7/2023 10:05	27	22	
9/7/2023 10:06	21	22	
9/7/2023 10:07	19	22	
9/7/2023 10:08	18	22	
9/7/2023 10:09	18	22	
9/7/2023 10:10	18	22	
9/7/2023 10:11	20	22	
9/7/2023 10:12	19	22	
9/7/2023 10:13	19	21	
9/7/2023 10:14	21	21	
9/7/2023 10:15	18	21	
9/7/2023 10:16	20	21	
9/7/2023 10:17	19	21	
9/7/2023 10:18	18	20	
9/7/2023 10:19	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:20	18	19	
9/7/2023 10:21	20	18	
9/7/2023 10:22	18	18	
9/7/2023 10:23	17	18	
9/7/2023 10:24	17	18	
9/7/2023 10:25	17	18	
9/7/2023 10:26	17	18	
9/7/2023 10:27	19	18	
9/7/2023 10:28	21	18	
9/7/2023 10:29	29	19	
9/7/2023 10:30	20	19	
9/7/2023 10:31	23	19	
9/7/2023 10:32	24	19	
9/7/2023 10:33	20	19	
9/7/2023 10:34	18	19	
9/7/2023 10:35	19	19	
9/7/2023 10:36	18	19	
9/7/2023 10:37	19	19	
9/7/2023 10:38	18	19	
9/7/2023 10:39	25	20	
9/7/2023 10:40	27	21	
9/7/2023 10:41	19	21	
9/7/2023 10:42	20	21	
9/7/2023 10:43	19	21	
9/7/2023 10:44	19	20	
9/7/2023 10:45	20	20	
9/7/2023 10:46	21	20	
9/7/2023 10:47	24	20	
9/7/2023 10:48	22	20	
9/7/2023 10:49	21	20	
9/7/2023 10:50	23	21	
9/7/2023 10:51	22	21	
9/7/2023 10:52	20	21	
9/7/2023 10:53	22	21	
9/7/2023 10:54	20	21	
9/7/2023 10:55	19	20	
9/7/2023 10:56	19	20	
9/7/2023 10:57	19	20	
9/7/2023 10:58	20	20	
9/7/2023 10:59	29	21	
9/7/2023 11:00	25	21	0.0028112
9/7/2023 11:01	20	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 11:02	20	21	
9/7/2023 11:03	20	21	
9/7/2023 11:04	33	22	
9/7/2023 11:05	24	22	
9/7/2023 11:06	20	22	
9/7/2023 11:07	21	22	
9/7/2023 11:08	21	22	
9/7/2023 11:09	22	22	
9/7/2023 11:10	26	22	
9/7/2023 11:11	21	22	
9/7/2023 11:12	20	22	
9/7/2023 11:13	20	22	
9/7/2023 11:14	20	22	
9/7/2023 11:15	20	21	
9/7/2023 11:16	23	22	
9/7/2023 11:17	20	22	
9/7/2023 11:18	20	22	
9/7/2023 11:19	21	21	
9/7/2023 11:20	22	21	
9/7/2023 11:21	22	21	
9/7/2023 11:22	22	21	
9/7/2023 11:23	19	21	
9/7/2023 11:24	19	21	
9/7/2023 11:25	20	20	
9/7/2023 11:26	19	20	
9/7/2023 11:27	20	20	
9/7/2023 11:28	21	20	
9/7/2023 11:29	21	20	
9/7/2023 11:30	22	20	
9/7/2023 11:31	19	20	
9/7/2023 11:32	19	20	
9/7/2023 11:33	20	20	
9/7/2023 11:34	19	20	
9/7/2023 11:35	20	20	
9/7/2023 11:36	20	20	
9/7/2023 11:37	21	19	
9/7/2023 11:38	21	20	
9/7/2023 11:39	21	20	
9/7/2023 11:40	21	20	
9/7/2023 11:41	20	20	
9/7/2023 11:42	20	20	
9/7/2023 11:43	21	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 11:44	35	21	
9/7/2023 11:45	22	21	
9/7/2023 11:46	20	21	
9/7/2023 11:47	21	21	
9/7/2023 11:48	22	21	
9/7/2023 11:49	24	21	
9/7/2023 11:50	24	22	
9/7/2023 11:51	32	23	
9/7/2023 11:52	25	23	
9/7/2023 11:53	24	23	
9/7/2023 11:54	23	23	
9/7/2023 11:55	23	23	
9/7/2023 11:56	24	24	
9/7/2023 11:57	32	24	
9/7/2023 11:58	29	25	
9/7/2023 11:59	23	24	
9/7/2023 12:00	22	24	0.0039371
9/7/2023 12:01	23	24	
9/7/2023 12:02	22	24	
9/7/2023 12:03	22	24	
9/7/2023 12:04	36	25	
9/7/2023 12:05	37	26	
9/7/2023 12:06	29	26	
9/7/2023 12:07	23	26	
9/7/2023 12:08	23	26	
9/7/2023 12:09	24	26	
9/7/2023 12:10	23	26	
9/7/2023 12:11	21	25	
9/7/2023 12:12	21	25	
9/7/2023 12:13	23	24	
9/7/2023 12:14	22	24	
9/7/2023 12:15	22	24	
9/7/2023 12:16	22	24	
9/7/2023 12:17	22	24	
9/7/2023 12:18	22	24	
9/7/2023 12:19	24	23	
9/7/2023 12:20	25	23	
9/7/2023 12:21	23	22	
9/7/2023 12:22	23	22	
9/7/2023 12:23	23	22	
9/7/2023 12:24	20	22	
9/7/2023 12:25	21	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:26	20	22	
9/7/2023 12:27	20	22	
9/7/2023 12:28	22	22	
9/7/2023 12:29	21	22	
9/7/2023 12:30	22	22	
9/7/2023 12:31	21	21	
9/7/2023 12:32	20	21	
9/7/2023 12:33	20	21	
9/7/2023 12:34	20	21	
9/7/2023 12:35	21	21	
9/7/2023 12:36	21	21	
9/7/2023 12:37	21	20	
9/7/2023 12:38	23	20	
9/7/2023 12:39	22	21	
9/7/2023 12:40	28	21	
9/7/2023 12:41	26	21	
9/7/2023 12:42	22	22	
9/7/2023 12:43	26	22	
9/7/2023 12:44	23	22	
9/7/2023 12:45	22	22	
9/7/2023 12:46	21	22	
9/7/2023 12:47	21	22	
9/7/2023 12:48	21	22	
9/7/2023 12:49	20	22	
9/7/2023 12:50	20	22	
9/7/2023 12:51	20	22	
9/7/2023 12:52	26	22	
9/7/2023 12:53	28	23	
9/7/2023 12:54	23	23	
9/7/2023 12:55	27	23	
9/7/2023 12:56	20	22	
9/7/2023 12:57	19	22	
9/7/2023 12:58	18	21	
9/7/2023 12:59	19	21	
9/7/2023 13:00	20	21	0.005158
9/7/2023 13:01	19	21	
9/7/2023 13:02	19	21	
9/7/2023 13:03	22	21	
9/7/2023 13:04	21	21	
9/7/2023 13:05	24	21	
9/7/2023 13:06	19	21	
9/7/2023 13:07	18	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 13:12	20	19	
9/7/2023 13:16	23	20	
9/7/2023 13:17	23	21	
9/7/2023 13:18	21	21	
9/7/2023 13:19	123	33	
9/7/2023 13:20	28	34	
9/7/2023 13:21	21	34	
9/7/2023 13:22	21	35	
9/7/2023 13:23	21	33	
9/7/2023 13:24	20	32	
9/7/2023 13:25	22	31	
9/7/2023 13:26	20	30	
9/7/2023 13:27	19	30	
9/7/2023 13:28	21	29	
9/7/2023 13:29	26	29	
9/7/2023 13:30	22	28	
9/7/2023 13:31	24	28	
9/7/2023 13:32	23	28	
9/7/2023 13:33	19	28	
9/7/2023 13:34	21	21	
9/7/2023 13:35	22	21	
9/7/2023 13:36	32	22	
9/7/2023 13:37	20	22	
9/7/2023 13:38	21	22	
9/7/2023 13:39	20	22	
9/7/2023 13:40	20	22	
9/7/2023 13:41	20	22	
9/7/2023 13:42	23	22	
9/7/2023 13:43	20	22	
9/7/2023 13:44	19	21	
9/7/2023 13:45	19	21	
9/7/2023 13:46	20	21	
9/7/2023 13:47	21	21	
9/7/2023 13:48	19	21	
9/7/2023 13:49	21	21	
9/7/2023 13:50	19	20	
9/7/2023 13:51	20	20	
9/7/2023 13:52	20	20	
9/7/2023 13:53	24	20	
9/7/2023 13:54	23	20	
9/7/2023 13:55	23	20	
9/7/2023 13:56	22	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 13:57	21	20	0.0048835
9/7/2023 13:58	25	21	
9/7/2023 13:59	22	21	
9/7/2023 14:00	20	21	
9/7/2023 14:01	21	21	
9/7/2023 14:02	21	21	
9/7/2023 14:03	20	21	
9/7/2023 14:04	20	21	
9/7/2023 14:05	21	21	
9/7/2023 14:06	22	21	
9/7/2023 14:07	20	21	
9/7/2023 14:08	20	21	
9/7/2023 14:09	19	21	
9/7/2023 14:10	19	20	
9/7/2023 14:11	21	20	
9/7/2023 14:12	20	20	
9/7/2023 14:13	20	20	
9/7/2023 14:14	19	20	
9/7/2023 14:15	19	20	
9/7/2023 14:16	20	20	
9/7/2023 14:17	19	19	
9/7/2023 14:18	23	20	
9/7/2023 14:19	18	20	
9/7/2023 14:20	20	19	
9/7/2023 14:21	20	19	
9/7/2023 14:22	19	19	
9/7/2023 14:23	20	19	
9/7/2023 14:24	20	19	
9/7/2023 14:25	17	19	
9/7/2023 14:26	18	19	
9/7/2023 14:27	19	19	
9/7/2023 14:28	20	19	
9/7/2023 14:29	19	19	
9/7/2023 14:30	18	19	
9/7/2023 14:31	17	19	
9/7/2023 14:32	18	19	
9/7/2023 14:33	18	18	
9/7/2023 14:34	18	18	
9/7/2023 14:35	23	18	
9/7/2023 14:36	19	18	
9/7/2023 14:37	19	18	
9/7/2023 14:38	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 14:39	22	18	
9/7/2023 14:40	18	18	
9/7/2023 14:41	19	19	
9/7/2023 14:42	18	18	
9/7/2023 14:43	20	18	
9/7/2023 14:44	25	19	
9/7/2023 14:45	21	19	
9/7/2023 14:46	18	19	
9/7/2023 14:47	18	19	
9/7/2023 14:48	19	19	
9/7/2023 14:49	17	19	
9/7/2023 14:50	19	19	
9/7/2023 14:51	18	19	
9/7/2023 14:52	18	19	
9/7/2023 14:53	20	19	
9/7/2023 14:54	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:13	12	12	
9/7/2023 7:14	13	12	
9/7/2023 7:15	14	13	
9/7/2023 7:16	13	13	
9/7/2023 7:17	12	12	
9/7/2023 7:18	11	12	
9/7/2023 7:19	11	12	
9/7/2023 7:20	11	12	
9/7/2023 7:21	12	12	
9/7/2023 7:22	12	12	
9/7/2023 7:23	13	12	
9/7/2023 7:24	11	12	
9/7/2023 7:25	13	12	
9/7/2023 7:29	14	12	
9/7/2023 7:30	14	12	
9/7/2023 7:31	13	12	
9/7/2023 7:32	13	12	
9/7/2023 7:33	12	12	
9/7/2023 7:34	12	12	
9/7/2023 7:35	13	12	
9/7/2023 7:36	14	12	
9/7/2023 7:37	12	12	
9/7/2023 7:38	11	12	
9/7/2023 7:39	12	12	
9/7/2023 7:40	12	12	
9/7/2023 7:41	11	12	
9/7/2023 7:42	12	12	
9/7/2023 7:43	11	12	
9/7/2023 7:44	11	12	
9/7/2023 7:45	15	12	
9/7/2023 7:46	13	12	
9/7/2023 7:47	12	12	
9/7/2023 7:48	12	12	
9/7/2023 7:49	12	12	
9/7/2023 7:50	12	12	
9/7/2023 7:51	12	12	
9/7/2023 7:52	11	11	
9/7/2023 7:53	12	12	
9/7/2023 7:54	11	11	
9/7/2023 7:55	10	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:00			0.0002
9/7/2023 8:01	9	11	
9/7/2023 8:02	22	12	
9/7/2023 8:03	15	12	
9/7/2023 8:04	12	12	
9/7/2023 8:05	12	12	
9/7/2023 8:06	12	12	
9/7/2023 8:07	11	12	
9/7/2023 8:08	12	12	
9/7/2023 8:09	12	12	
9/7/2023 8:10	12	12	
9/7/2023 8:11	11	12	
9/7/2023 8:12	11	12	
9/7/2023 8:13	11	12	
9/7/2023 8:14	10	12	
9/7/2023 8:15	11	12	
9/7/2023 8:16	11	12	
9/7/2023 8:17	10	11	
9/7/2023 8:18	11	11	
9/7/2023 8:19	12	11	
9/7/2023 8:20	15	11	
9/7/2023 8:21	12	11	
9/7/2023 8:22	11	11	
9/7/2023 8:23	11	11	
9/7/2023 8:24	11	11	
9/7/2023 8:25	14	11	
9/7/2023 8:26	15	11	
9/7/2023 8:27	15	12	
9/7/2023 8:28	15	12	
9/7/2023 8:29	13	12	
9/7/2023 8:30	11	12	
9/7/2023 8:31	14	12	
9/7/2023 8:32	12	12	
9/7/2023 8:33	14	13	
9/7/2023 8:34	12	13	
9/7/2023 8:35	10	12	
9/7/2023 8:36	11	12	
9/7/2023 8:37	11	12	
9/7/2023 8:38	11	12	
9/7/2023 8:39	10	12	
9/7/2023 8:40	11	12	
9/7/2023 8:41	10	12	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:42	10	11	
9/7/2023 8:43	10	11	
9/7/2023 8:44	11	11	
9/7/2023 8:45	10	11	
9/7/2023 8:46	10	10	
9/7/2023 8:47	10	10	
9/7/2023 8:48	10	10	
9/7/2023 8:49	9	10	
9/7/2023 8:50	9	10	
9/7/2023 8:51	10	10	
9/7/2023 8:52	9	10	
9/7/2023 8:53	9	9	
9/7/2023 8:54	10	9	
9/7/2023 8:55	9	9	
9/7/2023 8:56	9	9	
9/7/2023 8:57	9	9	
9/7/2023 8:58	11	9	
9/7/2023 8:59	15	9	
9/7/2023 9:00	10	9	0.00044746
9/7/2023 9:01	10	9	
9/7/2023 9:02	10	9	
9/7/2023 9:03	9	9	
9/7/2023 9:04	9	9	
9/7/2023 9:05	10	9	
9/7/2023 9:06	12	10	
9/7/2023 9:07	11	10	
9/7/2023 9:08	11	10	
9/7/2023 9:09	10	10	
9/7/2023 9:10	10	10	
9/7/2023 9:11	10	10	
9/7/2023 9:12	10	10	
9/7/2023 9:13	12	10	
9/7/2023 9:14	11	10	
9/7/2023 9:15	10	10	
9/7/2023 9:16	10	10	
9/7/2023 9:17	10	10	
9/7/2023 9:18	9	10	
9/7/2023 9:19	10	10	
9/7/2023 9:20	13	10	
9/7/2023 9:21	13	10	
9/7/2023 9:22	10	10	
9/7/2023 9:23	10	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 9:24	10	10	
9/7/2023 9:25	11	10	
9/7/2023 9:26	10	10	
9/7/2023 9:27	10	10	
9/7/2023 9:28	11	10	
9/7/2023 9:29	11	10	
9/7/2023 9:30	13	10	
9/7/2023 9:31	14	11	
9/7/2023 9:32	12	11	
9/7/2023 9:33	11	11	
9/7/2023 9:34	12	11	
9/7/2023 9:35	11	11	
9/7/2023 9:36	12	11	
9/7/2023 9:37	20	11	
9/7/2023 9:38	18	12	
9/7/2023 9:39	13	12	
9/7/2023 9:40	10	12	
9/7/2023 9:41	13	12	
9/7/2023 9:42	11	12	
9/7/2023 9:43	10	12	
9/7/2023 9:44	11	12	
9/7/2023 9:45	11	12	
9/7/2023 9:46	11	12	
9/7/2023 9:47	12	12	
9/7/2023 9:48	10	12	
9/7/2023 9:49	10	12	
9/7/2023 9:50	10	12	
9/7/2023 9:51	10	12	
9/7/2023 9:52	12	11	
9/7/2023 9:53	12	11	
9/7/2023 9:54	12	11	
9/7/2023 9:55	12	11	
9/7/2023 9:56	11	11	
9/7/2023 9:57	10	10	
9/7/2023 9:58	11	11	
9/7/2023 9:59	12	11	
9/7/2023 10:00	12	11	0.0010539
9/7/2023 10:01	12	11	
9/7/2023 10:02	11	11	
9/7/2023 10:03	11	11	
9/7/2023 10:04	10	11	
9/7/2023 10:05	11	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:06	11	11	
9/7/2023 10:07	11	11	
9/7/2023 10:08	11	11	
9/7/2023 10:09	11	11	
9/7/2023 10:10	11	11	
9/7/2023 10:11	11	11	
9/7/2023 10:12	11	11	
9/7/2023 10:13	11	11	
9/7/2023 10:14	11	11	
9/7/2023 10:15	11	11	
9/7/2023 10:17	12	11	
9/7/2023 10:18	11	11	
9/7/2023 10:19	11	11	
9/7/2023 10:20	11	11	
9/7/2023 10:21	14	11	
9/7/2023 10:22	14	11	
9/7/2023 10:23	12	11	
9/7/2023 10:24	10	11	
9/7/2023 10:25	12	11	
9/7/2023 10:26	11	11	
9/7/2023 10:27	11	11	
9/7/2023 10:28	15	11	
9/7/2023 10:29	11	11	
9/7/2023 10:30	11	11	
9/7/2023 10:31	11	11	
9/7/2023 10:32	11	11	
9/7/2023 10:33	12	11	
9/7/2023 10:34	12	11	
9/7/2023 10:35	12	11	
9/7/2023 10:36	12	11	
9/7/2023 10:37	18	12	
9/7/2023 10:38	14	12	
9/7/2023 10:39	12	12	
9/7/2023 10:40	12	12	
9/7/2023 10:41	13	12	
9/7/2023 10:42	12	12	
9/7/2023 10:43	13	12	
9/7/2023 10:44	13	12	
9/7/2023 10:45	13	12	
9/7/2023 10:46	13	12	
9/7/2023 10:49	15	13	
9/7/2023 10:52	14	13	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:53	16	13	
9/7/2023 10:54	14	13	
9/7/2023 10:55	15	13	
9/7/2023 10:56	13	13	
9/7/2023 10:57	13	13	
9/7/2023 10:58	13	13	
9/7/2023 10:59	13	13	
9/7/2023 11:00	13	13	0.0015225
9/7/2023 11:01	13	13	
9/7/2023 11:02	13	13	
9/7/2023 11:03	14	13	
9/7/2023 11:04	13	13	
9/7/2023 11:05	13	13	
9/7/2023 11:06	13	13	
9/7/2023 11:07	12	13	
9/7/2023 11:08	13	13	
9/7/2023 11:09	13	13	
9/7/2023 11:10	12	12	
9/7/2023 11:11	13	12	
9/7/2023 11:12	12	12	
9/7/2023 11:13	13	12	
9/7/2023 11:14	15	13	
9/7/2023 11:15	12	12	
9/7/2023 11:16	15	13	
9/7/2023 11:17	12	13	
9/7/2023 11:18	13	12	
9/7/2023 11:19	11	12	
9/7/2023 11:20	11	12	
9/7/2023 11:21	11	12	
9/7/2023 11:22	11	12	
9/7/2023 11:23	11	12	
9/7/2023 11:24	11	12	
9/7/2023 11:25	12	12	
9/7/2023 11:26	11	12	
9/7/2023 11:27	12	12	
9/7/2023 11:28	11	11	
9/7/2023 11:29	12	11	
9/7/2023 11:30	11	11	
9/7/2023 11:31	11	11	
9/7/2023 11:32	11	11	
9/7/2023 11:33	12	11	
9/7/2023 11:34	12	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 11:35	11	11	
9/7/2023 11:36	12	11	
9/7/2023 11:37	12	11	
9/7/2023 11:38	12	11	
9/7/2023 11:39	12	11	
9/7/2023 11:40	13	11	
9/7/2023 11:41	12	11	
9/7/2023 11:42	13	11	
9/7/2023 11:43	13	11	
9/7/2023 11:44	12	11	
9/7/2023 11:45	12	12	
9/7/2023 11:46	12	12	
9/7/2023 11:47	12	12	
9/7/2023 11:48	12	12	
9/7/2023 11:49	12	12	
9/7/2023 11:50	12	12	
9/7/2023 11:51	14	12	
9/7/2023 11:52	13	12	
9/7/2023 11:53	13	12	
9/7/2023 11:54	12	12	
9/7/2023 11:55	13	12	
9/7/2023 11:56	12	12	
9/7/2023 11:57	13	12	
9/7/2023 11:58	12	12	
9/7/2023 11:59	12	12	
9/7/2023 12:00	12	12	0.001428
9/7/2023 12:01	12	12	
9/7/2023 12:02	12	12	
9/7/2023 12:03	12	12	
9/7/2023 12:04	12	12	
9/7/2023 12:05	12	12	
9/7/2023 12:06	12	12	
9/7/2023 12:07	12	12	
9/7/2023 12:08	12	12	
9/7/2023 12:09	12	12	
9/7/2023 12:10	12	12	
9/7/2023 12:11	13	12	
9/7/2023 12:12	13	12	
9/7/2023 12:13	12	12	
9/7/2023 12:14	13	12	
9/7/2023 12:15	13	12	
9/7/2023 12:16	13	12	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:17	12	12	
9/7/2023 12:18	12	12	
9/7/2023 12:19	18	12	
9/7/2023 12:20	10	12	
9/7/2023 12:21	11	12	
9/7/2023 12:22	12	12	
9/7/2023 12:23	11	12	
9/7/2023 12:24	11	12	
9/7/2023 12:25	10	12	
9/7/2023 12:26	11	12	
9/7/2023 12:27	10	11	
9/7/2023 12:28	10	11	
9/7/2023 12:29	10	11	
9/7/2023 12:30	10	11	
9/7/2023 12:31	10	11	
9/7/2023 12:32	8	10	
9/7/2023 12:33	9	10	
9/7/2023 12:34	9	10	
9/7/2023 12:35	8	10	
9/7/2023 12:36	16	10	
9/7/2023 12:37	11	10	
9/7/2023 12:38	17	10	
9/7/2023 12:39	16	11	
9/7/2023 12:40	17	11	
9/7/2023 12:41	11	11	
9/7/2023 12:42	18	12	
9/7/2023 12:43	18	12	
9/7/2023 12:44	12	12	
9/7/2023 12:45	11	12	
9/7/2023 12:46	11	12	
9/7/2023 12:47	11	13	
9/7/2023 12:48	11	13	
9/7/2023 12:49	12	13	
9/7/2023 12:50	11	13	
9/7/2023 12:51	15	13	
9/7/2023 12:52	9	13	
9/7/2023 12:53	11	12	
9/7/2023 12:54	11	12	
9/7/2023 12:55	9	12	
9/7/2023 12:56	9	11	
9/7/2023 12:57	10	11	
9/7/2023 12:58	7	10	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:59	6	10	0.0016206
9/7/2023 13:00	9	10	
9/7/2023 13:01	16	10	
9/7/2023 13:02	13	10	
9/7/2023 13:03	8	10	
9/7/2023 13:04	7	10	
9/7/2023 13:05	10	10	
9/7/2023 13:06	7	9	
9/7/2023 13:07	7	9	
9/7/2023 13:08	9	9	
9/7/2023 13:09	10	9	
9/7/2023 13:10	9	9	
9/7/2023 13:11	16	9	
9/7/2023 13:12	12	9	
9/7/2023 13:13	12	10	
9/7/2023 13:14	8	10	
9/7/2023 13:15	13	10	
9/7/2023 13:16	10	10	
9/7/2023 13:17	8	9	
9/7/2023 13:18	17	10	
9/7/2023 13:19	11	10	
9/7/2023 13:20	17	11	
9/7/2023 13:21	9	11	
9/7/2023 13:22	8	11	
9/7/2023 13:23	9	11	
9/7/2023 13:24	9	11	
9/7/2023 13:25	7	11	
9/7/2023 13:26	8	10	
9/7/2023 13:27	8	10	
9/7/2023 13:28	10	10	
9/7/2023 13:29	8	10	
9/7/2023 13:30	8	9	
9/7/2023 13:31	7	9	
9/7/2023 13:32	8	9	
9/7/2023 13:33	8	9	
9/7/2023 13:34	7	8	
9/7/2023 13:35	8	8	
9/7/2023 13:36	8	8	
9/7/2023 13:37	8	8	
9/7/2023 13:38	10	8	
9/7/2023 13:39	10	8	
9/7/2023 13:40	10	8	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 13:41	10	8	
9/7/2023 13:42	6	8	
9/7/2023 13:43	7	8	
9/7/2023 13:44	8	8	
9/7/2023 13:45	9	8	
9/7/2023 13:46	8	8	
9/7/2023 13:47	10	8	
9/7/2023 13:48	7	8	
9/7/2023 13:49	8	8	
9/7/2023 13:50	8	8	
9/7/2023 13:51	8	8	
9/7/2023 13:52	9	8	
9/7/2023 13:53	8	8	
9/7/2023 13:54	9	8	
9/7/2023 13:55	7	8	
9/7/2023 13:58	14	8	
9/7/2023 13:59	17	9	
9/7/2023 14:00	19	10	0.0019236
9/7/2023 14:01	16	10	
9/7/2023 14:02	16	11	
9/7/2023 14:03	16	11	
9/7/2023 14:06	17	13	
9/7/2023 14:07	16	14	
9/7/2023 14:10	16	16	
9/7/2023 14:11	16	16	
9/7/2023 14:12	16	16	
9/7/2023 14:13	18	16	
9/7/2023 14:14	18	16	
9/7/2023 14:15	15	16	
9/7/2023 14:16	16	16	
9/7/2023 14:17	18	16	
9/7/2023 14:18	14	16	
9/7/2023 14:19	15	16	
9/7/2023 14:20	18	16	
9/7/2023 14:21	17	16	
9/7/2023 14:22	15	16	
9/7/2023 14:23	16	16	
9/7/2023 14:24	16	16	
9/7/2023 14:25	19	16	
9/7/2023 14:26	21	16	
9/7/2023 14:27	19	17	
9/7/2023 14:28	17	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 14:29	18	16	
9/7/2023 14:30	16	17	
9/7/2023 14:31	17	17	
9/7/2023 14:32	17	17	
9/7/2023 14:33	16	17	
9/7/2023 14:34	15	17	
9/7/2023 14:35	16	17	
9/7/2023 14:36	15	16	
9/7/2023 14:37	14	16	
9/7/2023 14:38	14	16	
9/7/2023 14:39	14	16	
9/7/2023 14:40	14	16	
9/7/2023 14:41	14	15	
9/7/2023 14:42	14	15	
9/7/2023 14:43	14	15	
9/7/2023 14:44	13	14	
9/7/2023 14:45	20	15	
9/7/2023 14:46	15	15	
9/7/2023 14:47	13	14	
9/7/2023 14:48	14	14	
9/7/2023 14:49	13	14	
9/7/2023 14:50	14	14	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 6:38	18	18	
9/7/2023 6:39	18	18	
9/7/2023 6:40	16	17	
9/7/2023 6:41	16	17	
9/7/2023 6:42	16	16	
9/7/2023 6:43	15	16	
9/7/2023 6:44	15	16	
9/7/2023 6:45	16	16	
9/7/2023 6:46	16	16	
9/7/2023 6:47	16	16	
9/7/2023 6:48	15	16	
9/7/2023 6:49	15	16	
9/7/2023 6:50	15	15	
9/7/2023 6:51	16	15	
9/7/2023 6:52	15	15	
9/7/2023 6:53	15	15	
9/7/2023 6:54	15	15	
9/7/2023 6:55	15	15	
9/7/2023 6:56	17	15	
9/7/2023 6:57	17	15	
9/7/2023 6:58	17	15	
9/7/2023 6:59	17	15	
9/7/2023 7:00	18	15	0.00031818
9/7/2023 7:01	18	16	
9/7/2023 7:02	18	16	
9/7/2023 7:03	18	16	
9/7/2023 7:04	19	16	
9/7/2023 7:05	17	16	
9/7/2023 7:06	16	16	
9/7/2023 7:07	16	16	
9/7/2023 7:08	17	17	
9/7/2023 7:09	18	17	
9/7/2023 7:10	18	17	
9/7/2023 7:11	16	17	
9/7/2023 7:12	16	17	
9/7/2023 7:13	16	17	
9/7/2023 7:14	17	17	
9/7/2023 7:15	18	17	
9/7/2023 7:16	17	17	
9/7/2023 7:17	17	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:18	21	17	
9/7/2023 7:19	21	17	
9/7/2023 7:20	16	17	
9/7/2023 7:21	16	17	
9/7/2023 7:22	15	17	
9/7/2023 7:23	16	17	
9/7/2023 7:24	17	17	
9/7/2023 7:25	17	17	
9/7/2023 7:26	17	17	
9/7/2023 7:27	16	17	
9/7/2023 7:28	18	17	
9/7/2023 7:29	18	17	
9/7/2023 7:30	17	17	
9/7/2023 7:31	18	17	
9/7/2023 7:32	17	17	
9/7/2023 7:33	17	17	
9/7/2023 7:34	17	16	
9/7/2023 7:35	17	16	
9/7/2023 7:36	18	17	
9/7/2023 7:37	16	17	
9/7/2023 7:38	16	17	
9/7/2023 7:39	16	17	
9/7/2023 7:40	19	17	
9/7/2023 7:41	20	17	
9/7/2023 7:42	19	17	
9/7/2023 7:43	26	18	
9/7/2023 7:44	18	18	
9/7/2023 7:45	18	18	
9/7/2023 7:46	22	18	
9/7/2023 7:47	23	18	
9/7/2023 7:48	23	19	
9/7/2023 7:49	19	19	
9/7/2023 7:50	18	19	
9/7/2023 7:51	18	19	
9/7/2023 7:52	19	19	
9/7/2023 7:53	16	19	
9/7/2023 7:54	16	19	
9/7/2023 7:55	16	19	
9/7/2023 7:56	22	19	
9/7/2023 7:57	20	19	
9/7/2023 7:58	24	19	
9/7/2023 7:59	27	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:00	21	20	0.0011174
9/7/2023 8:01	20	20	
9/7/2023 8:02	23	20	
9/7/2023 8:03	21	20	
9/7/2023 8:04	21	20	
9/7/2023 8:05	22	20	
9/7/2023 8:06	21	20	
9/7/2023 8:07	18	20	
9/7/2023 8:08	19	20	
9/7/2023 8:09	22	21	
9/7/2023 8:10	20	21	
9/7/2023 8:11	20	21	
9/7/2023 8:12	19	21	
9/7/2023 8:13	24	21	
9/7/2023 8:14	19	20	
9/7/2023 8:15	18	20	
9/7/2023 8:16	19	20	
9/7/2023 8:17	30	20	
9/7/2023 8:18	20	20	
9/7/2023 8:19	19	20	
9/7/2023 8:20	18	20	
9/7/2023 8:21	18	20	
9/7/2023 8:22	19	20	
9/7/2023 8:23	21	20	
9/7/2023 8:24	23	20	
9/7/2023 8:25	20	20	
9/7/2023 8:26	20	20	
9/7/2023 8:27	20	20	
9/7/2023 8:28	20	20	
9/7/2023 8:29	22	20	
9/7/2023 8:30	21	20	
9/7/2023 8:31	18	20	
9/7/2023 8:32	18	19	
9/7/2023 8:33	18	19	
9/7/2023 8:34	19	19	
9/7/2023 8:35	19	19	
9/7/2023 8:36	17	19	
9/7/2023 8:37	18	19	
9/7/2023 8:38	18	19	
9/7/2023 8:39	19	19	
9/7/2023 8:40	20	19	
9/7/2023 8:41	20	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:42	19	19	
9/7/2023 8:43	17	18	
9/7/2023 8:44	17	18	
9/7/2023 8:45	17	18	
9/7/2023 8:46	17	18	
9/7/2023 8:47	17	18	
9/7/2023 8:48	17	18	
9/7/2023 8:49	17	17	
9/7/2023 8:50	17	17	
9/7/2023 8:51	17	17	
9/7/2023 8:52	22	18	
9/7/2023 8:53	19	18	
9/7/2023 8:54	18	18	
9/7/2023 8:55	16	17	
9/7/2023 8:56	17	17	
9/7/2023 8:57	16	17	
9/7/2023 8:58	16	17	
9/7/2023 8:59	16	17	
9/7/2023 9:00	16	17	0.0021949
9/7/2023 9:01	16	17	
9/7/2023 9:02	17	17	
9/7/2023 9:03	18	17	
9/7/2023 9:04	19	17	
9/7/2023 9:05	19	17	
9/7/2023 9:06	19	17	
9/7/2023 9:07	17	17	
9/7/2023 9:08	17	17	
9/7/2023 9:09	18	17	
9/7/2023 9:10	18	17	
9/7/2023 9:11	18	17	
9/7/2023 9:12	19	17	
9/7/2023 9:13	18	17	
9/7/2023 9:14	19	17	
9/7/2023 9:15	23	18	
9/7/2023 9:16	18	18	
9/7/2023 9:17	19	18	
9/7/2023 9:18	19	18	
9/7/2023 9:19	19	18	
9/7/2023 9:20	20	18	
9/7/2023 9:21	23	19	
9/7/2023 9:22	19	19	
9/7/2023 9:23	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 9:24	18	19	
9/7/2023 9:25	18	19	
9/7/2023 9:26	18	19	
9/7/2023 9:27	18	19	
9/7/2023 9:28	20	19	
9/7/2023 9:29	19	19	
9/7/2023 9:30	19	19	
9/7/2023 9:31	19	19	
9/7/2023 9:32	18	19	
9/7/2023 9:33	19	19	
9/7/2023 9:34	19	19	
9/7/2023 9:35	19	19	
9/7/2023 9:36	18	18	
9/7/2023 9:37	18	18	
9/7/2023 9:38	17	18	
9/7/2023 9:39	16	18	
9/7/2023 9:40	17	18	
9/7/2023 9:41	19	18	
9/7/2023 9:42	18	18	
9/7/2023 9:43	17	18	
9/7/2023 9:44	17	18	
9/7/2023 9:45	17	17	
9/7/2023 9:46	18	17	
9/7/2023 9:47	16	17	
9/7/2023 9:48	17	17	
9/7/2023 9:49	17	17	
9/7/2023 9:50	18	17	
9/7/2023 9:51	18	17	
9/7/2023 9:52	18	17	
9/7/2023 9:53	19	17	
9/7/2023 9:54	19	17	
9/7/2023 9:55	19	17	
9/7/2023 9:56	18	17	
9/7/2023 9:57	21	17	
9/7/2023 9:58	17	17	
9/7/2023 9:59	18	18	
9/7/2023 10:00	18	18	0.0033462
9/7/2023 10:01	18	18	
9/7/2023 10:02	18	18	
9/7/2023 10:03	18	18	
9/7/2023 10:04	18	18	
9/7/2023 10:05	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:06	18	18	
9/7/2023 10:07	18	18	
9/7/2023 10:08	19	18	
9/7/2023 10:09	18	18	
9/7/2023 10:10	17	18	
9/7/2023 10:11	18	18	
9/7/2023 10:12	18	17	
9/7/2023 10:13	18	18	
9/7/2023 10:14	18	18	
9/7/2023 10:15	18	18	
9/7/2023 10:16	17	17	
9/7/2023 10:17	18	17	
9/7/2023 10:18	18	17	
9/7/2023 10:19	18	17	
9/7/2023 10:20	17	17	
9/7/2023 10:21	18	17	
9/7/2023 10:22	18	17	
9/7/2023 10:23	18	17	
9/7/2023 10:24	18	17	
9/7/2023 10:25	19	17	
9/7/2023 10:26	20	18	
9/7/2023 10:27	19	18	
9/7/2023 10:28	19	18	
9/7/2023 10:29	19	18	
9/7/2023 10:30	19	18	
9/7/2023 10:31	20	18	
9/7/2023 10:32	19	18	
9/7/2023 10:33	18	18	
9/7/2023 10:34	19	18	
9/7/2023 10:35	19	18	
9/7/2023 10:36	18	18	
9/7/2023 10:37	18	18	
9/7/2023 10:38	18	18	
9/7/2023 10:39	19	18	
9/7/2023 10:40	20	18	
9/7/2023 10:41	20	18	
9/7/2023 10:42	20	19	
9/7/2023 10:43	21	19	
9/7/2023 10:44	20	19	
9/7/2023 10:45	21	19	
9/7/2023 10:46	21	19	
9/7/2023 10:47	21	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 10:48	21	19	0.0044936
9/7/2023 10:49	21	19	
9/7/2023 10:50	20	19	
9/7/2023 10:51	20	20	
9/7/2023 10:52	21	20	
9/7/2023 10:53	23	20	
9/7/2023 10:54	23	20	
9/7/2023 10:55	23	21	
9/7/2023 10:56	25	21	
9/7/2023 10:57	29	22	
9/7/2023 10:58	21	22	
9/7/2023 10:59	20	22	
9/7/2023 11:00	22	22	
9/7/2023 11:01	20	22	
9/7/2023 11:02	21	22	
9/7/2023 11:03	20	21	
9/7/2023 11:04	20	21	
9/7/2023 11:05	20	21	
9/7/2023 11:06	20	21	
9/7/2023 11:07	21	21	
9/7/2023 11:08	20	21	
9/7/2023 11:09	20	21	
9/7/2023 11:10	20	21	
9/7/2023 11:11	20	20	
9/7/2023 11:12	24	20	
9/7/2023 11:13	23	20	
9/7/2023 11:14	20	20	
9/7/2023 11:15	19	20	
9/7/2023 11:16	20	20	
9/7/2023 11:17	20	20	
9/7/2023 11:18	19	20	
9/7/2023 11:19	21	20	
9/7/2023 11:20	22	20	
9/7/2023 11:21	19	20	
9/7/2023 11:22	20	20	
9/7/2023 11:23	19	20	
9/7/2023 11:24	19	20	
9/7/2023 11:25	20	20	
9/7/2023 11:26	22	20	
9/7/2023 11:27	20	20	
9/7/2023 11:28	19	19	
9/7/2023 11:29	20	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 11:30	20	20	
9/7/2023 11:31	20	20	
9/7/2023 11:32	21	20	
9/7/2023 11:33	22	20	
9/7/2023 11:34	20	20	
9/7/2023 11:35	21	20	
9/7/2023 11:36	19	20	
9/7/2023 11:37	19	20	
9/7/2023 11:38	19	20	
9/7/2023 11:39	20	20	
9/7/2023 11:40	20	20	
9/7/2023 11:41	21	20	
9/7/2023 11:47	19	20	
9/7/2023 11:48	21	19	
9/7/2023 11:49	21	20	
9/7/2023 11:50	23	20	
9/7/2023 11:51	22	20	
9/7/2023 11:52	23	20	
9/7/2023 11:53	23	21	
9/7/2023 11:54	22	21	
9/7/2023 11:55	22	21	
9/7/2023 11:56	23	21	
9/7/2023 11:57	22	21	
9/7/2023 11:58	23	22	
9/7/2023 11:59	23	22	
9/7/2023 12:00	23	22	0.0051902
9/7/2023 12:01	23	22	
9/7/2023 12:02	24	22	
9/7/2023 12:03	23	22	
9/7/2023 12:04	23	22	
9/7/2023 12:05	23	22	
9/7/2023 12:06	23	22	
9/7/2023 12:07	23	22	
9/7/2023 12:08	24	22	
9/7/2023 12:09	24	23	
9/7/2023 12:10	23	23	
9/7/2023 12:11	23	23	
9/7/2023 12:12	23	23	
9/7/2023 12:13	23	23	
9/7/2023 12:14	24	23	
9/7/2023 12:15	23	23	
9/7/2023 12:16	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:17	22	23	
9/7/2023 12:18	22	23	
9/7/2023 12:19	22	23	
9/7/2023 12:20	23	23	
9/7/2023 12:21	24	23	
9/7/2023 12:22	23	23	
9/7/2023 12:23	22	22	
9/7/2023 12:24	22	22	
9/7/2023 12:25	22	22	
9/7/2023 12:26	23	22	
9/7/2023 12:27	22	22	
9/7/2023 12:28	22	22	
9/7/2023 12:29	23	22	
9/7/2023 12:30	27	22	
9/7/2023 12:31	25	22	
9/7/2023 12:32	25	23	
9/7/2023 12:33	24	23	
9/7/2023 12:34	21	23	
9/7/2023 12:35	24	23	
9/7/2023 12:36	20	23	
9/7/2023 12:37	20	22	
9/7/2023 12:38	21	22	
9/7/2023 12:39	21	22	
9/7/2023 12:40	26	22	
9/7/2023 12:41	21	22	
9/7/2023 12:42	21	22	
9/7/2023 12:43	21	22	
9/7/2023 12:44	28	23	
9/7/2023 12:45	26	22	
9/7/2023 12:46	25	22	
9/7/2023 12:47	25	22	
9/7/2023 12:48	21	22	
9/7/2023 12:49	21	22	
9/7/2023 12:50	21	22	
9/7/2023 12:51	25	22	
9/7/2023 12:52	26	23	
9/7/2023 12:53	24	23	
9/7/2023 12:54	24	23	
9/7/2023 12:55	25	23	
9/7/2023 12:56	25	23	
9/7/2023 12:57	24	24	
9/7/2023 12:58	26	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 12:59	20	23	0.0047439
9/7/2023 13:00	19	23	
9/7/2023 13:01	19	23	
9/7/2023 13:02	20	22	0.0047439
9/7/2023 13:03	19	22	
9/7/2023 13:04	19	22	
9/7/2023 13:05	19	22	
9/7/2023 13:06	19	21	
9/7/2023 13:07	22	21	
9/7/2023 13:08	24	21	
9/7/2023 13:09	26	21	
9/7/2023 13:10	20	21	
9/7/2023 13:11	23	21	
9/7/2023 13:12	21	21	
9/7/2023 13:13	20	20	
9/7/2023 13:14	20	20	
9/7/2023 13:15	23	20	
9/7/2023 13:16	21	21	
9/7/2023 13:17	23	21	
9/7/2023 13:18	27	21	
9/7/2023 13:19	26	22	
9/7/2023 13:20	30	23	
9/7/2023 13:21	26	23	
9/7/2023 13:22	23	23	
9/7/2023 13:23	28	23	
9/7/2023 13:24	21	23	
9/7/2023 13:25	27	23	
9/7/2023 13:26	27	24	
9/7/2023 13:27	22	24	
9/7/2023 13:28	21	24	
9/7/2023 13:29	23	24	
9/7/2023 13:30	22	24	
9/7/2023 13:31	25	24	
9/7/2023 13:32	20	24	
9/7/2023 13:33	25	24	
9/7/2023 13:34	21	24	
9/7/2023 13:35	19	23	
9/7/2023 13:36	20	22	
9/7/2023 13:37	23	22	
9/7/2023 13:38	24	22	
9/7/2023 13:39	25	22	
9/7/2023 13:40	23	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 13:41	21	22	
9/7/2023 13:42	22	22	
9/7/2023 13:43	21	22	
9/7/2023 13:44	21	22	
9/7/2023 13:45	19	21	
9/7/2023 13:46	19	21	
9/7/2023 13:47	19	21	
9/7/2023 13:48	20	21	
9/7/2023 13:49	21	21	
9/7/2023 13:50	20	21	
9/7/2023 13:51	25	21	
9/7/2023 13:52	23	21	
9/7/2023 13:53	26	21	
9/7/2023 13:54	24	21	
9/7/2023 13:55	24	21	
9/7/2023 13:56	25	21	
9/7/2023 13:57	23	22	
9/7/2023 13:58	23	22	
9/7/2023 13:59	23	22	
9/7/2023 14:00	24	22	0.0047759
9/7/2023 14:01	23	22	
9/7/2023 14:02	25	23	
9/7/2023 14:03	25	23	
9/7/2023 14:04	26	23	
9/7/2023 14:05	22	24	
9/7/2023 14:06	22	23	
9/7/2023 14:07	23	23	
9/7/2023 14:08	27	23	
9/7/2023 14:09	25	24	
9/7/2023 14:10	22	23	
9/7/2023 14:11	23	23	
9/7/2023 14:12	23	23	
9/7/2023 14:13	22	23	
9/7/2023 14:14	23	23	
9/7/2023 14:15	22	23	
9/7/2023 14:16	23	23	
9/7/2023 14:17	22	23	
9/7/2023 14:18	22	23	
9/7/2023 14:19	22	22	
9/7/2023 14:20	23	22	
9/7/2023 14:21	23	23	
9/7/2023 14:22	24	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 14:23	22	22	
9/7/2023 14:24	21	22	
9/7/2023 14:25	22	22	
9/7/2023 14:26	21	22	
9/7/2023 14:27	23	22	
9/7/2023 14:28	22	22	
9/7/2023 14:29	23	22	
9/7/2023 14:30	23	22	
9/7/2023 14:31	22	22	
9/7/2023 14:32	22	22	
9/7/2023 14:33	22	22	
9/7/2023 14:34	22	22	
9/7/2023 14:35	22	22	
9/7/2023 14:36	21	22	
9/7/2023 14:37	23	22	
9/7/2023 14:38	22	22	
9/7/2023 14:39	22	22	
9/7/2023 14:40	21	22	
9/7/2023 14:41	23	22	
9/7/2023 14:42	22	22	
9/7/2023 14:43	21	22	
9/7/2023 14:44	22	22	
9/7/2023 14:45	21	21	
9/7/2023 14:46	22	21	
9/7/2023 14:47	22	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/ m^3 AVG 8h (mg/ m^3)
9/7/2023 6:33	20	20	
9/7/2023 6:46	17	18	
9/7/2023 6:47	18	18	
9/7/2023 6:48	16	17	
9/7/2023 6:49	17	17	
9/7/2023 6:50	17	17	
9/7/2023 6:51	17	17	
9/7/2023 6:52	17	17	
9/7/2023 6:53	16	16	
9/7/2023 6:54	17	16	
9/7/2023 6:55	17	16	
9/7/2023 6:56	18	17	
9/7/2023 6:57	19	17	
9/7/2023 6:58	19	17	
9/7/2023 6:59	17	17	
9/7/2023 7:00	16	17	0
9/7/2023 7:01	16	17	
9/7/2023 7:02	17	17	
9/7/2023 7:03	17	17	
9/7/2023 7:04	16	17	
9/7/2023 7:05	17	17	
9/7/2023 7:06	17	17	
9/7/2023 7:07	30	17	
9/7/2023 7:08	17	18	
9/7/2023 7:09	17	18	
9/7/2023 7:10	17	18	
9/7/2023 7:11	17	17	
9/7/2023 7:12	17	17	
9/7/2023 7:13	17	17	
9/7/2023 7:14	17	17	
9/7/2023 7:15	17	17	
9/7/2023 7:16	18	17	
9/7/2023 7:17	18	17	
9/7/2023 7:18	18	18	
9/7/2023 7:19	17	18	
9/7/2023 7:20	17	18	
9/7/2023 7:21	18	18	
9/7/2023 7:22	18	17	
9/7/2023 7:23	18	17	
9/7/2023 7:24	18	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 7:25	19	17	
9/7/2023 7:26	18	17	
9/7/2023 7:27	19	17	
9/7/2023 7:28	18	17	
9/7/2023 7:29	18	17	
9/7/2023 7:30	19	18	
9/7/2023 7:31	19	18	
9/7/2023 7:32	18	18	
9/7/2023 7:33	18	18	
9/7/2023 7:34	17	18	
9/7/2023 7:35	18	18	
9/7/2023 7:36	18	18	
9/7/2023 7:37	17	18	
9/7/2023 7:38	17	18	
9/7/2023 7:39	17	18	
9/7/2023 7:40	17	17	
9/7/2023 7:41	19	17	
9/7/2023 7:42	57	20	
9/7/2023 7:43	81	24	
9/7/2023 7:44	45	26	
9/7/2023 7:45	23	26	
9/7/2023 7:46	20	26	
9/7/2023 7:47	22	27	
9/7/2023 7:48	19	27	
9/7/2023 7:49	19	27	
9/7/2023 7:50	18	27	
9/7/2023 7:51	17	27	
9/7/2023 7:52	17	27	
9/7/2023 7:53	17	27	
9/7/2023 7:54	17	27	
9/7/2023 7:55	17	27	
9/7/2023 7:56	18	27	
9/7/2023 7:57	18	24	
9/7/2023 7:58	18	20	
9/7/2023 7:59	19	18	
9/7/2023 8:00	21	18	0.0009
9/7/2023 8:01	21	18	
9/7/2023 8:02	20	18	
9/7/2023 8:03	20	18	
9/7/2023 8:04	19	18	
9/7/2023 8:05	20	18	
9/7/2023 8:06	20	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:07	21	19	
9/7/2023 8:08	20	19	
9/7/2023 8:09	20	19	
9/7/2023 8:10	19	19	
9/7/2023 8:11	19	19	
9/7/2023 8:12	19	19	
9/7/2023 8:13	19	19	
9/7/2023 8:14	19	19	
9/7/2023 8:15	19	19	
9/7/2023 8:16	19	19	
9/7/2023 8:17	19	19	
9/7/2023 8:18	19	19	
9/7/2023 8:19	19	19	
9/7/2023 8:20	18	19	
9/7/2023 8:21	19	19	
9/7/2023 8:22	19	19	
9/7/2023 8:23	19	19	
9/7/2023 8:24	20	19	
9/7/2023 8:25	21	19	
9/7/2023 8:26	20	19	
9/7/2023 8:27	20	19	
9/7/2023 8:28	20	19	
9/7/2023 8:29	20	19	
9/7/2023 8:30	19	19	
9/7/2023 8:31	18	19	
9/7/2023 8:32	18	19	
9/7/2023 8:33	18	19	
9/7/2023 8:34	18	19	
9/7/2023 8:35	19	19	
9/7/2023 8:36	19	19	
9/7/2023 8:37	20	19	
9/7/2023 8:38	21	19	
9/7/2023 8:39	19	19	
9/7/2023 8:40	20	19	
9/7/2023 8:41	19	19	
9/7/2023 8:42	18	19	
9/7/2023 8:43	18	18	
9/7/2023 8:44	18	18	
9/7/2023 8:45	20	18	
9/7/2023 8:46	20	19	
9/7/2023 8:47	19	19	
9/7/2023 8:48	22	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/7/2023 8:49	18	19	0.0020444
9/7/2023 8:50	18	19	
9/7/2023 8:51	18	19	
9/7/2023 8:52	18	19	
9/7/2023 8:53	19	18	
9/7/2023 8:54	19	18	
9/7/2023 8:55	19	18	
9/7/2023 8:56	23	19	
9/7/2023 8:57	22	19	
9/7/2023 8:58	33	20	
9/7/2023 8:59	20	20	
9/7/2023 9:00	21	20	
9/7/2023 9:01	24	20	
9/7/2023 9:02	25	21	
9/7/2023 9:03	20	21	
9/7/2023 9:04	19	21	
9/7/2023 9:05	18	21	
9/7/2023 9:06	21	21	
9/7/2023 9:07	18	21	
9/7/2023 9:08	20	21	
9/7/2023 9:09	19	21	
9/7/2023 9:10	18	21	
9/7/2023 9:11	18	21	
9/7/2023 9:12	18	20	
9/7/2023 9:13	19	19	
9/7/2023 9:14	23	20	
9/7/2023 9:15	19	19	
9/7/2023 9:16	24	19	
9/7/2023 9:17	19	19	
9/7/2023 9:18	24	19	
9/7/2023 9:19	25	20	
9/7/2023 9:20	20	20	
9/7/2023 9:21	19	20	
9/7/2023 9:22	21	20	
9/7/2023 9:23	19	20	
9/7/2023 9:24	19	20	
9/7/2023 9:25	19	20	
9/7/2023 9:26	18	20	
9/7/2023 9:27	24	20	
9/7/2023 9:28	51	22	
9/7/2023 9:29	26	23	
9/7/2023 9:30	20	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/7/2023 9:31	20	22	
9/7/2023 9:32	20	23	
9/7/2023 9:33	25	23	
9/7/2023 9:34	27	23	
9/7/2023 9:35	24	23	
9/7/2023 9:36	21	23	
9/7/2023 9:37	20	23	
9/7/2023 9:38	18	23	
9/7/2023 9:39	22	23	
9/7/2023 9:40	23	23	
9/7/2023 9:41	19	24	
9/7/2023 9:42	19	23	
9/7/2023 9:43	20	21	
9/7/2023 9:44	19	21	
9/7/2023 9:45	22	21	
9/7/2023 9:46	19	21	
9/7/2023 9:47	19	21	
9/7/2023 9:48	18	20	
9/7/2023 9:49	18	20	
9/7/2023 9:50	22	19	
9/7/2023 9:51	24	20	
9/7/2023 9:52	20	20	
9/7/2023 9:53	19	20	
9/7/2023 9:54	20	20	
9/7/2023 9:55	21	19	
9/7/2023 9:56	19	19	
9/7/2023 9:57	19	19	
9/7/2023 9:58	20	19	
9/7/2023 9:59	19	19	
#####	22	19	0.0032833
#####	19	19	
#####	19	19	
#####	19	20	
#####	20	20	
#####	20	20	
#####	19	19	
#####	21	19	
#####	19	19	
#####	19	19	
#####	23	19	
#####	20	19	
#####	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	19	19	
#####	19	19	
#####	19	19	
#####	19	19	
#####	20	19	
#####	19	19	
#####	19	19	
#####	19	19	
#####	19	19	
#####	18	19	
#####	19	19	
#####	20	19	
#####	19	19	
#####	20	19	
#####	18	19	
#####	19	19	
#####	20	19	
#####	19	19	
#####	20	19	
#####	19	19	
#####	20	19	
#####	20	19	
#####	19	19	
#####	19	19	
#####	21	19	
#####	21	19	
#####	20	19	
#####	24	19	
#####	22	20	
#####	20	20	
#####	23	20	
#####	23	20	
#####	23	20	
#####	23	21	
#####	22	21	
#####	21	21	
#####	21	21	
#####	21	21	
#####	23	21	
#####	24	22	
#####	34	22	
#####	26	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	25	23	
#####	21	23	
#####	20	23	
#####	20	23	
#####	21	23	
#####	21	22	0.00455
#####	24	22	
#####	24	23	
#####	25	23	
#####	31	24	
#####	29	24	
#####	26	24	
#####	21	24	
#####	21	23	
#####	22	23	
#####	21	23	
#####	22	23	
#####	22	23	
#####	21	23	
#####	20	23	
#####	21	23	
#####	20	23	
#####	20	22	
#####	19	22	
#####	22	21	
#####	20	21	
#####	19	20	
#####	19	20	
#####	20	20	
#####	21	20	
#####	22	20	
#####	22	20	
#####	20	20	
#####	21	20	
#####	20	20	
#####	19	20	
#####	22	20	
#####	20	20	
#####	21	20	
#####	21	20	
#####	20	20	
#####	19	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	21	20	
#####	21	20	
#####	21	20	
#####	22	20	
#####	22	20	
#####	21	20	
#####	20	20	
#####	21	20	
#####	21	20	
#####	21	20	
#####	21	20	
#####	21	20	
#####	24	21	
#####	22	21	
#####	22	21	
#####	22	21	
#####	21	21	
#####	22	21	
#####	22	21	
#####	23	21	
#####	23	21	
#####	22	21	
#####	22	21	
#####	22	22	0.0058528
#####	23	22	
#####	24	22	
#####	22	22	
#####	22	22	
#####	22	22	
#####	23	22	
#####	23	22	
#####	23	22	
#####	22	22	
#####	22	22	
#####	22	22	
#####	23	22	
#####	23	22	
#####	22	22	
#####	21	22	
#####	22	22	
#####	22	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	22	22	
#####	21	22	
#####	22	22	
#####	21	22	
#####	22	21	
#####	21	21	
#####	21	21	
#####	22	21	
#####	21	21	
#####	21	21	
#####	20	21	
#####	21	21	
#####	21	21	
#####	20	21	
#####	20	21	
#####	20	20	
#####	19	20	
#####	19	20	
#####	19	20	
#####	20	20	
#####	21	20	
#####	20	20	
#####	20	20	
#####	20	20	
#####	20	20	
#####	20	20	
#####	21	20	
#####	22	20	
#####	20	20	
#####	20	20	
#####	19	20	
#####	21	20	
#####	20	20	
#####	20	20	
#####	19	20	
#####	19	20	
#####	20	20	
#####	21	20	
#####	20	20	
#####	20	20	
#####	18	20	
#####	18	19	
#####	18	19	0.0071738

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	18	19	
#####	18	19	
#####	19	19	
#####	18	19	
#####	18	18	
#####	17	18	
#####	18	18	
#####	19	18	
#####	17	18	
#####	17	18	
#####	17	18	
#####	17	17	
#####	18	17	
#####	20	17	
#####	18	17	
#####	18	17	
#####	19	18	
#####	19	18	
#####	20	18	
#####	20	18	
#####	20	18	
#####	20	18	
#####	20	18	
#####	19	18	
#####	18	18	
#####	19	18	
#####	18	18	
#####	17	18	
#####	18	18	
#####	23	19	
#####	38	20	
#####	39	21	
#####	37	23	
#####	22	23	
#####	36	24	
#####	32	25	
#####	40	26	
#####	23	26	
#####	33	27	
#####	24	27	
#####	24	28	
#####	30	29	
#####	35	30	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
#####	22	30	
#####	23	30	
#####	26	29	
#####	20	28	
#####	26	27	
#####	21	27	
#####	20	26	
#####	19	25	
#####	20	24	
#####	21	24	
#####	21	23	
#####	21	23	
#####	23	23	
#####	21	22	
#####	22	21	
#####	20	21	
#####	23	21	
#####	20	21	0.0085021
#####	23	21	
#####	21	21	
#####	20	21	
#####	20	21	
#####	19	21	
#####	20	21	
#####	21	21	
#####	19	20	
#####	20	20	
#####	20	20	
#####	22	20	
#####	21	20	
#####	22	20	
#####	20	20	
#####	23	20	
#####	19	20	
#####	19	20	
#####	18	20	
#####	21	20	
#####	18	20	
#####	19	20	
#####	20	20	
#####	18	20	
#####	21	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
#####	19	20	
#####	20	19	
#####	19	19	
#####	19	19	
#####	19	19	
#####	19	19	
#####	18	19	
#####	18	19	
#####	18	19	
#####	18	18	
#####	18	18	
#####	21	19	
#####	22	19	
#####	19	19	
#####	18	19	
#####	19	19	
#####	18	18	
#####	19	18	
#####	19	18	
#####	19	18	
#####	20	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 6:29								90.6			
9/8/2023 6:29	68.3	60.9	1017	1017	1.4	1.1	90.6				
9/8/2023 6:30	65.5	65.2	1017	1017	2.1	1.2	104	97.3	20	20	
9/8/2023 6:31	63.5	68.9	1017	1017	2.1	1.2	109.7	101.43	21	20	
9/8/2023 6:32	62	71.7	1017	1017	2.1	1.2	110.1	103.6	20	20	
9/8/2023 6:33	61.1	73.8	1017	1017	2.1	1.2	108.5	104.58	19	20	
9/8/2023 6:34	60.5	75.7	1017	1017	2.1	1.2	107.5	105.07	19	19	
9/8/2023 6:35	60.1	77.2	1017	1017	2.1	1.1	106.7	105.3	18	19	
9/8/2023 6:36	59.8	78.4	1017	1017	2.1	1	105.1	105.28	18	19	
9/8/2023 6:37	59.4	79.3	1017	1017	2.1	0.9	103.7	105.1	19	19	
9/8/2023 6:38	59.2	80.6	1017	1017	2.1	0.7	0	94.59	19	19	
9/8/2023 6:39	58.9	81.3	1017	1017	1.9	0.7	0	85.99	24	19	
9/8/2023 6:40	58.8	82.1	1017	1017	1.8	0.7	0	78.83	25	20	
9/8/2023 6:41	58.6	82.6	1017	1017	1.7	0.7	0	72.76	20	20	
9/8/2023 6:42	58.4	83.2	1017	1017	1.7	0.7	0	67.56	20	20	
9/8/2023 6:43	58.4	83.7	1017	1017	1.7	0.7	0	63.06	20	20	
9/8/2023 6:44	58.3	84	1017	1017	1.9	0.8	22.6	58.53	34	21	
9/8/2023 6:45	58.2	84.3	1017	1017	1.9	0.9	24.6	53.23	25	21	
9/8/2023 6:46	58.1	84.3	1017	1017	2.4	1	27.7	47.77	17	21	
9/8/2023 6:47	57.9	84.5	1017	1017	2.4	1.2	35.1	42.77	26	21	
9/8/2023 6:48	57.9	84.8	1017	1017	2.4	1.4	44.9	38.53	28	22	
9/8/2023 6:49	57.9	85.2	1017	1017	2.4	1.4	47.6	34.53	42	23	
9/8/2023 6:50	57.8	85.3	1017	1017	2.4	1.4	49.5	30.72	32	24	
9/8/2023 6:51	57.8	85.3	1017	1017	2.4	1.4	49.2	26.99	25	25	
9/8/2023 6:52	57.6	85.5	1017	1017	2.4	1.4	49.4	23.37	29	25	
9/8/2023 6:53	57.7	85.7	1017	1017	2.4	1.4	48.8	26.63	30	26	
9/8/2023 6:54	57.6	86	1017	1017	2.4	1.3	46.8	29.75	25	26	
9/8/2023 6:55	57.6	85.8	1017	1017	2.2	1.3	47.5	32.91	19	26	
9/8/2023 6:56	57.4	85.9	1017	1017	2.2	1.3	51.2	36.33	17	25	
9/8/2023 6:57	57.4	86.2	1017	1017	2.2	1.2	58.3	40.21	16	25	
9/8/2023 6:58	57.4	86.3	1017	1017	2	1.2	63.9	44.47	16	25	
9/8/2023 6:59	57.4	86.4	1017	1017	2	1.2	66.5	47.4	18	24	
9/8/2023 7:00	57.4	86.3	1017	1017	2	1.1	74.2	50.71	16	23	0.0005
9/8/2023 7:01	57.7	87.4	1017	1017	2	1.1	75.4	53.89	19	23	
9/8/2023 7:02									20	23	
9/8/2023 7:03									22	23	
9/8/2023 7:04	58.1	86.3	1017	1017	1.3	0.7	87.3	59.08	53	23	
9/8/2023 7:05	57.9	85.7	1017	1017	1.5	0	85.3	61.83	43	24	
9/8/2023 7:06	57.9	85.7	1017	1017	1.5	0.8	63.3	62.92	41	25	
9/8/2023 7:07	57.8	85.5	1017	1017	1.5	0.8	62.2	63.9	33	25	
9/8/2023 7:08	57.8	85.4	1017	1017	1.5	0.9	56.7	64.51	40	26	
9/8/2023 7:09	57.9	85.4	1017	1017	1.8	0.9	53.1	64.99	50	28	
9/8/2023 7:10	57.8	85.2	1017	1017	1.8	0.9	50.6	65.23	50	30	
9/8/2023 7:11	57.8	85.3	1017	1017	1.8	0.9	49.3	65.08	27	30	
9/8/2023 7:12	57.8	85.4	1017	1017	1.8	1	45.8	64.12	40	32	
9/8/2023 7:13	57.8	85.5	1017	1017	1.8	1	42.5	62.48	34	33	
9/8/2023 7:14	57.8	85.4	1017	1017	1.8	1	38	60.28	19	33	
9/8/2023 7:15	57.8	85.4	1017	1017	1.8	0.8	31.3	56.98	19	34	
9/8/2023 7:16	58	85.5	1017	1017	1.8	0.7	29.5	53.45	19	34	
9/8/2023 7:17	58	85.4	1017	1017	1.8	0	30.4	51.81	19	33	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 7:18	58	85.4	1017	1017	1.6	0	0	48.35	19	33	
9/8/2023 7:19	58.2	85.4	1017	1017	1.6	0	0	42.53	20	31	
9/8/2023 7:20	58.2	85.4	1017	1017	1.4	0	0	36.85	20	30	
9/8/2023 7:21	58.2	85.5	1017	1017	1.2	0	0	32.63	19	28	
9/8/2023 7:22	58.2	85.5	1017	1017	1.1	0	0	28.48	21	27	
9/8/2023 7:23	58.4	85.6	1017	1017	1.1	0	0	24.7	20	26	
9/8/2023 7:24	58.4	85.7	1017	1017	1.1	0	0	21.16	22	24	
9/8/2023 7:25	58.6	85.9	1017	1017	1.5	0	0	17.79	28	23	
9/8/2023 7:26	58.6	85.8	1017	1017	1.5	0	0	14.5	28	23	
9/8/2023 7:27	58.8	86	1017	1017	1.5	0	0	11.45	22	21	
9/8/2023 7:28	58.8	85.9	1017	1017	1.5	0	0	8.61	22	21	
9/8/2023 7:29	58.9	86	1017	1017	1.5	0	0	6.08	25	21	
9/8/2023 7:30	58.9	85.7	1017	1017	1.5	0	0	3.99	24	21	
9/8/2023 7:31	59.1	85.5	1017	1017	1.5	0	0	2.03	25	22	
9/8/2023 7:32	59.1	85.4	1017	1017	1.5	0	0	0	22	22	
9/8/2023 7:33	59.1	85.6	1017	1017	1.5	0	0	0	22	22	
9/8/2023 7:34	59.3	85.7	1017	1017	1.6	0	0	0	20	22	
9/8/2023 7:35	59.5	85.5	1017	1017	1.6	0	0	0	20	22	
9/8/2023 7:36	59.5	85.4	1017	1017	1.8	0	0	0	20	22	
9/8/2023 7:37	59.6	85.4	1017	1017	1.8	0	0	0	19	22	
9/8/2023 7:38	59.7	85.3	1017	1017	2.9	0	0	0	19	22	
9/8/2023 7:39	59.7	85.2	1017	1017	2.9	0.7	0	0	20	22	
9/8/2023 7:40	59.7	85.3	1017	1017	2.9	0.8	0	0	20	21	
9/8/2023 7:41	59.7	85.1	1017	1017	2.9	0.8	347.3	23.15	20	21	
9/8/2023 7:42	59.7	84.8	1017	1017	2.9	1	356.4	46.91	20	21	
9/8/2023 7:43	59.7	85	1017	1017	2.9	1.1	358.8	70.83	20	21	
9/8/2023 7:44	59.9	85.1	1017	1017	2.9	1.2	4.2	71.11	22	20	
9/8/2023 7:45	59.8	84.7	1017	1017	2.9	1.3	6.8	71.57	22	20	
9/8/2023 7:46	59.8	84.6	1017	1017	2.9	1.4	9.1	72.17	22	20	
9/8/2023 7:47	60	84.6	1017	1017	3.2	1.4	8.5	72.74	23	20	
9/8/2023 7:48	60.1	84.5	1017	1017	4.2	1.5	9.7	73.39	21	20	
9/8/2023 7:49	60.1	84.3	1017	1017	4.2	1.7	11.6	74.16	22	20	
9/8/2023 7:50	60	84.4	1017	1017	4.2	1.9	14.1	75.1	22	20	
9/8/2023 7:51	60	84.3	1017	1017	4.2	2	13.9	76.03	23	21	
9/8/2023 7:52	60	84.3	1017	1017	4.2	2	15.1	77.03	23	21	
9/8/2023 7:53	60.2	84.3	1017	1017	4.2	2.2	14.5	78	22	21	
9/8/2023 7:54	60.2	84.2	1017	1017	4.2	2.2	13.1	78.87	23	21	
9/8/2023 7:55	60.4	84.3	1017	1017	4.2	2.3	12.6	79.71	30	22	
9/8/2023 7:56	60.4	84.1	1017	1017	4.2	2.3	12.8	57.41	33	23	
9/8/2023 7:57	60.6	83.8	1017	1017	4	2.2	13.9	34.58	23	23	
9/8/2023 7:58	60.6	83.8	1017	1017	4	2.2	13.3	11.55	20	23	
9/8/2023 7:59	60.6	83.8	1017	1017	4.1	2.1	11.5	12.03	20	23	
9/8/2023 8:00	60.8	83.6	1017	1017	4.4	2.1	13.5	12.48	23	23	0.001833
9/8/2023 8:01	60.8	83.5	1017	1017	4.4	2.2	15.2	12.89	19	23	
9/8/2023 8:02	60.8	83.8	1017	1017	4.4	2.2	16.3	13.41	22	23	
9/8/2023 8:03	61	83.8	1017	1017	4.4	2.4	21	14.16	22	23	
9/8/2023 8:04	60.9	83.9	1017	1017	4.4	2.4	21	14.79	33	23	
9/8/2023 8:05	60.8	83.7	1017	1017	4.4	2.5	21.3	15.27	25	24	
9/8/2023 8:06	60.8	83.7	1017	1017	4.4	2.6	20.1	15.68	20	23	
9/8/2023 8:07	60.8	83.7	1017	1017	4.4	2.6	20.2	16.02	23	23	
9/8/2023 8:08	60.9	84.1	1017	1017	5.3	2.7	19.5	16.35	21	23	
9/8/2023 8:09	60.9	83.8	1017	1017	5.3	2.7	17.3	16.63	26	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 8:10	61	83.9	1017	1017	5.3	2.7	14.9	16.79	20	23	
9/8/2023 8:11	61.1	83.5	1017	1017	5.3	2.7	13.5	16.83	27	22	
9/8/2023 8:12	61.2	83.8	1017	1017	5.3	2.5	10.1	16.58	28	23	
9/8/2023 8:13	61.2	83.5	1017	1017	5.3	2.3	8.7	16.27	21	23	
9/8/2023 8:14	61.3	83.7	1017	1017	5.3	2.3	10	16.17	24	23	
9/8/2023 8:15	61.5	83.6	1017	1017	5.3	2.3	11.2	16.02	21	23	
9/8/2023 8:16	61.4	83.1	1017	1017	5.3	2.3	12	15.81	19	23	
9/8/2023 8:17	61.5	83.5	1017	1017	4.6	2.2	12.4	15.55	19	23	
9/8/2023 8:18	61.6	82.9	1017	1017	4.3	2.2	13.1	15.02	18	23	
9/8/2023 8:19	61.6	82.9	1017	1017	4.3	2.1	11	14.35	20	22	
9/8/2023 8:20	61.7	82.7	1017	1017	4.3	2.1	13.8	13.85	19	21	
9/8/2023 8:21	61.5	82.8	1017	1017	4.3	2.2	17.3	13.67	19	21	
9/8/2023 8:22	61.7	83.2	1017	1017	4.2	2.3	17.8	13.51	19	21	
9/8/2023 8:23	61.6	82.9	1017	1017	4.2	2.4	24.1	13.81	19	21	
9/8/2023 8:24	61.6	83	1017	1017	4.7	2.4	27.1	14.47	20	20	
9/8/2023 8:25	61.6	83	1017	1017	4.7	2.4	29.9	15.47	20	20	
9/8/2023 8:26	61.6	82.9	1017	1017	4.7	2.4	31.1	16.64	21	20	
9/8/2023 8:27	61.8	83.1	1017	1017	4.7	2.3	30.9	18.03	21	20	
9/8/2023 8:28	61.9	82.8	1017	1017	4.7	2.3	34.6	19.75	21	20	
9/8/2023 8:29	61.9	82.6	1017	1017	4.7	2.3	33.9	21.35	24	20	
9/8/2023 8:30	62	82.5	1017	1017	4.7	2.3	29.6	22.57	21	20	
9/8/2023 8:31	62	82.5	1017	1017	4.7	2.3	26.8	23.56	21	20	
9/8/2023 8:32	62	82.5	1017	1017	4.7	2	18.8	23.99	20	20	
9/8/2023 8:33	62.3	82.7	1017	1017	3.5	1.9	16.6	24.22	19	20	
9/8/2023 8:34	62.4	81.9	1017	1017	3.5	2	17.6	24.66	20	20	
9/8/2023 8:35	62.4	81.9	1017	1017	3.5	2.1	19.9	25.07	19	20	
9/8/2023 8:36	62.4	81.8	1017	1017	3.5	2	24	25.51	19	20	
9/8/2023 8:37	62.6	82.2	1017	1017	3.5	2	23.7	25.91	28	20	
9/8/2023 8:38	62.7	81.8	1017	1017	3.5	2	22.8	25.82	22	21	
9/8/2023 8:39	62.9	81.5	1017	1017	3.5	1.9	25.2	25.69	19	21	
9/8/2023 8:40	62.9	81	1017	1017	3.5	1.9	30.8	25.75	39	22	
9/8/2023 8:41	63.1	80.9	1017	1017	3.5	1.8	35.4	26.04	23	22	
9/8/2023 8:42	63.5	81	1017	1017	3.5	1.8	32.8	26.17	21	22	
9/8/2023 8:43	63.6	80.1	1017	1017	3.3	1.7	22.8	25.38	20	22	
9/8/2023 8:44	63.7	79.6	1017	1017	3.7	1.7	7.9	23.65	18	21	
9/8/2023 8:45	63.5	79.7	1017	1017	3.7	1.8	352.3	45.16	19	21	
9/8/2023 8:46	63.3	80.2	1017	1017	4.2	1.8	342.7	66.22	19	21	
9/8/2023 8:47	63.3	80.3	1017	1017	4.2	1.8	334	87.23	19	21	
9/8/2023 8:48	63.3	80.3	1017	1017	4.2	1.8	328.6	108.03	19	21	
9/8/2023 8:49	63.3	80.6	1017	1017	4.2	1.8	320.8	128.25	22	21	
9/8/2023 8:50	63.3	80.6	1017	1017	4.2	1.8	319.8	148.24	21	21	
9/8/2023 8:51	63.4	80.4	1017	1017	4.2	1.8	313.1	167.51	21	22	
9/8/2023 8:52	63.5	80.2	1017	1017	4.2	1.9	322	187.4	21	21	
9/8/2023 8:53	63.5	79.9	1017	1017	4.2	1.7	326.9	207.67	21	21	
9/8/2023 8:54	63.6	79.9	1017	1017	4.2	1.6	330.5	228.03	22	21	
9/8/2023 8:55	63.6	79.9	1017	1017	3.4	1.5	334.4	248.27	21	20	
9/8/2023 8:56	63.7	79.8	1017	1017	3.3	1.5	334.1	268.18	21	20	
9/8/2023 8:57	63.6	79.9	1017	1017	3.3	1.5	333.1	288.2	21	20	
9/8/2023 8:58	63.8	80.1	1017	1017	4.2	1.6	332.4	308.84	21	20	
9/8/2023 8:59	63.8	79.8	1017	1017	4.2	1.6	327.8	330.17	21	20	
9/8/2023 9:00	63.8	79.6	1017	1017	4.2	1.6	330.4	328.71	20	20	0.003233
9/8/2023 9:01	63.9	79.8	1017	1017	4.2	1.5	318.9	327.12	21	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 9:02	64	80.3	1017	1017	4.2	1.5	312.6	325.69	20	20	
9/8/2023 9:03	64.2	79.3	1017	1017	4.2	1.5	311.9	324.58	20	20	
9/8/2023 9:04	64.3	78.9	1017	1017	4.2	1.5	310.9	323.92	20	20	
9/8/2023 9:05	64.4	78.6	1017	1017	4.2	1.5	308.3	323.15	20	20	
9/8/2023 9:06	64.5	78.8	1017	1017	4.2	1.4	303.6	322.52	21	20	
9/8/2023 9:07	64.5	78.8	1017	1017	3.3	1.2	303.3	321.27	22	20	
9/8/2023 9:08	64.5	78.6	1017	1017	3.3	1.3	311.5	320.25	24	21	
9/8/2023 9:09	64.5	78.3	1017	1017	3.3	1.2	318.7	319.46	25	21	
9/8/2023 9:10	64.7	78.7	1017	1017	3.3	1.2	325.9	318.89	26	21	
9/8/2023 9:11	64.7	78.3	1017	1017	3.3	1.2	339.3	319.24	26	21	
9/8/2023 9:12	64.7	78.3	1017	1017	3.3	1.3	350.3	320.39	26	22	
9/8/2023 9:13	64.7	78.2	1017	1017	3.3	1.3	358.8	322.15	26	22	
9/8/2023 9:14	64.8	77.8	1017	1017	3.3	1.3	9	300.89	25	22	
9/8/2023 9:15	64.8	78.1	1017	1017	3.3	1.4	12.6	279.71	25	23	
9/8/2023 9:16	64.8	78.2	1017	1017	3.3	1.5	8.6	259.02	23	23	
9/8/2023 9:17	64.9	78	1017	1017	3.3	1.3	6.1	238.59	20	23	
9/8/2023 9:18	65	78.4	1017	1017	3.3	1.3	1.8	217.91	20	23	
9/8/2023 9:19	65	77.6	1017	1017	2.8	1.4	353.4	220.75	22	23	
9/8/2023 9:20	65	77.8	1017	1017	2.8	1.4	351.2	223.61	22	23	
9/8/2023 9:21	65	77.6	1017	1017	2.6	1.2	332.5	225.53	23	23	
9/8/2023 9:22	65.2	77.5	1017	1017	2.6	1.1	324.1	226.92	24	23	
9/8/2023 9:23	65.4	77.4	1017	1017	2.6	1.1	313.4	227.05	25	23	
9/8/2023 9:24	65.4	77.3	1017	1017	2.6	1	0	205.8	24	23	
9/8/2023 9:25	65.6	77.2	1017	1017	2.6	0.9	0	184.07	24	23	
9/8/2023 9:26	65.7	76.6	1017	1017	2.6	0.9	0	161.45	24	23	
9/8/2023 9:27	65.9	76.7	1017	1017	2.3	0.9	0	138.1	25	23	
9/8/2023 9:28	66.1	76.2	1017	1017	2.8	0.8	0	114.18	25	23	
9/8/2023 9:29	66.3	75.6	1017	1017	5.1	0.8	0	113.58	24	23	
9/8/2023 9:30	66.3	75.1	1017	1017	5.1	1.1	0	112.74	23	23	
9/8/2023 9:31	66.2	75.2	1017	1017	5.1	1.2	163.7	123.08	22	23	
9/8/2023 9:32	66.1	75.6	1017	1017	5.1	1.2	0	122.67	24	23	
9/8/2023 9:33	66.1	75.5	1017	1017	5.1	1.3	0	122.55	24	23	
9/8/2023 9:34	66.1	75.4	1017	1017	5.1	1.3	0	98.99	24	23	
9/8/2023 9:35	66.1	75.6	1017	1017	5.1	1.4	0	75.58	23	23	
9/8/2023 9:36	66.3	74.8	1017	1017	5.1	1.5	0	53.41	23	23	
9/8/2023 9:37	66.5	75.2	1017	1017	5.1	1.7	232.2	47.29	24	23	
9/8/2023 9:38	66.6	74.6	1017	1017	4.8	1.8	225.8	41.45	24	23	
9/8/2023 9:39	66.6	74.1	1017	1017	4.8	1.8	222.8	56.3	24	23	
9/8/2023 9:40	66.6	74.3	1017	1017	4.8	1.8	0	56.3	23	23	
9/8/2023 9:41	66.6	74	1017	1017	4.8	1.8	0	56.3	23	23	
9/8/2023 9:42	66.8	74.4	1017	1017	4.8	1.8	0	56.3	23	23	
9/8/2023 9:43	66.9	74.3	1017	1017	4.8	1.8	139.3	65.59	26	23	
9/8/2023 9:44	67.2	73.6	1017	1017	4.8	1.8	136	74.65	27	23	
9/8/2023 9:45	67.4	73.5	1017	1017	6	2	135.4	83.68	120	30	
9/8/2023 9:46	67.4	72.4	1017	1017	6	2	135.2	81.78	30	30	
9/8/2023 9:47	67	73.3	1017	1017	6	2.1	137.1	90.92	29	31	
9/8/2023 9:48	67	74.2	1017	1017	6	1.9	135.4	99.95	29	31	
9/8/2023 9:49	67	73.5	1018	1018	6	1.8	151.8	110.07	52	33	
9/8/2023 9:50	67	73.5	1018	1018	6	1.8	156.5	120.5	32	33	
9/8/2023 9:51	67.2	73.5	1017	1017	6	1.8	173.7	132.08	29	34	
9/8/2023 9:52	67.4	72.7	1018	1018	6	1.8	187.2	129.08	29	34	
9/8/2023 9:53	67.4	72.4	1018	1018	6	1.8	206.9	127.82	28	34	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 9:54	67.5	72.9	1017	1017	4.9	1.7	235.9	128.69	29	35	0.004654
9/8/2023 9:55	67.5	72	1018	1018	3.1	1.4	274.2	146.97	26	35	
9/8/2023 9:56	67.3	71.9	1018	1018	3.1	1.3	300.7	167.02	26	35	
9/8/2023 9:57	67.7	71.9	1017	1017	3.1	1.4	295.7	186.73	28	36	
9/8/2023 9:58	67.9	72.1	1018	1018	3.1	1.4	299.9	197.44	27	36	
9/8/2023 9:59	67.9	71.2	1017	1017	3.1	1.5	301.3	208.46	27	36	
9/8/2023 10:00	67.9	71.4	1017	1017	3.1	1.6	302.2	219.58	27	29	
9/8/2023 10:01	67.9	71.4	1018	1018	3.3	1.5	303.9	230.83	27	29	
9/8/2023 10:02	68.1	71.4	1018	1018	4	1.5	303.3	241.91	28	29	
9/8/2023 10:03	68.1	71.5	1018	1018	4	1.5	298.2	252.76	26	29	
9/8/2023 10:04	68.3	70.5	1018	1018	4	1.6	289.3	261.93	26	27	
9/8/2023 10:05	68.5	70.2	1017	1017	4.2	1.7	288.3	270.71	26	27	
9/8/2023 10:06	68.3	70.8	1018	1018	4.2	1.8	295.8	278.85	26	27	
9/8/2023 10:07	68.5	71.8	1018	1018	4.4	1.9	301.7	286.49	26	26	
9/8/2023 10:08	68.6	70.7	1018	1018	4.4	1.9	305.7	293.07	27	26	
9/8/2023 10:09	68.7	69.8	1018	1018	4.4	1.8	300	297.35	26	26	
9/8/2023 10:10	68.5	70.5	1018	1018	4.8	1.9	296.7	298.85	26	26	
9/8/2023 10:11	68.7	71.2	1018	1018	4.8	1.9	289.3	298.09	26	26	
9/8/2023 10:12	68.8	70.6	1018	1018	4.9	2.1	287.1	297.51	27	26	
9/8/2023 10:13	68.6	70.9	1018	1018	4.9	2	284.9	296.51	26	26	
9/8/2023 10:14	68.7	71.4	1018	1018	4.9	1.8	277.8	294.95	26	26	
9/8/2023 10:15	68.8	70.5	1018	1018	4.9	1.7	272.3	292.95	25	26	
9/8/2023 10:16	68.8	69.6	1018	1018	4.9	1.8	269.9	290.69	25	26	
9/8/2023 10:17	69	69.8	1018	1018	4.9	1.8	264	288.07	26	26	
9/8/2023 10:18	69	69.3	1018	1018	4.9	2	278	286.72	27	26	
9/8/2023 10:19	69.1	69.7	1018	1018	4.9	1.9	283	286.3	26	26	
9/8/2023 10:20	69.4	68.6	1018	1018	4.9	1.9	294.1	286.69	27	26	
9/8/2023 10:21	69.3	68.7	1018	1018	4.9	1.7	307	287.43	27	26	
9/8/2023 10:22	69.9	68.5	1018	1018	4.9	1.7	309.8	287.97	26	26	
9/8/2023 10:23	70.1	67.3	1018	1018	4.9	1.7	312.8	288.45	26	26	
9/8/2023 10:24	70.1	67.5	1018	1018	4.9	1.7	316.7	289.56	26	26	
9/8/2023 10:25	70.1	67.1	1018	1018	4.9	1.6	322.4	291.27	25	26	
9/8/2023 10:26	70.1	67.1	1018	1018	4.5	1.6	320.9	293.38	26	26	
9/8/2023 10:27	70	68.1	1018	1018	4.5	1.5	317.8	295.43	26	26	
9/8/2023 10:28	69.7	67.6	1018	1018	4.6	1.7	316.1	297.51	27	26	
9/8/2023 10:29	69.5	68.2	1018	1018	4.6	1.7	312.5	299.82	27	26	
9/8/2023 10:30	69.6	68.2	1018	1018	5.5	1.9	309.3	302.29	26	26	
9/8/2023 10:31	69.5	67.4	1018	1018	5.5	2	312.5	305.13	27	26	
9/8/2023 10:32	69.3	68.3	1018	1018	5.5	2.1	313.2	308.41	26	26	
9/8/2023 10:33	69.5	68	1018	1018	5.5	2.2	307.4	310.37	28	26	
9/8/2023 10:34	69.4	68.2	1018	1018	5.5	2.3	300.4	311.53	27	26	
9/8/2023 10:35	69.5	67.9	1018	1018	5.5	2.3	298.9	311.85	27	26	
9/8/2023 10:36	69.7	67.5	1018	1018	5.5	2.3	0	291.38	26	26	
9/8/2023 10:37	69.7	67.6	1018	1018	5.5	2.3	0	270.73	26	26	
9/8/2023 10:38	69.9	68.2	1018	1018	5.5	2.4	0	249.87	26	26	
9/8/2023 10:39	70.3	66.6	1018	1018	4.7	2.3	121.6	236.87	26	26	
9/8/2023 10:40	70.4	66.8	1018	1018	4.7	2.3	129.2	223.99	26	26	
9/8/2023 10:41	70.6	66.8	1018	1018	4.7	2.2	130.8	211.31	25	26	
9/8/2023 10:42	70.8	66.3	1018	1018	4.7	2.1	123.9	198.39	25	26	
9/8/2023 10:43	70.8	66.4	1018	1018	4.7	2	117.8	185.17	24	26	
9/8/2023 10:44	71.1	66.2	1018	1018	4.7	1.9	112.5	171.83	22	25	
9/8/2023 10:45	71.1	65.7	1018	1018	4.7	1.9	110.9	158.61	22	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 10:46	71.1	65.5	1018	1018	4.7	1.7	112	145.24	27	25	
9/8/2023 10:47	71.4	65.1	1018	1018	4.5	1.5	0	124.36	33	26	
9/8/2023 10:48	71.3	64.8	1018	1018	4.5	1.4			24	25	
9/8/2023 10:49	71.1	65.4	1018	1018	4.5	1.3	0	89.83	23	25	
9/8/2023 10:50	71.4	64.7	1018	1018	4.5	1.2	0	68.48	23	25	
9/8/2023 10:51	71.5	64.6	1018	1018	4.5	1.2	0	68.48	22	24	
9/8/2023 10:52	71.4	63.9	1018	1018	4.5	1.3	286.4	88.94	22	24	
9/8/2023 10:53	71.4	64	1018	1018	4.5	1.4	283.8	109.21	21	24	
9/8/2023 10:54	71.4	64.7	1018	1018	4.5	1.3	277.5	120.34	21	24	
9/8/2023 10:55	71.9	63.7	1018	1018	4.5	1.4	276.2	130.84	22	23	
9/8/2023 10:56	72.3	62.5	1018	1018	6.2	1.5	274	141.07	20	23	
9/8/2023 10:57	72.3	63.4	1018	1018	6	1.7	290.5	152.97	19	23	
9/8/2023 10:58	72.2	63	1018	1018	6	1.8	297.4	165.8	18	22	
9/8/2023 10:59	71.9	63.9	1018	1018	6	2	298	179.05	18	22	
9/8/2023 11:00	71.4	65.1	1018	1018	6	2	295.7	192.25	18	22	0.006207
9/8/2023 11:01	71.4	64.9	1017	1017	6.2	2	294.4	205.28	18	21	
9/8/2023 11:02	71.4	64.5	1017	1017	6.2	2.2	295.9	226.41	20	20	
9/8/2023 11:03	71.4	64.9	1017	1017	6.2	2.3	299.7	231.3	36	21	
9/8/2023 11:04	71.8	64	1017	1017	6.2	2.4	303.3	251.52	30	21	
9/8/2023 11:05	72	63.4	1017	1017	6.2	2.4	306.2	271.93	19	21	
9/8/2023 11:06	72.1	63.6	1018	1018	6.2	2.5	297.7	291.78	16	21	
9/8/2023 11:07	71.9	64.6	1017	1017	6.2	2.5	295.9	292.41	17	20	
9/8/2023 11:08	71.6	64.4	1018	1018	6.2	2.5	292.5	292.99	18	20	
9/8/2023 11:09	71.6	65	1017	1017	6.2	2.6	286.8	293.61	18	20	
9/8/2023 11:10	71.6	64.8	1017	1017	6.2	2.6	280.6	293.91	19	20	
9/8/2023 11:11	71.8	64.4	1017	1017	6.5	2.5	274.7	293.95	19	20	
9/8/2023 11:12	72	64.2	1017	1017	6.5	2.5	270.4	292.61	18	20	
9/8/2023 11:13	72	64	1017	1017	6.5	2.3	267	290.59	19	20	
9/8/2023 11:14	71.8	63.9	1017	1017	6.5	2.4	267.9	288.58	18	20	
9/8/2023 11:15	71.7	65	1017	1017	6.5	2.2	271	286.93	16	20	
9/8/2023 11:16	72.2	64.3	1017	1017	6.5	2.2	274.7	285.62	17	20	
9/8/2023 11:17	72.5	63.8	1017	1017	6.5	2.2	278.3	284.45	18	19	
9/8/2023 11:18	72.6	63.6	1017	1017	6.5	2.1	281.5	283.23	17	18	
9/8/2023 11:19	72.7	63.2	1017	1017	6.5	2.1	281.7	281.79	18	17	
9/8/2023 11:20	72.7	62.8	1017	1017	6.7	2.2	285.1	280.39	17	17	
9/8/2023 11:21	72.3	63.8	1017	1017	7.3	2.4	291.8	279.99	18	17	
9/8/2023 11:22	72	64.2	1017	1017	7.3	2.7	291.4	279.69	18	17	
9/8/2023 11:23	72	64.4	1017	1017	7.3	2.7	293	279.73	20	18	
9/8/2023 11:24	71.9	63.3	1017	1017	7.3	2.8	295.1	280.28	21	18	
9/8/2023 11:25	72.1	62.9	1017	1017	7.3	2.8	292.8	281.09	19	18	
9/8/2023 11:26	72.1	63.9	1017	1017	7.3	2.6	286.5	281.88	18	18	
9/8/2023 11:27	72.2	64.2	1017	1017	7.3	2.7	287.7	283.03	18	18	
9/8/2023 11:28	72.2	63.4	1017	1017	7.3	2.6	293.3	284.79	18	18	
9/8/2023 11:29	72.2	63.4	1017	1017	7.3	2.6	297.2	286.74	18	18	
9/8/2023 11:30	72.5	62.4	1017	1017	6.4	2.4	298.4	288.57	18	18	
9/8/2023 11:31	72.5	61.6	1017	1017	5.9	2.2	299.2	290.2	17	18	
9/8/2023 11:32	72.9	61.2	1017	1017	5.9	2.1	293.1	291.19	18	18	
9/8/2023 11:33	72.7	61	1017	1017	5.9	2.1	279.8	291.07	17	18	
9/8/2023 11:34	72.5	62.3	1017	1017	5.7	2.1	278.8	290.88	18	18	
9/8/2023 11:35	72.5	62.7	1017	1017	5.7	2.2	296.3	291.63	18	18	
9/8/2023 11:36	72.8	61.5	1017	1017	6.8	2.4	298.1	292.05	17	18	
9/8/2023 11:37	72.5	62.3	1017	1017	6.8	2.5	297.2	292.43	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 11:38	72.3	62.9	1017	1017	6.8	2.3	293.7	292.48	17	18	
9/8/2023 11:39	72.9	61.7	1017	1017	6.8	2.3	288.6	292.05	17	17	
9/8/2023 11:40	72.7	61.9	1017	1017	6.8	2.4	289.1	291.8	17	17	
9/8/2023 11:41	72.9	61.4	1017	1017	6.8	2.5	288.2	291.91	17	17	
9/8/2023 11:42	72.7	61.8	1017	1017	6.8	2.5	287.7	291.91	17	17	
9/8/2023 11:43	72.6	62.5	1017	1017	6.8	2.6	285.6	291.4	17	17	
9/8/2023 11:44	72.9	61.4	1017	1017	6.8	2.7	279.7	290.23	18	17	
9/8/2023 11:45	73.4	60.9	1017	1017	6.7	2.4	271.2	288.42	17	17	
9/8/2023 11:46	74	59.7	1017	1017	6.4	2.5	270.7	286.52	16	17	
9/8/2023 11:47	74.1	60	1017	1017	6.4	2.7	275.9	285.37	16	17	
9/8/2023 11:48	74.1	59.8	1017	1017	6.4	2.6	285.8	285.77	17	17	
9/8/2023 11:49	73.6	60.9	1017	1017	6.8	2.8	289.6	286.49	17	17	
9/8/2023 11:50	73.4	61.2	1017	1017	6.8	3	295.3	286.43	16	16	
9/8/2023 11:51	73.6	60.9	1017	1017	6.8	2.9	303.2	286.77	16	16	
9/8/2023 11:52	73.6	60.7	1017	1017	6.8	3	309.2	287.57	16	16	
9/8/2023 11:53	73.6	61	1017	1017	6.8	3	312.3	288.81	16	16	
9/8/2023 11:54	73.4	61.2	1017	1017	6.8	3.1	317.7	290.75	15	16	
9/8/2023 11:55	73.2	61.6	1017	1017	8.2	3.3	320	292.81	15	16	
9/8/2023 11:56	73	61.6	1017	1017	8.2	3.4	319.1	294.87	15	16	
9/8/2023 11:57	73	61.8	1017	1017	8.2	3.4	313.5	296.59	14	16	
9/8/2023 11:58	73.2	61.9	1017	1017	8.2	3.2	315.4	298.57	14	15	
9/8/2023 11:59	73.2	61.3	1017	1017	8.2	3.2	317.3	301.08	14	15	
9/8/2023 12:00	73.4	61.3	1017	1017	8.2	3.4	316.1	304.07	14	15	0.007694
9/8/2023 12:01	73.4	61.4	1017	1017	8.2	3.3	316.4	307.12	14	15	
9/8/2023 12:02	73.8	60.3	1017	1017	8.2	3.3	317.5	309.89	14	15	
9/8/2023 12:03	73.8	60.9	1017	1017	8.2	3.4	309.9	311.5	14	14	
9/8/2023 12:04	73.9	60.2	1017	1017	6.9	3.1	299	312.13	14	14	
9/8/2023 12:05	73.9	60.6	1017	1017	6.5	3	298.2	312.32	13	14	
9/8/2023 12:06	74.3	59.5	1017	1017	9.1	2.9	296.8	311.89	14	14	
9/8/2023 12:07	74.1	60	1017	1017	9.1	3	295.1	310.95	13	14	
9/8/2023 12:08	73.9	60.8	1017	1017	9.1	3	293.4	309.69	14	14	
9/8/2023 12:09	73.7	60.8	1017	1017	9.1	2.8	291.9	307.97	14	14	
9/8/2023 12:10	74.1	59.7	1017	1017	9.1	2.7	287	305.77	13	13	
9/8/2023 12:11	74.3	59.5	1017	1017	9.1	2.6	286.2	303.58	13	13	
9/8/2023 12:12	74.6	58.8	1017	1017	9.1	2.6	290.4	302.04	13	13	
9/8/2023 12:13	74.8	58.4	1017	1017	9.1	2.6	292.3	300.5	13	13	
9/8/2023 12:14	74.4	59.2	1017	1017	9.1	2.7	284	298.28	13	13	
9/8/2023 12:15	74.4	59.2	1017	1017	7.9	2.6	280.6	295.91	13	13	
9/8/2023 12:16	74.6	59.1	1017	1017	7.9	2.5	276.9	293.28	13	13	
9/8/2023 12:17	74.7	58.7	1017	1017	7.5	2.6	280.9	290.84	13	13	
9/8/2023 12:18	74.3	59.4	1017	1017	7.5	2.8	284.7	289.16	12	13	
9/8/2023 12:19	74.2	59.7	1017	1017	7.5	2.7	289.4	288.52	13	13	
9/8/2023 12:20	74.4	59.2	1017	1017	7.5	2.7	281.8	287.43	13	13	
9/8/2023 12:21	74.9	58.7	1017	1017	7.5	2.7	281.1	286.38	12	13	
9/8/2023 12:22	74.8	58.6	1017	1017	7.7	2.8	279.5	285.34	12	12	
9/8/2023 12:23	74.6	59.1	1017	1017	7.7	2.7	281.7	284.56	12	12	
9/8/2023 12:24	74.8	58.7	1017	1017	7.7	2.7	283.9	284.03	12	12	
9/8/2023 12:25	75	58.4	1017	1017	8.3	2.8	278.9	283.49	12	12	
9/8/2023 12:26	75.1	57.8	1017	1017	8.3	2.6	272.7	282.59	12	12	
9/8/2023 12:27	75.1	58	1017	1017	8.3	2.5	268.5	281.13	12	12	
9/8/2023 12:28	75.4	57.5	1017	1017	8.3	2.6	269.7	279.62	12	12	
9/8/2023 12:29	75.3	57.9	1017	1017	8.3	2.8	271.1	278.76	12	12	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 12:30	75.5	58.1	1017	1017	8.3	2.9	275.3	278.41	12	12	
9/8/2023 12:31	75.5	57.8	1017	1017	8.3	2.9	283.2	278.83	12	12	
9/8/2023 12:32	75.4	57.8	1017	1017	8.3	2.8	289.2	279.38	12	12	
9/8/2023 12:33	75.2	58	1017	1017	8.3	2.9	285.3	279.42	12	12	
9/8/2023 12:34	75.3	58.2	1017	1017	7.2	3	287.8	279.31	13	12	
9/8/2023 12:35	75.5	58	1017	1017	7.7	3.1	283.7	279.44	13	12	
9/8/2023 12:36	75.3	58.5	1017	1017	7.7	3	283.9	279.63	12	12	
9/8/2023 12:37	75.5	58.1	1017	1017	7.7	3	283.1	279.87	13	12	
9/8/2023 12:38	75.7	57.2	1017	1017	7.7	3	287.3	280.24	13	12	
9/8/2023 12:39	75.7	57.4	1017	1017	7.7	2.9	282.9	280.17	12	12	
9/8/2023 12:40	75.9	56.9	1017	1017	7.7	2.9	279.3	280.2	13	12	
9/8/2023 12:41	75.8	56.9	1017	1017	7.7	3	277.1	280.49	13	12	
9/8/2023 12:42	75.8	57.3	1017	1017	7.7	2.9	275.5	280.96	14	12	
9/8/2023 12:43	75.8	57.5	1017	1017	8.3	3.2	273.5	281.21	14	12	
9/8/2023 12:44	75.8	57.5	1017	1017	8.3	3.1	273.6	281.38	13	12	
9/8/2023 12:45	76	57.4	1017	1017	8.3	3.3	269.8	281.01	13	12	
9/8/2023 12:46	76.2	56.9	1017	1017	9.8	3.2	268.7	280.05	14	12	
9/8/2023 12:47	76.5	56.1	1017	1017	9.8	3.2	267.2	278.58	13	13	
9/8/2023 12:48	76.4	56.4	1017	1017	9.8	3.2	266.1	277.3	12	13	
9/8/2023 12:49	76.2	57	1017	1017	9.8	3.3	262.8	275.63	13	13	
9/8/2023 12:50	75.8	57	1017	1017	9.8	3.4	261.6	274.16	13	13	
9/8/2023 12:51	75.7	56.6	1017	1017	9.8	3.4	261.3	272.65	13	13	
9/8/2023 12:52	75.6	56.5	1017	1017	9.8	3.3	260.1	271.12	13	13	
9/8/2023 12:53	75.8	56.4	1017	1017	9.8	3.2	263	269.5	13	13	
9/8/2023 12:54	76.4	56	1017	1017	9.8	3.1	267.3	268.46	12	13	
9/8/2023 12:55	76.5	55.4	1017	1017	8.5	3.2	265.3	267.53	13	13	
9/8/2023 12:56	76.5	55.1	1017	1017	8.5	3	262.9	266.58	12	13	
9/8/2023 12:57	76.7	54.8	1017	1017	8.5	3.1	264.1	265.82	13	12	
9/8/2023 12:58	76.9	55.1	1017	1017	8	3	268.1	265.46	13	12	
9/8/2023 12:59	77.1	54.9	1017	1017	8	2.9	266.9	265.01	12	12	
9/8/2023 13:00	77.3	54.1	1017	1017	8	2.8	268	264.89	13	12	0.009038
9/8/2023 13:01	77.4	54.1	1017	1017	8	2.9	267.8	264.83	12	12	
9/8/2023 13:02	77.6	53	1017	1017	8	2.8	279.7	265.67	13	12	
9/8/2023 13:03	77.8	53.2	1017	1017	8	2.7	278.1	266.47	12	12	
9/8/2023 13:04	78.3	52.3	1017	1017	8	2.8	277.6	267.45	13	12	
9/8/2023 13:05	78.1	52.4	1017	1017	8	3	276.9	268.47	12	12	
9/8/2023 13:06	78	52	1017	1017	8	3	277.4	269.55	13	12	
9/8/2023 13:07	77.7	52.7	1017	1017	7.5	3	274.1	270.48	12	12	
9/8/2023 13:08	77.8	52.6	1017	1017	7.5	2.9	270.1	270.95	13	12	
9/8/2023 13:09	77.9	52.2	1017	1017	8.4	3	269.5	271.1	13	12	
9/8/2023 13:10	77.7	52.8	1017	1017	8.4	3.1	273.2	271.63	13	12	
9/8/2023 13:11	77.7	53.2	1017	1017	8.4	3.2	267.8	271.95	12	12	
9/8/2023 13:12	78	52.1	1017	1017	9.1	3.4	263.7	271.93	12	12	
9/8/2023 13:13	78.1	51.8	1017	1017	9.1	3.5	260.3	271.41	12	12	
9/8/2023 13:14	77.7	52.4	1017	1017	9.4	3.5	259.2	270.89	12	12	
9/8/2023 13:15	77.7	52.3	1017	1017	9.4	3.6	258	270.23	12	12	
9/8/2023 13:16	77.6	52.9	1017	1017	9.4	3.7	255.9	269.43	11	12	
9/8/2023 13:17	77.7	52.7	1017	1017	9.4	3.6	260.2	268.13	12	12	
9/8/2023 13:18	77.7	51.9	1017	1017	9.4	3.6	262.9	267.12	11	12	
9/8/2023 13:19	78.2	51.8	1017	1017	9.4	3.4	263.5	266.18	11	12	
9/8/2023 13:20	78.8	49.2	1017	1017	9.4	3.4	267.2	265.53	11	12	
9/8/2023 13:21	79.1	49.6	1017	1017	9.4	3.2	264.1	264.65	12	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 13:22	78.9	50.2	1017	1017	9.4	3.1	269.3	264.33	11	11	
9/8/2023 13:23	78.9	49.5	1017	1017	8.9	3.2	276.1	264.73	12	11	
9/8/2023 13:24	78.7	50.1	1017	1017	8.9	3	276.6	265.2	12	11	
9/8/2023 13:25	78.4	50.8	1017	1017	8.9	2.9	278.4	265.55	11	11	
9/8/2023 13:26	78.4	51.4	1017	1017	8.9	3.2	274.9	266.02	12	11	
9/8/2023 13:27	78.3	51.7	1017	1017	8.9	3.1	272.7	266.62	12	11	
9/8/2023 13:28	78.6	50.8	1017	1017	8.9	3.2	270.3	267.29	12	11	
9/8/2023 13:29	78.9	49.6	1017	1017	8.9	3.2	273.6	268.25	12	11	
9/8/2023 13:30	79.1	47.3	1017	1017	8.9	3.4	281.9	269.84	12	11	
9/8/2023 13:31	78.9	47	1017	1017	8.2	3.5	297.9	272.64	12	11	
9/8/2023 13:32	78.7	46.9	1017	1017	8.2	3.5	301.3	275.38	10	11	
9/8/2023 13:33	78.6	47.4	1017	1017	8.2	3.5	307	278.32	11	11	
9/8/2023 13:36	79.5	45.1	1017	1017	8.2	4.3	351.5	287.04	9	11	
9/8/2023 13:37	79.3	46.2	1017	1017	8.2	3.7	349.2	293.18	11	11	
9/8/2023 13:38	79.1	45.5	1017	1017	8.2	3.7	341.7	298.23	10	11	
9/8/2023 13:39	78.5	46.3	1017	1017	8.2	3.8	345.5	303.53	11	11	
9/8/2023 13:40	78.2	46.4	1017	1017	8.1	4	340.2	308.28	11	11	
9/8/2023 13:41	77.9	46.6	1017	1017	8.1	3.9	338.9	313.21	10	11	
9/8/2023 13:42	77.8	47.1	1017	1017	8.1	4	336.8	318.14	9	10	
9/8/2023 13:43	77.8	46.6	1017	1017	8.1	3.9	334.9	323.11	9	10	
9/8/2023 13:44	78	45.2	1017	1017	8.1	3.8	335.8	327.89	8	10	
9/8/2023 13:45	78.2	45.8	1017	1017	8.1	3.7	332.8	331.81	8	9	
9/8/2023 13:46	78.2	46.1	1017	1017	8.1	3.7	331.5	334.39	9	9	
9/8/2023 13:47	78.4	46.2	1017	1017	8.1	3.6	332.4	336.78	8	9	
9/8/2023 13:48	78.5	46.3	1017	1017	8.1	3.5	327.3	338.35	9	9	
9/8/2023 13:49	78.2	45.8	1017	1017	7.7	3.5	326.5	337.5	8	9	
9/8/2023 13:50	77.9	46.7	1017	1017	8	3.5	325	336.67	10	9	
9/8/2023 13:51	77.6	47.9	1017	1017	8.9	3.5	322.8	334.75	10	9	
9/8/2023 13:52	77.5	48	1017	1017	8.9	3.6	321.7	332.92	11	9	
9/8/2023 13:53	77.8	47.4	1017	1017	8.9	3.6	319.4	331.43	10	9	
9/8/2023 13:54	78.6	46.8	1016	1016	8.9	3.4	317.5	329.57	11	9	
9/8/2023 13:55	79.1	45.7	1016	1016	8.9	3.5	316.2	327.97	11	9	
9/8/2023 13:56	79.4	44.9	1016	1016	8.9	3.5	316.2	326.45	11	9	
9/8/2023 13:57	79.1	45.7	1017	1017	8.9	3.5	320.7	325.38	12	9	
9/8/2023 13:58	79.6	45.3	1016	1016	8.9	3.4	322.2	324.53	12	9	
9/8/2023 13:59	80	44.4	1017	1017	8.9	3.4	320.5	323.51	10	10	
9/8/2023 14:00	79.6	45.1	1017	1017	8.5	3.4	321.9	322.79	11	10	0.009255
9/8/2023 14:01	79.4	44.6	1017	1017	8.5	3.4	319.9	322.01	10	10	
9/8/2023 14:02	79.6	44.2	1017	1017	8.9	3.5	319.5	321.15	9	10	
9/8/2023 14:03	79.8	44.1	1016	1016	8.9	3.6	318.2	320.55	11	10	
9/8/2023 14:04	80.2	43	1017	1017	8.9	3.7	317.8	319.97	10	10	
9/8/2023 14:05	80.3	40.8	1017	1017	8.9	3.5	316.4	319.39	8	10	
9/8/2023 14:06	80.1	40.2	1017	1017	8.9	3.5	315.6	318.91	6	10	
9/8/2023 14:07	79.7	40.2	1017	1017	8.9	3.7	315.8	318.52	7	9	
9/8/2023 14:08	79.6	41.3	1017	1017	8.9	3.6	318.2	318.44	7	9	
9/8/2023 14:09	79.6	41.5	1017	1017	8.9	3.6	317.3	318.43	7	9	
9/8/2023 14:10	79.6	41.5	1017	1017	8.9	3.6	318.5	318.58	9	9	
9/8/2023 14:11	79.3	40.1	1017	1017	8.9	3.6	322.7	319.01	10	9	
9/8/2023 14:12	79.4	40.4	1017	1017	9.2	3.7	327.4	319.46	6	8	
9/8/2023 14:13	79.6	40.7	1016	1016	9.2	4.1	330.3	320	6	8	
9/8/2023 14:14	79.2	40.5	1016	1016	9.2	4.3	332.7	320.81	5	8	
9/8/2023 14:15	79	41.4	1017	1017	9.1	4.4	329.8	321.34	6	7	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 14:16	78.8	41.9	1017	1017	9.1	4.3	327.7	321.86	7	7	
9/8/2023 14:17	78.5	41.4	1016	1016	9.7	4.7	329.8	322.55	6	7	
9/8/2023 14:18	78.6	41.1	1017	1017	9.7	4.8	332.8	323.52	6	7	
9/8/2023 14:19	78.7	41.9	1016	1016	9.7	4.8	337.1	324.81	6	6	
9/8/2023 14:20	79	42.8	1016	1016	9.7	4.8	336.9	326.17	8	6	
9/8/2023 14:21	79.2	42.3	1016	1016	9.7	4.7	334.7	327.45	7	6	
9/8/2023 14:22	79	43.3	1016	1016	9.7	4.8	334.2	328.67	8	6	
9/8/2023 14:23	78.9	44.2	1016	1016	9.7	4.6	333.1	329.67	9	7	
9/8/2023 14:24	78.9	43.6	1017	1017	9.7	4.6	334.5	330.81	9	7	
9/8/2023 14:25	78.7	44	1017	1017	9.7	4.6	335.6	331.95	8	7	
9/8/2023 14:26	78.9	44.4	1017	1017	8.4	4.4	332.5	332.61	8	7	
9/8/2023 14:27	78.9	44.5	1016	1016	8.6	4.3	330.7	332.83	9	7	
9/8/2023 14:28	78.5	45	1016	1016	9.8	4.4	326.9	332.6	9	7	
9/8/2023 14:29	78.7	45.1	1017	1017	9.8	4.4	324.3	332.04	8	7	
9/8/2023 14:30	78.9	45	1016	1016	9.8	4.5	323.2	331.6	8	7	
9/8/2023 14:31	78.9	45.4	1017	1017	11.1	4.6	321.1	331.16	10	7	
9/8/2023 14:32	78.5	45.8	1016	1016	11.1	4.8	323.1	330.71	10	8	
9/8/2023 14:33	78.6	46.2	1016	1016	11.1	4.8	324.2	330.14	10	8	
9/8/2023 14:34	78.7	46.2	1017	1017	11.1	4.9	326.8	329.45	10	8	
9/8/2023 14:35	78.9	44.5	1017	1017	11.1	5	329.4	328.95	10	8	
9/8/2023 14:36	78.5	43.5	1016	1016	14.6	5.3	333.8	328.89	8	8	
9/8/2023 14:37	78.5	43	1017	1017	14.6	5.3	337.7	329.13	7	8	
9/8/2023 14:38	78.7	42.5	1017	1017	14.6	5.3	340.8	329.64	6	8	
9/8/2023 14:39	79.3	42.8	1017	1017	14.6	5.3	344.3	330.29	8	8	
9/8/2023 14:40	79.1	43.7	1017	1017	14.6	5.2	344.7	330.9	8	8	
9/8/2023 14:41	79.1	43.9	1017	1017	14.6	5	343.7	331.65	9	8	
9/8/2023 14:42	79.1	43.1	1016	1016	14.6	5	345.8	332.65	8	8	
9/8/2023 14:43	79.4	43.6	1017	1017	14.6	5	343.3	333.75	9	8	
9/8/2023 14:44	79.4	43.5	1017	1017	14.6	4.8	343.6	335.03	9	8	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 6:37	17	17	0.00019048
9/8/2023 6:38	19	18	
9/8/2023 6:39	19	18	
9/8/2023 6:40	19	18	
9/8/2023 6:41	19	18	
9/8/2023 6:42	19	18	
9/8/2023 6:43	19	18	
9/8/2023 6:44	18	18	
9/8/2023 6:45	19	18	
9/8/2023 6:46	138	30	
9/8/2023 6:47	105	37	
9/8/2023 6:48	24	36	
9/8/2023 6:49	20	35	
9/8/2023 6:50	18	33	
9/8/2023 6:51	19	32	
9/8/2023 6:52	20	33	
9/8/2023 6:53	19	33	
9/8/2023 6:54	19	33	
9/8/2023 6:55	64	36	
9/8/2023 6:58	28	39	
9/8/2023 6:59	27	40	
9/8/2023 7:00	20	40	
9/8/2023 7:01	19	30	
9/8/2023 7:02	20	24	
9/8/2023 7:03	20	24	
9/8/2023 7:04	20	24	
9/8/2023 7:05	19	24	
9/8/2023 7:06	20	24	
9/8/2023 7:07	20	24	
9/8/2023 7:08	21	24	
9/8/2023 7:09	21	24	
9/8/2023 7:10	20	21	
9/8/2023 7:11	19	21	
9/8/2023 7:12	19	20	
9/8/2023 7:13	19	20	
9/8/2023 7:14	20	19	
9/8/2023 7:15	20	19	
9/8/2023 7:16	21	19	
9/8/2023 7:17	22	20	
9/8/2023 7:18	22	20	
9/8/2023 7:19	22	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:20	22	20	
9/8/2023 7:21	23	20	
9/8/2023 7:22	34	21	
9/8/2023 7:23	27	22	
9/8/2023 7:24	24	22	
9/8/2023 7:25	23	22	
9/8/2023 7:26	24	22	
9/8/2023 7:27	25	23	
9/8/2023 7:28	27	23	
9/8/2023 7:29	28	24	
9/8/2023 7:30	32	25	
9/8/2023 7:31	30	25	
9/8/2023 7:32	27	26	
9/8/2023 7:33	23	26	
9/8/2023 7:34	24	26	
9/8/2023 7:35	23	26	
9/8/2023 7:36	22	26	
9/8/2023 7:37	24	25	
9/8/2023 7:38	23	25	
9/8/2023 7:39	24	25	
9/8/2023 7:40	25	25	
9/8/2023 7:41	26	25	
9/8/2023 7:42	26	25	
9/8/2023 7:43	25	25	
9/8/2023 7:44	31	25	
9/8/2023 7:45	64	27	
9/8/2023 7:46	33	28	
9/8/2023 7:47	25	27	
9/8/2023 7:48	24	27	
9/8/2023 7:49	24	27	
9/8/2023 7:50	25	28	
9/8/2023 7:51	25	28	
9/8/2023 7:52	25	28	
9/8/2023 7:53	25	28	
9/8/2023 7:54	25	28	
9/8/2023 7:55	25	28	
9/8/2023 7:56	23	28	
9/8/2023 7:57	22	28	
9/8/2023 7:58	21	27	
9/8/2023 7:59	40	28	
9/8/2023 8:00	25	25	0.00085357
9/8/2023 8:01	33	25	
9/8/2023 8:02	22	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:03	22	25	
9/8/2023 8:04	20	25	
9/8/2023 8:05	20	24	
9/8/2023 8:06	22	24	
9/8/2023 8:07	20	24	
9/8/2023 8:08	19	23	
9/8/2023 8:09	488	54	
9/8/2023 8:10	308	73	
9/8/2023 8:11	53	75	
9/8/2023 8:12	25	75	
9/8/2023 8:13	21	75	
9/8/2023 8:14	28	75	
9/8/2023 8:15	21	74	
9/8/2023 8:16	20	73	
9/8/2023 8:17	20	73	
9/8/2023 8:18	20	73	
9/8/2023 8:19	20	73	
9/8/2023 8:20	20	73	
9/8/2023 8:21	20	73	
9/8/2023 8:22	20	73	
9/8/2023 8:23	21	73	
9/8/2023 8:24	21	42	
9/8/2023 8:25	32	24	
9/8/2023 8:26	116	28	
9/8/2023 8:27	103	33	
9/8/2023 8:28	28	34	
9/8/2023 8:29	28	34	
9/8/2023 8:30	32	34	
9/8/2023 8:31	30	35	
9/8/2023 8:32	26	35	
9/8/2023 8:33	35	36	
9/8/2023 8:34	20	36	
9/8/2023 8:35	19	36	
9/8/2023 8:36	19	36	
9/8/2023 8:37	20	36	
9/8/2023 8:38	20	36	
9/8/2023 8:39	19	36	
9/8/2023 8:40	22	35	
9/8/2023 8:41	20	29	
9/8/2023 8:42	18	23	
9/8/2023 8:43	18	23	
9/8/2023 8:44	19	22	
9/8/2023 8:45	20	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total	
		µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 8:46	19	20	0.002669
9/8/2023 8:47	19	20	
9/8/2023 8:48	20	19	
9/8/2023 8:49	21	19	
9/8/2023 8:50	22	19	
9/8/2023 8:51	21	19	
9/8/2023 8:52	21	19	
9/8/2023 8:53	22	20	
9/8/2023 8:54	22	20	
9/8/2023 8:55	22	20	
9/8/2023 8:56	21	20	
9/8/2023 8:57	39	21	
9/8/2023 8:58	24	22	
9/8/2023 8:59	22	22	
9/8/2023 9:00	21	22	
9/8/2023 9:01	25	22	
9/8/2023 9:02	99	28	
9/8/2023 9:03	27	28	
9/8/2023 9:04	33	29	
9/8/2023 9:05	24	29	
9/8/2023 9:06	23	29	
9/8/2023 9:07	23	29	
9/8/2023 9:08	23	29	
9/8/2023 9:09	30	30	
9/8/2023 9:10	35	31	
9/8/2023 9:11	25	31	
9/8/2023 9:12	23	30	
9/8/2023 9:13	23	30	
9/8/2023 9:14	23	30	
9/8/2023 9:15	22	30	
9/8/2023 9:16	23	30	
9/8/2023 9:17	23	25	
9/8/2023 9:18	23	25	
9/8/2023 9:19	21	24	
9/8/2023 9:20	23	24	
9/8/2023 9:21	23	24	
9/8/2023 9:22	24	24	
9/8/2023 9:23	23	24	
9/8/2023 9:24	23	23	
9/8/2023 9:25	24	23	
9/8/2023 9:26	24	23	
9/8/2023 9:27	24	23	
9/8/2023 9:28	24	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:29	23	23	
9/8/2023 9:30	23	23	
9/8/2023 9:31	28	23	
9/8/2023 9:32	24	23	
9/8/2023 9:33	23	23	
9/8/2023 9:34	23	23	
9/8/2023 9:35	22	23	
9/8/2023 9:36	22	23	
9/8/2023 9:37	22	23	
9/8/2023 9:38	23	23	
9/8/2023 9:39	23	23	
9/8/2023 9:40	23	23	
9/8/2023 9:41	23	23	
9/8/2023 9:42	24	23	
9/8/2023 9:43	26	23	
9/8/2023 9:44	32	24	
9/8/2023 9:45	78	27	
9/8/2023 9:46	30	27	
9/8/2023 9:47	35	28	
9/8/2023 9:48	29	29	
9/8/2023 9:49	33	29	
9/8/2023 9:50	29	30	
9/8/2023 9:51	27	30	
9/8/2023 9:52	40	31	
9/8/2023 9:53	140	39	
9/8/2023 9:54	39	40	
9/8/2023 9:55	28	40	
9/8/2023 9:56	26	41	
9/8/2023 9:57	26	41	
9/8/2023 9:58	26	41	
9/8/2023 9:59	27	40	
9/8/2023 10:00	26	37	0.0044768
9/8/2023 10:01	26	37	
9/8/2023 10:02	27	36	
9/8/2023 10:03	25	36	
9/8/2023 10:04	24	35	
9/8/2023 10:05	26	35	
9/8/2023 10:06	25	35	
9/8/2023 10:07	24	34	
9/8/2023 10:08	25	26	
9/8/2023 10:09	25	25	
9/8/2023 10:10	24	25	
9/8/2023 10:11	25	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:12	26	25	
9/8/2023 10:13	25	25	
9/8/2023 10:14	24	25	
9/8/2023 10:15	24	25	
9/8/2023 10:16	24	24	
9/8/2023 10:17	29	25	
9/8/2023 10:18	26	25	
9/8/2023 10:19	25	25	
9/8/2023 10:20	24	25	
9/8/2023 10:21	24	24	
9/8/2023 10:22	28	25	
9/8/2023 10:23	25	25	
9/8/2023 10:24	26	25	
9/8/2023 10:25	25	25	
9/8/2023 10:26	24	25	
9/8/2023 10:27	24	25	
9/8/2023 10:28	25	25	
9/8/2023 10:29	35	25	
9/8/2023 10:30	36	26	
9/8/2023 10:31	26	26	
9/8/2023 10:32	27	26	
9/8/2023 10:33	30	26	
9/8/2023 10:34	26	27	
9/8/2023 10:35	25	27	
9/8/2023 10:36	24	27	
9/8/2023 10:37	24	26	
9/8/2023 10:38	25	26	
9/8/2023 10:39	26	26	
9/8/2023 10:40	33	27	
9/8/2023 10:41	43	28	
9/8/2023 10:42	27	28	
9/8/2023 10:43	24	28	
9/8/2023 10:44	23	27	
9/8/2023 10:45	23	27	
9/8/2023 10:46	21	26	
9/8/2023 10:47	24	26	
9/8/2023 10:48	25	26	
9/8/2023 10:49	26	26	
9/8/2023 10:50	28	26	
9/8/2023 10:51	31	26	
9/8/2023 10:52	23	26	
9/8/2023 10:53	21	26	
9/8/2023 10:54	23	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:55	20	25	
9/8/2023 10:56	19	23	
9/8/2023 10:57	18	23	
9/8/2023 10:58	31	23	
9/8/2023 10:59	35	24	
9/8/2023 11:00	246	39	0.0046114
9/8/2023 11:01	180	50	
9/8/2023 11:02	26	50	
9/8/2023 11:03	22	49	
9/8/2023 11:04	23	49	
9/8/2023 11:05	20	49	
9/8/2023 11:06	19	48	
9/8/2023 11:07	18	48	
9/8/2023 11:08	17	47	
9/8/2023 11:09	20	47	
9/8/2023 11:10	18	47	
9/8/2023 11:11	17	47	
9/8/2023 11:12	16	47	
9/8/2023 11:13	25	46	
9/8/2023 11:14	29	46	
9/8/2023 11:15	16	31	
9/8/2023 11:16	16	20	
9/8/2023 11:17	17	19	
9/8/2023 11:18	17	19	
9/8/2023 11:19	17	18	
9/8/2023 11:20	16	18	
9/8/2023 11:21	17	18	
9/8/2023 11:22	18	18	
9/8/2023 11:23	19	18	
9/8/2023 11:24	18	18	
9/8/2023 11:25	19	18	
9/8/2023 11:26	17	18	
9/8/2023 11:27	18	18	
9/8/2023 11:28	17	18	
9/8/2023 11:29	17	17	
9/8/2023 11:30	19	17	
9/8/2023 11:31	17	17	
9/8/2023 11:32	16	17	
9/8/2023 11:33	16	17	
9/8/2023 11:34	17	17	
9/8/2023 11:35	17	17	
9/8/2023 11:36	16	17	
9/8/2023 11:37	16	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:38	16	17	
9/8/2023 11:39	16	16	
9/8/2023 11:40	76	20	
9/8/2023 11:41	20	20	
9/8/2023 11:42	15	20	
9/8/2023 11:43	16	20	
9/8/2023 11:44	16	20	
9/8/2023 11:45	16	20	
9/8/2023 11:46	15	20	
9/8/2023 11:47	15	20	
9/8/2023 11:48	15	20	
9/8/2023 11:49	15	20	
9/8/2023 11:50	15	19	
9/8/2023 11:51	16	19	
9/8/2023 11:52	16	19	
9/8/2023 11:53	15	19	
9/8/2023 11:54	14	19	
9/8/2023 11:55	14	15	
9/8/2023 11:56	13	15	
9/8/2023 11:57	13	14	
9/8/2023 11:58	14	14	
9/8/2023 11:59	13	14	
9/8/2023 12:00	14	14	0.004529
9/8/2023 12:01	13	14	
9/8/2023 12:02	13	14	
9/8/2023 12:03	12	14	
9/8/2023 12:04	13	13	
9/8/2023 12:05	13	13	
9/8/2023 12:06	13	13	
9/8/2023 12:07	13	13	
9/8/2023 12:08	12	13	
9/8/2023 12:09	126	20	
9/8/2023 12:10	412	47	
9/8/2023 12:11	29	48	
9/8/2023 12:12	12	48	
9/8/2023 12:13	12	48	
9/8/2023 12:14	12	47	
9/8/2023 12:19	0	59	
9/8/2023 12:20	10	59	
9/8/2023 12:21	0	58	
9/8/2023 12:22	0	56	
9/8/2023 12:23	0	55	
9/8/2023 12:35	32	8	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:36	54	21	
9/8/2023 12:37	37	30	
9/8/2023 12:38	31	38	
9/8/2023 12:39	31	37	
9/8/2023 12:40	31	36	
9/8/2023 12:41	35	35	
9/8/2023 12:42	33	35	
9/8/2023 12:43	32	35	
9/8/2023 12:44	35	35	
9/8/2023 12:45	31	34	
9/8/2023 12:46	30	34	
9/8/2023 12:47	31	34	
9/8/2023 12:48	36	34	
9/8/2023 12:49	132	40	
9/8/2023 12:50	66	43	
9/8/2023 12:51	161	50	
9/8/2023 12:52	143	57	
9/8/2023 12:53	149	65	
9/8/2023 12:54	141	72	
9/8/2023 12:55	70	75	
9/8/2023 12:56	35	75	
9/8/2023 12:57	30	74	
9/8/2023 12:58	30	74	
9/8/2023 12:59	30	74	
9/8/2023 13:00	31	74	0.0042375
9/8/2023 13:01	31	74	
9/8/2023 13:02	30	74	
9/8/2023 13:03	30	73	
9/8/2023 13:04	29	67	
9/8/2023 13:05	29	64	
9/8/2023 13:06	30	55	
9/8/2023 13:07	31	48	
9/8/2023 13:08	31	40	
9/8/2023 13:22	28	29	
9/8/2023 13:23	30	29	
9/8/2023 13:24	29	29	
9/8/2023 13:25	30	29	
9/8/2023 13:26	30	29	
9/8/2023 13:27	29	29	
9/8/2023 13:28	29	29	
9/8/2023 13:29	31	29	
9/8/2023 13:30	30	29	
9/8/2023 13:31	29	29	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 13:32	29	29	
9/8/2023 13:33	28	29	
9/8/2023 13:34	29	29	
9/8/2023 13:35	28	29	
9/8/2023 13:36	28	29	
9/8/2023 13:37	28	29	
9/8/2023 13:38	27	28	
9/8/2023 13:39	27	28	
9/8/2023 13:40	27	28	
9/8/2023 13:41	26	28	
9/8/2023 13:42	27	28	
9/8/2023 13:43	26	28	
9/8/2023 13:44	24	27	
9/8/2023 13:45	25	27	
9/8/2023 13:46	25	26	
9/8/2023 13:47	26	26	
9/8/2023 13:48	26	26	
9/8/2023 13:49	26	26	
9/8/2023 13:50	26	26	
9/8/2023 13:51	28	26	
9/8/2023 13:52	28	26	
9/8/2023 13:53	28	26	
9/8/2023 13:54	28	26	
9/8/2023 13:55	29	26	
9/8/2023 13:56	29	26	
9/8/2023 13:57	28	26	
9/8/2023 13:58	28	26	
9/8/2023 13:59	27	27	
9/8/2023 14:00	29	27	0.0038408
9/8/2023 14:01	28	27	
9/8/2023 14:02	27	27	
9/8/2023 14:03	27	27	
9/8/2023 14:04	26	27	
9/8/2023 14:05	23	27	
9/8/2023 14:06	24	27	
9/8/2023 14:07	24	27	
9/8/2023 14:08	24	26	
9/8/2023 14:09	25	26	
9/8/2023 14:10	26	26	
9/8/2023 14:11	24	26	
9/8/2023 14:12	22	25	
9/8/2023 14:13	22	25	
9/8/2023 14:14	23	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:15	24	24	
9/8/2023 14:16	24	24	
9/8/2023 14:17	25	24	
9/8/2023 14:18	24	24	
9/8/2023 14:19	23	23	
9/8/2023 14:20	24	23	
9/8/2023 14:21	24	23	
9/8/2023 14:22	25	23	
9/8/2023 14:23	26	24	
9/8/2023 14:24	27	24	
9/8/2023 14:25	25	24	
9/8/2023 14:26	26	24	
9/8/2023 14:27	26	24	
9/8/2023 14:28	25	24	
9/8/2023 14:29	26	24	
9/8/2023 14:30	26	25	
9/8/2023 14:31	32	25	
9/8/2023 14:32	28	25	
9/8/2023 14:33	28	26	
9/8/2023 14:34	28	26	
9/8/2023 14:39	23	26	
9/8/2023 14:40	25	26	
9/8/2023 14:41	26	26	
9/8/2023 14:42	25	26	
9/8/2023 14:43	26	26	
9/8/2023 14:44	26	26	
9/8/2023 14:45	26	26	
9/8/2023 14:46	25	26	
9/8/2023 14:47	25	25	
9/8/2023 14:48	25	25	
9/8/2023 14:49	25	25	
9/8/2023 14:50	25	25	
9/8/2023 14:51	26	25	
9/8/2023 14:52	26	25	
9/8/2023 14:53	26	25	
9/8/2023 14:54	25	25	
9/8/2023 14:55	23	25	
9/8/2023 14:56	22	25	
9/8/2023 14:57	24	25	
9/8/2023 14:58	23	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 6:45	22	22	6.25E-05
9/8/2023 6:46	23	22	
9/8/2023 6:47	21	22	
9/8/2023 6:48	20	21	
9/8/2023 6:49	19	21	
9/8/2023 6:50	20	20	
9/8/2023 6:51	19	20	
9/8/2023 6:52	20	20	
9/8/2023 6:53	20	20	
9/8/2023 6:54	19	20	
9/8/2023 6:55	20	20	
9/8/2023 6:56	19	20	
9/8/2023 6:57	20	20	
9/8/2023 6:58	21	20	
9/8/2023 6:59	20	20	
9/8/2023 7:00	26	20	
9/8/2023 7:01	23	20	
9/8/2023 7:02	21	20	
9/8/2023 7:03	23	20	
9/8/2023 7:04	21	20	
9/8/2023 7:05	20	20	
9/8/2023 7:06	21	20	
9/8/2023 7:07	21	21	
9/8/2023 7:08	21	21	
9/8/2023 7:09	20	21	
9/8/2023 7:10	20	21	
9/8/2023 7:11	22	21	
9/8/2023 7:12	22	21	
9/8/2023 7:13	22	21	
9/8/2023 7:14	22	21	
9/8/2023 7:15	22	21	
9/8/2023 7:16	22	21	
9/8/2023 7:17	22	21	
9/8/2023 7:18	23	21	
9/8/2023 7:19	23	21	
9/8/2023 7:20	25	21	
9/8/2023 7:21	24	22	
9/8/2023 7:22	25	22	
9/8/2023 7:23	27	22	
9/8/2023 7:24	31	23	
9/8/2023 7:25	27	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:26	25	24	0.00067411
9/8/2023 7:27	35	25	
9/8/2023 7:28	49	26	
9/8/2023 7:29	42	28	
9/8/2023 7:30	35	29	
9/8/2023 7:31	35	29	
9/8/2023 7:32	31	30	
9/8/2023 7:33	25	30	
9/8/2023 7:34	27	30	
9/8/2023 7:35	25	30	
9/8/2023 7:36	25	30	
9/8/2023 7:37	24	30	
9/8/2023 7:48	33	26	
9/8/2023 7:49	59	33	
9/8/2023 7:51		39	
9/8/2023 7:51	40		
9/8/2023 7:52	29	40	
9/8/2023 7:53	28	37	
9/8/2023 7:54	27	36	
9/8/2023 7:55	27	34	
9/8/2023 7:56	26	33	
9/8/2023 7:57	24	32	
9/8/2023 7:58	29	32	
9/8/2023 7:59	23	31	
9/8/2023 8:00	23	30	
9/8/2023 8:01	23	30	
9/8/2023 8:02	23	29	
9/8/2023 8:08	21	24	
9/8/2023 8:09	26	24	
9/8/2023 8:10	26	24	
9/8/2023 8:11	26	24	
9/8/2023 8:12	75	29	
9/8/2023 8:13	77	34	
9/8/2023 8:14	51	37	
9/8/2023 8:15	30	37	
9/8/2023 8:16	27	38	
9/8/2023 8:17	25	38	
9/8/2023 8:18	23	37	
9/8/2023 8:19	24	35	
9/8/2023 8:20	24	35	
9/8/2023 8:21	23	34	
9/8/2023 8:22	24	33	
9/8/2023 8:23	27	33	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:24	28	34	
9/8/2023 8:25	29	34	
9/8/2023 8:26	24	34	
9/8/2023 8:27	24	30	
9/8/2023 8:28	23	27	
9/8/2023 8:29	23	25	
9/8/2023 8:30	23	24	
9/8/2023 8:31	24	24	
9/8/2023 8:32	24	24	
9/8/2023 8:33	25	24	
9/8/2023 8:34	25	24	
9/8/2023 8:35	24	24	
9/8/2023 8:36	23	24	
9/8/2023 8:37	24	24	
9/8/2023 8:38	24	24	
9/8/2023 8:39	24	24	
9/8/2023 8:40	23	23	
9/8/2023 8:41	22	23	
9/8/2023 8:42	21	23	
9/8/2023 8:43	23	23	
9/8/2023 8:44	23	23	
9/8/2023 8:45	22	23	
9/8/2023 8:46	24	23	
9/8/2023 8:47	23	23	
9/8/2023 8:48	24	23	
9/8/2023 8:49	24	23	
9/8/2023 8:50	25	23	
9/8/2023 8:51	25	23	
9/8/2023 8:52	25	23	
9/8/2023 8:53	24	23	
9/8/2023 8:54	25	23	
9/8/2023 8:55	24	23	
9/8/2023 8:56	24	23	
9/8/2023 8:57	25	24	
9/8/2023 8:58	25	24	
9/8/2023 8:59	27	24	
9/8/2023 9:00	26	24	0.00090395
9/8/2023 9:01	25	24	
9/8/2023 9:02	26	24	
9/8/2023 9:03	30	25	
9/8/2023 9:04	31	25	
9/8/2023 9:05	28	26	
9/8/2023 9:06	27	26	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:07	27	26	
9/8/2023 9:08	27	26	
9/8/2023 9:09	28	26	
9/8/2023 9:10	31	27	
9/8/2023 9:11	28	27	
9/8/2023 9:12	27	27	
9/8/2023 9:13	26	27	
9/8/2023 9:14	27	27	
9/8/2023 9:15	27	27	
9/8/2023 9:16	27	27	
9/8/2023 9:17	28	27	
9/8/2023 9:18	28	27	
9/8/2023 9:19	27	27	
9/8/2023 9:20	28	27	
9/8/2023 9:21	29	27	
9/8/2023 9:22	29	27	
9/8/2023 9:23	29	27	
9/8/2023 9:24	29	28	
9/8/2023 9:25	30	27	
9/8/2023 9:26	29	28	
9/8/2023 9:27	29	28	
9/8/2023 9:28	28	28	
9/8/2023 9:29	28	28	
9/8/2023 9:30	28	28	
9/8/2023 9:31	28	28	
9/8/2023 9:32	29	28	
9/8/2023 9:33	28	28	
9/8/2023 9:34	28	28	
9/8/2023 9:35	29	28	
9/8/2023 9:36	28	28	
9/8/2023 9:37	28	28	
9/8/2023 9:38	27	28	
9/8/2023 9:39	27	28	
9/8/2023 9:40	27	28	
9/8/2023 9:41	30	28	
9/8/2023 9:42	32	28	
9/8/2023 9:43	31	28	
9/8/2023 9:44	29	28	
9/8/2023 9:45	28	28	
9/8/2023 9:46	28	28	
9/8/2023 9:47	29	28	
9/8/2023 9:48	31	28	
9/8/2023 9:49	29	28	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:50	31	29	0.001878
9/8/2023 9:51	35	29	
9/8/2023 9:52	37	30	
9/8/2023 9:53	142	37	
9/8/2023 9:54	87	41	
9/8/2023 9:55	42	42	
9/8/2023 9:56	37	43	
9/8/2023 9:57	33	43	
9/8/2023 9:58	34	43	
9/8/2023 9:59	31	43	
9/8/2023 10:00	29	43	
9/8/2023 10:01	31	43	
9/8/2023 10:02	28	43	
9/8/2023 10:03	30	43	
9/8/2023 10:04	29	43	
9/8/2023 10:05	29	43	
9/8/2023 10:06	30	43	
9/8/2023 10:07	28	42	
9/8/2023 10:08	28	35	
9/8/2023 10:09	29	31	
9/8/2023 10:10	29	30	
9/8/2023 10:11	29	29	
9/8/2023 10:12	29	29	
9/8/2023 10:13	29	29	
9/8/2023 10:14	29	29	
9/8/2023 10:15	29	29	
9/8/2023 10:16	29	28	
9/8/2023 10:17	29	29	
9/8/2023 10:18	31	29	
9/8/2023 10:19	30	29	
9/8/2023 10:20	30	29	
9/8/2023 10:21	29	29	
9/8/2023 10:22	29	29	
9/8/2023 10:23	30	29	
9/8/2023 10:24	30	29	
9/8/2023 10:25	29	29	
9/8/2023 10:26	29	29	
9/8/2023 10:27	29	29	
9/8/2023 10:28	30	29	
9/8/2023 10:29	30	29	
9/8/2023 10:30	30	29	
9/8/2023 10:31	30	29	
9/8/2023 10:32	31	29	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:33	30	29	0.0032924
9/8/2023 10:34	31	29	
9/8/2023 10:35	30	29	
9/8/2023 10:36	30	29	
9/8/2023 10:37	29	29	
9/8/2023 10:38	33	30	
9/8/2023 10:39	36	30	
9/8/2023 10:40	35	30	
9/8/2023 10:41	30	30	
9/8/2023 10:42	29	30	
9/8/2023 10:43	29	30	
9/8/2023 10:44	65	33	
9/8/2023 10:45	63	35	
9/8/2023 10:46	30	35	
9/8/2023 10:47	31	35	
9/8/2023 10:48	44	36	
9/8/2023 10:49	33	36	
9/8/2023 10:50	29	36	
9/8/2023 10:51	32	36	
9/8/2023 10:52	34	36	
9/8/2023 10:53	27	36	
9/8/2023 10:54	26	35	
9/8/2023 10:55	26	35	
9/8/2023 10:56	25	34	
9/8/2023 10:57	29	34	
9/8/2023 10:58	28	34	
9/8/2023 10:59	27	32	
9/8/2023 11:00	25	29	
9/8/2023 11:01	24	29	
9/8/2023 11:02	27	29	
9/8/2023 11:03	28	28	
9/8/2023 11:04	26	27	
9/8/2023 11:05	26	27	
9/8/2023 11:06	26	26	
9/8/2023 11:07	27	26	
9/8/2023 11:08	28	26	
9/8/2023 11:09	25	26	
9/8/2023 11:10	24	26	
9/8/2023 11:11	23	26	
9/8/2023 11:12	23	25	
9/8/2023 11:13	24	25	
9/8/2023 11:14	24	25	
9/8/2023 11:15	26	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:16	23	25	
9/8/2023 11:17	26	25	
9/8/2023 11:18	30	25	
9/8/2023 11:19	25	25	
9/8/2023 11:20	24	25	
9/8/2023 11:21	24	25	
9/8/2023 11:22	25	24	
9/8/2023 11:23	29	25	
9/8/2023 11:24	33	25	
9/8/2023 11:25	27	25	
9/8/2023 11:26	24	25	
9/8/2023 11:27	23	25	
9/8/2023 11:28	24	25	
9/8/2023 11:29	22	25	
9/8/2023 11:30	22	25	
9/8/2023 11:31	23	25	
9/8/2023 11:32	23	25	
9/8/2023 11:33	22	24	
9/8/2023 11:34	23	24	
9/8/2023 11:35	22	24	
9/8/2023 11:36	23	24	
9/8/2023 11:37	22	24	
9/8/2023 11:38	21	23	
9/8/2023 11:39	22	22	
9/8/2023 11:40	21	22	
9/8/2023 11:41	21	22	
9/8/2023 11:42	24	22	
9/8/2023 11:43	23	22	
9/8/2023 11:44	21	22	
9/8/2023 11:45	22	22	
9/8/2023 11:46	23	22	
9/8/2023 11:47	22	22	
9/8/2023 11:48	21	22	
9/8/2023 11:49	23	22	
9/8/2023 11:50	21	22	
9/8/2023 11:51	23	22	
9/8/2023 11:52	23	22	
9/8/2023 11:53	25	22	
9/8/2023 11:54	21	22	
9/8/2023 11:55	23	22	
9/8/2023 11:56	20	22	
9/8/2023 11:57	22	22	
9/8/2023 11:58	24	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:59	20	22	0.0048353
9/8/2023 12:00	21	22	
9/8/2023 12:01	20	21	
9/8/2023 12:02	22	21	
9/8/2023 12:03	21	21	
9/8/2023 12:04	19	21	
9/8/2023 12:05	19	21	
9/8/2023 12:06	19	21	
9/8/2023 12:07	18	20	
9/8/2023 12:08	20	20	
9/8/2023 12:09	23	20	
9/8/2023 12:10	23	20	
9/8/2023 12:11	29	21	
9/8/2023 12:12	22	21	
9/8/2023 12:13	19	21	
9/8/2023 12:14	19	20	
9/8/2023 12:15	18	20	
9/8/2023 12:16	17	20	
9/8/2023 12:17	17	20	
9/8/2023 12:18	18	20	
9/8/2023 12:19	19	20	
9/8/2023 12:20	19	20	
9/8/2023 12:21	19	20	
9/8/2023 12:22	18	20	
9/8/2023 12:23	17	19	
9/8/2023 12:24	17	19	
9/8/2023 12:25	17	19	
9/8/2023 12:26	18	18	
9/8/2023 12:27	18	18	
9/8/2023 12:28	20	18	
9/8/2023 12:29	19	18	
9/8/2023 12:30	19	18	
9/8/2023 12:31	22	18	
9/8/2023 12:32	22	18	
9/8/2023 12:33	19	18	
9/8/2023 12:34	20	18	
9/8/2023 12:35	17	18	
9/8/2023 12:36	23	19	
9/8/2023 12:37	26	19	
9/8/2023 12:38	21	19	
9/8/2023 12:39	19	20	
9/8/2023 12:40	20	20	
9/8/2023 12:41	19	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:42	19	20	0.0063207
9/8/2023 12:43	18	20	
9/8/2023 12:44	18	20	
9/8/2023 12:45	18	20	
9/8/2023 12:46	17	19	
9/8/2023 12:47	17	19	
9/8/2023 12:48	19	19	
9/8/2023 12:49	20	19	
9/8/2023 12:50	17	19	
9/8/2023 12:51	23	19	
9/8/2023 12:52	27	19	
9/8/2023 12:53	20	19	
9/8/2023 12:54	21	19	
9/8/2023 12:55	20	19	
9/8/2023 12:56	25	19	
9/8/2023 12:57	24	20	
9/8/2023 12:58	17	20	
9/8/2023 12:59	17	20	
9/8/2023 13:00	17	20	
9/8/2023 13:01	18	20	
9/8/2023 13:02	17	20	
9/8/2023 13:03	18	20	
9/8/2023 13:04	16	19	
9/8/2023 13:05	17	19	
9/8/2023 13:06	17	19	
9/8/2023 13:07	17	18	
9/8/2023 13:08	17	18	
9/8/2023 13:09	18	18	
9/8/2023 13:10	19	18	
9/8/2023 13:11	17	17	
9/8/2023 13:12	17	17	
9/8/2023 13:13	17	17	
9/8/2023 13:14	18	17	
9/8/2023 13:15	17	17	
9/8/2023 13:16	17	17	
9/8/2023 13:17	16	17	
9/8/2023 13:18	23	17	
9/8/2023 13:19	20	17	
9/8/2023 13:20	17	17	
9/8/2023 13:21	24	18	
9/8/2023 13:22	18	18	
9/8/2023 13:23	17	18	
9/8/2023 13:24	19	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 13:25	18	18	
9/8/2023 13:26	19	18	
9/8/2023 13:27	18	18	
9/8/2023 13:28	18	18	
9/8/2023 13:29	23	18	
9/8/2023 13:30	19	19	
9/8/2023 13:31	20	19	
9/8/2023 13:32	18	19	
9/8/2023 13:33	19	19	
9/8/2023 13:34	18	19	
9/8/2023 13:35	16	18	
9/8/2023 13:36	16	18	
9/8/2023 13:37	16	18	
9/8/2023 13:38	15	18	
9/8/2023 13:39	14	17	
9/8/2023 13:40	15	17	
9/8/2023 13:41	17	17	
9/8/2023 13:42	15	17	
9/8/2023 13:43	15	17	
9/8/2023 13:44	14	16	
9/8/2023 13:45	15	16	
9/8/2023 13:46	14	15	
9/8/2023 13:47	14	15	
9/8/2023 13:48	16	15	
9/8/2023 13:49	16	15	
9/8/2023 13:50	15	15	
9/8/2023 13:51	16	15	
9/8/2023 13:52	15	15	
9/8/2023 13:53	16	15	
9/8/2023 13:54	16	15	
9/8/2023 13:55	17	15	
9/8/2023 13:56	19	15	
9/8/2023 13:57	23	16	
9/8/2023 13:58	16	16	
9/8/2023 13:59	15	16	
9/8/2023 14:00	18	16	0.0077431
9/8/2023 14:01	15	16	
9/8/2023 14:02	14	16	
9/8/2023 14:03	13	16	
9/8/2023 14:04	12	16	
9/8/2023 14:05	13	15	
9/8/2023 14:06	12	15	
9/8/2023 14:07	12	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:08	13	15	
9/8/2023 14:09	14	15	
9/8/2023 14:10	14	14	
9/8/2023 14:11	12	14	
9/8/2023 14:12	13	13	
9/8/2023 14:13	13	13	
9/8/2023 14:14	13	13	
9/8/2023 14:15	12	13	
9/8/2023 14:16	15	13	
9/8/2023 14:17	13	12	
9/8/2023 14:18	13	12	
9/8/2023 14:19	12	12	
9/8/2023 14:20	13	12	
9/8/2023 14:21	14	13	
9/8/2023 14:22	13	13	
9/8/2023 14:23	15	13	
9/8/2023 14:24	14	13	
9/8/2023 14:25	20	13	
9/8/2023 14:26	19	14	
9/8/2023 14:27	15	14	
9/8/2023 14:28	18	14	
9/8/2023 14:29	20	15	
9/8/2023 14:30	16	15	
9/8/2023 14:31	16	15	
9/8/2023 14:32	16	15	
9/8/2023 14:33	14	15	
9/8/2023 14:34	14	15	
9/8/2023 14:35	15	15	
9/8/2023 14:36	18	16	
9/8/2023 14:37	13	16	
9/8/2023 14:38	12	16	
9/8/2023 14:39	20	16	
9/8/2023 14:40	19	16	
9/8/2023 14:41	11	15	
9/8/2023 14:42	21	16	
9/8/2023 14:43	13	15	
9/8/2023 14:44	12	15	
9/8/2023 14:45	13	15	
9/8/2023 14:46	14	15	
9/8/2023 14:47	15	14	
9/8/2023 14:48	15	15	
9/8/2023 14:49	14	15	
9/8/2023 14:50	15	15	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:51	15	14	
9/8/2023 14:52	15	14	
9/8/2023 14:53	19	15	
9/8/2023 14:54	36	16	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 6:44	19	19	
9/8/2023 6:45	19	19	
9/8/2023 6:46	19	19	
9/8/2023 6:47	18	18	
9/8/2023 6:48	15	18	
9/8/2023 6:49	15	17	
9/8/2023 6:50	14	17	
9/8/2023 6:51	14	16	
9/8/2023 6:52	15	16	
9/8/2023 6:53	15	16	
9/8/2023 6:54	15	16	
9/8/2023 6:55	15	16	
9/8/2023 6:56	15	16	
9/8/2023 6:57	15	15	
9/8/2023 6:58	15	15	
9/8/2023 6:59	16	15	
9/8/2023 7:00	17	15	6.25E-05
9/8/2023 7:01	19	15	
9/8/2023 7:02	17	15	
9/8/2023 7:03	15	15	
9/8/2023 7:04	15	15	
9/8/2023 7:05	17	15	
9/8/2023 7:06	17	15	
9/8/2023 7:07	19	16	
9/8/2023 7:08	16	16	
9/8/2023 7:09	16	16	
9/8/2023 7:10	16	16	
9/8/2023 7:11	14	16	
9/8/2023 7:12	16	16	
9/8/2023 7:13	18	16	
9/8/2023 7:14	21	16	
9/8/2023 7:15	30	17	
9/8/2023 7:16	22	17	
9/8/2023 7:17	22	18	
9/8/2023 7:18	25	18	
9/8/2023 7:19	27	19	
9/8/2023 7:20	34	20	
9/8/2023 7:21	29	21	
9/8/2023 7:22	27	22	
9/8/2023 7:23	24	22	
9/8/2023 7:24	22	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:25	20	23	
9/8/2023 7:26	19	23	
9/8/2023 7:27	20	24	
9/8/2023 7:28	20	24	
9/8/2023 7:29	20	24	
9/8/2023 7:30	20	23	
9/8/2023 7:31	21	23	
9/8/2023 7:32	18	23	
9/8/2023 7:33	19	22	
9/8/2023 7:34	19	22	
9/8/2023 7:39	17	19	
9/8/2023 7:40	18	19	
9/8/2023 7:41	18	19	
9/8/2023 7:42	20	19	
9/8/2023 7:43	19	19	
9/8/2023 7:44	19	18	
9/8/2023 7:45	19	18	
9/8/2023 7:46	20	18	
9/8/2023 7:47	19	18	
9/8/2023 7:48	20	18	
9/8/2023 7:49	21	19	
9/8/2023 7:50	21	19	
9/8/2023 7:51	21	19	
9/8/2023 7:52	20	19	
9/8/2023 7:53	21	19	
9/8/2023 7:54	22	19	
9/8/2023 7:55	22	20	
9/8/2023 7:56	19	20	
9/8/2023 7:57	18	20	
9/8/2023 7:58	20	20	
9/8/2023 7:59	19	20	
9/8/2023 8:00	19	20	0.00051339
9/8/2023 8:01	18	20	
9/8/2023 8:02	20	20	
9/8/2023 8:03	19	20	
9/8/2023 8:04	18	19	
9/8/2023 8:05	17	19	
9/8/2023 8:06	16	19	
9/8/2023 8:07	22	19	
9/8/2023 8:08	19	19	
9/8/2023 8:09	19	19	
9/8/2023 8:10	18	18	
9/8/2023 8:11	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:12	18	18	
9/8/2023 8:13	17	18	
9/8/2023 8:14	17	18	
9/8/2023 8:15	18	18	
9/8/2023 8:16	19	18	
9/8/2023 8:17	19	18	
9/8/2023 8:18	17	18	
9/8/2023 8:19	16	18	
9/8/2023 8:20	17	18	
9/8/2023 8:21	17	18	
9/8/2023 8:22	17	17	
9/8/2023 8:23	17	17	
9/8/2023 8:24	17	17	
9/8/2023 8:25	16	17	
9/8/2023 8:26	16	17	
9/8/2023 8:27	16	17	
9/8/2023 8:28	16	17	
9/8/2023 8:29	17	17	
9/8/2023 8:30	16	16	
9/8/2023 8:31	16	16	
9/8/2023 8:32	17	16	
9/8/2023 8:33	17	16	
9/8/2023 8:34	17	16	
9/8/2023 8:35	17	16	
9/8/2023 8:36	18	16	
9/8/2023 8:37	17	16	
9/8/2023 8:38	16	16	
9/8/2023 8:39	16	16	
9/8/2023 8:40	16	16	
9/8/2023 8:41	16	16	
9/8/2023 8:42	16	16	
9/8/2023 8:43	16	16	
9/8/2023 8:44	15	16	
9/8/2023 8:45	19	16	
9/8/2023 8:46	20	16	
9/8/2023 8:47	17	16	
9/8/2023 8:48	17	16	
9/8/2023 8:49	16	16	
9/8/2023 8:50	17	16	
9/8/2023 8:51	18	16	
9/8/2023 8:52	17	16	
9/8/2023 8:53	22	17	
9/8/2023 8:54	18	17	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:55	17	17	0.0010089
9/8/2023 8:56	18	17	
9/8/2023 8:57	17	17	
9/8/2023 8:58	17	17	
9/8/2023 8:59	17	17	
9/8/2023 9:00	17	17	
9/8/2023 9:01	17	17	
9/8/2023 9:02	18	17	
9/8/2023 9:03	18	17	
9/8/2023 9:04	17	17	
9/8/2023 9:05	17	17	
9/8/2023 9:06	17	17	
9/8/2023 9:07	19	17	
9/8/2023 9:08	22	17	
9/8/2023 9:09	21	17	
9/8/2023 9:10	22	18	
9/8/2023 9:11	21	18	
9/8/2023 9:12	24	18	
9/8/2023 9:13	22	19	
9/8/2023 9:14	22	19	
9/8/2023 9:15	21	19	
9/8/2023 9:16	19	20	
9/8/2023 9:17	20	20	
9/8/2023 9:18	20	20	
9/8/2023 9:19	19	20	
9/8/2023 9:20	28	21	
9/8/2023 9:21	19	21	
9/8/2023 9:22	18	21	
9/8/2023 9:23	19	21	
9/8/2023 9:24	19	20	
9/8/2023 9:25	19	20	
9/8/2023 9:26	19	20	
9/8/2023 9:27	19	20	
9/8/2023 9:28	18	19	
9/8/2023 9:29	18	19	
9/8/2023 9:30	18	19	
9/8/2023 9:31	18	19	
9/8/2023 9:32	18	19	
9/8/2023 9:33	19	19	
9/8/2023 9:34	19	19	
9/8/2023 9:35	20	18	
9/8/2023 9:36	18	18	
9/8/2023 9:37	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:38	18	18	
9/8/2023 9:39	18	18	
9/8/2023 9:40	18	18	
9/8/2023 9:41	18	18	
9/8/2023 9:42	17	18	
9/8/2023 9:43	19	18	
9/8/2023 9:44	19	18	
9/8/2023 9:45	22	18	
9/8/2023 9:46	21	18	
9/8/2023 9:47	22	19	
9/8/2023 9:48	21	19	
9/8/2023 9:49	23	19	
9/8/2023 9:50	19	19	
9/8/2023 9:51	23	19	
9/8/2023 9:52	23	20	
9/8/2023 9:53	23	20	
9/8/2023 9:54	22	20	
9/8/2023 9:55	23	21	
9/8/2023 9:56	21	21	
9/8/2023 9:57	19	21	
9/8/2023 9:58	19	21	
9/8/2023 9:59	19	21	
9/8/2023 10:00	20	21	0.00184
9/8/2023 10:01	19	21	
9/8/2023 10:02	19	20	
9/8/2023 10:03	20	20	
9/8/2023 10:04	20	20	
9/8/2023 10:05	20	20	
9/8/2023 10:06	19	20	
9/8/2023 10:07	19	20	
9/8/2023 10:08	19	19	
9/8/2023 10:09	19	19	
9/8/2023 10:10	19	19	
9/8/2023 10:11	19	19	
9/8/2023 10:12	19	19	
9/8/2023 10:13	22	19	
9/8/2023 10:14	18	19	
9/8/2023 10:15	18	19	
9/8/2023 10:16	19	19	
9/8/2023 10:17	18	19	
9/8/2023 10:18	19	19	
9/8/2023 10:19	20	19	
9/8/2023 10:20	20	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:21	18	19	
9/8/2023 10:22	19	19	
9/8/2023 10:23	19	19	
9/8/2023 10:24	20	19	
9/8/2023 10:25	23	19	
9/8/2023 10:26	18	19	
9/8/2023 10:27	19	19	
9/8/2023 10:28	19	19	
9/8/2023 10:29	19	19	
9/8/2023 10:30	19	19	
9/8/2023 10:31	19	19	
9/8/2023 10:34	24	19	
9/8/2023 10:35	20	19	
9/8/2023 10:36	18	19	
9/8/2023 10:37	18	19	
9/8/2023 10:38	19	19	
9/8/2023 10:39	19	19	
9/8/2023 10:40	18	19	
9/8/2023 10:41	18	19	
9/8/2023 10:42	17	19	
9/8/2023 10:48	14	18	
9/8/2023 10:49	16	17	
9/8/2023 10:50	18	17	
9/8/2023 10:51	16	17	
9/8/2023 10:52	16	17	
9/8/2023 10:53	16	16	
9/8/2023 10:54	15	16	
9/8/2023 10:55	15	16	
9/8/2023 10:56	14	15	
9/8/2023 10:57	15	15	
9/8/2023 10:58	12	15	
9/8/2023 10:59	15	15	
9/8/2023 11:00	13	15	0.0022381
9/8/2023 11:01	12	14	
9/8/2023 11:02	13	14	
9/8/2023 11:03	12	14	
9/8/2023 11:04	13	14	
9/8/2023 11:05	13	14	
9/8/2023 11:06	11	13	
9/8/2023 11:07	11	13	
9/8/2023 11:08	11	13	
9/8/2023 11:14	11	12	
9/8/2023 11:15	11	11	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:16	10	11	
9/8/2023 11:17	9	11	
9/8/2023 11:18	10	11	
9/8/2023 11:19	10	10	
9/8/2023 11:20	12	10	
9/8/2023 11:21	10	10	
9/8/2023 11:22	11	10	
9/8/2023 11:23	12	10	
9/8/2023 11:24	12	10	
9/8/2023 11:25	12	10	
9/8/2023 11:26	11	10	
9/8/2023 11:27	10	10	
9/8/2023 11:28	10	10	
9/8/2023 11:29	11	10	
9/8/2023 11:30	11	10	
9/8/2023 11:31	11	10	
9/8/2023 11:32	11	10	
9/8/2023 11:33	10	10	
9/8/2023 11:34	11	11	
9/8/2023 11:39	7	10	
9/8/2023 11:40	9	10	
9/8/2023 11:41	10	10	
9/8/2023 11:42	10	10	
9/8/2023 11:43	10	10	
9/8/2023 11:44	10	10	
9/8/2023 11:45	12	10	
9/8/2023 11:46	10	10	
9/8/2023 11:47	9	9	
9/8/2023 11:48	9	9	
9/8/2023 11:49	10	9	
9/8/2023 11:50	9	9	
9/8/2023 11:51	9	9	
9/8/2023 11:52	10	9	
9/8/2023 11:53	11	9	
9/8/2023 11:54	8	9	
9/8/2023 11:55	8	9	
9/8/2023 11:56	7	9	
9/8/2023 11:57	7	9	
9/8/2023 11:58	7	9	
9/8/2023 11:59	8	8	
9/8/2023 12:00	8	8	0.0018847
9/8/2023 12:01	9	8	
9/8/2023 12:02	7	8	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:03	7	8	
9/8/2023 12:04	7	8	
9/8/2023 12:05	9	8	
9/8/2023 12:06	7	8	
9/8/2023 12:07	11	8	
9/8/2023 12:08	6	7	
9/8/2023 12:09	6	7	
9/8/2023 12:10	7	7	
9/8/2023 12:11	6	7	
9/8/2023 12:12	6	7	
9/8/2023 12:13	6	7	
9/8/2023 12:14	12	7	
9/8/2023 12:15	6	7	
9/8/2023 12:16	7	7	
9/8/2023 12:17	6	7	
9/8/2023 12:18	6	7	
9/8/2023 12:19	6	7	
9/8/2023 12:20	5	6	
9/8/2023 12:21	5	6	
9/8/2023 12:22	5	6	
9/8/2023 12:23	7	6	
9/8/2023 12:24	5	6	
9/8/2023 12:25	5	6	
9/8/2023 12:26	5	6	
9/8/2023 12:27	7	6	
9/8/2023 12:28	7	6	
9/8/2023 12:29	6	5	
9/8/2023 12:30	5	5	
9/8/2023 12:31	5	5	
9/8/2023 12:32	5	5	
9/8/2023 12:33	5	5	
9/8/2023 12:34	7	5	
9/8/2023 12:35	5	5	
9/8/2023 12:36	5	5	
9/8/2023 12:37	6	5	
9/8/2023 12:38	5	5	
9/8/2023 12:39	6	5	
9/8/2023 12:40	5	5	
9/8/2023 12:41	5	5	
9/8/2023 12:42	5	5	
9/8/2023 12:43	6	5	
9/8/2023 12:44	6	5	
9/8/2023 12:45	11	5	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:46	7	5	0.001744
9/8/2023 12:47	5	5	
9/8/2023 12:48	5	5	
9/8/2023 12:49	5	5	
9/8/2023 12:50	11	6	
9/8/2023 12:51	6	6	
9/8/2023 12:52	6	6	
9/8/2023 12:53	5	6	
9/8/2023 12:54	8	6	
9/8/2023 12:55	11	6	
9/8/2023 12:56	13	7	
9/8/2023 12:57	4	7	
9/8/2023 12:58	6	7	
9/8/2023 12:59	4	7	
9/8/2023 13:00	5	6	
9/8/2023 13:01	6	6	
9/8/2023 13:02	13	7	
9/8/2023 13:03	4	7	
9/8/2023 13:04	4	7	
9/8/2023 13:05	6	6	
9/8/2023 13:06	13	7	
9/8/2023 13:07	6	7	
9/8/2023 13:08	4	7	
9/8/2023 13:09	5	6	
9/8/2023 13:10	5	6	
9/8/2023 13:11	5	6	
9/8/2023 13:12	5	6	
9/8/2023 13:13	4	5	
9/8/2023 13:14	4	5	
9/8/2023 13:15	4	5	
9/8/2023 13:16	4	5	
9/8/2023 13:17	4	5	
9/8/2023 13:18	3	5	
9/8/2023 13:19	7	5	
9/8/2023 13:20	3	5	
9/8/2023 13:21	5	4	
9/8/2023 13:22	4	4	
9/8/2023 13:23	4	4	
9/8/2023 13:24	4	4	
9/8/2023 13:25	3	4	
9/8/2023 13:26	16	4	
9/8/2023 13:27	5	4	
9/8/2023 13:28	5	5	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 13:29	7	5	
9/8/2023 13:30	12	5	
9/8/2023 13:31	6	5	
9/8/2023 13:32	3	5	
9/8/2023 13:33	4	5	
9/8/2023 13:34	4	5	
9/8/2023 13:35	3	5	
9/8/2023 13:36	3	5	
9/8/2023 13:37	2	5	
9/8/2023 13:38	1	5	
9/8/2023 13:39	1	5	
9/8/2023 13:40	2	4	
9/8/2023 13:41	3	4	
9/8/2023 13:42	5	4	
9/8/2023 13:43	2	3	
9/8/2023 13:44	1	3	
9/8/2023 13:45	1	2	
9/8/2023 13:46	2	2	
9/8/2023 13:47	2	2	
9/8/2023 13:48	2	2	
9/8/2023 13:49	2	2	
9/8/2023 13:50	14	2	
9/8/2023 13:51	4	2	
9/8/2023 13:54	166	15	
9/8/2023 13:55	9	16	
9/8/2023 13:56	4	16	
9/8/2023 13:57	8	16	
9/8/2023 13:58	11	17	
9/8/2023 13:59	13	18	
9/8/2023 14:00	40	21	0.0017113
9/8/2023 14:01	3	21	
9/8/2023 14:02	3	21	
9/8/2023 14:03	0	21	
9/8/2023 14:04	1	21	
9/8/2023 14:05	0	20	
9/8/2023 14:06	0	19	
9/8/2023 14:07	1	18	
9/8/2023 14:08	0	17	
9/8/2023 14:09	0	6	
9/8/2023 14:10	0	5	
9/8/2023 14:11	0	5	
9/8/2023 14:12	0	4	
9/8/2023 14:13	0	4	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:14	0	3	
9/8/2023 14:15	4	0	
9/8/2023 14:16	0	0	
9/8/2023 14:17	0	0	
9/8/2023 14:18	0	0	
9/8/2023 14:19	0	0	
9/8/2023 14:20	1	0	
9/8/2023 14:21	0	0	
9/8/2023 14:22	0	0	
9/8/2023 14:23	1	0	
9/8/2023 14:24	1	0	
9/8/2023 14:25	1	0	
9/8/2023 14:26	2	0	
9/8/2023 14:27	3	0	
9/8/2023 14:28	1	0	
9/8/2023 14:29	1	1	
9/8/2023 14:30	1	0	
9/8/2023 14:31	3	1	
9/8/2023 14:32	2	1	
9/8/2023 14:33	1	1	
9/8/2023 14:34	1	1	
9/8/2023 14:35	1	1	
9/8/2023 14:36	0	1	
9/8/2023 14:37	0	1	
9/8/2023 14:38	0	1	
9/8/2023 14:39	0	1	
9/8/2023 14:40	1	1	
9/8/2023 14:41	0	1	
9/8/2023 14:42	0	0	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 6:27	26	26	
9/8/2023 6:28	22	24	
9/8/2023 6:29	20	22	
9/8/2023 6:30	19	21	
9/8/2023 6:31	19	21	
9/8/2023 6:32	19	20	
9/8/2023 6:33	18	20	
9/8/2023 6:34	17	20	
9/8/2023 6:35	17	19	
9/8/2023 6:36	17	19	
9/8/2023 6:37	17	19	
9/8/2023 6:38	17	19	
9/8/2023 6:39	18	18	
9/8/2023 6:40	18	18	
9/8/2023 6:41	18	18	
9/8/2023 6:42	18	18	
9/8/2023 6:43	17	17	
9/8/2023 6:44	18	17	
9/8/2023 6:45	18	17	
9/8/2023 6:46	22	17	
9/8/2023 6:47	24	18	
9/8/2023 6:48	21	18	
9/8/2023 6:49	19	18	
9/8/2023 6:50	19	18	
9/8/2023 6:51	19	18	
9/8/2023 6:52	19	19	
9/8/2023 6:53	19	19	
9/8/2023 6:54	19	19	
9/8/2023 6:55	21	19	
9/8/2023 6:56	20	19	
9/8/2023 6:57	20	19	
9/8/2023 6:58	19	19	
9/8/2023 6:59	19	19	
9/8/2023 7:00	19	19	0.00054545
9/8/2023 7:01	20	19	
9/8/2023 7:02	19	19	
9/8/2023 7:03	18	19	
9/8/2023 7:04	19	19	
9/8/2023 7:05	27	19	
9/8/2023 7:06	25	20	
9/8/2023 7:07	22	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:08	21	20	
9/8/2023 7:09	20	20	
9/8/2023 7:10	22	20	
9/8/2023 7:11	21	20	
9/8/2023 7:12	20	20	
9/8/2023 7:13	20	20	
9/8/2023 7:14	19	20	
9/8/2023 7:15	19	20	
9/8/2023 7:16	19	20	
9/8/2023 7:17	20	20	
9/8/2023 7:18	21	21	
9/8/2023 7:19	22	21	
9/8/2023 7:20	21	20	
9/8/2023 7:21	21	20	
9/8/2023 7:22	21	20	
9/8/2023 7:23	21	20	
9/8/2023 7:24	20	20	
9/8/2023 7:25	25	20	
9/8/2023 7:26	25	20	
9/8/2023 7:27	26	21	
9/8/2023 7:28	27	21	
9/8/2023 7:29	28	22	
9/8/2023 7:30	28	23	
9/8/2023 7:31	28	23	
9/8/2023 7:32	25	23	
9/8/2023 7:33	26	24	
9/8/2023 7:34	27	24	
9/8/2023 7:35	24	24	
9/8/2023 7:36	25	25	
9/8/2023 7:37	28	25	
9/8/2023 7:38	27	25	
9/8/2023 7:39	29	26	
9/8/2023 7:40	27	26	
9/8/2023 7:41	27	26	
9/8/2023 7:42	28	26	
9/8/2023 7:43	28	27	
9/8/2023 7:44	27	26	
9/8/2023 7:45	27	26	
9/8/2023 7:46	27	26	
9/8/2023 7:47	28	27	
9/8/2023 7:48	26	27	
9/8/2023 7:49	27	27	
9/8/2023 7:50	29	27	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:51	30	27	0.0016727
9/8/2023 7:52	30	27	
9/8/2023 7:53	31	28	
9/8/2023 7:54	31	28	
9/8/2023 7:55	31	28	
9/8/2023 7:56	31	28	
9/8/2023 7:57	29	28	
9/8/2023 7:58	28	28	
9/8/2023 7:59	32	29	
9/8/2023 8:00	35	29	
9/8/2023 8:01	32	30	
9/8/2023 8:02	34	30	
9/8/2023 8:03	36	31	
9/8/2023 8:04	31	31	
9/8/2023 8:05	27	31	
9/8/2023 8:06	25	30	
9/8/2023 8:07	31	30	
9/8/2023 8:08	35	31	
9/8/2023 8:09	29	31	
9/8/2023 8:10	31	31	
9/8/2023 8:11	26	30	
9/8/2023 8:12	26	30	
9/8/2023 8:13	28	30	
9/8/2023 8:14	28	30	
9/8/2023 8:15	27	29	
9/8/2023 8:16	27	29	
9/8/2023 8:17	26	28	
9/8/2023 8:18	26	28	
9/8/2023 8:19	24	27	
9/8/2023 8:20	24	27	
9/8/2023 8:21	24	27	
9/8/2023 8:22	24	27	
9/8/2023 8:23	25	26	
9/8/2023 8:24	25	26	
9/8/2023 8:25	26	25	
9/8/2023 8:26	24	25	
9/8/2023 8:27	24	25	
9/8/2023 8:28	23	25	
9/8/2023 8:29	23	24	
9/8/2023 8:30	24	24	
9/8/2023 8:31	23	24	
9/8/2023 8:32	24	24	
9/8/2023 8:33	23	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:34	24	24	
9/8/2023 8:35	24	24	
9/8/2023 8:36	23	23	
9/8/2023 8:37	25	24	
9/8/2023 8:38	25	24	
9/8/2023 8:39	24	23	
9/8/2023 8:40	24	23	
9/8/2023 8:41	24	23	
9/8/2023 8:42	23	23	
9/8/2023 8:43	23	23	
9/8/2023 8:44	23	23	
9/8/2023 8:45	26	23	
9/8/2023 8:46	24	23	
9/8/2023 8:47	25	24	
9/8/2023 8:48	27	24	
9/8/2023 8:49	24	24	
9/8/2023 8:50	23	24	
9/8/2023 8:51	23	24	
9/8/2023 8:52	25	24	
9/8/2023 8:53	25	24	
9/8/2023 8:54	24	24	
9/8/2023 8:55	24	24	
9/8/2023 8:56	25	24	
9/8/2023 8:57	23	24	
9/8/2023 8:58	23	24	
9/8/2023 8:59	23	24	
9/8/2023 9:00	24	24	0.0032096
9/8/2023 9:01	23	24	
9/8/2023 9:02	24	24	
9/8/2023 9:03	25	23	
9/8/2023 9:04	24	23	
9/8/2023 9:05	24	23	
9/8/2023 9:06	25	24	
9/8/2023 9:07	25	24	
9/8/2023 9:08	26	24	
9/8/2023 9:09	25	24	
9/8/2023 9:10	25	24	
9/8/2023 9:11	24	24	
9/8/2023 9:12	24	24	
9/8/2023 9:13	24	24	
9/8/2023 9:14	24	24	
9/8/2023 9:15	25	24	
9/8/2023 9:16	25	24	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:17	25	24	
9/8/2023 9:18	25	24	
9/8/2023 9:19	27	24	
9/8/2023 9:20	28	25	
9/8/2023 9:21	29	25	
9/8/2023 9:22	28	25	
9/8/2023 9:23	27	25	
9/8/2023 9:24	28	25	
9/8/2023 9:25	28	26	
9/8/2023 9:26	27	26	
9/8/2023 9:27	29	26	
9/8/2023 9:28	31	27	
9/8/2023 9:29	27	27	
9/8/2023 9:30	27	27	
9/8/2023 9:31	27	27	
9/8/2023 9:32	28	27	
9/8/2023 9:33	28	27	
9/8/2023 9:34	29	28	
9/8/2023 9:35	30	28	
9/8/2023 9:36	29	28	
9/8/2023 9:37	31	28	
9/8/2023 9:38	30	28	
9/8/2023 9:39	37	29	
9/8/2023 9:40	33	29	
9/8/2023 9:41	27	29	
9/8/2023 9:42	29	29	
9/8/2023 9:43	29	29	
9/8/2023 9:44	34	29	
9/8/2023 9:45	33	30	
9/8/2023 9:46	31	30	
9/8/2023 9:47	30	30	
9/8/2023 9:48	30	30	
9/8/2023 9:49	27	30	
9/8/2023 9:50	29	30	
9/8/2023 9:51	28	30	
9/8/2023 9:52	29	30	
9/8/2023 9:53	30	30	
9/8/2023 9:54	31	30	
9/8/2023 9:55	32	29	
9/8/2023 9:56	32	30	
9/8/2023 9:57	32	30	
9/8/2023 9:58	31	30	
9/8/2023 9:59	32	30	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:00	30	30	0.0047822
9/8/2023 10:01	29	30	
9/8/2023 10:02	30	30	
9/8/2023 10:03	29	30	
9/8/2023 10:04	31	30	
9/8/2023 10:05	30	30	
9/8/2023 10:06	31	30	
9/8/2023 10:07	32	30	
9/8/2023 10:08	31	30	
9/8/2023 10:09	31	30	
9/8/2023 10:10	30	30	
9/8/2023 10:11	30	30	
9/8/2023 10:12	32	30	
9/8/2023 10:13	31	30	
9/8/2023 10:14	32	30	
9/8/2023 10:15	34	30	
9/8/2023 10:16	34	31	
9/8/2023 10:17	32	31	
9/8/2023 10:18	33	31	
9/8/2023 10:19	33	31	
9/8/2023 10:20	33	31	
9/8/2023 10:21	34	32	
9/8/2023 10:22	35	32	
9/8/2023 10:23	33	32	
9/8/2023 10:24	32	32	
9/8/2023 10:25	34	32	
9/8/2023 10:26	32	32	
9/8/2023 10:27	31	32	
9/8/2023 10:28	31	32	
9/8/2023 10:29	33	32	
9/8/2023 10:30	34	32	
9/8/2023 10:31	40	33	
9/8/2023 10:32	32	33	
9/8/2023 10:33	34	33	
9/8/2023 10:34	35	33	
9/8/2023 10:35	33	33	
9/8/2023 10:36	31	33	
9/8/2023 10:37	32	33	
9/8/2023 10:38	33	33	
9/8/2023 10:39	34	33	
9/8/2023 10:40	32	33	
9/8/2023 10:41	30	33	
9/8/2023 10:42	42	33	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:43	42	34	0.0065091
9/8/2023 10:44	30	34	
9/8/2023 10:45	32	34	
9/8/2023 10:46	34	33	
9/8/2023 10:47	32	33	
9/8/2023 10:48	32	33	
9/8/2023 10:49	32	33	
9/8/2023 10:50	29	33	
9/8/2023 10:51	31	33	
9/8/2023 10:52	31	33	
9/8/2023 10:53	31	32	
9/8/2023 10:54	29	32	
9/8/2023 10:55	30	32	
9/8/2023 10:56	30	32	
9/8/2023 10:57	30	31	
9/8/2023 10:58	31	30	
9/8/2023 10:59	27	30	
9/8/2023 11:00	25	30	
9/8/2023 11:01	24	29	
9/8/2023 11:02	25	29	
9/8/2023 11:03	27	28	
9/8/2023 11:04	26	28	
9/8/2023 11:05	26	28	
9/8/2023 11:06	25	27	
9/8/2023 11:07	25	27	
9/8/2023 11:08	25	27	
9/8/2023 11:09	25	26	
9/8/2023 11:10	26	26	
9/8/2023 11:11	25	26	
9/8/2023 11:12	25	25	
9/8/2023 11:13	27	25	
9/8/2023 11:14	26	25	
9/8/2023 11:15	26	25	
9/8/2023 11:16	26	25	
9/8/2023 11:17	25	25	
9/8/2023 11:18	27	25	
9/8/2023 11:19	26	25	
9/8/2023 11:20	27	25	
9/8/2023 11:21	25	25	
9/8/2023 11:22	25	25	
9/8/2023 11:23	25	25	
9/8/2023 11:24	26	25	
9/8/2023 11:25	26	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:26	26	25	
9/8/2023 11:27	27	26	
9/8/2023 11:28	26	25	
9/8/2023 11:29	25	25	
9/8/2023 11:30	25	25	
9/8/2023 11:31	25	25	
9/8/2023 11:32	25	25	
9/8/2023 11:33	26	25	
9/8/2023 11:34	25	25	
9/8/2023 11:35	26	25	
9/8/2023 11:36	26	25	
9/8/2023 11:37	26	25	
9/8/2023 11:38	26	25	
9/8/2023 11:39	26	25	
9/8/2023 11:40	25	25	
9/8/2023 11:41	25	25	
9/8/2023 11:42	25	25	
9/8/2023 11:43	25	25	
9/8/2023 11:44	26	25	
9/8/2023 11:45	28	25	
9/8/2023 11:46	27	25	
9/8/2023 11:47	26	25	
9/8/2023 11:48	25	25	
9/8/2023 11:49	24	25	
9/8/2023 11:50	25	25	
9/8/2023 11:51	25	25	
9/8/2023 11:52	25	25	
9/8/2023 11:53	25	25	
9/8/2023 11:54	25	25	
9/8/2023 11:55	24	25	
9/8/2023 11:56	24	25	
9/8/2023 11:57	23	25	
9/8/2023 11:58	24	25	
9/8/2023 11:59	23	24	
9/8/2023 12:00	23	24	0.0082742
9/8/2023 12:01	24	24	
9/8/2023 12:02	23	24	
9/8/2023 12:03	23	24	
9/8/2023 12:04	22	23	
9/8/2023 12:05	22	23	
9/8/2023 12:06	22	23	
9/8/2023 12:07	23	23	
9/8/2023 12:08	23	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:09	24	23	
9/8/2023 12:10	25	23	
9/8/2023 12:11	24	23	
9/8/2023 12:12	23	23	
9/8/2023 12:13	23	23	
9/8/2023 12:14	22	23	
9/8/2023 12:15	22	23	
9/8/2023 12:16	22	22	
9/8/2023 12:17	22	22	
9/8/2023 12:18	23	22	
9/8/2023 12:19	23	22	
9/8/2023 12:20	22	22	
9/8/2023 12:21	22	22	
9/8/2023 12:22	21	22	
9/8/2023 12:23	22	22	
9/8/2023 12:24	22	22	
9/8/2023 12:25	22	22	
9/8/2023 12:26	22	22	
9/8/2023 12:27	23	22	
9/8/2023 12:28	21	22	
9/8/2023 12:29	22	22	
9/8/2023 12:30	21	22	
9/8/2023 12:31	21	21	
9/8/2023 12:32	22	21	
9/8/2023 12:33	21	21	
9/8/2023 12:34	22	21	
9/8/2023 12:35	22	21	
9/8/2023 12:36	22	21	
9/8/2023 12:37	22	21	
9/8/2023 12:38	22	21	
9/8/2023 12:39	22	21	
9/8/2023 12:40	22	21	
9/8/2023 12:41	22	21	
9/8/2023 12:42	22	21	
9/8/2023 12:43	23	21	
9/8/2023 12:44	23	21	
9/8/2023 12:45	23	22	
9/8/2023 12:46	24	22	
9/8/2023 12:47	23	22	
9/8/2023 12:48	23	22	
9/8/2023 12:49	22	22	
9/8/2023 12:50	22	22	
9/8/2023 12:51	23	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:52	22	22	0.0099636
9/8/2023 12:53	22	22	
9/8/2023 12:54	22	22	
9/8/2023 12:55	21	22	
9/8/2023 12:56	21	22	
9/8/2023 12:57	22	22	
9/8/2023 12:58	22	22	
9/8/2023 12:59	23	22	
9/8/2023 13:00	22	22	
9/8/2023 13:01	23	22	
9/8/2023 13:02	23	22	
9/8/2023 13:03	23	22	
9/8/2023 13:04	22	22	
9/8/2023 13:05	21	22	
9/8/2023 13:06	21	22	
9/8/2023 13:07	22	22	
9/8/2023 13:08	22	22	
9/8/2023 13:09	22	22	
9/8/2023 13:10	22	22	
9/8/2023 13:11	23	22	
9/8/2023 13:12	23	22	
9/8/2023 13:13	22	22	
9/8/2023 13:14	23	22	
9/8/2023 13:15	22	22	
9/8/2023 13:16	22	22	
9/8/2023 13:17	21	22	
9/8/2023 13:18	22	22	
9/8/2023 13:19	22	22	
9/8/2023 13:20	22	22	
9/8/2023 13:21	23	22	
9/8/2023 13:22	22	22	
9/8/2023 13:23	22	22	
9/8/2023 13:24	21	22	
9/8/2023 13:25	21	22	
9/8/2023 13:26	22	22	
9/8/2023 13:27	21	21	
9/8/2023 13:28	21	21	
9/8/2023 13:29	22	21	
9/8/2023 13:30	22	21	
9/8/2023 13:31	23	21	
9/8/2023 13:32	23	21	
9/8/2023 13:33	22	21	
9/8/2023 13:34	22	21	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 13:35	22	21	0.011589
9/8/2023 13:36	23	21	
9/8/2023 13:37	20	21	
9/8/2023 13:38	20	21	
9/8/2023 13:39	22	21	
9/8/2023 13:40	22	21	
9/8/2023 13:41	20	21	
9/8/2023 13:42	19	21	
9/8/2023 13:43	18	21	
9/8/2023 13:44	21	21	
9/8/2023 13:45	17	20	
9/8/2023 13:46	17	20	
9/8/2023 13:47	18	20	
9/8/2023 13:48	20	20	
9/8/2023 13:49	20	19	
9/8/2023 13:50	18	19	
9/8/2023 13:51	20	19	
9/8/2023 13:52	21	19	
9/8/2023 13:53	21	19	
9/8/2023 13:54	21	19	
9/8/2023 13:55	21	19	
9/8/2023 13:56	21	19	
9/8/2023 13:57	20	19	
9/8/2023 13:58	20	19	
9/8/2023 13:59	21	19	
9/8/2023 14:00	21	20	
9/8/2023 14:01	20	20	
9/8/2023 14:02	21	20	
9/8/2023 14:03	20	20	
9/8/2023 14:04	18	20	
9/8/2023 14:05	18	20	
9/8/2023 14:06	17	20	
9/8/2023 14:07	18	19	
9/8/2023 14:08	17	19	
9/8/2023 14:09	19	19	
9/8/2023 14:10	18	19	
9/8/2023 14:11	17	19	
9/8/2023 14:12	16	18	
9/8/2023 14:13	16	18	
9/8/2023 14:14	19	18	
9/8/2023 14:15	19	18	
9/8/2023 14:16	20	18	
9/8/2023 14:17	19	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:18	18	17	
9/8/2023 14:19	19	18	
9/8/2023 14:20	19	18	
9/8/2023 14:21	18	18	
9/8/2023 14:22	19	18	
9/8/2023 14:23	21	18	
9/8/2023 14:24	20	18	
9/8/2023 14:25	24	18	
9/8/2023 14:26	22	19	
9/8/2023 14:27	20	19	
9/8/2023 14:28	19	19	
9/8/2023 14:29	19	19	
9/8/2023 14:30	19	19	
9/8/2023 14:31	20	19	
9/8/2023 14:32	21	19	
9/8/2023 14:33	21	20	
9/8/2023 14:34	20	20	
9/8/2023 14:35	21	20	
9/8/2023 14:36	19	20	
9/8/2023 14:37	17	20	
9/8/2023 14:38	19	20	
9/8/2023 14:39	17	19	
9/8/2023 14:40	18	19	
9/8/2023 14:41	18	19	
9/8/2023 14:42	19	19	
9/8/2023 14:43	17	19	
9/8/2023 14:44	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 6:34	19	19	0.00042308
9/8/2023 6:35	20	19	
9/8/2023 6:36	21	20	
9/8/2023 6:37	21	20	
9/8/2023 6:38	21	20	
9/8/2023 6:39	19	20	
9/8/2023 6:40	19	20	
9/8/2023 6:41	19	19	
9/8/2023 6:42	19	19	
9/8/2023 6:43	19	19	
9/8/2023 6:44	18	19	
9/8/2023 6:45	18	19	
9/8/2023 6:46	18	19	
9/8/2023 6:47	19	19	
9/8/2023 6:48	19	19	
9/8/2023 6:49	18	19	
9/8/2023 6:50	18	19	
9/8/2023 6:51	18	18	
9/8/2023 6:52	18	18	
9/8/2023 6:53	18	18	
9/8/2023 6:54	18	18	
9/8/2023 6:55	19	18	
9/8/2023 6:56	18	18	
9/8/2023 6:57	19	18	
9/8/2023 6:58	18	18	
9/8/2023 6:59	19	18	
9/8/2023 7:00	18	18	
9/8/2023 7:01	18	18	
9/8/2023 7:02	18	18	
9/8/2023 7:03	18	18	
9/8/2023 7:04	18	18	
9/8/2023 7:05	18	18	
9/8/2023 7:06	18	18	
9/8/2023 7:07	17	18	
9/8/2023 7:08	18	18	
9/8/2023 7:09	18	18	
9/8/2023 7:10	18	18	
9/8/2023 7:11	19	18	
9/8/2023 7:12	18	18	
9/8/2023 7:13	18	18	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:14	19	18	
9/8/2023 7:15	19	18	
9/8/2023 7:16	20	18	
9/8/2023 7:17	20	18	
9/8/2023 7:18	20	18	
9/8/2023 7:19	20	18	
9/8/2023 7:20	21	18	
9/8/2023 7:21	24	19	
9/8/2023 7:22	27	19	
9/8/2023 7:23	29	20	
9/8/2023 7:24	34	21	
9/8/2023 7:25	25	22	
9/8/2023 7:26	24	22	
9/8/2023 7:27	25	23	
9/8/2023 7:28	28	23	
9/8/2023 7:29	28	24	
9/8/2023 7:30	28	24	
9/8/2023 7:31	27	25	
9/8/2023 7:32	29	25	
9/8/2023 7:33	29	26	
9/8/2023 7:34	26	26	
9/8/2023 7:35	29	27	
9/8/2023 7:36	28	27	
9/8/2023 7:37	25	27	
9/8/2023 7:38	26	27	
9/8/2023 7:39	29	27	
9/8/2023 7:40	29	27	
9/8/2023 7:41	30	27	
9/8/2023 7:42	27	27	
9/8/2023 7:43	26	27	
9/8/2023 7:44	26	27	
9/8/2023 7:45	25	27	
9/8/2023 7:46	26	27	
9/8/2023 7:47	26	27	
9/8/2023 7:48	27	27	
9/8/2023 7:49	27	27	
9/8/2023 7:50	27	26	
9/8/2023 7:51	29	27	
9/8/2023 7:52	29	27	
9/8/2023 7:53	31	27	
9/8/2023 7:54	31	27	
9/8/2023 7:55	32	27	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 7:56	32	28	0.0014365
9/8/2023 7:57	31	28	
9/8/2023 7:58	29	28	
9/8/2023 7:59	26	28	
9/8/2023 8:00	26	28	
9/8/2023 8:01	27	28	
9/8/2023 8:02	28	28	
9/8/2023 8:03	26	28	
9/8/2023 8:04	25	28	
9/8/2023 8:05	28	28	
9/8/2023 8:06	31	28	
9/8/2023 8:07	36	29	
9/8/2023 8:08	29	29	
9/8/2023 8:09	27	28	
9/8/2023 8:10	27	28	
9/8/2023 8:11	27	28	
9/8/2023 8:12	24	27	
9/8/2023 8:13	26	27	
9/8/2023 8:14	25	27	
9/8/2023 8:15	25	27	
9/8/2023 8:16	24	27	
9/8/2023 8:17	24	26	
9/8/2023 8:18	24	26	
9/8/2023 8:19	26	26	
9/8/2023 8:20	25	26	
9/8/2023 8:21	25	26	
9/8/2023 8:22	28	25	
9/8/2023 8:23	25	25	
9/8/2023 8:24	24	25	
9/8/2023 8:25	25	25	
9/8/2023 8:26	24	24	
9/8/2023 8:27	24	24	
9/8/2023 8:28	24	24	
9/8/2023 8:29	25	24	
9/8/2023 8:30	27	24	
9/8/2023 8:31	26	25	
9/8/2023 8:32	27	25	
9/8/2023 8:33	27	25	
9/8/2023 8:34	27	25	
9/8/2023 8:35	27	25	
9/8/2023 8:36	26	25	
9/8/2023 8:37	25	25	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 8:38	25	25	
9/8/2023 8:39	25	25	
9/8/2023 8:40	27	25	
9/8/2023 8:41	26	25	
9/8/2023 8:42	27	26	
9/8/2023 8:43	28	26	
9/8/2023 8:44	26	26	
9/8/2023 8:45	28	26	
9/8/2023 8:46	28	26	
9/8/2023 8:47	28	26	
9/8/2023 8:48	32	27	
9/8/2023 8:49	26	26	
9/8/2023 8:50	25	26	
9/8/2023 8:51	25	26	
9/8/2023 8:52	24	26	
9/8/2023 8:53	25	26	
9/8/2023 8:54	25	26	
9/8/2023 8:55	26	26	
9/8/2023 8:56	25	26	
9/8/2023 8:57	26	26	
9/8/2023 8:58	25	26	
9/8/2023 8:59	25	26	
9/8/2023 9:00	27	26	0.0028966
9/8/2023 9:01	30	26	
9/8/2023 9:02	28	26	
9/8/2023 9:03	31	26	
9/8/2023 9:04	29	26	
9/8/2023 9:05	29	26	
9/8/2023 9:06	28	26	
9/8/2023 9:07	27	27	
9/8/2023 9:08	27	27	
9/8/2023 9:09	28	27	
9/8/2023 9:10	27	27	
9/8/2023 9:11	26	27	
9/8/2023 9:12	27	27	
9/8/2023 9:13	26	27	
9/8/2023 9:14	26	27	
9/8/2023 9:15	26	27	
9/8/2023 9:16	26	27	
9/8/2023 9:17	28	27	
9/8/2023 9:18	29	27	
9/8/2023 9:19	29	27	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 9:20	30	27	
9/8/2023 9:21	29	27	
9/8/2023 9:22	29	27	
9/8/2023 9:23	29	27	
9/8/2023 9:24	28	27	
9/8/2023 9:25	29	27	
9/8/2023 9:26	30	28	
9/8/2023 9:27	30	28	
9/8/2023 9:28	29	28	
9/8/2023 9:29	28	28	
9/8/2023 9:30	28	28	
9/8/2023 9:31	28	28	
9/8/2023 9:32	28	28	
9/8/2023 9:33	28	28	
9/8/2023 9:34	29	28	
9/8/2023 9:35	29	28	
9/8/2023 9:36	28	28	
9/8/2023 9:37	29	28	
9/8/2023 9:38	31	28	
9/8/2023 9:39	29	28	
9/8/2023 9:40	30	28	
9/8/2023 9:41	30	28	
9/8/2023 9:42	31	29	
9/8/2023 9:43	34	29	
9/8/2023 9:44	35	29	
9/8/2023 9:45	33	30	
9/8/2023 9:46	35	30	
9/8/2023 9:47	34	31	
9/8/2023 9:48	33	31	
9/8/2023 9:49	30	31	
9/8/2023 9:50	31	31	
9/8/2023 9:51	28	31	
9/8/2023 9:52	28	31	
9/8/2023 9:53	30	31	
9/8/2023 9:54	30	31	
9/8/2023 9:55	31	31	
9/8/2023 9:56	32	31	
9/8/2023 9:57	32	31	
9/8/2023 9:58	31	31	
9/8/2023 9:59	31	31	
9/8/2023 10:00	32	31	0.0045141
9/8/2023 10:01	33	31	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:02	32	30	
9/8/2023 10:03	32	30	
9/8/2023 10:04	33	31	
9/8/2023 10:05	32	31	
9/8/2023 10:06	31	31	
9/8/2023 10:07	31	31	
9/8/2023 10:08	32	31	
9/8/2023 10:09	34	31	
9/8/2023 10:10	32	32	
9/8/2023 10:11	31	31	
9/8/2023 10:12	31	31	
9/8/2023 10:13	31	31	
9/8/2023 10:14	31	31	
9/8/2023 10:15	33	31	
9/8/2023 10:16	32	31	
9/8/2023 10:17	32	31	
9/8/2023 10:18	33	31	
9/8/2023 10:19	34	32	
9/8/2023 10:20	33	32	
9/8/2023 10:21	32	32	
9/8/2023 10:22	33	32	
9/8/2023 10:23	32	32	
9/8/2023 10:24	33	32	
9/8/2023 10:25	32	32	
9/8/2023 10:26	31	32	
9/8/2023 10:27	32	32	
9/8/2023 10:28	32	32	
9/8/2023 10:29	32	32	
9/8/2023 10:30	33	32	
9/8/2023 10:31	32	32	
9/8/2023 10:32	32	32	
9/8/2023 10:33	31	32	
9/8/2023 10:34	32	32	
9/8/2023 10:35	33	32	
9/8/2023 10:36	31	32	
9/8/2023 10:37	31	31	
9/8/2023 10:38	32	31	
9/8/2023 10:39	31	31	
9/8/2023 10:40	31	31	
9/8/2023 10:41	31	31	
9/8/2023 10:42	29	31	
9/8/2023 10:43	30	31	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 10:44	28	31	0.0062679
9/8/2023 10:45	27	30	
9/8/2023 10:46	29	30	
9/8/2023 10:47	34	30	
9/8/2023 10:48	30	30	
9/8/2023 10:49	28	30	
9/8/2023 10:50	28	30	
9/8/2023 10:51	29	29	
9/8/2023 10:52	29	29	
9/8/2023 10:53	26	29	
9/8/2023 10:54	25	28	
9/8/2023 10:55	26	28	
9/8/2023 10:56	27	28	
9/8/2023 10:57	27	28	
9/8/2023 10:58	26	27	
9/8/2023 10:59	23	27	
9/8/2023 11:00	22	27	
9/8/2023 11:01	23	26	
9/8/2023 11:02	22	26	
9/8/2023 11:03	29	26	
9/8/2023 11:04	31	26	
9/8/2023 11:05	26	26	
9/8/2023 11:06	23	25	
9/8/2023 11:07	21	25	
9/8/2023 11:08	22	24	
9/8/2023 11:09	22	24	
9/8/2023 11:10	23	24	
9/8/2023 11:11	23	24	
9/8/2023 11:12	24	24	
9/8/2023 11:13	24	23	
9/8/2023 11:14	23	23	
9/8/2023 11:15	22	23	
9/8/2023 11:16	24	23	
9/8/2023 11:17	23	24	
9/8/2023 11:18	22	23	
9/8/2023 11:19	23	23	
9/8/2023 11:20	22	22	
9/8/2023 11:21	21	22	
9/8/2023 11:22	22	22	
9/8/2023 11:23	23	22	
9/8/2023 11:24	23	22	
9/8/2023 11:25	22	22	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 11:26	23	22	
9/8/2023 11:27	23	22	
9/8/2023 11:28	23	22	
9/8/2023 11:29	23	22	
9/8/2023 11:30	22	22	
9/8/2023 11:31	22	22	
9/8/2023 11:32	22	22	
9/8/2023 11:33	22	22	
9/8/2023 11:34	22	22	
9/8/2023 11:35	22	22	
9/8/2023 11:36	22	22	
9/8/2023 11:37	22	22	
9/8/2023 11:38	21	22	
9/8/2023 11:39	21	22	
9/8/2023 11:40	21	22	
9/8/2023 11:41	22	22	
9/8/2023 11:42	22	21	
9/8/2023 11:43	22	21	
9/8/2023 11:44	22	21	
9/8/2023 11:45	23	21	
9/8/2023 11:46	22	21	
9/8/2023 11:47	21	21	
9/8/2023 11:48	20	21	
9/8/2023 11:49	21	21	
9/8/2023 11:50	21	21	
9/8/2023 11:51	21	21	
9/8/2023 11:52	21	21	
9/8/2023 11:53	20	21	
9/8/2023 11:54	21	21	
9/8/2023 11:55	20	21	
9/8/2023 11:56	20	21	
9/8/2023 11:57	20	21	
9/8/2023 11:58	19	20	
9/8/2023 11:59	20	20	
9/8/2023 12:00	20	20	0.0079927
9/8/2023 12:01	20	20	
9/8/2023 12:02	20	20	
9/8/2023 12:03	19	20	
9/8/2023 12:04	19	20	
9/8/2023 12:05	19	19	
9/8/2023 12:06	19	19	
9/8/2023 12:07	19	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:08	18	19	
9/8/2023 12:09	18	19	
9/8/2023 12:10	20	19	
9/8/2023 12:11	20	19	
9/8/2023 12:12	20	19	
9/8/2023 12:13	18	19	
9/8/2023 12:14	19	19	
9/8/2023 12:15	19	19	
9/8/2023 12:16	18	19	
9/8/2023 12:17	18	18	
9/8/2023 12:18	18	18	
9/8/2023 12:19	19	18	
9/8/2023 12:20	18	18	
9/8/2023 12:21	18	18	
9/8/2023 12:22	17	18	
9/8/2023 12:23	17	18	
9/8/2023 12:24	17	18	
9/8/2023 12:25	17	18	
9/8/2023 12:26	17	18	
9/8/2023 12:27	17	17	
9/8/2023 12:28	17	17	
9/8/2023 12:29	17	17	
9/8/2023 12:30	17	17	
9/8/2023 12:31	17	17	
9/8/2023 12:32	17	17	
9/8/2023 12:33	17	17	
9/8/2023 12:34	19	17	
9/8/2023 12:35	18	17	
9/8/2023 12:36	18	17	
9/8/2023 12:37	21	17	
9/8/2023 12:38	22	17	
9/8/2023 12:39	20	18	
9/8/2023 12:40	26	18	
9/8/2023 12:41	50	20	
9/8/2023 12:42	21	21	
9/8/2023 12:43	23	21	
9/8/2023 12:44	21	21	
9/8/2023 12:45	21	22	
9/8/2023 12:46	33	23	
9/8/2023 12:47	22	23	
9/8/2023 12:48	21	23	
9/8/2023 12:49	19	23	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 12:50	27	24	0.0095938
9/8/2023 12:51	23	24	
9/8/2023 12:52	33	25	
9/8/2023 12:53	25	25	
9/8/2023 12:54	22	25	
9/8/2023 12:55	19	25	
9/8/2023 12:56	17	23	
9/8/2023 12:57	17	22	
9/8/2023 12:58	19	22	
9/8/2023 12:59	17	22	
9/8/2023 13:00	18	22	
9/8/2023 13:01	18	21	
9/8/2023 13:02	23	21	
9/8/2023 13:03	20	21	
9/8/2023 13:04	18	21	
9/8/2023 13:05	19	20	
9/8/2023 13:06	18	20	
9/8/2023 13:07	18	19	
9/8/2023 13:08	17	18	
9/8/2023 13:09	18	18	
9/8/2023 13:10	19	18	
9/8/2023 13:11	20	18	
9/8/2023 13:12	20	18	
9/8/2023 13:13	18	18	
9/8/2023 13:14	18	18	
9/8/2023 13:15	22	19	
9/8/2023 13:16	18	19	
9/8/2023 13:17	19	18	
9/8/2023 13:18	20	18	
9/8/2023 13:19	21	19	
9/8/2023 13:20	25	19	
9/8/2023 13:21	23	19	
9/8/2023 13:22	22	20	
9/8/2023 13:23	17	20	
9/8/2023 13:24	19	20	
9/8/2023 13:25	23	20	
9/8/2023 13:26	18	20	
9/8/2023 13:27	18	20	
9/8/2023 13:28	17	20	
9/8/2023 13:29	16	19	
9/8/2023 13:30	17	19	
9/8/2023 13:31	16	19	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/8/2023 13:32	16	19	
9/8/2023 13:33	16	18	
9/8/2023 13:34	16	18	
9/8/2023 13:35	19	18	
9/8/2023 13:36	20	18	
9/8/2023 13:37	16	17	
9/8/2023 13:38	15	17	
9/8/2023 13:39	24	17	
9/8/2023 13:40	29	18	
9/8/2023 13:41	24	18	
9/8/2023 13:42	21	18	
9/8/2023 13:43	30	19	
9/8/2023 13:44	33	20	
9/8/2023 13:45	19	20	
9/8/2023 13:46	17	21	
9/8/2023 13:47	25	21	
9/8/2023 13:48	22	22	
9/8/2023 13:49	19	22	
9/8/2023 13:50	14	21	
9/8/2023 13:51	25	22	
9/8/2023 13:52	16	22	
9/8/2023 13:53	18	22	
9/8/2023 13:54	22	22	
9/8/2023 13:55	24	21	
9/8/2023 13:56	16	21	
9/8/2023 13:57	19	21	
9/8/2023 13:58	15	20	
9/8/2023 13:59	13	18	
9/8/2023 14:00	14	18	0.01113
9/8/2023 14:01	14	18	
9/8/2023 14:02	15	17	
9/8/2023 14:03	15	17	
9/8/2023 14:04	14	16	
9/8/2023 14:05	13	16	
9/8/2023 14:06	18	16	
9/8/2023 14:07	37	17	
9/8/2023 14:08	43	19	
9/8/2023 14:09	30	20	
9/8/2023 14:10	13	19	
9/8/2023 14:11	21	19	
9/8/2023 14:12	13	19	
9/8/2023 14:13	38	20	

Demolition Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/8/2023 14:14	44	22	
9/8/2023 14:15	28	23	
9/8/2023 14:16	16	23	
9/8/2023 14:17	13	23	
9/8/2023 14:18	16	23	
9/8/2023 14:19	20	24	
9/8/2023 14:20	22	24	
9/8/2023 14:21	16	24	
9/8/2023 14:22	19	23	
9/8/2023 14:23	44	23	
9/8/2023 14:24	26	23	
9/8/2023 14:25	15	23	
9/8/2023 14:26	16	23	
9/8/2023 14:27	15	23	
9/8/2023 14:28	13	21	
9/8/2023 14:29	13	19	
9/8/2023 14:30	14	18	
9/8/2023 14:31	14	18	
9/8/2023 14:32	14	18	
9/8/2023 14:33	14	18	
9/8/2023 14:34	16	18	
9/8/2023 14:35	15	17	
9/8/2023 14:36	15	17	
9/8/2023 14:37	14	17	
9/8/2023 14:38	14	15	
9/8/2023 14:39	11	14	
9/8/2023 14:40	17	14	
9/8/2023 14:41	15	14	
9/8/2023 14:42	14	14	
9/8/2023 14:43	12	14	
9/8/2023 14:44	12	14	
9/8/2023 14:45	12	13	
9/8/2023 14:46	13	13	
9/8/2023 14:47	12	13	
9/8/2023 14:48	11	13	

APPENDIX B

Daily Progress Reports and Activity Logs

CAMP ACTIVITY LOG

Client Name: Job/Site Name: Location: Project Number: Date: Field Staff:		Prologis Former AB&I Foundry 7825 San Leandro Street Oakland, CA 1793.0029S000 09/05/2023 Mary Grace Fittler (MGR) + Jessica Aguayo (JA) Staff Geologist I Staff Geologist II	Weather: sunny, 70's °F W: NW
Time	Activity/Comments (i.e., Wind direction, dust readings, exceedances, response actions, mitigation, etc.)		
0630	- JA + MGR onsite. JA leads MGR Tailgate, review scope + hazards on site. - (MGR checks in with Foreman, Rolando prior to JA arrival) - JA + MGR begin to set up AMSs. (air monitoring stations).		
0730	- Richard Maxwell, Project Principal (RM) onsite. checks in with Garrison crew, asks them to ^{(m)stop} work until we are done setting up all AMSs.		
0750	- All AMSs set up, zeroed + started. - Harold Fyfe, Project Manager (HR) onsite. Prologis onsite.		
0800	- MGR, HR, + RM attend meeting on site w/ Garrison + Prologis to discuss requirements of the camp - Garrison begins with the demolition of Receiving/stockroom building.		
0847	- wind direction change to North.		
0850	- Garrison crew stops demo work.		
0915	- RM + HR onsite		
0920	- Garrison continues with demo of Receiving/stockroom.		
0936	- AMS-03 not reporting. fixed connection. Reporting on Environet. Replaced battery at AMS-02.		
1040	- Battery replaced at AMS-01. JA onsite. Garrison continues demo of Receiving/stockroom building (central portion of site).		
1135	- Break for lunch. Demo paused.		
1208	- Battery replaced at AMS-04. Work Demo resumes.		
1320	- Battery replaced at AMS-06. Concentrations ^(MGR) Negative concentration reported. MGR re-calibrates DustTrak with zero filter. Concentrations return to normal.		
1340	- Battery replaced at AMS-04.		
1445	- Demolition activities complete for day. No exceedances. MGR begins to break down AMSs. JA onsite. at ^(MGR)		
1555	- CAMP monitoring complete for day. MGR + JA offsite.		

AIR MONITORING STATION LOG

Client Name: Duke Realty Foundry LP
Job/Site Name: AB&I Redevelopment
Location: 7825 San Leandro Street, Oakland CA

Project Number: 1793.0029S000

Date: 09/05/2023

Field Staff: Mary Grace Kihler (MAP) - Staff Geologist I + Jessica Aguayo (JPA) - Staff Geologist II

Station	Dust Monitor ID	Case ID	Data Logger ID	Air Pump ID	Lead Air Sample ID
AMS-01	FA02969	FA02841	FA05622	N/A	
AMS-02	FA01659	FA02735	FA05614		
AMS-03	FA02148	FA01222	FA05609		
AMS-04	FA02279	FA01742	FA05620		
AMS-05	FA03633	FA03649	FA05362		
AMS-06	FA02726	FA01219	FA05483		
AMS-07	FA04738	FA03648	FA05489		
AMS-08	FA00291	FA01844	FA05615		

Station	Times and Mass Concentrations (mg/m3)					
AMS-01	Time	0708	0718	01040	01216	01303
	Concentration	0.030	0.025	0.022	0.014	0.017
AMS-02	Time	0718	0738	01217	01306	
	Concentration	0.025	0.022	0.013	0.015	
AMS-03	Time	0724	0736	01217	01308	
	Concentration	0.039	0.033	0.019	0.022	
AMS-04	Time	0732	01047	01208	01311	01340
	Concentration	0.022	0.009	0.008	0.010	0.010
AMS-05	Time	0740	01049	01217	01314	
	Concentration	0.029	0.024	0.019	0.025	
AMS-06	Time	0748	01047	01218	01325*	
	Concentration	0.035	0.031	0.021	0.013	
AMS-07	Time	N/A				
	Concentration					
AMS-08	Time	N/A				
	Concentration					
Wind direction:		ESE	SW	WNW		

Notes: ☒ = low battery, stop run and change battery, continue run.
*concentrations reported were negative after battery replaced. Stop run, re-calibrate w/ zero filter. concentrations return to normal.

CAMP ACTIVITY LOG

Client Name:	Prologis	Weather:
Job/Site Name:	Former AB&I Foundry	58-73°F, clear
Location:	7825 San Leandro Street Oakland, CA	w: NW H: 80%.
Project Number:	1793.0029S000	
Date:	09/06/2023	
Field Staff:	M. Ritter (MGR, Staff Geo I) + A. McClements (AM, Intern)	
Time	Activity/Comments (i.e., Wind direction, dust readings, exceedances, response actions, mitigation, etc.)	
0600	- MGR + AM onsite (Roux). Begin setting up CAMP stations	
0630	- Garrison Demolition Engineering (Garrison) crew onsite.	
0705	- All stations online. Garrison resumes demo of ^{former} Maintenance and stockroom buildings. Begin trucking/off-haul of materials.	
0730	- Battery replaced at AMS-05.	
0755	- Battery replaced at AMS-04. AM offsite.	
0850	- Battery replaced at AMS-05.	
0915	- PM10 warning at AMS-02 as Garrison mobs to demo the former Sand storage area in the western corner of the site, adjacent to AMS-02. AMS-02 moved approximately 100' north along Site perimeter to be more representative of upwind conditions. MGR ^{checks in} speaks with Rolando + Alberto (Garrison Foreman/Super).	
0930	- Battery replaced at AMS-04. Crew spraying more water in former Sand Storage area.	
1055	- Garrison continues demo of former Sand Storage Area. Demo of stockroom and Maintenance building complete. Stockpiles remain.	
1115	- Battery replaced at AMS-01. Demo of former sand storage area complete. Stockpiles remain.	
1130	- AMS-05 screen white/blank. Appears to still be reporting data.	
1145	- Crew breaks for lunch. Demo paused.	
1220	- Work resumes. Garrison sprays water; prep equipment in truck loading area (central portion of Site).	
1330	- PM10 warning at AMS-02. Excavator was ~18 ft in front of monitor. Work paused. MGR moves monitor further north (~70 ft). PM10 levels return to normal. Work resumes.	
1345	- Battery replaced at AMS-04. DustTrak re-calibrated w/ zero filter.	
1405	- Battery replaced at AMS-01.	
1428	- Battery replaced again at AMS-01.	
1445	- Work complete for day. Begin breaking down stations. AM onsite.	
1535	- MGR + AM offsite.	

AIR MONITORING STATION LOG

Client Name: Duke Realty Foundry LP
Job/Site Name: AB&I Redevelopment
Location: 7825 San Leandro Street, Oakland CA

Project Number: 1793.0029S000

Date: 09/06/23

Field Staff: M. RATTNER (Raux, Staff Geologist I)
A. McClements (Raux, Intern/Geologist)

Station	Dust Monitor ID	Case ID	Data Logger ID	Air Pump ID	Lead Air Sample ID
AMS-01	FA02969	FA02841	FA05622	N/A	N/A
AMS-02	FA01659	FA02735	FA05614	↓	↓
AMS-03	FA02148	FA01222	FA05609		
AMS-04	FA02279	FA01742	FA05620		
AMS-05	FA03633	FA03649	FA05362		
AMS-06	FA02726	FA01219	FA05483		
AMS-07	FA04738	FA03648	FA05489		
AMS-08	FA00291	FA01844	FA05615		

Station	Times and Mass Concentrations (mg/m3)					
AMS-01	Time	@0630	@0900	@1115	@1405	@1428
	Concentration	0.030	0.022	0.015	0.038	0.031
AMS-02	Time	@0640	@0902	@0915	@1119	@1338
	Concentration	0.030	0.025	0.022*	0.020	0.021
AMS-03	Time	@0648	@0824	@1121	@1409	
	Concentration	0.029	0.024	0.019	0.021	
AMS-04	Time	@0655	@0755	@0857	@0930	@1124
	Concentration	0.026	0.020	0.027	0.021	0.008
AMS-05	Time	@0700	@0733	@0850	@1130	@1413
	Concentration	0.056	0.022	0.024	0.019*	0.025*
AMS-06	Time	@0703	@0854	@1133	@1415	
	Concentration	0.026	0.029	0.018	0.021	
AMS-07	Time					
N/A	Concentration					
AMS-08	Time					
	Concentration					
Wind direction:		SW	WNW	WNW	NW	NW

Notes:  = Low battery. Battery replaced.

*Monitor moved ~100' north due to unsafe proximity to demo work. Concentration reported was after monitor was moved.

**AMS-05 screen ^{white} blank. Appears to still be reporting.

***AMS-04 re-calibrated w/ zero filter @1345.

****AMS-02 moved further North due to close proximity to machinery (~10ft).

CAMP ACTIVITY LOG

Client Name:	Prologis	Weather:
Job/Site Name:	Former AB&I Foundry	59-73°F, Clear
Location:	7825 San Leandro Street Oakland, CA	W:SSW-NW/H:83%
Project Number:	1793.0029S000	
Date:	09/07/23	
Field Staff:	M. Rittler (MGR, Staff Geo I, Rax) + A. McClumments (AM, Intern, Rax)	
Time	Activity/Comments (i.e., Wind direction, dust readings, exceedances, response actions, mitigation, etc.)	
0600	- MGR + AM onsite. Begin AMS set up.	
0710	- All stations online. Garrison Demolition Engineering (Garrison) resumes demo and truck loading. MGR speaks with Rolando (Foreman) to discuss scope for day: continue off-haul of stockpiled demo debris; begin demo of northern buildings. AM off-site.	
0800	- AMS-02 moved to alternate location along NNW perimeter due to proximity to machinery.	
0905	- Battery replaced at AMS-01.	
1040	- Battery replaced at AMS-02	
1050	- Battery replaced at AMS-04.	
1130	- crew breaks for lunch. Demo activities paused.	
1210	- Demo resumes. Trucking resumes.	
1250	- * Weather station re-oriented to point north. * Wind directions recorded this morning likely off by 45-90 ~90°.	
1315	- Battery replaced at AMS-03.	
1400	- AMS-04 reading abnormally low. Re-calibrated with zero filter. Readings return to normal. Battery replaced @ 1410.	
1445	- Demo; trucking complete for day. Begin breaking down stations. CAMP done for day. Garrison off-site.	
1515	- MGR + AM off-site.	

AIR MONITORING STATION LOG

Client Name: Duke Realty Foundry LP
Job/Site Name: AB&I Redevelopment
Location: 7825 San Leandro Street, Oakland CA

Project Number: 1793.0029S000

Date: 09/07/23

Field Staff: MG RITTER (MER) - Staff Geo I, Roux

Station	Dust Monitor ID	Case ID	Data Logger ID	Air Pump ID	Lead Air Sample ID
AMS-01	FA02969	FA02841	FA05622		
AMS-02	FA01659	FA02735	FA05614		
AMS-03	FA02148	FA01222	FA05609		
AMS-04	FA02279	FA01742	FA05620		
AMS-05	FA03633	FA03649	FA05362		
AMS-06	FA02726	FA01219	FA05483		
AMS-07	FA04738	FA03648	FA05489		
AMS-08	FA00291	FA01844	FA05615		

Station	Times and Mass Concentrations (mg/m3)					
AMS-01	Time	@0624	@0905	@1059	@1223	@1430
	Concentration	0.020	0.013	0.015	0.016	0.014
AMS-02	Time	@0655	@0920	@1040	@1306	@1433
	Concentration	0.020	0.018	0.022	0.013	0.016
AMS-03	Time	@0649	@0920	@1029	1303	@1435
	Concentration	0.017	0.018	0.020	0.022	0.015
AMS-04	Time	@0623	@0912	@1050	@1232	@1357
	Concentration	0.014	0.012	0.015	0.010	0.016
AMS-05	Time	@0637	@0917*	@0555*	@1230*	@1420*
	Concentration	0.018	0.018	0.023	0.022	0.022
AMS-06	Time	@0645	@0920	@1057	@1239	@1421
	Concentration	0.017	0.020	0.021	0.022	0.020
AMS-07	Time					
	Concentration				N/A	
AMS-08	Time					
	Concentration					
Wind direction:		SSW		SSE	SSW	NW

Notes: ☐ = Low battery. Battery replaced.

* AMS-05 screen white/blank. Reported concentration from environet

** weather station oriented incorrectly until 1250. Wind direction off by ~90°

O = Re-calibrated with zero filter.

CAMP ACTIVITY LOG


Client Name:	Prologis	Weather:
Job/Site Name:	Former AB&I Foundry	56-76°F, Clear
Location:	7825 San Leandro Street Oakland, CA	W: NNE to WNW
Project Number:	1793.0029S000	H: 83%
Date:	09/08/23	
Field Staff:	M. Rittler (MGR) - Shift Geo I (Rax) / A. McClements (AM) - Intern (Rax)	
Time	Activity/Comments (i.e., Wind direction, dust readings, exceedances, response actions, mitigation, etc.)	
0600	MGR + AM onsite. Begin setting up AMSs.	
0700	All stations calibrated w/ zero filter + online. MGR discusses <u>scope</u> w/ Rolando (Foreman, Garrison); continue demo of ^{former} special finishings area, demo cat walk on main building, continue off-haul of demo debris. Trucking demo resume.	
0735	AMS-02, AMS-03, and AMS-04 go offline. MGR re-adjusts connections on stations.	
0750	AMS-2 back online.	
0800	AMS-4 back online.	
0830	AMS-3 back online.	
0810	PM10 warning @ AMS-02 due to water sprayed towards the monitor. Levels quickly return to normal after MGR speaks w/ crew.	
0814	PM10 exceedance triggered for 1 min at AMS-02. MGR work paused Exceedance immediately resolved. Appears to have been erroneous.	
1030	Battery replaced at AMS-04.	
1135	Break for lunch. Demo & trucking paused.	
1215	PM10 warning at AMS-02 while crew still on lunch. No active demo. AMS-02 appears to be malfunctioning. MGR	
1230	re-calibrates AMS-02 with zero filter twice. Station moved to alternate location ~100' north along NW perimeter.* Demo & trucking resume.	
1300	PMD warning at AMS-02 due to truck exhaust. Work paused. MGR speaks with HR (Rax) & Alberto & Rolando (Garrison) re: dust control, communication of warnings. HR authorizes work resuming. AMS-02 moved south along NW perimeter (out of truck loading zone).	
1320	Battery replaced at AMS-02	
1350	Battery replaced at AMS-04.	

CAMP ACTIVITY LOG

Client Name:	Prologis	Weather:
Job/Site Name:	Former AB&I Foundry	50-70°F, clear
Location:	7825 San Leandro Street Oakland, CA	w: NW H: 83%
Project Number:	1793.0029S000	
Date:	09/08/23	
Field Staff:	M. Ratter (MGR, Staff Geo. I)	

Time	Activity/Comments (i.e., Wind direction, dust readings, exceedances, response actions, mitigation, etc.)
1445-	Demo & trucking complete for day. AM onsite. Begin breaking down stations.
1510-	MGR : AM offsite.
	

Site Map w/ AMS-02 Locations



(1) AMS location order
x Air Monitoring Station



AIR MONITORING STATION LOG

Client Name: Duke Realty Foundry LP
Job/Site Name: AB&I Redevelopment
Location: 7825 San Leandro Street, Oakland CA

Project Number: 1793.0029S000

Date: 09/08/23

Field Staff: M. Rattler (MGR) - Staff Geologist I (Pax)
A. McClementis (AM) - Intern (Pax)

Station	Dust Monitor ID	Case ID	Data Logger ID	Air Pump ID	Lead Air Sample ID
AMS-01	FA02969	FA02841	FA05622		
AMS-02	FA01659	FA02735	FA05614		
AMS-03	FA02148	FA01222	FA05609		
AMS-04	FA02279	FA01742	FA05620		
AMS-05	FA03633	FA03649	FA05362		
AMS-06	FA02726	FA01219	FA05483		
AMS-07	FA04738	FA03648	FA05489		
AMS-08	FA00291	FA01844	FA05615		

Station	Times and Mass Concentrations (mg/m3)					
AMS-01	Time	@0624	@0655	@1019	@1335	
	Concentration	0.021	0.021	0.031	0.010	
AMS-02	Time	@0635	@0856	@1021	@1319	
	Concentration	0.019	0.022	0.025	0.030	
AMS-03	Time	@0642	@0750*	@0858	@1023	
	Concentration	0.021	0.031	0.024	0.030	
AMS-04	Time	@0642	@0739*	@0839	@1013	@1330
	Concentration	0.023	0.019	0.016	0.018	0.018
AMS-05	Time	@0625	@0843	@1015	@1339	
	Concentration	0.029	0.023	0.034	0.025	
AMS-06	Time	@0633	@0844	@1016	@1340	
	Concentration	0.021	0.029	0.032	0.018	
AMS-07	Time	N/A				
	Concentration					
AMS-08	Time	N/A				
	Concentration					
Wind direction:		NNE				

Notes: ☐ Low battery. Battery replaced.

* AMS-02, -03, and -04 offline. Return back online between 0750 & 0830.



DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 5, 2023
PROJECT:	AB&I Redevelopment CAMP	Prologis	WEATHER:	65-75°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	06:30 – 16:00

CONTRACTOR AND EQUIPMENT	PERSONNEL PRESENT AT SITE AND AFFILIATION:
Garrison Demolition Engineering (3x excavators)	- Mary Grace Rittler (Field Staff) – Roux - Jessica Aguayo (Field Staff) – Roux - Richard Maxwell (Operations Manager) – Roux - Harold Rush (Project Manager) – Roux - Deepali Pallath (Project Manager) – Garrison - Alberto Marquez (Superintendent) – Garrison - Rolando (Foreman) – Garrison - Blair Rushing (Project Manager) – Prologis

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to implement Community Air Monitoring plan (CAMP).

GENERAL COMMENTS:

Description of demolition activities performed:

- Demolition of the former Rolling Stock Shop, Maintenance Shop, and Storeroom, located in the southwest central portion of the site.

CAMP Implementation:

- CAMP was implemented from 0800 to 1450 when demolition activities ceased for the day. Six CAMP stations (each consisting of a particulate meter) and one meteorological station were set-up as described in the Final CAMP and Shown on Figure 1.

Action Level exceedances:

- None

Response actions/mitigation measures:

- None

Community complaints received:

- None

Upcoming work activities anticipated:

- Continue demolition in the vicinity of the former Rolling Stock Shop, Maintenance Shop, and Storeroom.

Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 5, 2023
PROJECT:	AB&I Redevelopment CAMP	Prologis	WEATHER:	65-75°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	06:30 – 16:00

Photos taken today:

Photo 1:



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 5, 2023
PROJECT:	AB&I Redevelopment CAMP	Prologis	WEATHER:	65-75°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	06:30 – 16:00

Photo 2:



Approved:		By:	
-----------	--	-----	--

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 5, 2023
PROJECT:	AB&I Redevelopment CAMP	Prologis	WEATHER:	65-75°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	06:30 – 16:00

Photo 3:




Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 5, 2023
PROJECT:	AB&I Redevelopment CAMP	Prologis	WEATHER:	65-75°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	06:30 – 16:00

Figure 1



Approved:		By:	
-----------	--	-----	--



DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 6, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	58-73°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

CONTRACTOR AND EQUIPMENT	PERSONNEL PRESENT AT SITE AND AFFILIATION:
Garrison Demolition Engineering (3x excavators)	- Mary Grace Rittler (Field Staff) – Roux - Alana McClements (Field Staff) – Roux - Alberto Marquez (Superintendent) – Garrison - Rolando (Foreman) – Garrison

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to implement Community Air Monitoring plan (CAMP).

GENERAL COMMENTS:

Description of demolition activities performed:

- Demolition of the former Maintenance Shop, Storeroom, Sand Storage Area, and Special Finishing Area; and
- Trucking/off-haul of stockpiled demolition debris.

CAMP Implementation:

- CAMP was implemented from 0700 to 1445. Six CAMP stations (each consisting of a particulate meter) and one meteorological station were set-up as described in the CAMP and Shown on Figure 1.

Action Level exceedances:

- None

Response actions/mitigation measures:

- None

Community complaints received:

- None

Upcoming work activities anticipated:

- Continue demolition in the vicinity of Maintenance Shop, Storeroom, Sand Storage Area, and Special Finishing Area. Off-haul of stockpiled demolition debris.

Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 6, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	58-73°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photos taken today:

Photo 1: Completed demolition of the Maintenance and Stockroom buildings.



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 6, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	58-73°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photo 2: Loading trucks with demolition debris from the rolling stock shop, maintenance and stockroom buildings.



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 6, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	58-73°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photo 3: Demolition of the Special Finishing building (left) and Sand Storage Area (right).




Approved:		By:	
------------------	--	------------	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 6, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	58-73°F, Clear, W: NW
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Figure 1



Approved:		By:	
-----------	--	-----	--



DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 7, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	59-73°F, Clear, W: WNW, H: 80%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

CONTRACTOR AND EQUIPMENT	PERSONNEL PRESENT AT SITE AND AFFILIATION:
Garrison Demolition Engineering (3x excavators)	- Mary Grace Rittler (Field Staff) – Roux - Alana McClements (Field Staff) – Roux - Alberto Marquez (Superintendent) – Garrison - Rolando (Foreman) – Garrison

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to implement Community Air Monitoring plan (CAMP).

GENERAL COMMENTS:

Description of demolition activities performed:

- Demolition of the former Special Finishing building, Special Finishing Storage area, and Casing Storage area.
- Trucking/off-haul of stockpiled demolition debris.

CAMP Implementation:

- CAMP was implemented from 0700 to 1445. Six CAMP stations (each consisting of a particulate meter) and one meteorological station were set-up as described in the CAMP and Shown on Figure 1.

Action Level exceedances:

- None

Response actions/mitigation measures:

- None

Community complaints received:

- None

Upcoming work activities anticipated:

- Continue demolition in the vicinity of the Special Finishing Area and adjacent buildings on the northwest portion of the property. Off-haul of stockpiled demolition debris.

Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 7, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	59-73°F, Clear, W: WNW, H: 80%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photos taken today:

Photo 1: Looking east. Debris stockpiles from former stockroom and maintenance area (central portion of Site).



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 7, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	59-73°F, Clear, W: WNW, H: 80%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photo 2: Looking south. Demolition work in the vicinity of the former Special Finishings area (northwestern portion of Site).



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 7, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	59-73°F, Clear, W: WNW, H: 80%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Photo 3: Looking northeast towards San Leandro Street. Forming stockpiles in northwestern portion of Site.




Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 7, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	59-73°F, Clear, W: WNW, H: 80%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1600

Figure 1



Approved:		By:	
-----------	--	-----	--



DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 8, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	56-76°F, Clear, W: NNE to WNW, H: 83%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1530

CONTRACTOR AND EQUIPMENT	PERSONNEL PRESENT AT SITE AND AFFILIATION:
Garrison Demolition Engineering (3x excavators)	- Mary Grace Rittler (Field Staff) – Roux - Alana McClements (Field Staff) – Roux - Alberto Marquez (Superintendent) – Garrison - Rolando (Foreman) – Garrison

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to implement Community Air Monitoring plan (CAMP).

GENERAL COMMENTS:

Description of demolition activities performed:

- Demolition of the former Special Finishing area, casing storage area, and catwalk along the southwest portion of the main building; and
- Trucking/off-haul of stockpiled demolition debris.

CAMP Implementation:

- CAMP was implemented from 0700 to 1445. Six CAMP stations (each consisting of a particulate meter) and one meteorological station were set-up as described in the CAMP and Shown on Figure 1.

Action Level exceedances:

- None

Response actions/mitigation measures:

- None

Community complaints received:

- None

Upcoming work activities anticipated:

- Continue demolition in the vicinity of the former Special Finishing Area and casing storage area on the northwest portion of the Site. Continue demolition of the catwalk on the southwest portion of the former main building. Off-haul of stockpiled demolition debris.

Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 8, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	56-76°F, Clear, W: NNE to WNW, H: 83%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1530

Photos taken today:

Photo 1: Facing south, loading trucks with debris from the sand storage area.



Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 8, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	56-76°F, Clear, W: NNE to WNW, H: 83%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1530

Photo 2: Facing southeast. Demolition of the catwalk on the southwest portion of the main building.



Approved:		By:	
------------------	--	------------	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 8, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	56-76°F, Clear, W: NNE to WNW, H: 83%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1530

Photo 3: Facing south, demolition progress in the vicinity of the special finishings area.




Approved:		By:	
-----------	--	-----	--

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	1793.0029S	CLIENT:	DATE:	September 8, 2023
PROJECT:	Former AB&I Foundry CAMP	Prologis	WEATHER:	56-76°F, Clear, W: NNE to WNW, H: 83%
LOCATION:	7825 San Leandro Street, Oakland, CA		TIME:	0600 – 1530

Figure 1



Approved:		By:	
-----------	--	-----	--