

September 5, 2023

Dilan Roe, P.E.
Chief, Land & Water Division
Local Oversight & Site Cleanup Program
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94501-6577

Re: Baseline Ambient Air Monitoring Report
7825 San Leandro Street
Oakland, California
Site Cleanup Program Case Number: RO0003535
GeoTracker Global ID: T10000019792

Dear Dilan:

INTRODUCTION

Roux Associates, Inc. (Roux), on behalf of Duke Realty Foundry LP, has prepared this Baseline Ambient Air Monitoring Report (Baseline Report) as set forth in the Final Community Air Monitoring Plan (Final CAMP) (Roux, 2023). Performance of the baseline monitoring was conditionally approved via email on August 24, 2023.¹ The Final CAMP was prepared in support of vertical demolition activities at 7825 San Leandro Street in Oakland, California (Site). This Baseline Report provides a summary of the perimeter air monitoring program conducted at the Site from August 28 through September 1, 2023. It is anticipated that demolition work will begin on September 5, 2023, and be completed in the first quarter of 2024.

On August 25, 2023, Roux submitted the Final CAMP, which described the necessary monitoring activities and control measures to be implemented for dust mitigation during vertical demolition. The Final CAMP was prepared in accordance with the Community Air Monitoring Plan Guidance (CAMP Guidance) prepared by the California Environmental Protection Agency (CalEPA) and the California Department of Toxic Substances Control (DTSC) dated January 2020 (CalEPA/DTSC, 2020). The Final CAMP incorporated changes to the scope of work requested by the Alameda County Department of Environmental Health (ACDEH) in directive letters issued on July 13, 2023, and August 23, 2023. The monitoring activities and control measures presented in the Final CAMP comply with applicable regulations and are protective of off-Site populations and on-Site construction workers.

The ACDEH Local Oversight Program (LOP) for Hazardous Materials Releases is the lead regulatory agency for the Site. Environmental investigations and clean-up actions at the Site are being undertaken under the oversight of that agency Site Clean-up Program (SCP), with GeoTracker Global ID T10000019792 and ACDEH Case Number RO0003535.

¹ Andrew York. 2023. Email reply to "ACDEH Correspondence - Cleanup Site Program Case No RO0003535 - AB&I Redevelopment - Directive Letter", August 24, 2023, 2:15 p.m.

Site Description

The Site is located at 7741, 7825, and 7929 San Leandro Street in Oakland, California. For simplicity and consistency with regulatory communication, 7825 San Leandro Street will be used to reference the location. The Site consists of approximately 14.5 acres and is currently developed with a two-story office building, multiple warehouses, a foundry and manufacturing building, material storage, and a parking lot. The Site is bounded by commercial/industrial properties to the north, south, east, and west. Union Pacific Railroad is located to the west, Oakland Truck Stop to the east, Elmhurst Creek along the southeast property corner, and San Leandro Bay is approximately one mile to the west. The nearest residential areas are approximately 1,500 feet north and east of the Site.

Baseline Ambient Air Monitoring Objectives

As described in the Final CAMP, the objectives of the baseline monitoring were to:

- Monitor levels of particulate matter (PM₁₀), meteorological conditions and lead in ambient air concentrations at the Site boundary before demolition activities to establish baseline levels for the area; and
- Collect air monitoring data over a 5-day period representative of conditions encountered during expected demolition workdays/hours.

SITE BOUNDARY MONITORING

This section describes the baseline monitoring program that was implemented at the site from August 28 through September 1, 2023. Monitoring described in this section was conducted using field equipment that allowed for real-time monitoring of PM₁₀ and meteorological conditions. Monitoring at the Site boundary consisted of the following activities in six air monitoring stations (AMS-01 through AMS-06) as shown on Figure 1:

- Dust monitoring for PM₁₀;
- Weather station monitoring for wind speed and direction; and
- Sampling for lead in air twice during the baseline monitoring period.

Particulate Matter Monitoring

Airborne particulate matter (PM) is a complex mixture of particles that vary widely in size, shape and chemical composition. Particles with a diameter of 10 microns or less (PM₁₀) are particles small enough to pass through the throat and nose and enter the lungs. PM₁₀ can be comprised of smoke, soot, salts, acids, metals, and dust, including wind-blown dust (CARB, 2023).

Measurements of real-time and time-weighted averages (TWA) of airborne particulate concentrations were recorded daily during an 8-hour period from 8:00 am to 4:00 pm using TSI DustTrak II Aerosol Monitors at sampling locations AMS-01 through AMS-06 (Appendix A).

During the baseline monitoring period, dust monitoring measurements ranged from 1 to 188 micrograms per cubic meter (µg/m³).

On August 30, 2023, the Bay Area Air Quality Management District (BAAQMD) issued an air quality advisory. Smoke from numerous fires in Northern California and Oregon impacted air quality throughout the San Francisco Bay Area from August 30 to 31, 2023, causing air quality to reach moderate levels

on the United States Environmental Protection Agency's Air Quality Index (USEPA, 2023). Observed PM10 concentrations at the Site ranged from 26 to 188 $\mu\text{g}/\text{m}^3$ on August 30, 2023, suggesting that wildfire smoke impacted PM10 readings. In contrast, higher relative humidity measurements during foggy weather on September 1, 2023, may have resulted in lower PM10 readings due to the amount of water vapor present in air.

During the baseline monitoring period, there were no exceedances of the California Ambient Air Quality Standard (CAAQS) for PM10 adopted by BAAQMD, which specifies a ceiling level of no more than 50 $\mu\text{g}/\text{m}^3$ difference between upwind and downwind sampling locations over the course of the day.

Weather Station Monitoring

A meteorological station was placed proximate to upwind location AMS-01 because its location was free from obstruction and representative of wind patterns present at the Site (see Figure 1). Measurements of wind speed, peak wind gust, direction, ambient temperature, relative humidity, and barometric pressure were recorded every minute during an 8-hour period from 8:00 am to 4:00 pm using a Lufft WS500 Weather Station (Appendix A).

During the baseline monitoring period, wind direction at the Site varied during the day but was generally westerly/southwesterly with wind speeds that ranged from 1.5 to 18.6 miles per hour (mph).

Air Sampling for Laboratory Analysis

An air sampling program was implemented during the baseline monitoring period to evaluate lead in ambient air concentrations. Site boundary air samples were collected from four air monitoring stations (AMS-01, AMS-02, AMS-04 and AMS-05) on August 29 and 31, 2023 over an approximately 8-hour sample period for subsequent laboratory analysis of metals in air.

Lead in air samples were collected using 0.8-micrometer (μm), Mixed Cellulose Ester (MCE) Cassette Filters and Sensidyne GilAir Plus Air Sampling Pumps operating at a flow rate of 2,000 cubic centimeters per minute (cc/min). The filters were analyzed using the National Institute for Occupational Safety and Health (NIOSH) Method 7303/EPA 6010 with a 2-day expedited turnaround time (see Appendix B).

None of the air samples collected on August 29, 2023, had detections of lead above reporting limits (see Table 1). Laboratory results for the air samples collected on August 31, 2023 were not available when this Baseline Report was prepared.

Roux toxicologists are currently preparing a Human Health Risk Assessment (HHRA) to evaluate potential risk from short-term exposure to lead adhered to particulate matter. The HHRA will be prepared using PM10 and lead in ambient air data generated during the baseline monitoring period.

CONCLUSIONS

This pre-demolition air monitoring program was conducted to evaluate baseline conditions for PM10, lead in ambient air concentrations, and meteorological conditions (wind speed, direction, temperature, humidity, etc.). The results indicate that PM10 levels vary significantly depending on several factors (i.e., weather conditions, the natural environment, and human activities) and were likely impacted by fog and wildfire smoke during the monitoring period. Meteorological data confirmed the prevailing wind direction and lead was not detected above reporting limits in air samples collected on August 29, 2023.

During the baseline monitoring period, there were no exceedances of the CAAQS action level for PM10.

REFERENCES

California Air Resources Board (CARB), 2023, *Particulate Matter and Health Fact Sheet*, March 20.

Roux Associates, Inc. (Roux), 2023, Final Community Air Monitoring Plan, 7825 San Leandro Street, Oakland, California, August 25.


United States Environmental Protection Agency (USEPA), 2023, *AirNow.gov – Home of the U.S. Air Quality Index*, <https://www.airnow.gov/?reportingArea=Oakland&stateCode=CA>

Sincerely,

ROUX ASSOCIATES, INC.



Harold Rush
Senior Engineer



Richard Maxwell
Principal Geologist/Operations Manager

Enclosures:

Table – Summary of Lead in Ambient Air Concentrations

Figure – CAMP Monitoring Locations

Appendices

- A. Baseline Monitoring Data
- B. Lead in Ambient Air Analytical Results

Baseline Ambient Air Monitoring Report
7825 San Leandro Street, Oakland, California

TABLE

Summary of Lead in Ambient Air Concentrations

Table 1
Summary of Lead in Ambient Air Concentrations

7825 San Leandro Street
Oakland, California

Monitoring Location	Sample Collection Date ¹	Analytical Method	Concentration (µg/m ³)
AMS-01	8/29/2023	NIOSH Method 7303/ EPA 6010	<0.94
AMS-02	8/29/2023	NIOSH Method 7303/ EPA 6010	<0.95
AMS-04	8/29/2023	NIOSH Method 7303/ EPA 6010	<0.96
AMS-05	8/29/2023	NIOSH Method 7303/ EPA 6010	<0.97

Notes:

µg/m³ = Micrograms per cubic meter

EPA = United States Environmental Protection Agency

NIOSH = National Institute for Occupational Safety and Health

"<" = Less Than


¹ Samples collected over 8-hour period.

Baseline Ambient Air Monitoring Report
7825 San Leandro Street, Oakland, California

FIGURE


CAMP Monitoring Locations

S:\CLIENTS\DUKE REALTY\THE FOUNDRY\ROUX DOCUMENTS\CAD\2968.001\81.100.DWG ETOTSUBO



LEGEND

- SITE BOUNDARY
- HISTORICAL AREA OF CONCERN
- DUST MONITORING LOCATION
- DUST MONITORING LOCATION DURING CUPOLA DEMOLITION
- AIR SAMPLE LOCATION
- METEOROLOGICAL STATION
- ⊗ WINDROSE DIAGRAM
- PREVAILING WIND DIRECTION IN AZIMUTH DEGREES



Title: CAMP MONITORING LOCATIONS			
7825 SAN LEANDRO STREET OAKLAND, CALIFORNIA			
Prepared for: DUKE REALTY FOUNDRY LP			
ROUX	Compiled by: H.R.	Date: 8/30/23	FIGURE 1
	Prepared by: C.B.	Scale: AS SHOWN	
	Project Mgr: H.R.	Project: 2968.0018L000	
	File: 2968.0018L100.DWG		

Baseline Ambient Air Monitoring Report
7825 San Leandro Street, Oakland, California

ATTACHMENT A

A. Baseline Monitoring Data

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperat ure (°C)	Air Temperat ure (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 7:27												
8/28/2023 7:28	17.3	63.2	76.9	1016	1016	2.1	0	0				
8/28/2023 7:29	17.2	63	77.9	1016	1016	2.1	0	0		47	47	
8/28/2023 7:30	17	62.6	78.8	1016	1016	1.5	0	0		48	47	
8/28/2023 7:31	16.9	62.4	79.7	1016	1016	1.5	0	0		48	47	
8/28/2023 7:32	16.8	62.3	80.5	1016	1016	1.5	0	0		48	47	
8/28/2023 7:33	16.8	62.3	81.3	1017	1017	1.5	0	104.1		47	47	
8/28/2023 7:34	16.8	62.2	81.9	1017	1017	1.5	0	101.2		47	47	
8/28/2023 7:35	16.7	62.1	82.2	1017	1017	1.5	0.7	95.2		47	47	
8/28/2023 7:36	16.7	62.1	82.4	1017	1017	1.5	0.8	93.2		48	47	
8/28/2023 7:37	16.6	62	82.6	1017	1017	1.5	0.9	93.3		47	47	
8/28/2023 7:38	16.6	62	82.9	1017	1017	1.5	0.9	90.8		47	47	
8/28/2023 7:39	16.6	62	83.2	1017	1017	1.5	0.9	91.2		48	47	
8/28/2023 7:40	16.6	61.9	83.5	1017	1017	1.9	0.8	93.3		50	47	
8/28/2023 7:41	16.7	62.1	83.7	1017	1017	1.9	0.9	92.6		47	47	
8/28/2023 7:42	16.7	62.1	83.8	1017	1017	1.9	0.8	93.1		46	47	
8/28/2023 7:43	16.7	62.1	83.7	1017	1017	1.9	0.8	95.3		48	47	
8/28/2023 7:44	16.7	62.1	83.6	1017	1017	1.9	0.7	101.5		47	47	
8/28/2023 7:45	16.8	62.2	83.8	1017	1017	1.9	0.7	107.1		48	47	
8/28/2023 7:46	16.7	62.1	83.7	1017	1017	1.9	0.7	108		48	47	
8/28/2023 7:47	16.7	62.1	84	1017	1017	1.9	0.7	107.4		47	47	
8/28/2023 7:48	16.9	62.3	83.9	1017	1017	1.9	0.7	109.8		47	47	
8/28/2023 7:49	16.9	62.3	83.8	1017	1017	1.7	0	109.8		45	47	
8/28/2023 7:50	17	62.5	83.8	1017	1017	1.7	0	0		43	47	
8/28/2023 7:51	17	62.5	83.8	1017	1017	1.5	0	0		42	46	
8/28/2023 7:52	17.1	62.7	84.1	1017	1017	1.5	0	120		42	46	
8/28/2023 7:53	17.1	62.7	84.2	1017	1017	1.7	0.7	118.3		44	46	
8/28/2023 7:54	17.1	62.9	84	1017	1017	1.7	0.7	116.6		44	45	
8/28/2023 7:55	17.2	62.9	84	1017	1017	1.7	0	117.5		44	45	
8/28/2023 7:56	17.2	62.9	84	1017	1017	1.7	0	121.6		44	45	
8/28/2023 7:57	17.3	63.1	84.1	1017	1017	1.7	0	121.8		44	45	
8/28/2023 7:58	17.4	63.3	84.2	1017	1017	1.7	0	0		45	44	
8/28/2023 7:59	17.4	63.3	83.9	1017	1017	1.7	0	0		45	44	
8/28/2023 8:00	17.4	63.3	83.9	1017	1017	1.7	0	0		44	44	
8/28/2023 8:01	17.5	63.4	84.1	1017	1017	1.7	0	0		44	44	
8/28/2023 8:02	17.4	63.2	83.8	1017	1017	1.6	0	0		45	44	
8/28/2023 8:03	17.5	63.4	84.2	1017	1017	1.5	0	0		45	44	
8/28/2023 8:04	17.5	63.4	83.9	1017	1017	1.5	0	0		44	43	
8/28/2023 8:05	17.5	63.4	83.8	1017	1017	1.7	0	0		44	44	
8/28/2023 8:06	17.6	63.6	83.7	1017	1017	2	0	0		46	44	
8/28/2023 8:07	17.5	63.5	83.3	1017	1017	2	0	0		50	44	
8/28/2023 8:08	17.6	63.6	83.5	1017	1017	2	0	0		50	45	
8/28/2023 8:09	17.5	63.6	83.3	1017	1017	2	0	0		49	45	
8/28/2023 8:10	17.5	63.6	83.3	1017	1017	2	0	0		50	45	
8/28/2023 8:11	17.6	63.8	83.2	1017	1017	2	0	0		49	46	
8/28/2023 8:12	17.6	63.8	82.9	1017	1017	2.5	0.9	87.6		49	46	
8/28/2023 8:13	17.5	63.6	83	1017	1017	2.4	1	87.2		48	46	
8/28/2023 8:14	17.6	63.6	82.9	1017	1017	2.4	1	85.2		48	47	
8/28/2023 8:15	17.6	63.8	82.9	1017	1017	2.4	0.9	74.6		47	47	
8/28/2023 8:16	17.7	63.8	82.7	1017	1017	2.4	0.9	68.1		47	47	
8/28/2023 8:17	17.7	63.9	82.2	1017	1017	2.4	1	69.9		48	47	
8/28/2023 8:18	17.7	63.9	82.6	1017	1017	2.4	1	73.5		47	47	
8/28/2023 8:19	17.9	64.3	82.3	1017	1017	3	0.9	69.9		47	47	
8/28/2023 8:20	17.8	64.1	81.3	1017	1017	3	1	0		47	48	
8/28/2023 8:21	17.8	64.1	81.9	1017	1017	3.3	1	0		47	48	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 8:22	17.8	64.1	82.2	1017	1017	4	1.1	0		48	48	
8/28/2023 8:23	17.8	64	82.5	1017	1017	4	1.2	0		45	47	
8/28/2023 8:24	17.8	64.1	82.5	1017	1017	4	1.3	217.7		45	47	
8/28/2023 8:25	17.8	64.1	82.4	1017	1017	4	1.3	222.2		46	47	
8/28/2023 8:26	17.8	64.1	82.1	1017	1017	3.9	1.4	223.8		44	46	
8/28/2023 8:27	17.8	64	82.3	1017	1017	5.6	1.7	223.4		43	46	
8/28/2023 8:28	17.7	63.9	82.7	1017	1017	5.6	1.8	221.2		42	46	
8/28/2023 8:29	17.6	63.7	82.9	1017	1017	5.6	1.9	219.6		42	45	
8/28/2023 8:30	17.6	63.8	83.2	1017	1017	5.6	2	221.7		42	45	
8/28/2023 8:31	17.6	63.8	83.2	1017	1017	5.6	2	224.5		42	45	
8/28/2023 8:32	17.7	63.8	83.2	1017	1017	5.6	2.1	225.2		41	44	
8/28/2023 8:33	17.7	63.8	83.4	1017	1017	5.6	2.2	227.6		41	44	
8/28/2023 8:34	17.7	63.8	83.1	1017	1017	5.6	2.2	229.4		42	43	
8/28/2023 8:35	17.7	63.8	83	1017	1017	5.6	2.2	230		42	43	
8/28/2023 8:36	17.7	63.8	83.1	1017	1017	5.4	2.1	233.3		42	43	
8/28/2023 8:37	17.7	63.9	82.8	1017	1017	5.4	2.1	235.2		41	42	
8/28/2023 8:38	17.8	64	82.9	1017	1017	5.4	2	237.6		41	42	
8/28/2023 8:39	17.8	64	82.3	1017	1017	4.9	1.9	240.5		41	42	
8/28/2023 8:40	17.9	64.2	82.2	1017	1017	4.9	1.9	244.6		42	41	
8/28/2023 8:41	17.8	64	82.1	1017	1017	5.2	1.9	241.9		42	41	
8/28/2023 8:42	17.8	64	82.7	1017	1017	5.9	1.9	241.3		42	41	
8/28/2023 8:43	17.9	64.2	82.1	1017	1017	5.9	2	242.8		42	41	
8/28/2023 8:44	17.9	64.2	82.1	1017	1017	5.9	1.9	246.4		41	41	
8/28/2023 8:45	17.9	64.2	81.7	1017	1017	5.9	2	244.7		42	41	
8/28/2023 8:46	17.9	64.1	81.2	1017	1017	5.9	2	242.2		43	41	
8/28/2023 8:47	17.8	64	81.8	1017	1017	5.7	2.2	238.1		44	41	
8/28/2023 8:48	17.7	63.9	82	1017	1017	5.7	2.2	233.3		44	42	
8/28/2023 8:49	17.8	64	82.5	1017	1017	5.7	2.2	231.1		48	42	
8/28/2023 8:50	17.7	63.8	81.4	1017	1017	5.7	2.2	229.7		44	42	
8/28/2023 8:51	17.7	63.9	82.7	1017	1017	5.7	2.2	234.2		44	42	
8/28/2023 8:52	17.9	64.2	82.2	1017	1017	5.7	2.1	234.1		43	42	
8/28/2023 8:53	17.9	64.2	81.4	1017	1017	5.7	2.2	235.4		43	43	
8/28/2023 8:54	18	64.3	81	1017	1017	7.1	2.3	237.1		43	43	
8/28/2023 8:55	18	64.4	81	1017	1017	7.1	2.3	241.6		42	43	
8/28/2023 8:56	18	64.3	80.8	1017	1017	7.1	2.3	244.6		42	43	
8/28/2023 8:57	18	64.3	80.9	1017	1017	7.1	2.1	252.5		41	43	
8/28/2023 8:58	18	64.3	80.8	1017	1017	7.1	2.1	253.7		41	43	
8/28/2023 8:59	17.9	64.2	81.1	1017	1017	7.1	2	254.9		42	43	
8/28/2023 9:00	18	64.3	81.3	1017	1017	7.1	2	261.1		41	43	
8/28/2023 9:01	18	64.3	80.8	1017	1017	7.1	2	263.5		41	42	
8/28/2023 9:02	17.9	64.2	80.8	1017	1017	7.1	2	266.5		42	42	
8/28/2023 9:03	17.9	64.2	81	1017	1017	6.5	2	268.5		42	42	
8/28/2023 9:04	17.9	64.2	81.1	1017	1017	5.6	2	268		43	42	
8/28/2023 9:05	17.7	63.9	81.3	1017	1017	5.6	2	275.3		41	42	
8/28/2023 9:06	17.8	64.1	82.1	1017	1017	5.6	2.1	272.6		42	41	
8/28/2023 9:07	18	64.5	81.3	1017	1017	5.6	2.1	274.7		41	41	
8/28/2023 9:08	18.1	64.6	81.1	1017	1017	5.6	2	279.6		41	41	
8/28/2023 9:09	18.3	64.9	80.1	1017	1017	5.6	1.9	276.1		40	41	
8/28/2023 9:10	18.4	65.1	79.6	1017	1017	5.6	1.9	274.7		41	41	
8/28/2023 9:11	18.5	65.3	79	1017	1017	5.6	1.8	268.4		41	41	
8/28/2023 9:12	18.5	65.2	78.9	1017	1017	4.6	1.8	261.5		41	41	
8/28/2023 9:13	18.5	65.2	78.8	1017	1017	4.3	1.6	253.4		42	41	
8/28/2023 9:14	18.5	65.2	79.3	1017	1017	4.3	1.5	243.3		42	41	
8/28/2023 9:15	18.5	65.4	79	1017	1017	4.3	1.5	240.5		42	41	
8/28/2023 9:16	18.4	65.1	78.7	1017	1017	4.3	1.4	241.3		41	41	
8/28/2023 9:17	18.3	65	79.7	1017	1017	4.3	1.4	0		42	41	
8/28/2023 9:18	18.4	65.2	79.2	1017	1017	4.8	1.4	254.7		41	41	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperat ure (°C)	Air Temperat ure (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 9:19	18.4	65.2	79.3	1017	1017	4.8	1.5	253.5		41	41	
8/28/2023 9:20	18.5	65.3	79.2	1017	1017	4.8	1.5	254.2		41	41	
8/28/2023 9:21	18.7	65.6	78.8	1017	1017	4.8	1.5	259.2		40	41	
8/28/2023 9:22	18.8	65.9	77.8	1017	1017	4.8	1.5	257.5		40	41	
8/28/2023 9:23	18.8	65.9	77.2	1017	1017	4.8	1.5	256.1		40	41	
8/28/2023 9:24	18.7	65.7	77	1017	1017	4.8	1.6	251.6		40	41	
8/28/2023 9:25	18.6	65.5	78	1017	1017	5.3	1.6	256.2		40	40	
8/28/2023 9:26	18.6	65.6	78.2	1017	1017	5.3	1.6	254		40	40	
8/28/2023 9:27	18.6	65.4	78.1	1017	1017	5.3	1.6	243.7		41	40	
8/28/2023 9:28	18.6	65.4	78.3	1017	1017	5.3	1.5	236.4		40	40	
8/28/2023 9:29	18.6	65.6	78.2	1017	1017	5.3	1.7	232.1		40	40	
8/28/2023 9:30	18.6	65.4	77.7	1017	1017	5.3	1.7	242.9		40	40	
8/28/2023 9:31	18.4	65.2	78.3	1017	1017	5.3	1.8	245.4		40	40	
8/28/2023 9:32	18.5	65.4	78.3	1017	1017	5.3	1.8	236.6		40	40	
8/28/2023 9:33	18.4	65.2	77.8	1017	1017	5.3	1.9	232.1		40	40	
8/28/2023 9:34	18.4	65.2	78.2	1017	1017	5	2	213.7		41	40	
8/28/2023 9:35	18.5	65.4	78.3	1017	1017	5	2	210.7		40	40	
8/28/2023 9:36	18.6	65.5	77.9	1017	1017	5	2	199		41	40	
8/28/2023 9:37	18.5	65.4	77.6	1017	1017	5	2.1	175.2		41	40	
8/28/2023 9:38	18.4	65.2	77.7	1017	1017	5.7	2.3	119.6		41	40	
8/28/2023 9:39	18.3	65	78.2	1017	1017	5.7	2.3	112.4		40	40	
8/28/2023 9:40	18.3	65	78.5	1017	1017	5.7	2.2	106.6		40	40	
8/28/2023 9:41	18.5	65.4	77.7	1017	1017	5.7	2.1	103.7		40	40	
8/28/2023 9:42	18.6	65.6	78	1017	1017	5.7	1.8	100.9		39	40	
8/28/2023 9:43	18.9	66	76.5	1017	1017	5.7	1.8	99.6		39	40	
8/28/2023 9:44	19	66.2	75.9	1017	1017	5.7	1.9	96.5		40	40	
8/28/2023 9:45	19.1	66.3	76.1	1017	1017	5.7	1.9	93.2		40	40	
8/28/2023 9:46	19.1	66.3	75.5	1017	1017	5.7	1.9	0		39	40	
8/28/2023 9:47	19.1	66.3	75.3	1017	1017	4.3	1.8	0		40	40	
8/28/2023 9:48	19.1	66.3	75.3	1017	1017	4.3	1.5	266.5		39	40	
8/28/2023 9:49	19.1	66.3	75.6	1017	1017	5.3	1.6	256.8		39	39	
8/28/2023 9:50	19.1	66.3	75.4	1017	1017	5.3	1.8	248.6		40	39	
8/28/2023 9:51	19.2	66.5	74.7	1017	1017	5.3	1.9	253.9		39	39	
8/28/2023 9:52	19	66.3	74.8	1017	1017	5.3	2.1	249		40	39	
8/28/2023 9:53	18.9	66.1	76.1	1017	1017	5.3	2	245.4		39	39	
8/28/2023 9:54	19	66.3	75.8	1017	1017	5.3	1.9	240.1		40	39	
8/28/2023 9:55	19.1	66.4	74.8	1017	1017	5.3	1.9	251.6		39	39	
8/28/2023 9:56	19.2	66.5	74.9	1017	1017	5.3	1.8	0		39	39	
8/28/2023 9:57	19.4	66.9	74.5	1017	1017	5.3	1.7	0		39	39	
8/28/2023 9:58	19.5	67	73.1	1017	1017	4.7	1.6	0		39	39	
8/28/2023 9:59	19.6	67.2	73.3	1017	1017	4.7	1.7	200.9		40	39	
8/28/2023 10:00	19.4	67	73	1017	1017	4.4	1.5	0		39	39	
8/28/2023 10:01	19.4	67	73.3	1017	1017	4.2	1.4	0		39	39	
8/28/2023 10:02	19.5	67	72.9	1017	1017	4.2	1.5	0		39	39	
8/28/2023 10:03	19.6	67.4	72.9	1017	1017	5.1	1.5	0		38	39	
8/28/2023 10:04	19.8	67.6	71.9	1017	1017	5.1	1.5	0		39	39	
8/28/2023 10:05	19.8	67.7	72	1017	1017	5.1	1.6	0		39	39	
8/28/2023 10:06	20	67.9	71.4	1017	1017	5.1	1.6	0		39	39	
8/28/2023 10:07	20	67.9	71.2	1017	1017	5.1	1.8	250.7		38	39	
8/28/2023 10:08	19.9	67.9	70.8	1017	1017	5.1	1.7	256.5		38	38	
8/28/2023 10:09	19.9	67.9	70.8	1017	1017	5.1	1.8	250.5		38	38	
8/28/2023 10:10	20	68	71.6	1017	1017	5.1	1.7	244.1		39	38	
8/28/2023 10:11	20	68.1	70.4	1017	1017	5.1	1.8	234.2		38	38	
8/28/2023 10:12	20	68.1	71.1	1017	1017	4.4	1.7	0		38	38	
8/28/2023 10:13	20.2	68.3	69.7	1017	1017	4.4	1.6	0		37	38	
8/28/2023 10:14	20.1	68.2	69.4	1017	1017	4.2	1.5	0		38	38	
8/28/2023 10:15	20.1	68.2	69.8	1017	1017	4.1	1.6	0		37	38	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 10:16	20.1	68.2	69.3	1017	1017	4.1	1.6	0		37	38	
8/28/2023 10:17	20	68	69.6	1017	1017	4.3	1.6	0		37	38	
8/28/2023 10:18	19.9	67.9	70.5	1017	1017	4.3	1.6	0		36	37	
8/28/2023 10:19	20	68	70.2	1017	1017	4.3	1.7	286.5		37	37	
8/28/2023 10:20	20.2	68.4	69.2	1017	1017	5.4	1.7	278.9		37	37	
8/28/2023 10:21	20.4	68.8	68.7	1017	1017	5.4	1.9	267.3		37	37	
8/28/2023 10:22	20.4	68.8	68.8	1017	1017	6	2	253.9		44	37	
8/28/2023 10:23	20.4	68.8	68.3	1017	1017	6	2.2	242.5		38	37	
8/28/2023 10:24	20.2	68.4	68.6	1017	1017	6	2.3	217.8		38	37	
8/28/2023 10:25	20.1	68.1	69.3	1017	1017	6	2.3	200.9		37	37	
8/28/2023 10:26	20	67.9	69.8	1017	1017	6	2.2	153.5		38	37	
8/28/2023 10:27	19.9	67.9	69.9	1017	1017	6	2.2	138.1		37	37	
8/28/2023 10:28	20	68.1	69.6	1017	1017	6	2.2	124.5		37	37	
8/28/2023 10:29	20.2	68.4	69.3	1017	1017	6	2.1	120.2		36	37	
8/28/2023 10:30	20.5	69	68.2	1017	1017	5.9	2	118.7		36	37	
8/28/2023 10:31	20.5	69	67.8	1017	1017	5.9	2.2	0		36	37	
8/28/2023 10:32	20.5	68.9	68.3	1017	1017	5.9	2.1	0		36	37	
8/28/2023 10:33	20.6	69.2	68.4	1017	1017	5.9	1.9	0		36	37	
8/28/2023 10:34	20.8	69.4	68.2	1017	1017	5.9	2	0		37	37	
8/28/2023 10:35	20.9	69.7	67.3	1017	1017	6.3	2	0		37	37	
8/28/2023 10:36	21.1	69.9	67.6	1017	1017	6.3	2	230.6		37	37	
8/28/2023 10:37	21.4	70.4	66.6	1017	1017	6.3	2.1	238.7		37	36	
8/28/2023 10:38	21.5	70.6	66.2	1017	1017	6.3	2.2	238.9		37	36	
8/28/2023 10:39	21.5	70.7	65.9	1017	1017	6.3	2.1	236.8		37	36	
8/28/2023 10:40	21.6	70.9	65.6	1017	1017	6.3	2	228.7		38	36	
8/28/2023 10:41	21.6	70.8	65.5	1017	1017	6.3	1.9	232.8		37	36	
8/28/2023 10:42	21.5	70.7	66.3	1017	1017	6.3	1.8	233.3		37	36	
8/28/2023 10:43	21.6	70.9	65.6	1017	1017	6.3	1.7	232.1		39	36	
8/28/2023 10:44	21.6	70.9	64.9	1017	1017	6	1.8	235.4		36	36	
8/28/2023 10:45	21.4	70.6	65.9	1017	1017	6	1.7	242.4		36	36	
8/28/2023 10:46	21.4	70.6	65.8	1017	1017	6	1.9	240.5		35	36	
8/28/2023 10:47	21.3	70.4	65.9	1017	1017	6	1.9	246.3		36	36	
8/28/2023 10:48	21.2	70.2	66.7	1017	1017	5.9	2	251.4		35	36	
8/28/2023 10:49	21.4	70.6	66	1017	1017	5.9	1.9	254.9		36	36	
8/28/2023 10:50	21.4	70.6	65.5	1017	1017	5.9	1.9	255.3		36	36	
8/28/2023 10:51	21.4	70.6	66.2	1017	1017	6.7	2.1	249.6		36	36	
8/28/2023 10:52	21.6	70.9	65.4	1017	1017	6.7	2.2	249.2		36	36	
8/28/2023 10:53	21.7	71.1	65	1017	1017	6.7	2.1	247.9		36	36	
8/28/2023 10:54	21.8	71.3	65.2	1017	1017	6.7	2.2	242.9		35	36	
8/28/2023 10:55	22	71.7	64.2	1017	1017	6.7	2.1	239.9		36	36	
8/28/2023 10:56	21.9	71.4	64.7	1017	1017	7.3	2.1	235.7		36	36	
8/28/2023 10:57	21.7	71.1	65.7	1017	1017	7.3	2	233.4		36	36	
8/28/2023 10:58	21.8	71.3	65.2	1017	1017	7.3	2.1	227.5	243.49	38	35	
8/28/2023 10:59	22	71.7	64.7	1017	1017	8.5	2.1	220.8	242.51	37	36	
8/28/2023 11:00	22.1	71.7	64.1	1017	1017	8.5	2.3	215.6	240.73	35	35	0.008594
8/28/2023 11:01	21.9	71.5	64.8	1017	1017	8.5	2.4	211	238.76	37	36	
8/28/2023 11:02	21.7	71.1	65.6	1017	1017	8.5	2.4	207.1	236.15	37	36	
8/28/2023 11:03	21.7	71.1	65.7	1017	1017	8.5	2.5	204.3	233.01	38	36	
8/28/2023 11:04	21.6	70.9	66	1017	1017	8.5	2.6	201.6	229.45	38	36	
8/28/2023 11:05	21.8	71.3	66	1017	1017	8.5	2.4	192.2	225.25	38	36	
8/28/2023 11:06	22.1	71.8	64.2	1017	1017	8.5	2.5	194.9	221.6	37	36	
8/28/2023 11:07	22.1	71.8	63.9	1017	1017	8.5	2.6	203.5	218.55	37	36	
8/28/2023 11:08	21.9	71.4	65.7	1017	1017	7.5	2.5	208.7	215.94	37	36	
8/28/2023 11:09	22	71.6	64.8	1017	1017	7.1	2.5	226.6	214.85	37	36	
8/28/2023 11:10	21.9	71.4	66	1017	1017	7.1	2.4	236	214.59	37	37	
8/28/2023 11:11	22	71.6	65.3	1017	1017	6.9	2.4	245.1	215.22	37	37	
8/28/2023 11:12	22.1	71.8	64.8	1017	1017	6.9	2.3	256.5	216.76	38	37	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 11:13	22.1	71.8	65.1	1017	1017	7.5	2.4	259.4	218.89	38		37
8/28/2023 11:14	22	71.6	65	1017	1017	7.5	2.6	262.1	221.64	38		37
8/28/2023 11:15	21.9	71.4	66.4	1017	1017	7.5	2.6	263.9	224.86	37		37
8/28/2023 11:16	22	71.6	65.3	1017	1017	7.5	2.7	258.7	228.04	37		37
8/28/2023 11:17	21.9	71.4	65.5	1017	1017	7.5	2.7	252.4	231.06	36		37
8/28/2023 11:18	21.9	71.4	65.6	1017	1017	7.5	2.7	246.5	233.87	38		37
8/28/2023 11:19	21.8	71.3	66.9	1017	1017	7.5	2.6	249.6	237.07	38		37
8/28/2023 11:20	22.2	72	65.3	1017	1017	8	2.6	250	240.93	38		37
8/28/2023 11:21	22.2	72	64.1	1017	1017	8	2.7	250.2	244.61	37		37
8/28/2023 11:22	22.2	72	64.5	1017	1017	8	2.7	250.4	247.74	36		37
8/28/2023 11:23	22.3	72.2	63.6	1017	1017	8	2.5	247.6	250.33	36		37
8/28/2023 11:24	22.2	72	64.8	1017	1017	8.7	2.6	239.5	251.19	37		37
8/28/2023 11:25	22.1	71.8	65.8	1017	1017	8.7	2.6	240.3	251.48	37		37
8/28/2023 11:26	22.2	72	65.2	1017	1017	8.7	2.7	239.2	251.09	38		37
8/28/2023 11:27	22.1	71.8	65.1	1017	1017	8.7	2.5	239	249.92	38		37
8/28/2023 11:28	21.9	71.4	66.2	1017	1017	8.7	2.5	238.4	248.52	38		37
8/28/2023 11:29	22.2	72	65.3	1017	1017	8.7	2.6	237.6	246.89	37		37
8/28/2023 11:30	22.2	72	63.9	1017	1017	8.7	2.7	239.5	245.26	36		37
8/28/2023 11:31	22	71.6	65.3	1017	1017	9.1	2.6	237	243.81	37		37
8/28/2023 11:32	22	71.6	65	1017	1017	9.1	2.9	240.8	243.04	37		37
8/28/2023 11:33	21.9	71.4	65.3	1017	1017	9.1	2.8	248.9	243.2	37		37
8/28/2023 11:34	21.9	71.4	65.1	1017	1017	9.1	3.1	246.9	243.02	37		37
8/28/2023 11:35	21.8	71.2	65.6	1017	1017	9.1	3	251.5	243.12	37		37
8/28/2023 11:36	21.8	71.3	66.3	1017	1017	9.1	3.2	257.3	243.59	38		37
8/28/2023 11:37	21.8	71.3	65.2	1017	1017	9.1	3.4	262.7	244.41	38		37
8/28/2023 11:38	21.6	70.9	65.5	1017	1017	9.1	3.6	264.3	245.53	37		37
8/28/2023 11:39	21.7	71.1	65.6	1017	1017	9.1	3.4	264.1	247.17	37		37
8/28/2023 11:40	21.9	71.5	64.6	1017	1017	7.5	3.3	266.1	248.89	38		37
8/28/2023 11:41	22	71.7	64.2	1017	1017	7.5	3.1	267	250.74	38		37
8/28/2023 11:42	22	71.7	64.2	1017	1017	7.5	3.1	266.7	252.59	38		37
8/28/2023 11:43	22.3	72.2	63.6	1017	1017	7	3.1	273.2	254.91	39		37
8/28/2023 11:44	22.2	72	63.7	1017	1017	7	3.1	279.6	257.71	39		37
8/28/2023 11:45	22.1	71.7	64.6	1017	1017	7	3	276	260.14	39		37
8/28/2023 11:46	22.2	72	64.1	1017	1017	8.7	2.8	276.4	262.77	39		37
8/28/2023 11:47	22.3	72.1	62.8	1017	1017	8.7	2.9	274.4	265.01	39		38
8/28/2023 11:48	22.3	72.2	63	1017	1017	8.7	2.9	269.2	266.36	39		38
8/28/2023 11:49	22.2	72	63.2	1017	1017	8.7	2.9	265.4	267.59	40		38
8/28/2023 11:50	22.2	72	63.1	1017	1017	8.7	3	259.3	268.11	40		38
8/28/2023 11:51	22.1	71.8	64.2	1017	1017	8.7	2.8	257.4	268.12	41		38
8/28/2023 11:52	22	71.6	64.2	1017	1017	8.7	3	257.1	267.75	41		38
8/28/2023 11:53	21.8	71.3	64.5	1017	1017	8.7	3.2	258.9	267.39	41		39
8/28/2023 11:54	21.8	71.3	64.6	1017	1017	8.7	3.3	266.6	267.55	41		39
8/28/2023 11:55	21.9	71.4	63.8	1017	1017	8.5	3.3	265.5	267.51	42		39
8/28/2023 11:56	21.9	71.5	63.6	1017	1017	8.5	3.2	269.1	267.65	42		40
8/28/2023 11:57	21.9	71.5	63.2	1017	1017	8.5	3.5	274	268.14	42		40
8/28/2023 11:58	22	71.7	63.2	1017	1017	8.5	3.4	277.6	268.43	43		40
8/28/2023 11:59	22.2	72	61.9	1017	1017	8.5	3.5	281	268.53	43		40
8/28/2023 12:00	22.2	72	61.7	1017	1017	8.5	3.7	281.3	268.88	44		41 0.011038
8/28/2023 12:01	22.2	72	62	1017	1017	8.5	3.7	283.1	269.33	44		41
8/28/2023 12:02	22.3	72.2	61.7	1017	1017	7.6	3.6	284.1	269.97	45		41
8/28/2023 12:03	22.3	72.2	61.2	1017	1017	7.5	3.5	282.3	270.85	45		42
8/28/2023 12:04	22.2	72	61.9	1017	1017	7.5	3.7	280.6	271.86	45		42
8/28/2023 12:05	22.1	71.8	62.3	1017	1017	7.5	3.7	279.6	273.21	44		42
8/28/2023 12:06	22.1	71.9	62	1017	1017	8.1	3.7	279.3	274.67	45		43
8/28/2023 12:07	22.2	72	61.7	1017	1017	8.1	3.9	276.5	275.97	46		43
8/28/2023 12:08	22.2	72	62	1017	1017	8.1	3.8	274.8	277.03	47		43
8/28/2023 12:09	22.2	72	61.5	1016	1016	8.8	4	276.7	277.7	46		44

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 12:10	22	71.6	62.5	1017	1017	8.8	3.9	271.9	278.13	46	44	
8/28/2023 12:11	22.3	72.2	61.4	1017	1017	8.8	3.8	271.9	278.31	47	44	
8/28/2023 12:12	22.4	72.4	60.3	1017	1017	8.8	3.7	271	278.11	46	45	
8/28/2023 12:13	22.2	72	61.1	1017	1017	8.8	3.6	260.9	277	47	45	
8/28/2023 12:14	22.1	71.8	62	1017	1017	8.8	3.5	260.4	275.63	46	45	
8/28/2023 12:15	22.3	72.1	60.9	1017	1017	8.8	3.5	259.1	274.15	47	45	
8/28/2023 12:16	22.3	72.2	61.1	1017	1017	8.8	3.3	261.4	272.7	46	45	
8/28/2023 12:17	22.5	72.5	60.5	1017	1017	8.8	3.2	263.1	271.3	46	45	
8/28/2023 12:18	22.6	72.7	59.3	1017	1017	8.4	3	256.8	269.6	46	46	
8/28/2023 12:19	22.5	72.5	60.4	1016	1016	8.4	2.9	254.1	267.83	46	46	
8/28/2023 12:20	22.5	72.6	60.6	1017	1017	8.4	2.9	252.4	266.02	46	46	
8/28/2023 12:21	22.7	72.9	59.6	1016	1016	8.4	2.9	253.7	264.31	46	46	
8/28/2023 12:22	22.6	72.7	59.8	1016	1016	8.4	3	268	263.75	46	46	
8/28/2023 12:23	22.5	72.5	60.4	1016	1016	8.4	3	261.3	262.85	46	46	
8/28/2023 12:24	22.4	72.4	60.6	1016	1016	7.8	3	260.8	261.79	46	46	
8/28/2023 12:25	22.5	72.5	60.5	1017	1017	7.8	3.2	263.4	261.22	46	46	
8/28/2023 12:26	22.6	72.7	59.8	1016	1016	7.8	3.4	263.1	260.63	46	46	
8/28/2023 12:27	22.9	73.3	58.5	1016	1016	7.8	3.4	265.1	260.24	46	46	
8/28/2023 12:28	22.9	73.1	58.5	1016	1016	7.8	3.6	271	260.91	45	46	
8/28/2023 12:29	22.6	72.6	60	1016	1016	7.8	3.5	271	261.62	47	46	
8/28/2023 12:30	22.5	72.5	60.2	1016	1016	7.8	3.6	267.1	262.15	46	46	
8/28/2023 12:31	22.5	72.5	60.1	1016	1016	7.6	3.4	261.2	262.14	45	45	
8/28/2023 12:32	22.6	72.7	60	1016	1016	7.6	3	252.2	261.41	46	45	
8/28/2023 12:33	22.8	73	59.9	1016	1016	7.6	2.9	247.8	260.81	45	45	
8/28/2023 12:34	23.1	73.6	57.9	1016	1016	7.6	2.8	240.6	259.91	43	45	
8/28/2023 12:35	23.2	73.8	57.3	1016	1016	7.6	2.7	236.6	258.86	45	45	
8/28/2023 12:36	23.2	73.8	58.1	1016	1016	6.4	2.6	232.7	257.46	44	45	
8/28/2023 12:37	23.2	73.8	57.5	1016	1016	6.4	2.4	222.4	254.42	44	45	
8/28/2023 12:38	23.3	74	57.8	1016	1016	6.4	2.2	219.3	251.62	44	45	
8/28/2023 12:39	23.5	74.3	56.7	1016	1016	6.2	2.2	221.4	248.99	43	45	
8/28/2023 12:40	23.5	74.2	56.7	1016	1016	6.2	2.1	226.5	246.53	44	44	
8/28/2023 12:41	23.3	73.9	57.5	1016	1016	6.2	2.2	226.6	244.1	45	44	
8/28/2023 12:42	23.5	74.3	57	1016	1016	6.2	2.2	236.9	242.22	42	44	
8/28/2023 12:43	23.6	74.5	55.9	1016	1016	6.1	2.2	235.5	239.85	41	44	
8/28/2023 12:44	23.5	74.3	57.1	1016	1016	5.8	2.2	234.5	237.42	42	43	
8/28/2023 12:45	23.5	74.3	57.2	1016	1016	5.8	2.2	236.7	235.39	42	43	
8/28/2023 12:46	23.5	74.3	57.5	1016	1016	5.8	2.2	238.5	233.88	41	43	
8/28/2023 12:47	23.6	74.4	57	1016	1016	5.8	2.5	243.4	233.29	41	43	
8/28/2023 12:48	24	75.2	55.6	1016	1016	5.8	2.4	246.1	233.18	41	42	
8/28/2023 12:49	23.9	75	55.8	1016	1016	5.8	2.5	240.8	233.19	42	42	
8/28/2023 12:50	24.1	75.3	55.5	1016	1016	5.8	2.5	242.2	233.57	42	42	
8/28/2023 12:51	24	75.2	55.5	1016	1016	5.8	2.6	239.3	234.01	43	42	
8/28/2023 12:52	23.9	74.9	56.2	1016	1016	5.8	2.6	238.5	235.08	42	42	
8/28/2023 12:53	23.8	74.8	56.4	1016	1016	5.8	2.5	238.5	236.36	42	42	
8/28/2023 12:54	23.9	75	56.3	1016	1016	5.8	2.5	240.3	237.62	43	42	
8/28/2023 12:55	24.2	75.5	55.4	1016	1016	6.4	2.5	242.9	238.71	43	42	
8/28/2023 12:56	24.2	75.5	55.4	1016	1016	6.4	2.4	236.6	239.38	45	42	
8/28/2023 12:57	24.3	75.7	55.2	1016	1016	6.4	2.6	239.6	239.56	44	42	
8/28/2023 12:58	24.5	76	54.7	1016	1016	6.4	2.6	249.3	240.48	43	42	
8/28/2023 12:59	24.4	76	54.3	1016	1016	6.4	2.6	250	241.51	43	42	
8/28/2023 13:00	24.5	76.1	54.9	1016	1016	6.4	2.6	261	243.13	45	42	0.013552
8/28/2023 13:01	24.7	76.5	54.1	1016	1016	6.4	2.6	267.1	245.04	45	42	
8/28/2023 13:02	24.5	76.2	54.3	1016	1016	6.4	2.6	271.4	246.91	44	43	
8/28/2023 13:03	24.3	75.8	55.5	1016	1016	6.4	2.7	271.6	248.61	44	43	
8/28/2023 13:04	24	75.2	56.2	1016	1016	5.9	2.6	267.3	250.37	44	43	
8/28/2023 13:05	24	75.2	56.2	1016	1016	5.9	2.6	267.5	252.06	43	43	
8/28/2023 13:06	24.3	75.8	55.6	1016	1016	7.1	2.4	263.7	253.69	43	43	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 13:07	24.7	76.5	53.8	1016	1016	7.1	2.5	255.4	254.81	43	43	
8/28/2023 13:08	24.5	76.2	54.4	1016	1016	7.1	2.5	255.3	255.93	44	43	
8/28/2023 13:09	24.7	76.5	54.6	1016	1016	7.1	2.6	253.7	256.83	44	43	
8/28/2023 13:10	24.9	76.9	53.4	1016	1016	7.1	2.6	253	257.5	44	43	
8/28/2023 13:11	25	77.1	53.3	1016	1016	7.1	2.7	250.8	258.45	44	43	
8/28/2023 13:12	25	77	53.1	1016	1016	7.2	2.7	241.7	258.59	44	43	
8/28/2023 13:13	25.1	77.2	53.6	1016	1016	7.2	2.7	248.1	258.51	44	43	
8/28/2023 13:14	25.2	77.4	52.5	1016	1016	7.2	2.8	255.1	258.85	45	44	
8/28/2023 13:15	25.3	77.6	52.4	1016	1016	7.2	2.9	257	258.58	46	44	
8/28/2023 13:16	25.1	77.2	53.4	1016	1016	7.2	2.8	258.8	258.03	46	44	
8/28/2023 13:17	25.1	77.2	52.9	1016	1016	7.2	2.7	259.7	257.25	47	44	
8/28/2023 13:18	25.1	77.3	52.8	1016	1016	7.2	2.8	256	256.21	47	44	
8/28/2023 13:19	25.1	77.2	52.8	1016	1016	7.2	2.8	255.6	255.43	46	44	
8/28/2023 13:20	24.8	76.6	53.8	1016	1016	10.9	2.8	259.3	254.88	46	44	
8/28/2023 13:21	24.8	76.6	54.1	1016	1016	10.9	2.6	262.7	254.81	46	45	
8/28/2023 13:22	24.9	76.8	53.4	1016	1016	10.9	2.7	260.1	255.13	46	45	
8/28/2023 13:23	25	77	52.9	1016	1016	10.9	2.6	258	255.31	46	45	
8/28/2023 13:24	25	77	53.1	1016	1016	10.9	2.5	256	255.46	46	45	
8/28/2023 13:25	25.3	77.5	52	1016	1016	10.9	2.4	252.2	255.41	45	45	
8/28/2023 13:26	25.3	77.5	52	1016	1016	10.9	2.6	241.7	254.8	46	45	
8/28/2023 13:27	25.2	77.3	52.3	1016	1016	10.9	2.5	234.4	254.31	47	45	
8/28/2023 13:28	24.9	76.7	53.7	1016	1016	10.9	2.5	218	252.31	46	46	
8/28/2023 13:29	25	77	53.5	1016	1016	7.4	2.6	216.7	249.75	47	46	
8/28/2023 13:30	25.2	77.3	52.5	1016	1016	9.7	2.6	214.6	246.92	46	46	
8/28/2023 13:31	25.1	77.1	52.2	1016	1016	11	2.9	227.8	244.85	46	46	
8/28/2023 13:32	24.8	76.7	53.4	1016	1016	11	3.2	235	243.21	47	46	
8/28/2023 13:33	24.7	76.4	53.5	1016	1016	11	3.5	242.1	242.28	46	46	
8/28/2023 13:34	24.6	76.3	53.8	1016	1016	11	4	252.6	242.08	45	46	
8/28/2023 13:35	24.5	76	54.2	1016	1016	11	4.1	262.2	242.27	45	46	
8/28/2023 13:36	24.3	75.8	54.4	1016	1016	11	4.4	267.4	242.59	44	45	
8/28/2023 13:37	24.4	76	53.9	1016	1016	11	4.6	275.1	243.59	45	45	
8/28/2023 13:38	24.5	76.1	53.8	1016	1016	11	4.9	276.3	244.81	45	45	
8/28/2023 13:39	24.7	76.5	53.1	1016	1016	11	5.3	278.2	246.29	44	45	
8/28/2023 13:40	24.7	76.5	53.3	1016	1016	10.9	5.3	278.4	248.03	45	45	
8/28/2023 13:41	24.7	76.5	53.2	1016	1016	10.9	5.3	275.7	250.3	45	45	
8/28/2023 13:42	24.7	76.5	53.2	1016	1016	10.9	5.1	270.2	252.69	45	45	
8/28/2023 13:43	25	77	52.6	1016	1016	10.9	4.7	269.3	256.11	44	45	
8/28/2023 13:44	25.5	77.8	50.5	1016	1016	10.9	4.5	266	259.39	44	45	
8/28/2023 13:45	25.5	78	50.6	1016	1016	10.9	4.2	265.3	262.77	44	44	
8/28/2023 13:46	25.6	78.1	50.3	1016	1016	9.6	4	262.3	265.07	44	44	
8/28/2023 13:47	25.5	77.9	50.8	1016	1016	9.2	4	260.6	266.78	44	44	
8/28/2023 13:48	25.4	77.7	51.2	1016	1016	10.1	3.8	258	267.84	44	44	
8/28/2023 13:49	25.3	77.5	51.9	1016	1016	10.1	3.8	252.5	267.83	45	44	
8/28/2023 13:50	25.2	77.4	52.3	1016	1016	10.1	3.6	254.6	267.33	44	44	
8/28/2023 13:51	25.4	77.7	51.2	1016	1016	10.1	3.6	255	266.5	44	44	
8/28/2023 13:52	25.4	77.7	51.6	1016	1016	10	3.9	257.1	265.3	44	44	
8/28/2023 13:53	25.4	77.7	51.3	1016	1016	10.9	4	254.6	263.85	45	44	
8/28/2023 13:54	25.2	77.3	52.2	1016	1016	10.9	4.1	251.3	262.06	44	44	
8/28/2023 13:55	25.1	77.2	52.4	1016	1016	10.9	4.1	247.6	260.01	44	44	
8/28/2023 13:56	24.9	76.8	53.4	1016	1016	10.9	3.9	242	257.76	44	44	
8/28/2023 13:57	25	77	52.9	1016	1016	12.1	3.9	240.3	255.77	47	44	
8/28/2023 13:58	24.9	76.9	53.5	1016	1016	12.1	3.7	237.8	253.67	46	44	
8/28/2023 13:59	25	77	53.1	1016	1016	12.1	3.7	236.1	251.67	44	44	
8/28/2023 14:00	25.1	77.2	53.1	1016	1016	12.9	3.7	237.7	249.83	44	44	0.016144
8/28/2023 14:01	25.1	77.2	53.4	1016	1016	12.9	3.6	234.6	247.99	44	44	
8/28/2023 14:02	25	77	53.9	1016	1016	12.9	3.6	236.4	246.37	44	44	
8/28/2023 14:03	24.7	76.5	55.3	1016	1016	12.9	3.7	239.1	245.11	44	44	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 14:04	24.7	76.5	54.8	1016	1016	12.9	3.8	240.2	244.29	44	44	
8/28/2023 14:05	24.7	76.5	54.6	1016	1016	12.9	4	239.4	243.28	45	44	
8/28/2023 14:06	24.7	76.5	54.9	1016	1016	12.9	4.3	240.3	242.3	43	44	
8/28/2023 14:07	24.7	76.5	54.5	1016	1016	12.9	4.3	242.3	241.31	44	44	
8/28/2023 14:08	24.7	76.5	54.3	1016	1016	12.9	4.6	242.8	240.53	45	44	
8/28/2023 14:09	24.7	76.5	55	1016	1016	12.3	4.6	243	239.97	44	44	
8/28/2023 14:10	24.7	76.5	54.9	1016	1016	12.3	4.8	242.1	239.61	44	44	
8/28/2023 14:11	24.7	76.5	55.8	1016	1016	12.3	4.6	242.6	239.65	45	44	
8/28/2023 14:12	24.9	76.9	54.9	1016	1016	12.3	4.5	242	239.76	45	44	
8/28/2023 14:13	25.2	77.4	53.3	1016	1016	12.8	4.2	242.3	240.06	47	44	
8/28/2023 14:14	25	77	54.3	1016	1016	12.8	4.3	246.1	240.73	47	44	
8/28/2023 14:15	24.7	76.5	55.3	1016	1016	12.8	4.2	246.4	241.31	49	44	
8/28/2023 14:16	24.6	76.2	56.1	1016	1016	12.8	4.1	241.8	241.79	47	45	
8/28/2023 14:17	24.7	76.5	55.6	1016	1016	12.8	4.1	240.9	242.09	47	45	
8/28/2023 14:18	24.7	76.5	55.2	1016	1016	12.8	4.1	243.1	242.35	47	45	
8/28/2023 14:19	24.6	76.2	55.5	1016	1016	12.8	4	247.1	242.81	48	45	
8/28/2023 14:20	24.5	76.2	55.9	1016	1016	12.8	4.2	246.7	243.3	49	46	
8/28/2023 14:21	24.4	76	56.6	1016	1016	12.8	4.5	247.9	243.81	49	46	
8/28/2023 14:22	24.3	75.8	56.4	1016	1016	12.9	4.7	249.5	244.29	48	46	
8/28/2023 14:23	24.3	75.8	56.4	1016	1016	12.9	4.8	247.9	244.63	48	46	
8/28/2023 14:24	24.1	75.4	57.5	1016	1016	12.9	4.8	246.9	244.89	48	47	
8/28/2023 14:25	24.1	75.4	57.6	1016	1016	12.9	4.9	249.7	245.39	49	47	
8/28/2023 14:26	24.2	75.6	57.6	1016	1016	12.9	5	254	246.15	49	47	
8/28/2023 14:27	24.5	76.1	56.3	1016	1016	12.9	5	255	247.02	47	47	
8/28/2023 14:28	24.5	76	56.4	1016	1016	12.9	5.2	250.9	247.59	47	47	
8/28/2023 14:29	24.5	76	57.3	1016	1016	12.9	4.9	251.9	247.98	48	48	
8/28/2023 14:30	24.5	76	57	1016	1016	11.3	4.8	251.2	248.3	48	47	
8/28/2023 14:31	24.4	76	56.9	1016	1016	11.3	4.6	250.5	248.88	47	47	
8/28/2023 14:32	24.5	76.2	56.5	1016	1016	11.4	4.4	251	249.55	47	47	
8/28/2023 14:33	24.5	76.2	56.3	1016	1016	11.4	4.5	253.3	250.23	47	47	
8/28/2023 14:34	24.4	76	57.1	1016	1016	11.7	4.4	251.8	250.55	47	47	
8/28/2023 14:35	24.3	75.8	57.2	1016	1016	11.4	4.4	247.7	250.61	47	47	
8/28/2023 14:36	24.1	75.5	58.1	1016	1016	11.4	4.6	246.9	250.55	48	47	
8/28/2023 14:37	24.2	75.6	57.6	1016	1016	11.4	4.6	250.6	250.62	47	47	
8/28/2023 14:38	24.3	75.7	57.2	1016	1016	12.9	4.8	251.6	250.87	48	47	
8/28/2023 14:39	24.3	75.7	57.8	1016	1016	12.9	4.8	253	251.27	47	47	
8/28/2023 14:40	24.4	75.9	57	1016	1016	12.9	4.8	254.4	251.59	46	47	
8/28/2023 14:41	24.4	75.8	57.2	1016	1016	12.9	4.7	255	251.65	46	47	
8/28/2023 14:42	24.5	76	56.7	1016	1016	12.9	4.5	254.7	251.63	46	47	
8/28/2023 14:43	24.5	76	56.6	1016	1016	12.9	4.4	257	252.04	47	47	
8/28/2023 14:44	24.3	75.8	57.6	1016	1016	12.9	4.4	259.4	252.54	47	47	
8/28/2023 14:45	24.2	75.5	58.5	1016	1016	12.9	4.2	262.3	253.28	47	46	
8/28/2023 14:46	24.4	75.8	58.2	1016	1016	12.9	4.1	264.3	254.2	46	46	
8/28/2023 14:47	24.6	76.2	57	1016	1016	11.9	3.6	268.8	255.39	46	46	
8/28/2023 14:48	24.6	76.3	57	1016	1016	11.9	3.5	271.1	256.57	46	46	
8/28/2023 14:49	24.7	76.5	56.4	1016	1016	11.9	3.5	272.5	257.95	45	46	
8/28/2023 14:50	24.6	76.2	56.9	1016	1016	11.9	3.7	275.9	259.83	46	46	
8/28/2023 14:51	24.7	76.5	56.9	1016	1016	12.7	3.8	279.5	262.01	45	46	
8/28/2023 14:52	24.5	76.2	56.8	1016	1016	12.7	3.9	281.2	264.05	45	46	
8/28/2023 14:53	24.4	76	57.4	1016	1016	12.7	3.8	280.5	265.97	45	46	
8/28/2023 14:54	24.3	75.8	57.4	1016	1016	15.5	3.8	278.5	267.67	46	45	
8/28/2023 14:55	24.1	75.4	58.5	1016	1016	15.5	4	273.2	268.93	46	45	
8/28/2023 14:56	23.9	75	59.6	1016	1016	15.5	4.3	267.2	269.74	46	45	
8/28/2023 14:57	24.1	75.5	58.5	1016	1016	15.5	4.3	265.5	270.46	46	45	
8/28/2023 14:58	24.3	75.7	58.1	1016	1016	15.5	4.3	263.3	270.88	46	45	
8/28/2023 14:59	24.3	75.7	57.9	1016	1016	15.5	4.2	260.8	270.97	46	45	
8/28/2023 15:00	24.4	75.9	58.2	1016	1016	15.5	4.1	257.8	270.67	47	45	0.018814

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/28/2023 15:01	24.3	75.8	58.8	1016	1016	15.5	4.1	257.1	270.19	47		45
8/28/2023 15:02	24.2	75.5	58.7	1016	1016	15.5	4.3	257	269.41	47		45
8/28/2023 15:03	24.1	75.3	59.1	1016	1016	14	4.3	258.4	268.56	46		45
8/28/2023 15:04	24	75.1	59.6	1016	1016	12.4	4.2	255.5	267.43	46		46
8/28/2023 15:05	23.9	75.1	59.4	1016	1016	12.9	4	256.8	266.15	46		46
8/28/2023 15:06	23.9	75.1	58.7	1016	1016	13	4.7	255.8	264.57	46		46
8/28/2023 15:07	23.8	74.9	59.8	1015	1015	13	4.7	256.4	262.92	46		46
8/28/2023 15:08	23.8	74.8	59.9	1015	1015	13	4.8	256.9	261.35	45		46
8/28/2023 15:09	23.8	74.8	60	1015	1015	13	4.8	256.8	259.9	46		46
8/28/2023 15:10	23.9	75	59.7	1015	1015	13	4.7	255.1	258.69	45		46
8/28/2023 15:11	23.9	74.9	59.4	1015	1015	13	4.8	253.9	257.81	45		46
8/28/2023 15:12	23.8	74.8	60.1	1015	1015	13	4.7	252.5	256.94	45		45
8/28/2023 15:13	23.9	75	60.2	1015	1015	13	4.8	254.9	256.38	45		45
8/28/2023 15:14	23.8	74.9	59.7	1015	1015	13	4.8	254.9	255.99	46		45
8/28/2023 15:15	23.8	74.8	59.7	1015	1015	12	4.6	253.8	255.72	47		45
8/28/2023 15:16	23.9	75	59.9	1015	1015	12	4.4	252.3	255.4	44		45
8/28/2023 15:17	23.9	75	59.6	1015	1015	12	4.4	250.5	254.97	45		45
8/28/2023 15:18	23.7	74.6	60.5	1015	1015	12	4.5	250	254.41	45		45
8/28/2023 15:19	23.6	74.4	60.8	1015	1015	11.7	4.7	249.8	254.03	45		45
8/28/2023 15:20	23.8	74.8	60.1	1015	1015	11.7	4.4	250.7	253.62	47		45
8/28/2023 15:21	24	75.3	59	1015	1015	12.4	4.5	251.9	253.36	47		45
8/28/2023 15:22	24	75.1	59.2	1015	1015	13.3	4.4	252.7	253.11	45		45
8/28/2023 15:23	23.9	75	59.6	1015	1015	12.4	4.3	250.2	252.67	44		45
8/28/2023 15:24	23.7	74.6	60.7	1015	1015	12.4	4.4	248.4	252.11	44		45
8/28/2023 15:25	23.6	74.4	61.3	1015	1015	12.4	4.6	255	252.1	44		45
8/28/2023 15:26	23.7	74.6	60.5	1015	1015	12.4	4.7	257.3	252.33	44		45
8/28/2023 15:27	23.6	74.4	60.7	1015	1015	12.4	4.7	257.7	252.67	44		45
8/28/2023 15:28	23.6	74.4	61.3	1015	1015	14.1	4.7	258.4	252.91	44		45
8/28/2023 15:29	23.5	74.3	61.3	1015	1015	14.1	4.9	258	253.11	46		45
8/28/2023 15:30	23.6	74.4	61.2	1015	1015	14.1	4.7	258.6	253.43	45		44
8/28/2023 15:31	23.7	74.6	60.4	1015	1015	15.3	4.7	260.5	253.98	44		44
8/28/2023 15:32	23.5	74.3	61	1015	1015	15.3	4.8	261.9	254.74	45		44
8/28/2023 15:33	23.5	74.3	61.2	1015	1015	15.3	5	262	255.54	46		44
8/28/2023 15:34	23.5	74.3	61.4	1015	1015	15.3	5	259	256.15	44		44
8/28/2023 15:35	23.3	74	62.4	1015	1015	15.3	4.9	252.6	256.28	45		44
8/28/2023 15:36	23.4	74.1	62.2	1015	1015	15.3	4.9	250.4	256.18	43		44
8/28/2023 15:37	23.6	74.5	62	1015	1015	15.3	4.7	248.5	255.9	43		44
8/28/2023 15:38	23.7	74.6	61	1015	1015	15.3	4.7	245.5	255.59	43		44
8/28/2023 15:39	23.6	74.5	62	1015	1015	15.3	5	242.8	255.21	43		44
8/28/2023 15:40	23.7	74.6	61.7	1015	1015	12.7	5.1	244.2	254.49	43		44
8/28/2023 15:41	23.6	74.5	62.2	1015	1015	12.7	5.1	246.3	253.76	43		44
8/28/2023 15:42	23.6	74.4	61.5	1015	1015	12.7	5	249.7	253.23	42		43
8/28/2023 15:43	23.5	74.3	61.4	1015	1015	11.9	4.9	249.6	252.64	43		43
8/28/2023 15:44	23.4	74.1	61.5	1015	1015	14.3	5	251.7	252.22	43		43
8/28/2023 15:45	23.2	73.7	62.3	1015	1015	14.3	5.3	254.3	251.93	43		43
8/28/2023 15:46	23.2	73.7	62.2	1015	1015	14.3	5.6	253.4	251.46	43		43
8/28/2023 15:47	23.2	73.7	62.1	1015	1015	14.3	5.6	255.7	251.05	43		43
8/28/2023 15:48	23.2	73.7	62.5	1015	1015	14.3	5.4	259.6	250.89	44		43
8/28/2023 15:49	23.2	73.7	61.5	1015	1015	15.2	5.5	256.2	250.7	43		43
8/28/2023 15:50	23.2	73.7	61.7	1015	1015	15.2	5.5	256.3	250.95	42		42
8/28/2023 15:51	23.2	73.7	61.6	1015	1015	15.2	5.5	256.9	251.38	43		42
8/28/2023 15:52									252.12	44		43
8/28/2023 15:52	23.2	73.7	61.1	1015	1015	15.2	5.3	259.6				
8/28/2023 15:53									253.21			
8/28/2023 15:53	23.2	73.7	61.1	1015	1015	15.2	4.9	261.8				
					Min		1.5		214.59	35		
					Max		15.5		278.31	50		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 7:40				
8/28/2023 7:43		-0.006		
8/28/2023 7:44		-0.003		
8/28/2023 7:45		-0.005		
8/28/2023 7:46		-0.004		
8/28/2023 7:47		-0.004		
8/28/2023 7:48		-0.003		
8/28/2023 7:49		-0.002		
8/28/2023 7:50		-0.002		
8/28/2023 7:51		-0.002		
8/28/2023 7:52		-0.003		
8/28/2023 7:53		-0.002		
8/28/2023 7:54		-0.003		
8/28/2023 7:55		-0.002		
8/28/2023 7:56		0.027		
8/28/2023 7:57		0.009		
8/28/2023 7:58		0		
8/28/2023 7:59		0		
8/28/2023 8:00		-0.002		
8/28/2023 8:01		-0.002		
8/28/2023 8:02		-0.003		
8/28/2023 8:03		-0.002		
8/28/2023 8:04		-0.002		
8/28/2023 8:05		-0.003		
8/28/2023 8:06		-0.002		
8/28/2023 8:07		-0.002		
8/28/2023 8:08		-0.001		
8/28/2023 8:09		-0.002		
8/28/2023 8:10		-0.001		
8/28/2023 8:11		-0.001		
8/28/2023 8:12		-0.001		
8/28/2023 8:13		0		
8/28/2023 8:14		-0.001		
8/28/2023 8:15		0		
8/28/2023 8:16		0		
8/28/2023 8:17		-0.001		
8/28/2023 8:18		-0.001		
8/28/2023 8:19		-0.001		
8/28/2023 8:20		-0.001		
8/28/2023 8:21		-0.001		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:22		0.001		
8/28/2023 8:23		-0.001		
8/28/2023 8:24		-0.001		
8/28/2023 8:25		-0.002		
8/28/2023 8:26		-0.003		
8/28/2023 8:27		-0.003		
8/28/2023 8:28		-0.004		
8/28/2023 8:29		-0.005		
8/28/2023 8:30		-0.005		
8/28/2023 8:31		-0.006		
8/28/2023 8:32		-0.006		
8/28/2023 8:33		-0.006		
8/28/2023 8:34		-0.007		
8/28/2023 8:35		-0.006		
8/28/2023 8:36		-0.006		
8/28/2023 8:37		-0.007		
8/28/2023 8:38		-0.006		
8/28/2023 8:39		-0.007		
8/28/2023 8:40		-0.008		
8/28/2023 8:41		-0.006		
8/28/2023 8:42		-0.006		
8/28/2023 8:43		-0.006		
8/28/2023 8:44		-0.007		
8/28/2023 8:45		-0.007		
8/28/2023 8:46		-0.007		
8/28/2023 8:47		-0.007		
8/28/2023 8:48		-0.007		
8/28/2023 8:49		-0.008		
8/28/2023 8:50		-0.007		
8/28/2023 8:51		-0.007		
8/28/2023 8:52		-0.007		
8/28/2023 8:53		-0.007		
8/28/2023 8:54		-0.007		
8/28/2023 8:55		-0.007		
8/28/2023 8:56		-0.008		
8/28/2023 8:57		-0.007		
8/28/2023 8:58		-0.009		
8/28/2023 8:59		-0.008		
8/28/2023 9:00		-0.008		
8/28/2023 9:01		-0.008		
8/28/2023 9:02		-0.008		
8/28/2023 9:03		-0.008		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:04		-0.009		
8/28/2023 9:05		-0.009		
8/28/2023 9:06		-0.008		
8/28/2023 9:07		-0.009		
8/28/2023 9:08		-0.009		
8/28/2023 9:09		-0.01		
8/28/2023 9:10		-0.009		
8/28/2023 9:11		-0.009		
8/28/2023 9:12		-0.009		
8/28/2023 9:13		-0.01		
8/28/2023 9:14		-0.01		
8/28/2023 9:15		-0.01		
8/28/2023 9:16		-0.009		
8/28/2023 9:17		-0.01		
8/28/2023 9:18		-0.009		
8/28/2023 9:19		-0.011		
8/28/2023 9:20		-0.011		
8/28/2023 9:21		-0.011		
8/28/2023 9:22		-0.011		
8/28/2023 9:23		-0.012		
8/28/2023 9:24		-0.006		
8/28/2023 9:25		-0.002		
8/28/2023 9:26		-0.011		
8/28/2023 9:27		-0.011		
8/28/2023 9:28		-0.012		
8/28/2023 9:29		0.001		
8/28/2023 9:30		-0.012		
8/28/2023 9:31		-0.012		
8/28/2023 9:32		-0.011		
8/28/2023 9:33		-0.012		
8/28/2023 9:34		-0.012		
8/28/2023 9:35		-0.013		
8/28/2023 9:36		-0.013		
8/28/2023 9:37		-0.013		
8/28/2023 9:38		-0.011		
8/28/2023 9:39		-0.011		
8/28/2023 9:40		-0.012		
8/28/2023 9:41		-0.012		
8/28/2023 9:42		-0.011		
8/28/2023 9:43		-0.012		
8/28/2023 9:44		-0.012		
8/28/2023 9:45		-0.013		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:46		-0.013		
8/28/2023 9:47		-0.014		
8/28/2023 9:48		-0.013		
8/28/2023 9:49		-0.014		
8/28/2023 9:50		-0.014		
8/28/2023 9:51		-0.014		
8/28/2023 9:52		-0.014		
8/28/2023 9:53		-0.015		
8/28/2023 9:54		-0.015		
8/28/2023 9:55		-0.015		
8/28/2023 9:56		-0.016		
8/28/2023 9:57		-0.015		
8/28/2023 9:58		-0.016		
8/28/2023 9:59		-0.015		
8/28/2023 10:00		-0.015		
8/28/2023 10:01		-0.015		
8/28/2023 10:02		-0.015		
8/28/2023 10:03		-0.016		
8/28/2023 10:04		-0.016		
8/28/2023 10:05		-0.016		
8/28/2023 10:06		-0.015		
8/28/2023 10:07		-0.015		
8/28/2023 10:08		-0.015		
8/28/2023 10:09		-0.015		
8/28/2023 10:10		-0.016		
8/28/2023 10:11		-0.017		
8/28/2023 10:12		-0.017		
8/28/2023 10:13		-0.017		
8/28/2023 10:14		-0.017		
8/28/2023 10:15		-0.018		
8/28/2023 10:16		-0.019		
8/28/2023 10:17		-0.018		
8/28/2023 10:18		-0.018		
8/28/2023 10:19		-0.017		
8/28/2023 10:20		-0.019		
8/28/2023 10:21		-0.019		
8/28/2023 10:22		-0.015		
8/28/2023 10:23		-0.016		
8/28/2023 10:24		-0.016		
8/28/2023 10:25		-0.017		
8/28/2023 10:26		-0.019		
8/28/2023 10:27		-0.019		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:28		-0.019		
8/28/2023 10:29		-0.02		
8/28/2023 10:30		-0.021		
8/28/2023 10:31		-0.021		
8/28/2023 10:32		-0.019		
8/28/2023 10:33		-0.021		
8/28/2023 10:34		-0.021		
8/28/2023 10:35		-0.02		
8/28/2023 10:36		-0.02		
8/28/2023 10:37		-0.02		
8/28/2023 10:38		-0.021		
8/28/2023 10:39		-0.019		
8/28/2023 10:40		-0.021		
8/28/2023 10:41		-0.019		
8/28/2023 10:42		-0.019		
8/28/2023 10:43		-0.02		
8/28/2023 10:44		-0.019		
8/28/2023 10:45		-0.021		
8/28/2023 10:46				
8/28/2023 10:47		-0.021		
8/28/2023 10:48		-0.022		
8/28/2023 10:49		-0.023		
8/28/2023 10:50		-0.022		
8/28/2023 10:51		-0.022		
8/28/2023 10:52		-0.02		
8/28/2023 10:53		-0.022		
8/28/2023 10:53				
8/28/2023 10:54	0			
8/28/2023 10:55	0			
8/28/2023 10:56	0			
8/28/2023 10:57	0			
8/28/2023 10:58	0			
8/28/2023 10:59	0		0	
8/28/2023 11:00	0		0	0.00072443
8/28/2023 11:01	0		0	
8/28/2023 11:02	0		0	
8/28/2023 11:03	0		0	
8/28/2023 11:04	0		0	
8/28/2023 11:05	0		0	
8/28/2023 11:06	0		0	
8/28/2023 11:07	0		0	
8/28/2023 11:08	0		0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:09	0		0	
8/28/2023 11:10	0		0	
8/28/2023 11:11	0		0	
8/28/2023 11:12	0		0	
8/28/2023 11:13	0		0	
8/28/2023 11:14	0		0	
8/28/2023 11:15	0		0	
8/28/2023 11:16	0		0	
8/28/2023 11:17	0		0	
8/28/2023 11:18	0		0	
8/28/2023 11:19	0		0	
8/28/2023 11:20	0		0	
8/28/2023 11:21	0		0	
8/28/2023 11:22	0		0	
8/28/2023 11:23	0		0	
8/28/2023 11:24	0		0	
8/28/2023 11:25	0		0	
8/28/2023 11:26	0		0	
8/28/2023 11:27	0		0	
8/28/2023 11:28	0		0	
8/28/2023 11:29	0		0	
8/28/2023 11:30	0		0	
8/28/2023 11:31	0		0	
8/28/2023 11:32	0		0	
8/28/2023 11:33	0		0	
8/28/2023 11:34	0		0	
8/28/2023 11:35	0		0	
8/28/2023 11:36	0		0	
8/28/2023 11:37	0		0	
8/28/2023 11:38	0		0	
8/28/2023 11:39	0		0	
8/28/2023 11:40	0		0	
8/28/2023 11:41	0		0	
8/28/2023 11:42	0		0	
8/28/2023 11:43	0		0	
8/28/2023 11:44	0		0	
8/28/2023 11:45	0		0	
8/28/2023 11:46	0		0	
8/28/2023 11:47	0		0	
8/28/2023 11:48	0		0	
8/28/2023 11:49	0		0	
8/28/2023 11:50	0		0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:51	0		0	
8/28/2023 11:52	0		0	
8/28/2023 11:53	0		0	
8/28/2023 11:54	0		0	
8/28/2023 11:55	0		0	
8/28/2023 11:56	0		0	
8/28/2023 11:57	0		0	
8/28/2023 11:58	0		0	
8/28/2023 11:59	0		0	
8/28/2023 12:00	0		0	0.00091287
8/28/2023 12:01	0		0	
8/28/2023 12:02	0		0	
8/28/2023 12:03	0		0	
8/28/2023 12:04	0		0	
8/28/2023 12:05	0		0	
8/28/2023 12:06	0		0	
8/28/2023 12:07	0		0	
8/28/2023 12:08	0		0	
8/28/2023 12:09	0		0	
8/28/2023 12:10	0		0	
8/28/2023 12:11	0		0	
8/28/2023 12:12	0		0	
8/28/2023 12:13	0		0	
8/28/2023 12:14	0		0	
8/28/2023 12:15	0		0	
8/28/2023 12:16	0		0	
8/28/2023 12:17	0		0	
8/28/2023 12:18	0		0	
8/28/2023 12:19	0		0	
8/28/2023 12:20	0		0	
8/28/2023 12:21	0		0	
8/28/2023 12:22	0		0	
8/28/2023 12:23	0		0	
8/28/2023 12:24	0		0	
8/28/2023 12:25	0		0	
8/28/2023 12:26	0		0	
8/28/2023 12:27	0		0	
8/28/2023 12:28	0		0	
8/28/2023 12:29	0		0	
8/28/2023 12:30	0		0	
8/28/2023 12:31	0		0	
8/28/2023 12:32	0		0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:33	0		0	
8/28/2023 12:34	0		0	
8/28/2023 12:35	0		0	
8/28/2023 12:36	0		0	
8/28/2023 12:37	0		0	
8/28/2023 12:38	0		0	
8/28/2023 12:39	0		0	
8/28/2023 12:40	0		0	
8/28/2023 12:41	0		0	
8/28/2023 12:42	0		0	
8/28/2023 12:43	0		0	
8/28/2023 12:44	0		0	
8/28/2023 12:45	0		0	
8/28/2023 12:46	0		0	
8/28/2023 12:47	0		0	
8/28/2023 12:48	0		0	
8/28/2023 12:49	0		0	
8/28/2023 12:50	0		0	
8/28/2023 12:51	0		0	
8/28/2023 12:52	0		0	
8/28/2023 12:53	0		0	
8/28/2023 12:54	0		0	
8/28/2023 12:55	0		0	
8/28/2023 12:56	0		0	
8/28/2023 12:57	0		0	
8/28/2023 12:58	0		0	
8/28/2023 12:59	0		0	
8/28/2023 13:00	0		0	0.0015107
8/28/2023 13:01	0		0	
8/28/2023 13:02	0		0	
8/28/2023 13:03	0		0	
8/28/2023 13:04	0		0	
8/28/2023 13:05	0		0	
8/28/2023 13:06	0		0	
8/28/2023 13:07	0		0	
8/28/2023 13:08	0		0	
8/28/2023 13:09	0		0	
8/28/2023 13:10	0		0	
8/28/2023 13:11	0		0	
8/28/2023 13:12	0		0	
8/28/2023 13:13	0		0	
8/28/2023 13:14	0		0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:15	0		0	
8/28/2023 13:16	0		0	
8/28/2023 13:17	0		0	
8/28/2023 13:18	0		0	
8/28/2023 13:19	0		0	
8/28/2023 13:20	0		0	
8/28/2023 13:21	0		0	
8/28/2023 13:22	0		0	
8/28/2023 13:23	0		0	
8/28/2023 13:24	0		0	
8/28/2023 13:25	0		0	
8/28/2023 13:26	0		0	
8/28/2023 13:27	0		0	
8/28/2023 13:28	0		0	
8/28/2023 13:29	0		0	
8/28/2023 13:30	0		0	
8/28/2023 13:31	0		0	
8/28/2023 13:32	0		0	
8/28/2023 13:33	0		0	
8/28/2023 13:34	0		0	
8/28/2023 13:35	0		0	
8/28/2023 13:36	0		0	
8/28/2023 13:37	0		0	
8/28/2023 13:38	0		0	
8/28/2023 13:39	0		0	
8/28/2023 13:40	0		0	
8/28/2023 13:41	0		0	
8/28/2023 13:42	0		0	
8/28/2023 13:43	0		0	
8/28/2023 13:44	0		0	
8/28/2023 13:45	0		0	
8/28/2023 13:46	0		0	
8/28/2023 13:47	0		0	
8/28/2023 13:48	0		0	
8/28/2023 13:49	0		0	
8/28/2023 13:50	0		0	
8/28/2023 13:51	0		0	
8/28/2023 13:52	0		0	
8/28/2023 13:53	0		0	
8/28/2023 13:54	0		0	
8/28/2023 13:55	0		0	
8/28/2023 14:00				0.0023561

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:01	0		0	
8/28/2023 14:02	0		0	
8/28/2023 14:03	0		0	
8/28/2023 14:04	0		0	
8/28/2023 14:05	0		0	
8/28/2023 14:06	0		0	
8/28/2023 14:07	0		0	
8/28/2023 14:08	0		0	
8/28/2023 14:09	0		0	
8/28/2023 14:10	0		0	
8/28/2023 14:11	0		0	
8/28/2023 14:12	0		0	
8/28/2023 14:13	0		0	
8/28/2023 14:14	0		0	
8/28/2023 14:15	0		0	
8/28/2023 14:16	0		0	
8/28/2023 14:17	0		0	
8/28/2023 14:18	0		0	
8/28/2023 14:19	0		0	
8/28/2023 14:20	0		0	
8/28/2023 14:21	0		0	
8/28/2023 14:22	0		0	
8/28/2023 14:23	0		0	
8/28/2023 14:24	0		0	
8/28/2023 14:25				
8/28/2023 14:27	0		0	
8/28/2023 14:28	0		0	
8/28/2023 14:29	0		0	
8/28/2023 14:30	0		0	
8/28/2023 14:31	0		0	
8/28/2023 14:32	0		0	
8/28/2023 14:33	0		0	
8/28/2023 14:34	0		0	
8/28/2023 14:35	0		0	
8/28/2023 14:36	0		0	
8/28/2023 14:37	0		0	
8/28/2023 14:38	0		0	
8/28/2023 14:39	0		0	
8/28/2023 14:40	0		0	
8/28/2023 14:41	0		0	
8/28/2023 14:42	0		0	
8/28/2023 14:43	27		1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:44	48		5	
8/28/2023 14:45	48		8	
8/28/2023 14:46	47		11	
8/28/2023 14:47	47		14	
8/28/2023 14:48	47		17	
8/28/2023 14:49	46		20	
8/28/2023 14:50	46		23	
8/28/2023 14:51	46		26	
8/28/2023 14:52	46		29	
8/28/2023 14:53	46		32	
8/28/2023 14:54	46		36	
8/28/2023 14:55	46		39	
8/28/2023 14:56	46		42	
8/28/2023 14:57	46		45	
8/28/2023 14:58	46		46	
8/28/2023 14:59	46		46	
8/28/2023 15:00	46		46	0.0020901
8/28/2023 15:01	47		46	
8/28/2023 15:02	47		46	
8/28/2023 15:03	47		46	
8/28/2023 15:04	46		46	
8/28/2023 15:05	47		46	
8/28/2023 15:06	47		46	
8/28/2023 15:07	46		46	
8/28/2023 15:08	47		46	
8/28/2023 15:09	47		46	
8/28/2023 15:10	46		46	
8/28/2023 15:11	46		46	
8/28/2023 15:12	46		46	
8/28/2023 15:13	46		46	
8/28/2023 15:14	47		46	
8/28/2023 15:15	46		46	
8/28/2023 15:16	47		46	
8/28/2023 15:17	46		46	
8/28/2023 15:18	47		46	
8/28/2023 15:19	47		46	
8/28/2023 15:20	47		46	
8/28/2023 15:21	47		46	
8/28/2023 15:22	47		46	
8/28/2023 15:23	46		46	
8/28/2023 15:24	46		46	
8/28/2023 15:25	46		46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:26	46		46	
8/28/2023 15:27	46		46	
8/28/2023 15:28	47		46	
8/28/2023 15:29	48		46	
8/28/2023 15:30	48		46	
8/28/2023 15:31	48		46	
8/28/2023 15:32	48		46	
8/28/2023 15:33	48		47	
8/28/2023 15:34	48		47	
8/28/2023 15:35	50		47	
8/28/2023 15:36	49		47	
8/28/2023 15:37	49		47	
8/28/2023 15:38	49		47	
8/28/2023 15:39	47		47	
8/28/2023 15:40	46		47	
8/28/2023 15:41	46		47	
8/28/2023 15:42	46		47	
8/28/2023 15:43	46		47	
8/28/2023 15:44	46		47	
8/28/2023 15:45	46		47	
8/28/2023 15:46	46		47	
8/28/2023 15:47	47		47	
8/28/2023 15:48	46		47	
8/28/2023 15:49	46		47	
8/28/2023 15:50	46		46	
8/28/2023 15:51	46		46	
8/28/2023 15:52	46		46	
8/28/2023 15:53	46		46	
8/28/2023 15:54	47		46	
8/28/2023 15:55	46		46	
8/28/2023 15:56	46		46	
8/28/2023 15:57	46		46	
8/28/2023 15:58	46		46	
8/28/2023 15:59	46		46	
8/28/2023 16:00	46		46	0.002663
8/28/2023 16:01	46		46	
8/28/2023 16:02	45		46	
8/28/2023 16:03	46		46	
8/28/2023 16:04	46		46	
8/28/2023 16:05	46		46	
8/28/2023 16:06	46		46	
8/28/2023 16:07	46		46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 16:08	51		46	
8/28/2023 16:09	47		46	
8/28/2023 16:10	46		46	
Min	27			
Max	51			

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 7:51				
8/28/2023 7:53		0.045		
8/28/2023 7:54		0.046		
8/28/2023 7:55		0.045		
8/28/2023 7:56		0.045		
8/28/2023 7:57		0.045		
8/28/2023 7:58		0.045		
8/28/2023 7:59		0.045		
8/28/2023 8:03				
8/28/2023 8:04		0.043		
8/28/2023 8:05		0.046		
8/28/2023 8:06		0.046		
8/28/2023 8:07		0.048		
8/28/2023 8:08		0.048		
8/28/2023 8:09		0.048		
8/28/2023 8:10		0.049		
8/28/2023 8:11		0.049		
8/28/2023 8:12		0.049		
8/28/2023 8:13		0.053		
8/28/2023 8:14		0.054		
8/28/2023 8:15		0.05		
8/28/2023 8:16		0.051		
8/28/2023 8:17		0.049		
8/28/2023 8:18		0.049		
8/28/2023 8:19		0.049		
8/28/2023 8:20		0.049		
8/28/2023 8:21		0.048		
8/28/2023 8:22		0.05		
8/28/2023 8:23		0.049		
8/28/2023 8:24		0.05		
8/28/2023 8:25		0.048		
8/28/2023 8:26		0.048		
8/28/2023 8:27		0.047		
8/28/2023 8:28		0.047		
8/28/2023 8:29		0.046		
8/28/2023 8:30		0.045		
8/28/2023 8:31		0.045		
8/28/2023 8:32		0.045		
8/28/2023 8:33		0.045		
8/28/2023 8:34		0.047		
8/28/2023 8:35		0.043		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:36		0.043		
8/28/2023 8:37		0.043		
8/28/2023 8:38		0.043		
8/28/2023 8:39		0.043		
8/28/2023 8:40		0.042		
8/28/2023 8:41		0.044		
8/28/2023 8:42		0.044		
8/28/2023 8:43		0.042		
8/28/2023 8:44		0.044		
8/28/2023 8:45		0.045		
8/28/2023 8:46		0.046		
8/28/2023 8:47		0.048		
8/28/2023 8:48		0.042		
8/28/2023 8:49		0.042		
8/28/2023 8:50		0.042		
8/28/2023 8:51		0.042		
8/28/2023 8:52		0.041		
8/28/2023 8:53		0.041		
8/28/2023 8:54		0.041		
8/28/2023 8:55		0.041		
8/28/2023 8:56		0.058		
8/28/2023 8:57		0.043		
8/28/2023 8:58		0.042		
8/28/2023 8:59		0.042		
8/28/2023 9:00		0.042		
8/28/2023 9:01		0.042		
8/28/2023 9:02		0.042		
8/28/2023 9:03		0.041		
8/28/2023 9:04		0.044		
8/28/2023 9:05		0.051		
8/28/2023 9:06		0.046		
8/28/2023 9:07		0.042		
8/28/2023 9:08		0.042		
8/28/2023 9:09		0.044		
8/28/2023 9:10		0.045		
8/28/2023 9:11		0.047		
8/28/2023 9:12		0.043		
8/28/2023 9:13		0.044		
8/28/2023 9:14		0.043		
8/28/2023 9:15		0.042		
8/28/2023 9:16		0.051		
8/28/2023 9:17		0.042		
8/28/2023 9:18		0.041		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:19		0.041		
8/28/2023 9:20		0.041		
8/28/2023 9:21		0.056		
8/28/2023 9:22		0.058		
8/28/2023 9:23		0.047		
8/28/2023 9:24		0.31		
8/28/2023 9:25		0.092		
8/28/2023 9:26		0.046		
8/28/2023 9:27		0.042		
8/28/2023 9:28		0.04		
8/28/2023 9:29		0.04		
8/28/2023 9:30		0.04		
8/28/2023 9:31		0.04		
8/28/2023 9:32		0.04		
8/28/2023 9:33		0.04		
8/28/2023 9:34		0.04		
8/28/2023 9:35		0.041		
8/28/2023 9:36		0.042		
8/28/2023 9:37		0.042		
8/28/2023 9:38		0.043		
8/28/2023 9:39		0.045		
8/28/2023 9:40		0.042		
8/28/2023 9:41		0.042		
8/28/2023 9:42		0.042		
8/28/2023 9:43		0.043		
8/28/2023 9:44		0.042		
8/28/2023 9:45		0.04		
8/28/2023 9:46		0.04		
8/28/2023 9:47		0.04		
8/28/2023 9:48		0.04		
8/28/2023 9:49		0.039		
8/28/2023 9:50		0.039		
8/28/2023 9:51		0.04		
8/28/2023 9:52		0.04		
8/28/2023 9:53		0.04		
8/28/2023 9:54		0.045		
8/28/2023 9:55		0.049		
8/28/2023 9:56		0.047		
8/28/2023 9:57		0.055		
8/28/2023 9:58		0.042		
8/28/2023 9:59		0.04		
8/28/2023 10:00		0.039		
8/28/2023 10:01		0.039		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:02		0.039		
8/28/2023 10:03		0.04		
8/28/2023 10:04		0.041		
8/28/2023 10:05		0.04		
8/28/2023 10:06		0.039		
8/28/2023 10:07		0.039		
8/28/2023 10:08		0.039		
8/28/2023 10:09		0.04		
8/28/2023 10:10		0.042		
8/28/2023 10:11		0.041		
8/28/2023 10:12		0.039		
8/28/2023 10:13		0.039		
8/28/2023 10:14		0.037		
8/28/2023 10:15		0.038		
8/28/2023 10:16		0.038		
8/28/2023 10:17		0.037		
8/28/2023 10:18		0.038		
8/28/2023 10:19		0.038		
8/28/2023 10:20		0.038		
8/28/2023 10:21		0.04		
8/28/2023 10:22		0.038		
8/28/2023 10:23		0.037		
8/28/2023 10:24		0.038		
8/28/2023 10:25		0.038		
8/28/2023 10:26		0.041		
8/28/2023 10:27		0.039		
8/28/2023 10:28		0.039		
8/28/2023 10:29		0.038		
8/28/2023 10:30		0.037		
8/28/2023 10:31		0.042		
8/28/2023 10:32		0.056		
8/28/2023 10:33		0.064		
8/28/2023 10:34		0.037		
8/28/2023 10:35		0.037		
8/28/2023 10:36		0.038		
8/28/2023 10:37		0.038		
8/28/2023 10:38		0.038		
8/28/2023 10:39		0.042		
8/28/2023 10:40		0.038		
8/28/2023 10:41		0.037		
8/28/2023 10:42		0.039		
8/28/2023 10:43		0.038		
8/28/2023 10:44		0.038		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:45		0.037		
8/28/2023 10:45				
8/28/2023 10:46				
8/28/2023 10:47		0.036		
8/28/2023 10:48		0.037		
8/28/2023 10:49		0.037		
8/28/2023 10:50		0.037		
8/28/2023 10:51		0.037		
8/28/2023 10:52		0.037		
8/28/2023 10:53		0.037		
8/28/2023 10:53				
8/28/2023 10:54	34			
8/28/2023 10:55	36			
8/28/2023 10:56	35			
8/28/2023 10:57	37			
8/28/2023 10:58	36			
8/28/2023 10:59	37		35	
8/28/2023 11:00	39		36	
8/28/2023 11:01	41		36	
8/28/2023 11:02	39		37	
8/28/2023 11:03	38		37	
8/28/2023 11:04	39		37	
8/28/2023 11:05	54		38	
8/28/2023 11:06	46		39	
8/28/2023 11:07	37		39	
8/28/2023 11:08	36		38	
8/28/2023 11:09	36		39	
8/28/2023 11:10	38		39	
8/28/2023 11:11	38		39	
8/28/2023 11:12	39		39	
8/28/2023 11:13	40		39	
8/28/2023 11:14	40		40	
8/28/2023 11:15	39		40	
8/28/2023 11:16	39		39	
8/28/2023 11:17	39		39	
8/28/2023 11:18	38		39	
8/28/2023 11:19	37		39	
8/28/2023 11:20	37		38	
8/28/2023 11:21	36		37	
8/28/2023 11:22	36		37	
8/28/2023 11:23	36		37	
8/28/2023 11:24	37		37	
8/28/2023 11:25	37		37	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:26	38		37	
8/28/2023 11:27	38		37	
8/28/2023 11:28	40		37	
8/28/2023 11:29	45		38	
8/28/2023 11:30	38		38	
8/28/2023 11:31	36		37	
8/28/2023 11:32	37		37	
8/28/2023 11:33	36		37	
8/28/2023 11:34	36		37	
8/28/2023 11:35	37		37	
8/28/2023 11:36	38		37	
8/28/2023 11:37	37		37	
8/28/2023 11:38	37		37	
8/28/2023 11:39	44		38	
8/28/2023 11:40	57		39	
8/28/2023 11:41	39		39	
8/28/2023 11:42	38		39	
8/28/2023 11:43	38		39	
8/28/2023 11:44	39		39	
8/28/2023 11:45	39		39	
8/28/2023 11:46	39		39	
8/28/2023 11:47	40		39	
8/28/2023 11:48	40		39	
8/28/2023 11:49	40		40	
8/28/2023 11:50	40		40	
8/28/2023 11:51	40		40	
8/28/2023 11:52	41		40	
8/28/2023 11:53	42		41	
8/28/2023 11:54	56		41	
8/28/2023 11:55	52		41	
8/28/2023 11:56	43		41	
8/28/2023 11:57	40		41	
8/28/2023 11:58	41		42	
8/28/2023 11:59	41		42	
8/28/2023 12:00	42		42	
8/28/2023 12:01	43		42	
8/28/2023 12:02	43		42	
8/28/2023 12:03	43		43	
8/28/2023 12:04	44		43	
8/28/2023 12:05	45		43	
8/28/2023 12:06	47		44	
8/28/2023 12:07	44		44	
8/28/2023 12:08	45		44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:09	45		43	
8/28/2023 12:10	45		43	
8/28/2023 12:11	52		44	
8/28/2023 12:12	48		44	
8/28/2023 12:13	46		44	
8/28/2023 12:14	48		45	
8/28/2023 12:15	47		45	
8/28/2023 12:16	48		46	
8/28/2023 12:17	46		46	
8/28/2023 12:18	46		46	
8/28/2023 12:19	45		46	
8/28/2023 12:20	45		46	
8/28/2023 12:21	44		46	
8/28/2023 12:22	45		46	
8/28/2023 12:23	45		46	
8/28/2023 12:24	45		46	
8/28/2023 12:25	45		46	
8/28/2023 12:26	44		45	
8/28/2023 12:27	44		45	
8/28/2023 12:28	44		45	
8/28/2023 12:29	44		45	
8/28/2023 12:30	44		44	
8/28/2023 12:31	43		44	
8/28/2023 12:32	43		44	
8/28/2023 12:33	43		44	
8/28/2023 12:34	44		44	
8/28/2023 12:35	43		44	
8/28/2023 12:36	43		43	
8/28/2023 12:37	42		43	
8/28/2023 12:38	42		43	
8/28/2023 12:39	43		43	
8/28/2023 12:40	45		43	
8/28/2023 12:41	41		43	
8/28/2023 12:42	40		42	
8/28/2023 12:43	41		42	
8/28/2023 12:44	41		42	
8/28/2023 12:45	42		42	
8/28/2023 12:46	42		42	
8/28/2023 12:47	41		42	
8/28/2023 12:48	43		42	
8/28/2023 12:49	44		42	
8/28/2023 12:50	43		42	
8/28/2023 12:51	42		42	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:52	43		42	0.005407
8/28/2023 12:53	43		42	
8/28/2023 12:54	44		42	
8/28/2023 12:55	46		42	
8/28/2023 12:56	47		42	
8/28/2023 12:57	46		43	
8/28/2023 12:58	44		43	
8/28/2023 12:59	52		44	
8/28/2023 13:00	47		44	
8/28/2023 13:01	45		44	
8/28/2023 13:02	44		44	
8/28/2023 13:03	45		45	
8/28/2023 13:04	46		45	
8/28/2023 13:05	46		45	
8/28/2023 13:06	45		45	
8/28/2023 13:07	48		45	
8/28/2023 13:08	50		46	
8/28/2023 13:09	49		46	
8/28/2023 13:10	48		46	
8/28/2023 13:11	47		46	
8/28/2023 13:12	45		46	
8/28/2023 13:13	46		46	
8/28/2023 13:14	45		46	
8/28/2023 13:15	46		46	
8/28/2023 13:16	45		46	
8/28/2023 13:17	45		46	
8/28/2023 13:18	45		46	
8/28/2023 13:19	45		46	
8/28/2023 13:20	48		46	
8/28/2023 13:21	49		46	
8/28/2023 13:22	46		46	
8/28/2023 13:23	46		46	
8/28/2023 13:24	48		46	
8/28/2023 13:28				
8/28/2023 13:30	50		46	
8/28/2023 13:31	47		46	
8/28/2023 13:32	46		47	
8/28/2023 13:33	46		47	
8/28/2023 13:34	45		47	
8/28/2023 13:35	47		47	
8/28/2023 13:36	46		46	
8/28/2023 13:37	46		46	
8/28/2023 13:38	47		46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:39	44		46	
8/28/2023 13:40	46		46	
8/28/2023 13:41	44		46	
8/28/2023 13:42	45		46	
8/28/2023 13:43	43		45	
8/28/2023 13:44	46		45	
8/28/2023 13:45	46		45	
8/28/2023 13:46	43		45	
8/28/2023 13:47	45		45	
8/28/2023 13:48	43		45	
8/28/2023 13:49	44		45	
8/28/2023 13:50	44		44	
8/28/2023 13:51	44		44	
8/28/2023 13:52	43		44	
8/28/2023 13:53	45		44	
8/28/2023 13:54	44		44	
8/28/2023 13:55	46		44	
8/28/2023 13:56	44		44	
8/28/2023 13:57	44		44	
8/28/2023 13:58	44		44	
8/28/2023 13:59	44		44	
8/28/2023 14:00	44		44	0.0055177
8/28/2023 14:01	44		44	
8/28/2023 14:02	45		44	
8/28/2023 14:03	45		44	
8/28/2023 14:04	45		44	
8/28/2023 14:05	43		44	
8/28/2023 14:06	45		44	
8/28/2023 14:07	45		44	
8/28/2023 14:08	45		44	
8/28/2023 14:09	44		44	
8/28/2023 14:10	44		44	
8/28/2023 14:11	47		44	
8/28/2023 14:12	51		45	
8/28/2023 14:13	45		45	
8/28/2023 14:14	46		45	
8/28/2023 14:15	46		45	
8/28/2023 14:16	48		45	
8/28/2023 14:17	48		45	
8/28/2023 14:18	47		45	
8/28/2023 14:19	47		46	
8/28/2023 14:20	48		46	
8/28/2023 14:21	48		46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:22	49		46	
8/28/2023 14:23	49		47	
8/28/2023 14:24	48		47	
8/28/2023 14:25	50		47	
8/28/2023 14:26	50		48	
8/28/2023 14:27	48		47	
8/28/2023 14:28	48		48	
8/28/2023 14:29	48		48	
8/28/2023 14:30	49		48	
8/28/2023 14:31	48		48	
8/28/2023 14:32	49		48	
8/28/2023 14:33	51		48	
8/28/2023 14:34	48		48	
8/28/2023 14:35	47		48	
8/28/2023 14:36	52		48	
8/28/2023 14:37	49		48	
8/28/2023 14:38	52		49	
8/28/2023 14:39	52		49	
8/28/2023 14:40	52		49	
8/28/2023 14:41	50		49	
8/28/2023 14:42	48		49	
8/28/2023 14:43	47		49	
8/28/2023 14:44	47		49	
8/28/2023 14:45	48		49	
8/28/2023 14:46	47		49	
8/28/2023 14:47	47		49	
8/28/2023 14:48	46		48	
8/28/2023 14:49	49		48	
8/28/2023 14:50	47		48	
8/28/2023 14:51	47		48	
8/28/2023 14:52	48		48	
8/28/2023 14:53	46		48	
8/28/2023 14:54	47		47	
8/28/2023 14:55	46		47	
8/28/2023 14:56	46		47	
8/28/2023 14:57	45		46	
8/28/2023 14:58	48		46	
8/28/2023 14:59	46		46	
8/28/2023 15:00	47		46	0.0055572
8/28/2023 15:01	46		46	
8/28/2023 15:02	47		46	
8/28/2023 15:03	47		46	
8/28/2023 15:04	46		46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:05	46		46	
8/28/2023 15:06	47		46	
8/28/2023 15:07	47		46	
8/28/2023 15:08	46		46	
8/28/2023 15:09	49		46	
8/28/2023 15:10	45		46	
8/28/2023 15:11	45		46	
8/28/2023 15:12	45		46	
8/28/2023 15:13	45		46	
8/28/2023 15:14	46		46	
8/28/2023 15:15	46		46	
8/28/2023 15:16	55		46	
8/28/2023 15:17	46		46	
8/28/2023 15:18	45		46	
8/28/2023 15:19	45		46	
8/28/2023 15:20	46		46	
8/28/2023 15:21	45		46	
8/28/2023 15:22	55		46	
8/28/2023 15:23	48		47	
8/28/2023 15:24	46		46	
8/28/2023 15:25	45		46	
8/28/2023 15:26	44		46	
8/28/2023 15:27	43		46	
8/28/2023 15:28	44		46	
8/28/2023 15:29	44		46	
8/28/2023 15:30	46		46	
8/28/2023 15:31	46		45	
8/28/2023 15:32	46		45	
8/28/2023 15:33	44		45	
8/28/2023 15:34	46		45	
8/28/2023 15:35	47		45	
8/28/2023 15:36	45		45	
8/28/2023 15:37	45		45	
8/28/2023 15:38	45		45	
8/28/2023 15:39	45		45	
8/28/2023 15:40	43		44	
8/28/2023 15:41	43		44	
8/28/2023 15:42	49		45	
8/28/2023 15:43	46		45	
8/28/2023 15:44	48		45	
8/28/2023 15:45	45		45	
8/28/2023 15:46	44		45	
8/28/2023 15:47	45		45	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:48	44		45	
8/28/2023 15:49	44		45	
8/28/2023 15:50	44		45	
8/28/2023 15:51	46		45	
8/28/2023 15:52	46		45	
8/28/2023 15:53	43		45	
8/28/2023 15:54	45		45	
8/28/2023 15:55	45		45	
8/28/2023 15:56	46		45	
8/28/2023 15:57	43		44	
8/28/2023 15:58	43		44	
8/28/2023 15:59	48		44	
8/28/2023 16:00	43		44	0.0070238
8/28/2023 16:01	43		44	
8/28/2023 16:02	43		44	
8/28/2023 16:03	43		44	
8/28/2023 16:04	43		44	
8/28/2023 16:05	44		44	
8/28/2023 16:06	44		44	
8/28/2023 16:07	44		44	
8/28/2023 16:08	43		44	
8/28/2023 16:09	43		43	
8/28/2023 16:10	43		43	
8/28/2023 16:11	43		43	
8/28/2023 16:12	44		43	
8/28/2023 16:13	43		43	
8/28/2023 16:14	45		43	
8/28/2023 16:15	53		44	
8/28/2023 16:16	44		44	
Min	34	0.036		
Max	57	0.31		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:02				
8/28/2023 8:02				
8/28/2023 8:03		-0.01		
8/28/2023 8:04		-0.009		
8/28/2023 8:05		-0.009		
8/28/2023 8:06		-0.009		
8/28/2023 8:07		-0.008		
8/28/2023 8:08		-0.007		
8/28/2023 8:09		-0.007		
8/28/2023 8:10		-0.007		
8/28/2023 8:11		-0.008		
8/28/2023 8:12		-0.008		
8/28/2023 8:13		-0.007		
8/28/2023 8:14		-0.006		
8/28/2023 8:15		-0.007		
8/28/2023 8:16		-0.008		
8/28/2023 8:17		-0.009		
8/28/2023 8:18		-0.008		
8/28/2023 8:19		-0.009		
8/28/2023 8:20		-0.01		
8/28/2023 8:21		-0.01		
8/28/2023 8:22		-0.009		
8/28/2023 8:23		-0.011		
8/28/2023 8:24		-0.011		
8/28/2023 8:25		-0.01		
8/28/2023 8:26		-0.011		
8/28/2023 8:27		-0.012		
8/28/2023 8:28		-0.014		
8/28/2023 8:29		-0.014		
8/28/2023 8:30		-0.015		
8/28/2023 8:31		-0.014		
8/28/2023 8:32		0.028		
8/28/2023 8:33		0.033		
8/28/2023 8:34		0.034		
8/28/2023 8:35		0.035		
8/28/2023 8:36		0.034		
8/28/2023 8:37		0.033		
8/28/2023 8:38		0.033		
8/28/2023 8:39		0.035		
8/28/2023 8:40		0.039		
8/28/2023 8:41		0.034		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:42		0.034		
8/28/2023 8:43		0.033		
8/28/2023 8:44		0.035		
8/28/2023 8:45		0.035		
8/28/2023 8:46		0.034		
8/28/2023 8:47		0.033		
8/28/2023 8:48		0.033		
8/28/2023 8:49		0.032		
8/28/2023 8:50		0.033		
8/28/2023 8:51		0.033		
8/28/2023 8:52		0.032		
8/28/2023 8:53		0.033		
8/28/2023 8:54		0.033		
8/28/2023 8:55		0.032		
8/28/2023 8:56		0.032		
8/28/2023 8:57		0.032		
8/28/2023 8:58		0.032		
8/28/2023 8:59		0.032		
8/28/2023 9:00		0.034		
8/28/2023 9:01		0.033		
8/28/2023 9:02		0.032		
8/28/2023 9:03		0.032		
8/28/2023 9:04		0.032		
8/28/2023 9:05		0.032		
8/28/2023 9:06		0.032		
8/28/2023 9:07		0.031		
8/28/2023 9:08		0.031		
8/28/2023 9:09		0.031		
8/28/2023 9:10		0.031		
8/28/2023 9:11		0.031		
8/28/2023 9:12		0.545		
8/28/2023 9:13		0.045		
8/28/2023 9:14		0.46		
8/28/2023 9:15		0.033		
8/28/2023 9:16		0.032		
8/28/2023 9:17		0.032		
8/28/2023 9:18		0.032		
8/28/2023 9:19		0.032		
8/28/2023 9:20		0.032		
8/28/2023 9:21		0.031		
8/28/2023 9:22		0.03		
8/28/2023 9:23		0.031		
8/28/2023 9:24		0.031		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:25		0.031		
8/28/2023 9:26		0.031		
8/28/2023 9:27		0.031		
8/28/2023 9:28		0.031		
8/28/2023 9:29		0.031		
8/28/2023 9:30		0.032		
8/28/2023 9:31		0.031		
8/28/2023 9:32		0.031		
8/28/2023 9:33		0.03		
8/28/2023 9:34		0.031		
8/28/2023 9:35		0.031		
8/28/2023 9:36		0.03		
8/28/2023 9:37		0.033		
8/28/2023 9:38		0.031		
8/28/2023 9:39		0.031		
8/28/2023 9:40		0.032		
8/28/2023 9:41		0.032		
8/28/2023 9:42		0.031		
8/28/2023 9:43		0.031		
8/28/2023 9:44		0.03		
8/28/2023 9:45		0.031		
8/28/2023 9:46		0.031		
8/28/2023 9:47		0.029		
8/28/2023 9:48		0.029		
8/28/2023 9:49		0.029		
8/28/2023 9:50		0.029		
8/28/2023 9:51		0.03		
8/28/2023 9:52		0.03		
8/28/2023 9:53		0.029		
8/28/2023 9:54		0.029		
8/28/2023 9:55		0.03		
8/28/2023 9:56		0.03		
8/28/2023 9:57		0.03		
8/28/2023 9:58		0.03		
8/28/2023 9:59		0.029		
8/28/2023 10:00		0.029		
8/28/2023 10:01		0.029		
8/28/2023 10:02		0.029		
8/28/2023 10:03		0.029		
8/28/2023 10:04		0.029		
8/28/2023 10:05		0.028		
8/28/2023 10:06		0.028		
8/28/2023 10:07		0.029		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:08		0.028		
8/28/2023 10:09		0.028		
8/28/2023 10:10		0.028		
8/28/2023 10:11		0.028		
8/28/2023 10:12		0.028		
8/28/2023 10:13		0.028		
8/28/2023 10:14		0.028		
8/28/2023 10:15		0.027		
8/28/2023 10:16		0.028		
8/28/2023 10:17		0.027		
8/28/2023 10:18		0.028		
8/28/2023 10:19		0.026		
8/28/2023 10:20		0.028		
8/28/2023 10:21		0.028		
8/28/2023 10:22		0.028		
8/28/2023 10:23		0.028		
8/28/2023 10:24		0.028		
8/28/2023 10:25		0.027		
8/28/2023 10:26		0.027		
8/28/2023 10:27		0.026		
8/28/2023 10:28		0.027		
8/28/2023 10:29		0.026		
8/28/2023 10:30		0.027		
8/28/2023 10:31		0.027		
8/28/2023 10:32		0.027		
8/28/2023 10:33		0.027		
8/28/2023 10:34		0.025		
8/28/2023 10:35		0.026		
8/28/2023 10:36		0.026		
8/28/2023 10:37		0.025		
8/28/2023 10:38		0.027		
8/28/2023 10:39		0.028		
8/28/2023 10:40		0.025		
8/28/2023 10:41		0.025		
8/28/2023 10:42		0.025		
8/28/2023 10:43		0.025		
8/28/2023 10:44		0.025		
8/28/2023 10:45		0.024		
8/28/2023 10:46		0.025		
8/28/2023 10:46				
8/28/2023 10:47		0.024		
8/28/2023 10:48		0.024		
8/28/2023 10:48				

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:49		0.022		
8/28/2023 10:50		0.025		
8/28/2023 10:51		0.024		
8/28/2023 10:52		0.023		
8/28/2023 10:53		0.023		
8/28/2023 10:53				
8/28/2023 10:55	22			
8/28/2023 10:56	23			
8/28/2023 10:57	27			
8/28/2023 10:58	24			
8/28/2023 10:59	24		24	
8/28/2023 11:00	22		23	
8/28/2023 11:01	22		23	
8/28/2023 11:02	23		23	
8/28/2023 11:03	24		23	
8/28/2023 11:04	25		23	
8/28/2023 11:05	24		23	
8/28/2023 11:06	24		23	
8/28/2023 11:07	22		23	
8/28/2023 11:08	23		23	
8/28/2023 11:09	23		23	
8/28/2023 11:10	24		23	
8/28/2023 11:11	24		23	
8/28/2023 11:12	23		23	
8/28/2023 11:13	24		23	
8/28/2023 11:14	24		23	
8/28/2023 11:15	23		23	
8/28/2023 11:16	24		23	
8/28/2023 11:17	22		23	
8/28/2023 11:18	23		23	
8/28/2023 11:19	23		23	
8/28/2023 11:20	24		23	
8/28/2023 11:21	22		23	
8/28/2023 11:22	22		23	
8/28/2023 11:23	21		23	
8/28/2023 11:24	23		23	
8/28/2023 11:25	23		23	
8/28/2023 11:26	23		22	
8/28/2023 11:27	23		22	
8/28/2023 11:28	23		22	
8/28/2023 11:29	23		22	
8/28/2023 11:30	22		22	
8/28/2023 11:31	22		22	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:32	23		22	
8/28/2023 11:33	22		22	
8/28/2023 11:34	23		22	
8/28/2023 11:35	23		22	
8/28/2023 11:36	23		22	
8/28/2023 11:37	23		22	
8/28/2023 11:38	22		22	
8/28/2023 11:39	23		22	
8/28/2023 11:40	23		22	
8/28/2023 11:41	23		22	
8/28/2023 11:42	24		22	
8/28/2023 11:43	24		22	
8/28/2023 11:44	25		23	
8/28/2023 11:45	25		23	
8/28/2023 11:46	26		23	
8/28/2023 11:47	26		23	
8/28/2023 11:48	25		23	
8/28/2023 11:49	25		24	
8/28/2023 11:50	25		24	
8/28/2023 11:51	26		24	
8/28/2023 11:52	26		24	
8/28/2023 11:53	26		24	
8/28/2023 11:54	27		25	
8/28/2023 11:55	26		25	
8/28/2023 11:56	27		25	
8/28/2023 11:57	26		25	
8/28/2023 11:58	28		25	
8/28/2023 11:59	27		26	
8/28/2023 12:00	28		26	0.0035037
8/28/2023 12:01	28		26	
8/28/2023 12:02	28		26	
8/28/2023 12:03	29		26	
8/28/2023 12:04	29		27	
8/28/2023 12:05	29		27	
8/28/2023 12:06	28		27	
8/28/2023 12:07	30		27	
8/28/2023 12:08	30		28	
8/28/2023 12:09	31		28	
8/28/2023 12:10	32		28	
8/28/2023 12:11	31		28	
8/28/2023 12:12	31		29	
8/28/2023 12:13	31		29	
8/28/2023 12:14	31		29	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:15	31		29	
8/28/2023 12:16	31		30	
8/28/2023 12:17	31		30	
8/28/2023 12:18	30		30	
8/28/2023 12:19	32		30	
8/28/2023 12:20	31		30	
8/28/2023 12:21	31		30	
8/28/2023 12:22	31		31	
8/28/2023 12:23	31		31	
8/28/2023 12:24	31		31	
8/28/2023 12:25	31		31	
8/28/2023 12:26	31		31	
8/28/2023 12:27	31		31	
8/28/2023 12:28	30		30	
8/28/2023 12:29	30		30	
8/28/2023 12:30	30		30	
8/28/2023 12:31	31		30	
8/28/2023 12:32	30		30	
8/28/2023 12:33	31		30	
8/28/2023 12:34	32		30	
8/28/2023 12:35	30		30	
8/28/2023 12:36	29		30	
8/28/2023 12:37	29		30	
8/28/2023 12:38	29		30	
8/28/2023 12:39	28		30	
8/28/2023 12:40	28		29	
8/28/2023 12:41	28		29	
8/28/2023 12:42	27		29	
8/28/2023 12:43	27		29	
8/28/2023 12:44	27		29	
8/28/2023 12:45	27		28	
8/28/2023 12:46	27		28	
8/28/2023 12:47	26		28	
8/28/2023 12:48	26		28	
8/28/2023 12:49	26		27	
8/28/2023 12:50	31		27	
8/28/2023 12:51	27		27	
8/28/2023 12:52	28		27	
8/28/2023 12:53	28		27	
8/28/2023 12:54	28		27	
8/28/2023 12:55	29		27	
8/28/2023 12:56	28		27	
8/28/2023 12:57	29		27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:58	28		27	0.0038463
8/28/2023 12:59	33		28	
8/28/2023 13:00	30		28	
8/28/2023 13:01	31		28	
8/28/2023 13:02	31		28	
8/28/2023 13:03	28		29	
8/28/2023 13:04	30		29	
8/28/2023 13:05	29		29	
8/28/2023 13:06	28		29	
8/28/2023 13:07	28		29	
8/28/2023 13:08	29		29	
8/28/2023 13:09	28		29	
8/28/2023 13:10	29		29	
8/28/2023 13:11	29		29	
8/28/2023 13:12	29		29	
8/28/2023 13:13	28		29	
8/28/2023 13:14	30		29	
8/28/2023 13:15	30		29	
8/28/2023 13:16	30		29	
8/28/2023 13:17	30		29	
8/28/2023 13:18	31		29	
8/28/2023 13:19	30		29	
8/28/2023 13:20	30		29	
8/28/2023 13:21	30		29	
8/28/2023 13:22	30		29	
8/28/2023 13:23	30		29	
8/28/2023 13:24	30		29	
8/28/2023 13:25	33		30	
8/28/2023 13:26	31		30	
8/28/2023 13:27	31		30	
8/28/2023 13:28	31		30	
8/28/2023 13:29	30		30	
8/28/2023 13:30	30		30	
8/28/2023 13:31	30		30	
8/28/2023 13:32	30		30	
8/28/2023 13:33	30		30	
8/28/2023 13:34	30		30	
8/28/2023 13:35	29		30	
8/28/2023 13:36	29		30	
8/28/2023 13:37	30		30	
8/28/2023 13:38	29		30	
8/28/2023 13:39	29		30	
8/28/2023 13:40	29		29	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:41	29		29	
8/28/2023 13:42	28		29	
8/28/2023 13:43	29		29	
8/28/2023 13:44	29		29	
8/28/2023 13:45	28		29	
8/28/2023 13:46	28		29	
8/28/2023 13:47	28		28	
8/28/2023 13:48	28		28	
8/28/2023 13:49	30		28	
8/28/2023 13:50	29		28	
8/28/2023 13:51	29		28	
8/28/2023 13:52	29		28	
8/28/2023 13:53	30		28	
8/28/2023 13:54	29		28	
8/28/2023 13:55	35		29	
8/28/2023 13:56	30		29	
8/28/2023 13:57	28		29	
8/28/2023 13:58	29		29	
8/28/2023 13:59	29		29	
8/28/2023 14:00	35		29	0.0046941
8/28/2023 14:01	29		29	
8/28/2023 14:02	30		29	
8/28/2023 14:03	28		29	
8/28/2023 14:04	29		29	
8/28/2023 14:05	29		29	
8/28/2023 14:06	28		29	
8/28/2023 14:07	28		29	
8/28/2023 14:08	28		29	
8/28/2023 14:09	28		29	
8/28/2023 14:10	28		29	
8/28/2023 14:11	30		29	
8/28/2023 14:12	30		29	
8/28/2023 14:13	30		29	
8/28/2023 14:14	31		29	
8/28/2023 14:15	31		29	
8/28/2023 14:16	32		29	
8/28/2023 14:17	32		29	
8/28/2023 14:18	31		29	
8/28/2023 14:19	32		29	
8/28/2023 14:20	32		30	
8/28/2023 14:21	32		30	
8/28/2023 14:22	32		30	
8/28/2023 14:23	34		31	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:24	32		31	
8/28/2023 14:25	32		31	
8/28/2023 14:26	32		31	
8/28/2023 14:27	32		31	
8/28/2023 14:28	32		31	
8/28/2023 14:29	31		31	
8/28/2023 14:30	31		31	
8/28/2023 14:31	31		31	
8/28/2023 14:32	31		31	
8/28/2023 14:33	31		31	
8/28/2023 14:34	32		31	
8/28/2023 14:35	31		31	
8/28/2023 14:36	30		31	
8/28/2023 14:37	30		31	
8/28/2023 14:38	31		31	
8/28/2023 14:39	31		31	
8/28/2023 14:40	31		31	
8/28/2023 14:41	31		31	
8/28/2023 14:42	31		31	
8/28/2023 14:43	31		30	
8/28/2023 14:44	31		30	
8/28/2023 14:45	32		31	
8/28/2023 14:46	34		31	
8/28/2023 14:47				
8/28/2023 14:49	39		31	
8/28/2023 14:50	44		32	
8/28/2023 14:51	35		33	
8/28/2023 14:52	33		33	
8/28/2023 14:53	32		33	
8/28/2023 14:54				
8/28/2023 14:55				
8/28/2023 14:56				
8/28/2023 14:57	32		34	
8/28/2023 14:58	30		34	
8/28/2023 14:59	31		34	
8/28/2023 15:00	31		34	0.0054521
8/28/2023 15:01	30		33	
8/28/2023 15:02	31		33	
8/28/2023 15:03	31		33	
8/28/2023 15:04	31		32	
8/28/2023 15:05	31		31	
8/28/2023 15:06	31		31	
8/28/2023 15:07	31		31	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:08	31		30	
8/28/2023 15:09	31		30	
8/28/2023 15:10	30		30	
8/28/2023 15:11	30		30	
8/28/2023 15:12	30		30	
8/28/2023 15:13	30		30	
8/28/2023 15:14	29		30	
8/28/2023 15:15	30		30	
8/28/2023 15:16	30		30	
8/28/2023 15:17	29		30	
8/28/2023 15:18	30		30	
8/28/2023 15:19	30		30	
8/28/2023 15:20	30		30	
8/28/2023 15:21	30		30	
8/28/2023 15:22	32		30	
8/28/2023 15:23	30		30	
8/28/2023 15:24	29		29	
8/28/2023 15:25	29		29	
8/28/2023 15:26	29		29	
8/28/2023 15:27	29		29	
8/28/2023 15:28	30		29	
8/28/2023 15:29	30		29	
8/28/2023 15:30	31		29	
8/28/2023 15:31	30		29	
8/28/2023 15:32	29		29	
8/28/2023 15:33	31		29	
8/28/2023 15:34	30		29	
8/28/2023 15:35	31		30	
8/28/2023 15:36	29		29	
8/28/2023 15:37	29		29	
8/28/2023 15:38	29		29	
8/28/2023 15:39	29		29	
8/28/2023 15:40	29		29	
8/28/2023 15:41	27		29	
8/28/2023 15:42	28		29	
8/28/2023 15:43	30		29	
8/28/2023 15:44	30		29	
8/28/2023 15:45	28		29	
8/28/2023 15:46	29		29	
8/28/2023 15:47	28		29	
8/28/2023 15:48	46		30	
8/28/2023 15:49	28		30	
8/28/2023 15:50	32		30	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:51	29		30	
8/28/2023 16:00				0.0050663
8/28/2023 16:08				
8/28/2023 16:09	31		31	
8/28/2023 16:10	29		30	
8/28/2023 16:11	28		29	
8/28/2023 16:12	28		29	
8/28/2023 16:13	28		28	
8/28/2023 16:14	29		28	
8/28/2023 16:15	29		28	
8/28/2023 16:16	29		28	
8/28/2023 16:17	29		28	
8/28/2023 16:18	29		28	
8/28/2023 16:19	30		29	
8/28/2023 16:20	29		29	
8/28/2023 16:21	29		29	
8/28/2023 16:22	32		29	
8/28/2023 16:23	30		29	
8/28/2023 16:24	31		29	
Min	21	-0.015		
Max	46	0.545		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:13				
8/28/2023 8:13				
8/28/2023 8:15				
8/28/2023 8:16		0.004		
8/28/2023 8:17		0		
8/28/2023 8:18		-0.001		
8/28/2023 8:19		0		
8/28/2023 8:20		-0.001		
8/28/2023 8:21		-0.001		
8/28/2023 8:22		-0.003		
8/28/2023 8:23		-0.004		
8/28/2023 8:24		-0.005		
8/28/2023 8:25		-0.006		
8/28/2023 8:26		-0.005		
8/28/2023 8:27		-0.006		
8/28/2023 8:28		-0.006		
8/28/2023 8:29		-0.007		
8/28/2023 8:30		-0.009		
8/28/2023 8:31		-0.01		
8/28/2023 8:32		-0.011		
8/28/2023 8:33		-0.011		
8/28/2023 8:34		-0.011		
8/28/2023 8:35		-0.01		
8/28/2023 8:36		-0.01		
8/28/2023 8:37		-0.011		
8/28/2023 8:38		-0.01		
8/28/2023 8:39		-0.011		
8/28/2023 8:40		-0.012		
8/28/2023 8:41		-0.011		
8/28/2023 8:42		-0.011		
8/28/2023 8:43		-0.01		
8/28/2023 8:44		-0.011		
8/28/2023 8:45		-0.012		
8/28/2023 8:46		-0.012		
8/28/2023 8:47		-0.011		
8/28/2023 8:48		-0.01		
8/28/2023 8:49		-0.011		
8/28/2023 8:50		-0.012		
8/28/2023 8:51		-0.012		
8/28/2023 8:52		-0.011		
8/28/2023 8:53		-0.011		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:54		-0.011		
8/28/2023 8:55		-0.011		
8/28/2023 8:56		-0.011		
8/28/2023 8:57		-0.008		
8/28/2023 8:58		-0.01		
8/28/2023 8:59		-0.011		
8/28/2023 9:00		-0.011		
8/28/2023 9:01		-0.011		
8/28/2023 9:02		-0.01		
8/28/2023 9:03		-0.011		
8/28/2023 9:04		-0.011		
8/28/2023 9:05		-0.01		
8/28/2023 9:06		-0.011		
8/28/2023 9:07		-0.01		
8/28/2023 9:08		-0.01		
8/28/2023 9:09		-0.01		
8/28/2023 9:10		-0.01		
8/28/2023 9:11		-0.011		
8/28/2023 9:12		-0.011		
8/28/2023 9:13		-0.011		
8/28/2023 9:14		-0.011		
8/28/2023 9:15		-0.01		
8/28/2023 9:16		-0.011		
8/28/2023 9:17		-0.011		
8/28/2023 9:18		-0.01		
8/28/2023 9:19		-0.01		
8/28/2023 9:20		-0.011		
8/28/2023 9:21		-0.011		
8/28/2023 9:22		-0.011		
8/28/2023 9:23		-0.012		
8/28/2023 9:24		-0.012		
8/28/2023 9:25		-0.011		
8/28/2023 9:26		-0.012		
8/28/2023 9:27		-0.012		
8/28/2023 9:28		-0.012		
8/28/2023 9:29		-0.011		
8/28/2023 9:30		-0.011		
8/28/2023 9:31		-0.012		
8/28/2023 9:32		-0.01		
8/28/2023 9:33		-0.006		
8/28/2023 9:34		-0.009		
8/28/2023 9:35		-0.008		
8/28/2023 9:36		-0.008		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:37		-0.008		
8/28/2023 9:38		-0.01		
8/28/2023 9:39		-0.009		
8/28/2023 9:40		-0.007		
8/28/2023 9:41		-0.009		
8/28/2023 9:42		-0.009		
8/28/2023 9:43		-0.01		
8/28/2023 9:44		-0.009		
8/28/2023 9:45		-0.01		
8/28/2023 9:46		-0.01		
8/28/2023 9:47		-0.011		
8/28/2023 9:48		-0.01		
8/28/2023 9:49		-0.011		
8/28/2023 9:50		-0.01		
8/28/2023 9:51		-0.01		
8/28/2023 9:52		-0.009		
8/28/2023 9:53		-0.009		
8/28/2023 9:54		-0.009		
8/28/2023 9:55		-0.009		
8/28/2023 9:56		-0.009		
8/28/2023 9:57		-0.009		
8/28/2023 9:58		-0.01		
8/28/2023 9:59		-0.01		
8/28/2023 10:00		-0.011		
8/28/2023 10:01		-0.01		
8/28/2023 10:02		-0.009		
8/28/2023 10:03		-0.01		
8/28/2023 10:04		-0.009		
8/28/2023 10:05		-0.01		
8/28/2023 10:06		-0.01		
8/28/2023 10:07		-0.009		
8/28/2023 10:08		-0.009		
8/28/2023 10:09		-0.008		
8/28/2023 10:10		-0.009		
8/28/2023 10:11		-0.011		
8/28/2023 10:12		-0.01		
8/28/2023 10:13		-0.01		
8/28/2023 10:14		-0.008		
8/28/2023 10:15		-0.009		
8/28/2023 10:16		-0.01		
8/28/2023 10:17		-0.011		
8/28/2023 10:18		-0.011		
8/28/2023 10:19		-0.01		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:20		-0.01		
8/28/2023 10:21		-0.01		
8/28/2023 10:22		-0.01		
8/28/2023 10:23		-0.01		
8/28/2023 10:24		-0.01		
8/28/2023 10:25		-0.011		
8/28/2023 10:26		-0.011		
8/28/2023 10:27		-0.011		
8/28/2023 10:28		-0.011		
8/28/2023 10:29		-0.011		
8/28/2023 10:30		-0.01		
8/28/2023 10:31		-0.01		
8/28/2023 10:32		-0.01		
8/28/2023 10:33		-0.01		
8/28/2023 10:34		-0.005		
8/28/2023 10:35		-0.007		
8/28/2023 10:36		-0.009		
8/28/2023 10:37		-0.008		
8/28/2023 10:38		-0.011		
8/28/2023 10:39		-0.011		
8/28/2023 10:40		-0.011		
8/28/2023 10:41		-0.011		
8/28/2023 10:42		-0.012		
8/28/2023 10:43		-0.011		
8/28/2023 10:44		-0.012		
8/28/2023 10:45		-0.012		
8/28/2023 10:45				
8/28/2023 10:46		-0.012		
8/28/2023 10:47		-0.012		
8/28/2023 10:48		-0.013		
8/28/2023 10:49		-0.013		
8/28/2023 10:50		-0.013		
8/28/2023 10:51		-0.01		
8/28/2023 10:52		-0.011		
8/28/2023 10:53		-0.011		
8/28/2023 10:54		-0.011		
8/28/2023 10:54				
8/28/2023 10:55				
8/28/2023 10:56	0			
8/28/2023 10:57	0			
8/28/2023 10:58	0			
8/28/2023 10:59	0			

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:00	0		0	
8/28/2023 11:01	0		0	
8/28/2023 11:02	0		0	
8/28/2023 11:03	0		0	
8/28/2023 11:04	0		0	
8/28/2023 11:05	0		0	
8/28/2023 11:06	0		0	
8/28/2023 11:07	0		0	
8/28/2023 11:08	0		0	
8/28/2023 11:09	0		0	
8/28/2023 11:10	0		0	
8/28/2023 11:11	0		0	
8/28/2023 11:12	0		0	
8/28/2023 11:13	0		0	
8/28/2023 11:14	0		0	
8/28/2023 11:15	0		0	
8/28/2023 11:16	0		0	
8/28/2023 11:17	0		0	
8/28/2023 11:18	0		0	
8/28/2023 11:19	0		0	
8/28/2023 11:20	0		0	
8/28/2023 11:21	0		0	
8/28/2023 11:22	0		0	
8/28/2023 11:23	0		0	
8/28/2023 11:24	0		0	
8/28/2023 11:25	0		0	
8/28/2023 11:26	28		1	
8/28/2023 11:27	39		4	
8/28/2023 11:28	39		7	
8/28/2023 11:29	39		9	
8/28/2023 11:30	40		12	
8/28/2023 11:31	40		15	
8/28/2023 11:32	39		17	
8/28/2023 11:33	39		20	
8/28/2023 11:34	39		22	
8/28/2023 11:35	39		25	
8/28/2023 11:36	39		28	
8/28/2023 11:37	40		30	
8/28/2023 11:38	40		33	
8/28/2023 11:39	39		35	
8/28/2023 11:40	40		38	
8/28/2023 11:41	42		39	
8/28/2023 11:42	40		39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:43	39		39	
8/28/2023 11:44	40		39	
8/28/2023 11:45	40		39	
8/28/2023 11:46	40		39	
8/28/2023 11:47	40		39	
8/28/2023 11:48	40		39	
8/28/2023 11:49	40		39	
8/28/2023 11:50	42		40	
8/28/2023 11:51	40		40	
8/28/2023 11:52	41		40	
8/28/2023 11:53	42		40	
8/28/2023 11:54	42		40	
8/28/2023 11:55	42		40	
8/28/2023 11:56	43		40	
8/28/2023 11:57	43		40	
8/28/2023 11:58	43		41	
8/28/2023 11:59	43		41	
8/28/2023 12:00	45		41	
8/28/2023 12:01	45		42	
8/28/2023 12:02	45		42	
8/28/2023 12:03	45		42	
8/28/2023 12:04	46		43	
8/28/2023 12:05	45		43	
8/28/2023 12:06	45		43	
8/28/2023 12:07	47		44	
8/28/2023 12:08	47		44	
8/28/2023 12:09	48		44	
8/28/2023 12:10	47		45	
8/28/2023 12:11	48		45	
8/28/2023 12:12	48		45	
8/28/2023 12:13	48		46	
8/28/2023 12:14	47		46	
8/28/2023 12:15	48		46	
8/28/2023 12:16	48		46	
8/28/2023 12:17	50		47	
8/28/2023 12:18	49		47	
8/28/2023 12:19	48		47	
8/28/2023 12:20	48		47	
8/28/2023 12:21	51		48	
8/28/2023 12:22	53		48	
8/28/2023 12:23	49		48	
8/28/2023 12:24	50		48	
8/28/2023 12:25	49		48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:26	48		48	
8/28/2023 12:27	49		49	
8/28/2023 12:28	49		49	
8/28/2023 12:29	49		49	
8/28/2023 12:30	49		49	
8/28/2023 12:31	48		49	
8/28/2023 12:32	49		49	
8/28/2023 12:33	49		49	
8/28/2023 12:34	48		49	
8/28/2023 12:35	47		49	
8/28/2023 12:36	47		48	
8/28/2023 12:37	47		48	
8/28/2023 12:38	47		48	
8/28/2023 12:39	46		48	
8/28/2023 12:40	46		47	
8/28/2023 12:41	46		47	
8/28/2023 12:42	45		47	
8/28/2023 12:43	45		47	
8/28/2023 12:44	45		46	
8/28/2023 12:45	44		46	
8/28/2023 12:46	44		46	
8/28/2023 12:47	44		46	
8/28/2023 12:48	45		45	
8/28/2023 12:49	44		45	
8/28/2023 12:50	45		45	
8/28/2023 12:51	45		45	
8/28/2023 12:52	46		45	
8/28/2023 12:53	46		45	
8/28/2023 12:54	46		45	
8/28/2023 12:55	45		45	
8/28/2023 12:56	46		45	
8/28/2023 12:57	48		45	
8/28/2023 12:58	48		45	
8/28/2023 12:59	47		45	
8/28/2023 13:00	47		45	0.0018209
8/28/2023 13:01	47		45	
8/28/2023 13:02	50		46	
8/28/2023 13:03	47		46	
8/28/2023 13:04	47		46	
8/28/2023 13:05	48		46	
8/28/2023 13:06	47		47	
8/28/2023 13:07	48		47	
8/28/2023 13:08	48		47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:09	48		47	
8/28/2023 13:10	48		47	
8/28/2023 13:11	48		47	
8/28/2023 13:12	48		47	
8/28/2023 13:13	48		47	
8/28/2023 13:14	48		47	
8/28/2023 13:15	49		47	
8/28/2023 13:16	49		48	
8/28/2023 13:17	49		48	
8/28/2023 13:18	49		48	
8/28/2023 13:19	49		48	
8/28/2023 13:20	49		48	
8/28/2023 13:21	49		48	
8/28/2023 13:22	49		48	
8/28/2023 13:23	50		48	
8/28/2023 13:24	50		48	
8/28/2023 13:25	49		48	
8/28/2023 13:26	49		48	
8/28/2023 13:27	51		49	
8/28/2023 13:28	52		49	
8/28/2023 13:29	50		49	
8/28/2023 13:30	50		49	
8/28/2023 13:31	50		49	
8/28/2023 13:32	50		49	
8/28/2023 13:33	50		49	
8/28/2023 13:34	49		49	
8/28/2023 13:35	50		49	
8/28/2023 13:36	49		49	
8/28/2023 13:37	49		49	
8/28/2023 13:38	49		49	
8/28/2023 13:39	49		49	
8/28/2023 13:40	49		49	
8/28/2023 13:41	48		49	
8/28/2023 13:42	48		49	
8/28/2023 13:43	49		49	
8/28/2023 13:44	49		49	
8/28/2023 13:45	48		49	
8/28/2023 13:46	48		48	
8/28/2023 13:47	48		48	
8/28/2023 13:48	48		48	
8/28/2023 13:49	48		48	
8/28/2023 13:50	49		48	
8/28/2023 13:51	48		48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:52	48		48	
8/28/2023 13:53	48		48	
8/28/2023 13:54	49		48	
8/28/2023 13:55	49		48	
8/28/2023 13:56	49		48	
8/28/2023 13:57	49		48	
8/28/2023 13:58	51		48	
8/28/2023 13:59	51		48	
8/28/2023 14:00	49		48	0.0034063
8/28/2023 14:01	49		48	
8/28/2023 14:02	50		49	
8/28/2023 14:03	49		49	
8/28/2023 14:04	49		49	
8/28/2023 14:05	48		49	
8/28/2023 14:06	48		49	
8/28/2023 14:07	48		49	
8/28/2023 14:08	48		49	
8/28/2023 14:09	48		49	
8/28/2023 14:10	49		49	
8/28/2023 14:11	49		49	
8/28/2023 14:12	52		49	
8/28/2023 14:13	50		49	
8/28/2023 14:14	51		49	
8/28/2023 14:15	51		49	
8/28/2023 14:16	51		49	
8/28/2023 14:17	52		49	
8/28/2023 14:18	52		49	
8/28/2023 14:19	52		49	
8/28/2023 14:20	52		50	
8/28/2023 14:21	54		50	
8/28/2023 14:22	52		50	
8/28/2023 14:23	53		51	
8/28/2023 14:24	52		51	
8/28/2023 14:25	54		51	
8/28/2023 14:26	52		52	
8/28/2023 14:27	51		51	
8/28/2023 14:28	51		52	
8/28/2023 14:29	51		52	
8/28/2023 14:30	51		52	
8/28/2023 14:31	51		52	
8/28/2023 14:32	51		51	
8/28/2023 14:33	50		51	
8/28/2023 14:34	50		51	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:35	51		51	
8/28/2023 14:36	50		51	
8/28/2023 14:37	51		51	
8/28/2023 14:38	51		51	
8/28/2023 14:39	52		51	
8/28/2023 14:40	51		50	
8/28/2023 14:41	51		50	
8/28/2023 14:42	51		50	
8/28/2023 14:43	51		50	
8/28/2023 14:44	51		50	
8/28/2023 14:45	51		50	
8/28/2023 14:46	50		50	
8/28/2023 14:47	50		50	
8/28/2023 14:48	50		50	
8/28/2023 14:49	50		50	
8/28/2023 14:50	50		50	
8/28/2023 14:51	50		50	
8/28/2023 14:52	51		50	
8/28/2023 14:53	54		50	
8/28/2023 14:54				
8/28/2023 14:54				
8/28/2023 14:55				
8/28/2023 14:57	4		46	
8/28/2023 14:58	4		42	
8/28/2023 14:59	6		39	
8/28/2023 15:00	1		35	0.0052605
8/28/2023 15:01	1		30	
8/28/2023 15:02	0		26	
8/28/2023 15:03	0		22	
8/28/2023 15:04	0		18	
8/28/2023 15:05	0		14	
8/28/2023 15:06	2		10	
8/28/2023 15:07	0		6	
8/28/2023 15:08	0		1	
8/28/2023 15:09	0		1	
8/28/2023 15:10	0		1	
8/28/2023 15:11	0		1	
8/28/2023 15:12	0		0	
8/28/2023 15:13	0		0	
8/28/2023 15:14	0		0	
8/28/2023 15:15	0		0	
8/28/2023 15:16	0		0	
8/28/2023 15:17	0		0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:18	0		0	
8/28/2023 15:19	0		0	
8/28/2023 15:20	0		0	
8/28/2023 15:21	0		0	
8/28/2023 15:22	0		0	
8/28/2023 15:23	0		0	
8/28/2023 15:24	0		0	
8/28/2023 15:25	0		0	
8/28/2023 15:26	0		0	
8/28/2023 15:27	28		1	
8/28/2023 15:28	46		4	
8/28/2023 15:29	47		8	
8/28/2023 15:30	47		11	
8/28/2023 15:31	46		14	
8/28/2023 15:32	46		17	
8/28/2023 15:33	46		20	
8/28/2023 15:34	46		23	
8/28/2023 15:35	48		26	
8/28/2023 15:36	46		29	
8/28/2023 15:37	45		32	
8/28/2023 15:38	45		35	
8/28/2023 15:39	46		38	
8/28/2023 15:40	46		41	
8/28/2023 15:41	45		44	
8/28/2023 15:42	45		46	
8/28/2023 15:43	46		46	
8/28/2023 15:44	45		45	
8/28/2023 15:45	46		45	
8/28/2023 15:46	45		45	
8/28/2023 15:47	46		45	
8/28/2023 15:48	46		45	
8/28/2023 15:49	47		45	
8/28/2023 15:50	46		45	
8/28/2023 15:51	46		45	
8/28/2023 15:52	45		45	
8/28/2023 15:53	47		45	
8/28/2023 15:54	46		45	
8/28/2023 15:55	47		45	
8/28/2023 15:56	45		45	
8/28/2023 15:57	46		45	
8/28/2023 15:58	45		45	
8/28/2023 15:59	45		45	
8/28/2023 16:00	46		45	0.0047176

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 16:01	49		46	
8/28/2023 16:02	46		46	
8/28/2023 16:03	45		46	
8/28/2023 16:04	45		45	
8/28/2023 16:05	45		45	
8/28/2023 16:06	45		45	
8/28/2023 16:07	46		45	
8/28/2023 16:08	45		45	
8/28/2023 16:09	45		45	
8/28/2023 16:10	46		45	
8/28/2023 16:11	45		45	
8/28/2023 16:12	45		45	
8/28/2023 16:13	45		45	
8/28/2023 16:14	45		45	
8/28/2023 16:15	45		45	
8/28/2023 16:16	45		45	
8/28/2023 16:17	45		45	
8/28/2023 16:18	45		45	
8/28/2023 16:19	46		45	
8/28/2023 16:20	46		45	
8/28/2023 16:21	45		45	
8/28/2023 16:22	45		45	
8/28/2023 16:23	45		45	
8/28/2023 16:24	46		45	
8/28/2023 16:25	46		45	
8/28/2023 16:26	45		45	
8/28/2023 16:27	46		45	
8/28/2023 16:28	45		45	
8/28/2023 16:29	46		45	
8/28/2023 16:30	49		45	
8/28/2023 16:30				
Min	1	-0.013		
Max	54	0.004		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 8:23				
8/28/2023 8:25		0.046		
8/28/2023 8:26		0.069		
8/28/2023 8:27		0.049		
8/28/2023 8:28		0.047		
8/28/2023 8:29		0.047		
8/28/2023 8:30		0.046		
8/28/2023 8:31		0.046		
8/28/2023 8:32		0.046		
8/28/2023 8:33		0.045		
8/28/2023 8:34		0.045		
8/28/2023 8:35		0.045		
8/28/2023 8:36		0.045		
8/28/2023 8:37		0.045		
8/28/2023 8:38		0.044		
8/28/2023 8:39		0.044		
8/28/2023 8:40		0.044		
8/28/2023 8:41		0.044		
8/28/2023 8:42		0.045		
8/28/2023 8:43		0.045		
8/28/2023 8:44		0.044		
8/28/2023 8:45		0.044		
8/28/2023 8:46		0.044		
8/28/2023 8:47		0.045		
8/28/2023 8:48		0.044		
8/28/2023 8:49		0.044		
8/28/2023 8:50		0.043		
8/28/2023 8:51		0.044		
8/28/2023 8:52		0.045		
8/28/2023 8:53		0.044		
8/28/2023 8:54		0.044		
8/28/2023 8:55		0.045		
8/28/2023 8:56		0.044		
8/28/2023 8:57		0.045		
8/28/2023 8:58		0.044		
8/28/2023 8:59		0.044		
8/28/2023 9:00		0.043		
8/28/2023 9:01		0.044		
8/28/2023 9:02		0.045		
8/28/2023 9:03		0.044		
8/28/2023 9:04		0.044		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:05		0.044		
8/28/2023 9:06		0.044		
8/28/2023 9:07		0.044		
8/28/2023 9:08		0.044		
8/28/2023 9:09		0.044		
8/28/2023 9:10		0.044		
8/28/2023 9:11		0.045		
8/28/2023 9:12		0.047		
8/28/2023 9:13		0.045		
8/28/2023 9:14		0.046		
8/28/2023 9:15		0.048		
8/28/2023 9:16		0.045		
8/28/2023 9:17		0.044		
8/28/2023 9:18		0.044		
8/28/2023 9:19		0.044		
8/28/2023 9:20		0.043		
8/28/2023 9:21		0.043		
8/28/2023 9:22		0.043		
8/28/2023 9:23		0.043		
8/28/2023 9:24		0.042		
8/28/2023 9:25		0.042		
8/28/2023 9:26		0.042		
8/28/2023 9:27		0.042		
8/28/2023 9:28		0.042		
8/28/2023 9:29		0.042		
8/28/2023 9:30		0.042		
8/28/2023 9:31		0.128		
8/28/2023 9:32		0.053		
8/28/2023 9:33		0.043		
8/28/2023 9:34		0.043		
8/28/2023 9:35		0.042		
8/28/2023 9:36		0.042		
8/28/2023 9:37		0.042		
8/28/2023 9:38		0.042		
8/28/2023 9:39		0.043		
8/28/2023 9:40		0.042		
8/28/2023 9:41		0.041		
8/28/2023 9:42		0.042		
8/28/2023 9:43		0.042		
8/28/2023 9:44		0.041		
8/28/2023 9:45		0.041		
8/28/2023 9:46		0.042		
8/28/2023 9:47		0.042		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 9:48		0.041		
8/28/2023 9:49		0.041		
8/28/2023 9:50		0.041		
8/28/2023 9:51		0.042		
8/28/2023 9:52		0.042		
8/28/2023 9:53		0.041		
8/28/2023 9:54		0.041		
8/28/2023 9:55		0.042		
8/28/2023 9:56		0.042		
8/28/2023 9:57		0.044		
8/28/2023 9:58		0.041		
8/28/2023 9:59		0.041		
8/28/2023 10:00		0.042		
8/28/2023 10:01		0.04		
8/28/2023 10:02		0.041		
8/28/2023 10:03		0.041		
8/28/2023 10:04		0.041		
8/28/2023 10:05		0.042		
8/28/2023 10:06		0.042		
8/28/2023 10:07		0.041		
8/28/2023 10:08		0.04		
8/28/2023 10:09		0.039		
8/28/2023 10:10		0.04		
8/28/2023 10:11		0.039		
8/28/2023 10:12		0.041		
8/28/2023 10:13		0.04		
8/28/2023 10:14		0.039		
8/28/2023 10:15		0.039		
8/28/2023 10:16		0.041		
8/28/2023 10:17		0.04		
8/28/2023 10:18		0.04		
8/28/2023 10:19		0.04		
8/28/2023 10:20		0.04		
8/28/2023 10:21		0.04		
8/28/2023 10:22		0.043		
8/28/2023 10:23		0.041		
8/28/2023 10:24		0.039		
8/28/2023 10:25		0.038		
8/28/2023 10:26		0.039		
8/28/2023 10:27		0.039		
8/28/2023 10:28		0.038		
8/28/2023 10:29		0.037		
8/28/2023 10:30		0.037		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 10:31		0.038		
8/28/2023 10:32		0.039		
8/28/2023 10:33		0.039		
8/28/2023 10:34		0.047		
8/28/2023 10:35		0.045		
8/28/2023 10:36		0.042		
8/28/2023 10:37		0.038		
8/28/2023 10:38		0.038		
8/28/2023 10:39		0.039		
8/28/2023 10:40		0.038		
8/28/2023 10:41		0.038		
8/28/2023 10:42		0.037		
8/28/2023 10:43		0.037		
8/28/2023 10:44		0.038		
8/28/2023 10:45		0.037		
8/28/2023 10:45				
8/28/2023 10:46		0.031		
8/28/2023 10:47		0.036		
8/28/2023 10:48		0.036		
8/28/2023 10:49		0.04		
8/28/2023 10:50		0.037		
8/28/2023 10:51		0.037		
8/28/2023 10:52		0.036		
8/28/2023 10:53		0.036		
8/28/2023 10:54		0.036		
8/28/2023 10:54				
8/28/2023 10:55				
8/28/2023 10:56	35			
8/28/2023 10:57	36			
8/28/2023 10:58	37			
8/28/2023 10:59	36			
8/28/2023 11:00	36			36
8/28/2023 11:01	35			35
8/28/2023 11:02	37			36
8/28/2023 11:03	38			36
8/28/2023 11:04	36			36
8/28/2023 11:05	35			36
8/28/2023 11:06	35			36
8/28/2023 11:07	36			36
8/28/2023 11:08	36			36
8/28/2023 11:09	36			36
8/28/2023 11:10	35			35
8/28/2023 11:11	40			36

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:12	37		36	
8/28/2023 11:13	38		36	
8/28/2023 11:14	37		36	
8/28/2023 11:15	41		36	
8/28/2023 11:16	35		36	
8/28/2023 11:17	35		36	
8/28/2023 11:18	34		36	
8/28/2023 11:19	34		36	
8/28/2023 11:20	36		36	
8/28/2023 11:21	36		36	
8/28/2023 11:22	36		36	
8/28/2023 11:23	35		36	
8/28/2023 11:24	36		36	
8/28/2023 11:25	37		36	
8/28/2023 11:26	37		36	
8/28/2023 11:27	38		36	
8/28/2023 11:28	37		36	
8/28/2023 11:29	37		36	
8/28/2023 11:30	37		36	
8/28/2023 11:31	37		36	
8/28/2023 11:32	36		36	
8/28/2023 11:33	37		36	
8/28/2023 11:34	37		36	
8/28/2023 11:35	37		36	
8/28/2023 11:36	37		36	
8/28/2023 11:37	37		36	
8/28/2023 11:38	37		36	
8/28/2023 11:39	36		36	
8/28/2023 11:40	37		36	
8/28/2023 11:41	37		36	
8/28/2023 11:42	36		36	
8/28/2023 11:43	37		36	
8/28/2023 11:44	37		36	
8/28/2023 11:45	37		36	
8/28/2023 11:46	38		36	
8/28/2023 11:47	38		37	
8/28/2023 11:48	37		37	
8/28/2023 11:49	38		37	
8/28/2023 11:50	39		37	
8/28/2023 11:51	39		37	
8/28/2023 11:52	47		38	
8/28/2023 11:53	39		38	
8/28/2023 11:54	40		38	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 11:55	40		38	
8/28/2023 11:56	40		38	
8/28/2023 11:57	41		39	
8/28/2023 11:58	40		39	
8/28/2023 11:59	41		39	
8/28/2023 12:00	42		39	
8/28/2023 12:01	43		40	
8/28/2023 12:02	41		40	
8/28/2023 12:03	44		40	
8/28/2023 12:04	46		41	
8/28/2023 12:05	44		41	
8/28/2023 12:06	45		42	
8/28/2023 12:07	44		42	
8/28/2023 12:08	45		42	
8/28/2023 12:09	45		42	
8/28/2023 12:10	45		43	
8/28/2023 12:11	46		43	
8/28/2023 12:12	45		43	
8/28/2023 12:13	45		44	
8/28/2023 12:14	45		44	
8/28/2023 12:15	45		44	
8/28/2023 12:16	46		44	
8/28/2023 12:17	47		45	
8/28/2023 12:18	44		45	
8/28/2023 12:19	46		45	
8/28/2023 12:20	45		45	
8/28/2023 12:21	45		45	
8/28/2023 12:22	45		45	
8/28/2023 12:23	45		45	
8/28/2023 12:24	46		45	
8/28/2023 12:25	45		45	
8/28/2023 12:26	45		45	
8/28/2023 12:27	45		45	
8/28/2023 12:28	45		45	
8/28/2023 12:29	45		45	
8/28/2023 12:30	45		45	
8/28/2023 12:31	45		45	
8/28/2023 12:32	45		45	
8/28/2023 12:33	44		45	
8/28/2023 12:34	44		44	
8/28/2023 12:35	43		44	
8/28/2023 12:36	43		44	
8/28/2023 12:37	43		44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 12:38	43		44	
8/28/2023 12:39	43		44	
8/28/2023 12:40	43		44	
8/28/2023 12:41	41		43	
8/28/2023 12:42	41		43	
8/28/2023 12:43	40		43	
8/28/2023 12:44	40		42	
8/28/2023 12:45	40		42	
8/28/2023 12:46	40		42	
8/28/2023 12:47	41		41	
8/28/2023 12:48	40		41	
8/28/2023 12:49	41		41	
8/28/2023 12:50	41		41	
8/28/2023 12:51	40		41	
8/28/2023 12:52	41		41	
8/28/2023 12:53	41		40	
8/28/2023 12:54	42		40	
8/28/2023 12:55	42		40	
8/28/2023 12:56	41		40	
8/28/2023 12:57	43		40	
8/28/2023 12:58	44		41	
8/28/2023 12:59	43		41	
8/28/2023 13:00	43		41	0.0052763
8/28/2023 13:01	43		41	
8/28/2023 13:02	43		41	
8/28/2023 13:03	47		42	
8/28/2023 13:04	44		42	
8/28/2023 13:05	43		42	
8/28/2023 13:06	43		42	
8/28/2023 13:07	45		43	
8/28/2023 13:08	46		43	
8/28/2023 13:09	43		43	
8/28/2023 13:10	45		43	
8/28/2023 13:11	51		44	
8/28/2023 13:12	48		44	
8/28/2023 13:13	44		44	
8/28/2023 13:14	43		44	
8/28/2023 13:15	48		45	
8/28/2023 13:16	66		46	
8/28/2023 13:17	52		47	
8/28/2023 13:18	46		47	
8/28/2023 13:19	45		47	
8/28/2023 13:20	45		47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 13:21	44		47	
8/28/2023 13:22	44		47	
8/28/2023 13:23	44		47	
8/28/2023 13:24	45		47	
8/28/2023 13:25	45		47	
8/28/2023 13:26	45		46	
8/28/2023 13:27	46		46	
8/28/2023 13:28	45		46	
8/28/2023 13:29	45		47	
8/28/2023 13:30	44		46	
8/28/2023 13:31	44		45	
8/28/2023 13:32	45		44	
8/28/2023 13:33	45		44	
8/28/2023 13:34	44		44	
8/28/2023 13:35	44		44	
8/28/2023 13:36	43		44	
8/28/2023 13:37	44		44	
8/28/2023 13:38	44		44	
8/28/2023 13:39	43		44	
8/28/2023 13:40	43		44	
8/28/2023 13:41	42		44	
8/28/2023 13:42	43		43	
8/28/2023 13:43	45		43	
8/28/2023 13:44	44		43	
8/28/2023 13:45	45		43	
8/28/2023 13:46	43		43	
8/28/2023 13:47	45		43	
8/28/2023 13:48	44		43	
8/28/2023 13:49	43		43	
8/28/2023 13:50	45		43	
8/28/2023 13:51	44		43	
8/28/2023 13:52	44		43	
8/28/2023 13:53	44		43	
8/28/2023 13:54	44		43	
8/28/2023 13:55	44		43	
8/28/2023 13:56	46		44	
8/28/2023 13:57	45		44	
8/28/2023 13:58	48		44	
8/28/2023 13:59	45		44	
8/28/2023 14:00	44		44	0.006633
8/28/2023 14:01	45		44	
8/28/2023 14:02	45		44	
8/28/2023 14:03	45		44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:04	44		44	
8/28/2023 14:05	43		44	
8/28/2023 14:06	43		44	
8/28/2023 14:07	42		44	
8/28/2023 14:08	44		44	
8/28/2023 14:09	44		44	
8/28/2023 14:10	44		44	
8/28/2023 14:11	76		46	
8/28/2023 14:12	45		46	
8/28/2023 14:13	48		46	
8/28/2023 14:14	46		46	
8/28/2023 14:15	51		47	
8/28/2023 14:16	47		47	
8/28/2023 14:17	47		47	
8/28/2023 14:18	47		47	
8/28/2023 14:19	49		47	
8/28/2023 14:20	48		48	
8/28/2023 14:21	48		48	
8/28/2023 14:22	48		48	
8/28/2023 14:23	65		50	
8/28/2023 14:24	93		53	
8/28/2023 14:25	51		53	
8/28/2023 14:26	48		52	
8/28/2023 14:27	49		52	
8/28/2023 14:28	46		52	
8/28/2023 14:29	48		52	
8/28/2023 14:30	46		52	
8/28/2023 14:31	47		52	
8/28/2023 14:32	48		52	
8/28/2023 14:33	54		52	
8/28/2023 14:34	48		52	
8/28/2023 14:35	47		52	
8/28/2023 14:36	47		52	
8/28/2023 14:37	47		52	
8/28/2023 14:38	48		51	
8/28/2023 14:39	54		48	
8/28/2023 14:40	48		48	
8/28/2023 14:41	51		48	
8/28/2023 14:42	52		48	
8/28/2023 14:43	47		48	
8/28/2023 14:44	48		48	
8/28/2023 14:45	48		48	
8/28/2023 14:46	50		49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 14:47	45		48	
8/28/2023 14:48	48		48	
8/28/2023 14:49	44		48	
8/28/2023 14:50	46		48	
8/28/2023 14:51	45		48	
8/28/2023 14:52	45		47	
8/28/2023 14:53	44		47	
8/28/2023 14:54	45		47	
8/28/2023 14:55	46		46	
8/28/2023 14:56	48		46	
8/28/2023 14:57	44		46	
8/28/2023 14:58	47		46	
8/28/2023 15:00				0.0084336
8/28/2023 15:00				
8/28/2023 15:02	0		41	
8/28/2023 15:03	0		37	
8/28/2023 15:04	0		34	
8/28/2023 15:05	0		30	
8/28/2023 15:06	48		30	
8/28/2023 15:07	47		30	
8/28/2023 15:08	48		31	
8/28/2023 15:09	50		31	
8/28/2023 15:10	46		31	
8/28/2023 15:11	46		31	
8/28/2023 15:12	45		31	
8/28/2023 15:13	47		31	
8/28/2023 15:14	47		32	
8/28/2023 15:15	48		33	
8/28/2023 15:16	45		34	
8/28/2023 15:17	46		37	
8/28/2023 15:18	45		40	
8/28/2023 15:19	46		43	
8/28/2023 15:20	46		46	
8/28/2023 15:21	47		46	
8/28/2023 15:22	49		46	
8/28/2023 15:23	47		46	
8/28/2023 15:24	45		46	
8/28/2023 15:25	45		46	
8/28/2023 15:26	45		46	
8/28/2023 15:27	44		46	
8/28/2023 15:28	45		46	
8/28/2023 15:29	44		45	
8/28/2023 15:30	46		45	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 15:31	46		45	
8/28/2023 15:32	58		46	
8/28/2023 15:33	48		46	
8/28/2023 15:34	45		46	
8/28/2023 15:35	59		47	
8/28/2023 15:36	45		47	
8/28/2023 15:37	45		47	
8/28/2023 15:38	44		46	
8/28/2023 15:39	46		47	
8/28/2023 15:40	43		46	
8/28/2023 15:41	44		46	
8/28/2023 15:42	43		46	
8/28/2023 15:43	45		46	
8/28/2023 15:44	45		46	
8/28/2023 15:45	44		46	
8/28/2023 15:46	45		46	
8/28/2023 15:47	44		45	
8/28/2023 15:48	44		45	
8/28/2023 15:49	82		47	
8/28/2023 15:50	47		47	
8/28/2023 15:51	44		47	
8/28/2023 15:52	44		46	
8/28/2023 15:53	52		47	
8/28/2023 15:54	46		47	
8/28/2023 15:55	44		47	
8/28/2023 15:56	44		47	
8/28/2023 15:57	44		47	
8/28/2023 15:58	45		47	
8/28/2023 15:59	45		47	
8/28/2023 16:00	44		47	0.0076704
8/28/2023 16:01	44		47	
8/28/2023 16:02	44		47	
8/28/2023 16:03	44		47	
8/28/2023 16:04	44		45	
8/28/2023 16:05	44		44	
8/28/2023 16:06	44		44	
8/28/2023 16:07	46		44	
8/28/2023 16:08	44		44	
8/28/2023 16:09	45		44	
8/28/2023 16:10	44		44	
8/28/2023 16:11	45		44	
8/28/2023 16:12	44		44	
8/28/2023 16:13	43		44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total (mg/m^3)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/28/2023 16:14	43		44	
8/28/2023 16:15	44		44	
8/28/2023 16:16	44		44	
8/28/2023 16:17	44		44	
8/28/2023 16:18	44		44	
8/28/2023 16:19	44		44	
8/28/2023 16:20	43		44	
8/28/2023 16:21	44		44	
8/28/2023 16:22	43		43	
8/28/2023 16:23	44		43	
8/28/2023 16:24	43		43	
8/28/2023 16:25	44		43	
8/28/2023 16:26	44		43	
8/28/2023 16:27	44		43	
8/28/2023 16:28	44		43	
8/28/2023 16:29	46		43	
8/28/2023 16:30	54		44	
8/28/2023 16:31	51		45	
8/28/2023 16:32	45		45	
8/28/2023 16:33	45		45	
8/28/2023 16:34	43		45	
8/28/2023 16:35	44		45	
Min	34	0.031		
Max	93	0.128		

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 7:00												
8/29/2023 7:21	15.6	60.1	84.7	1017	1017	6	3.2	176.4	176.4	58	58	
8/29/2023 7:22	15.5	59.9	85	1017	1017	6	3	175.3	175.85	58	58	
8/29/2023 7:23	15.5	59.9	85.2	1017	1017	6	2.9	173.3	175	58	58	
8/29/2023 7:24	15.5	59.9	85.4	1017	1017	6	3	174	174.75	58	58	
8/29/2023 7:25	15.5	59.9	85.6	1017	1017	6	2.6	169.8	173.76	58	58	
8/29/2023 7:26	15.5	59.9	85.7	1017	1017	6	2.3	166.7	172.58	59	58	
8/29/2023 7:27	15.6	60	85.7	1017	1017	6	2.1	160.1	170.8	57	58	
8/29/2023 7:28	15.6	60.1	85.8	1017	1017	5.9	1.8	157.2	169.1	62	58	
8/29/2023 7:29	15.6	60.1	85.7	1017	1017	5.9	1.6	150	166.98	61	58	
8/29/2023 7:30	15.6	60.1	85.6	1017	1017	5.9	1.6	148.6	165.14	61	59	
8/29/2023 7:31	15.6	60.1	85.7	1017	1017	5.9	1.7	141.8	163.02	61	59	
8/29/2023 7:32	15.6	60.1	85.5	1017	1017	4.7	1.7	137.6	160.9	60	59	
8/29/2023 7:33	15.7	60.3	85.5	1017	1017	4.6	1.6	124.4	158.09	58	59	
8/29/2023 7:34	15.7	60.3	85.4	1017	1017	4.7	1.7	127.2	155.89	56	58	
8/29/2023 7:35	15.7	60.3	85.4	1017	1017	4.7	1.8	127.9	154.02	56	58	
8/29/2023 7:36	15.8	60.4	85.4	1017	1017	4.7	1.8	131.6	151.03	55	58	
8/29/2023 7:37	15.8	60.4	85	1017	1017	4.7	1.8	129.7	147.99	55	58	
8/29/2023 7:38	15.8	60.5	84.9	1017	1017	4.7	1.8	131.2	145.19	56	58	
8/29/2023 7:39	15.9	60.6	84.8	1017	1017	4.7	1.7	133.2	142.47	56	58	
8/29/2023 7:40	15.9	60.6	84.8	1017	1017	4.7	1.7	135.7	140.19	55	57	
8/29/2023 7:41	16	60.8	84.7	1017	1017	4.7	1.6	139	138.35	55	57	
8/29/2023 7:42	16	60.8	84.6	1017	1017	4.7	1.5	143.1	137.21	56	57	
8/29/2023 7:43	16	60.8	84.5	1017	1017	5.8	1.5	140	136.07	55	57	
8/29/2023 7:44	16.1	61	84.5	1017	1017	5.8	1.6	135.5	135.1	54	56	
8/29/2023 7:45	16.1	61	84.4	1017	1017	5.8	1.6	132.1	134	54	56	
8/29/2023 7:46	16.2	61.2	84.5	1017	1017	5.8	1.6	131.3	133.3	54	55	
8/29/2023 7:47	16.3	61.3	84.1	1017	1017	5.8	1.6	129.3	132.75	54	55	
8/29/2023 7:48	16.3	61.4	84.1	1017	1017	5.7	1.8	135.4	133.48	56	55	
8/29/2023 7:49	16.3	61.4	84.3	1017	1017	5.7	2.1	140.5	134.37	57	55	
8/29/2023 7:50	16.4	61.6	84.5	1017	1017	8.9	2.3	147	135.64	59	55	
8/29/2023 7:51	16.4	61.6	84.5	1017	1017	8.9	2.7	153.9	137.13	62	55	
8/29/2023 7:52	16.4	61.6	84.6	1017	1017	8.9	2.8	159.8	139.13	59	56	
8/29/2023 7:53	16.5	61.7	84.8	1017	1017	8.9	3	168.9	141.65	58	56	
8/29/2023 7:54	16.5	61.6	84.6	1017	1017	9.5	3.8	174.9	144.43	53	56	
8/29/2023 7:55	16.4	61.5	84.8	1017	1017	9.5	4.2	176.9	147.17	56	56	
8/29/2023 7:56	16.4	61.6	85	1017	1017	9.5	4.6	178.6	149.81	62	56	
8/29/2023 7:57	16.4	61.6	85	1017	1017	9.5	4.7	179.1	152.21	57	56	
8/29/2023 7:58	16.4	61.5	85	1017	1017	9.5	4.9	179.9	154.87	55	56	
8/29/2023 7:59	16.4	61.6	85.1	1017	1017	9.5	5.1	180.2	157.85	53	56	
8/29/2023 8:00	16.4	61.5	85.2	1017	1017	9.5	5	179.6	161.02	55	56	0.003539
8/29/2023 8:01	16.4	61.5	85.2	1017	1017	9.5	5.2	179.3	164.22	57	56	
8/29/2023 8:02	16.5	61.6	85.2	1017	1017	9.5	5.2	179.4	167.56	57	57	
8/29/2023 8:03	16.5	61.7	85.2	1017	1017	8.3	5	179.2	170.48	61	57	
8/29/2023 8:04	16.5	61.7	84.9	1017	1017	8.3	4.9	178.9	173.04	58	57	
8/29/2023 8:05	16.5	61.7	84.9	1017	1017	8.3	4.8	179	175.17	67	58	
8/29/2023 8:06	16.5	61.7	85.1	1017	1017	8.3	4.7	178.5	176.81	66	58	
8/29/2023 8:07	16.5	61.7	84.9	1017	1017	7.8	4.5	178.8	178.08	62	58	
8/29/2023 8:08	16.5	61.7	84.9	1017	1017	7.5	4.1	177.6	178.66	61	58	
8/29/2023 8:09	16.5	61.7	84.8	1017	1017	7.5	4	177.8	178.85	54	58	
8/29/2023 8:10	16.5	61.7	84.9	1017	1017	6.8	3.8	178.3	178.95	56	58	
8/29/2023 8:11	16.5	61.7	84.4	1017	1017	6.5	3.5	177.2	178.85	51	58	
8/29/2023 8:12	16.4	61.5	84.1	1017	1017	6.5	3.2	177.2	178.73	48	57	
8/29/2023 8:13	16.4	61.5	84.2	1017	1017	6	2.5	179	178.67	48	56	
8/29/2023 8:14	16.5	61.7	84.1	1017	1017	6.1	2.3	178.7	178.57	48	56	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 8:15	16.5	61.7	83.9	1017	1017	6.1	2	178.9	178.52	48	56	
8/29/2023 8:16	16.5	61.7	83.8	1017	1017	6.1	1.7	179.6	178.54	48	55	
8/29/2023 8:17	16.5	61.7	83.7	1017	1017	6.1	1.6	181.4	178.67	47	54	
8/29/2023 8:18	16.6	61.9	83.6	1017	1017	5.6	1.4	183.2	178.94	47	53	
8/29/2023 8:19	16.6	61.9	83.6	1017	1017	5.6	1.2	185.7	179.39	48	53	
8/29/2023 8:20	16.6	61.9	83.5	1017	1017	3.4	1.1	191	180.19	47	51	
8/29/2023 8:21	16.6	61.9	83.4	1017	1017	3.4	1	188.4	180.85	49	50	
8/29/2023 8:22	16.6	61.9	83.3	1017	1017	3.5	1.1	185.4	181.29	50	50	
8/29/2023 8:23	16.7	62	83.5	1017	1017	3.5	1.2	179	181.39	52	49	
8/29/2023 8:24	16.6	61.9	83.5	1017	1017	3.5	1.2	180.1	181.54	50	49	
8/29/2023 8:25	16.6	61.9	83.5	1017	1017	5.4	1.3	179	181.59	49	48	
8/29/2023 8:26	16.7	62	83.6	1017	1017	7.3	1.7	178.1	181.65	51	48	
8/29/2023 8:27	16.6	61.9	83.8	1017	1017	7.3	1.9	176.9	181.63	52	48	
8/29/2023 8:28	16.6	61.8	84.2	1017	1017	7.3	2.1	174.6	181.33	53	49	
8/29/2023 8:29	16.6	61.8	84.4	1017	1017	7.3	2.2	172.7	180.93	55	49	
8/29/2023 8:30	16.5	61.8	84.4	1017	1017	7.3	2.4	172.9	180.53	56	50	
8/29/2023 8:31	16.5	61.8	84.7	1017	1017	7.3	2.3	173.6	180.13	52	50	
8/29/2023 8:32	16.6	61.9	84.6	1017	1017	7.3	2.5	173.6	179.61	49	50	
8/29/2023 8:33	16.6	61.9	84.5	1017	1017	7.3	2.6	171.3	178.82	49	50	
8/29/2023 8:34	16.7	62.1	84.4	1017	1017	7.3	2.6	170.6	177.81	49	50	
8/29/2023 8:35	16.8	62.3	83.9	1017	1017	6.3	2.4	169.9	176.41	52	51	
8/29/2023 8:36	16.8	62.3	83.4	1017	1017	6.3	2.5	170.5	175.21	49	51	
8/29/2023 8:37	16.8	62.3	83.7	1017	1017	6.3	2.4	172.1	174.33	50	51	
8/29/2023 8:38	16.9	62.4	83.5	1017	1017	6.3	2.4	172.9	173.92	52	51	
8/29/2023 8:39	17	62.6	83.3	1017	1017	6.3	2.3	171.9	173.37	52	51	
8/29/2023 8:40	17	62.6	82.9	1017	1017	6.3	2.3	170.4	172.8	50	51	
8/29/2023 8:41	17	62.6	83	1017	1017	6.3	2.3	169.4	172.22	50	51	
8/29/2023 8:42	17	62.7	82.7	1017	1017	6.3	1.9	170.2	171.77	48	51	
8/29/2023 8:43	17.1	62.8	82.8	1017	1017	6.3	1.9	165.7	171.18	50	50	
8/29/2023 8:44	17.1	62.8	82.3	1017	1017	5.9	1.8	160.6	170.37	50	50	
8/29/2023 8:45	17.1	62.8	82.1	1017	1017	4.1	1.6	149.7	168.83	49	50	
8/29/2023 8:46	17.1	62.8	82	1017	1017	5.4	1.7	143.6	166.83	50	49	
8/29/2023 8:47	17.1	62.9	82.5	1017	1017	5.4	1.8	140.7	164.63	49	49	
8/29/2023 8:48	17.2	63	81.4	1017	1017	5.4	1.9	143.4	162.77	48	49	
8/29/2023 8:49	17.2	63	81.6	1017	1017	5.4	2	145.1	161.07	47	49	
8/29/2023 8:50	17.2	63	82.2	1017	1017	5.4	2	148.5	159.65	47	49	
8/29/2023 8:51	17.3	63.1	81.3	1017	1017	5.4	2.1	151.9	158.41	48	49	
8/29/2023 8:52	17.3	63.1	81.3	1017	1017	5.4	2.2	155.6	157.31	49	49	
8/29/2023 8:53	17.4	63.3	81.2	1017	1017	5.4	2.2	159.3	156.4	48	49	
8/29/2023 8:54	17.5	63.5	80.8	1017	1017	5.4	2.2	162.7	155.79	48	48	
8/29/2023 8:55	17.6	63.6	80.4	1017	1017	5.4	2.1	168.8	155.68	49	48	
8/29/2023 8:56	17.6	63.7	79.7	1017	1017	5.4	2.2	173	155.92	46	48	
8/29/2023 8:57	17.7	63.8	79.5	1017	1017	5.4	2.1	175	156.24	46	48	
8/29/2023 8:58	17.6	63.7	79.2	1017	1017	5.4	1.9	177.7	157.04	46	48	
8/29/2023 8:59	17.7	63.8	79.1	1017	1017	5.9	2.1	175.5	158.03	46	47	
8/29/2023 9:00	17.6	63.7	78.9	1017	1017	5.9	2.1	175	159.72	46	47	0.006436
8/29/2023 9:01	17.5	63.5	79.3	1017	1017	5.9	2.2	175.7	161.86	46	47	
8/29/2023 9:02	17.5	63.5	79.5	1017	1017	5.9	2.2	176.1	164.22	46	47	
8/29/2023 9:03	17.6	63.6	79.6	1017	1017	5.9	2.1	179.7	166.64	46	46	
8/29/2023 9:04	17.6	63.7	79.3	1017	1017	5.8	2.1	181.6	169.07	48	47	
8/29/2023 9:05	17.6	63.7	78.6	1017	1017	6	2.3	180.5	171.21	46	46	
8/29/2023 9:06	17.6	63.6	79.3	1017	1017	6	2.3	180	173.08	48	46	
8/29/2023 9:07	17.6	63.6	79.3	1017	1017	6	2.3	177.9	174.57	46	46	
8/29/2023 9:08	17.6	63.6	79.3	1017	1017	6	2.3	174.8	175.6	48	46	
8/29/2023 9:09	17.6	63.7	78.6	1017	1017	6	2.2	173.6	176.33	47	46	
8/29/2023 9:10	17.7	63.8	79.1	1017	1017	6	2.2	172.3	176.56	46	46	
8/29/2023 9:11	17.8	64	78.5	1017	1017	6	2.4	174.5	176.66	45	46	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 9:12	17.8	64	77.5	1017	1017	6	2.4	173.3	176.55	46	46	
8/29/2023 9:13	17.8	64	78	1017	1017	6	2.5	172	176.17	47	46	
8/29/2023 9:14	17.8	64	77.9	1017	1017	5.9	2.3	173.2	176.01	46	46	
8/29/2023 9:15	17.9	64.2	78.1	1017	1017	5.9	2.4	173.5	175.91	44	46	
8/29/2023 9:16	18	64.4	78.1	1017	1017	6.7	2.5	173.4	175.76	51	46	
8/29/2023 9:17	18	64.4	77.2	1017	1017	8.1	2.8	177.3	175.84	74	48	
8/29/2023 9:18	18.1	64.6	76.4	1017	1017	8.1	3.1	176.9	175.65	52	48	
8/29/2023 9:19	18.1	64.6	75.8	1017	1017	8.1	3.2	173	175.08	44	48	
8/29/2023 9:20	18	64.4	75.3	1017	1017	8.1	3.3	171.4	174.47	44	48	
8/29/2023 9:21	18	64.4	75.6	1017	1017	8.1	3.7	172.7	173.99	45	48	
8/29/2023 9:22	17.8	64	75.6	1017	1017	8.1	3.7	174.2	173.74	42	48	
8/29/2023 9:23	17.8	64	76.4	1017	1017	8.1	3.8	171.6	173.53	42	47	
8/29/2023 9:24	17.8	64	75.9	1017	1017	8.1	3.5	170	173.29	43	47	
8/29/2023 9:25	18	64.4	75.5	1017	1017	8.1	3.7	169.5	173.1	41	47	
8/29/2023 9:26	18.1	64.6	75.2	1017	1017	8.1	3.5	168.5	172.7	40	46	
8/29/2023 9:27	18.1	64.6	74.9	1017	1017	8.1	3.3	169.1	172.42	40	46	
8/29/2023 9:28	18.2	64.8	75.2	1017	1017	8.1	3.1	172.4	172.45	40	45	
8/29/2023 9:29	18.3	64.9	74.5	1017	1017	8.1	3.1	173.2	172.45	40	45	
8/29/2023 9:30	18.4	65.1	74.3	1017	1017	8.1	2.8	172.3	172.37	39	45	
8/29/2023 9:31	18.5	65.3	73.7	1017	1017	8.1	2.8	171.2	172.22	38	44	
8/29/2023 9:32	18.5	65.3	72.8	1017	1017	8.1	2.7	173.1	171.94	38	41	
8/29/2023 9:33	18.4	65.1	72.3	1017	1017	8.1	3	173.6	171.72	38	40	
8/29/2023 9:34	18.3	64.9	72.6	1017	1017	6.7	3	175.1	171.86	37	40	
8/29/2023 9:35	18.1	64.5	73.7	1017	1017	6.7	3.1	175.2	172.11	38	40	
8/29/2023 9:36	18	64.3	74.9	1017	1017	6.7	3.1	175.6	172.31	38	39	
8/29/2023 9:37	18	64.4	75.4	1017	1017	6.7	3.2	175.1	172.37	37	39	
8/29/2023 9:38	18	64.5	75.8	1017	1017	6.7	3.1	174.9	172.59	37	38	
8/29/2023 9:39	18.2	64.7	75.1	1017	1017	6.7	2.9	174.5	172.89	38	38	
8/29/2023 9:40	18.3	64.9	74.3	1017	1017	8.1	3.3	174.2	173.2	36	38	
8/29/2023 9:41	18.2	64.8	74.1	1017	1017	8.1	3.3	175.4	173.66	37	38	
8/29/2023 9:42	18.4	65.1	73.7	1017	1017	8.1	3.2	176	174.12	39	38	
8/29/2023 9:43	18.5	65.3	73.5	1017	1017	8.1	3.1	174.8	174.28	38	37	
8/29/2023 9:44	18.6	65.5	73.1	1017	1017	8.1	3	174.2	174.35	39	37	
8/29/2023 9:45	18.8	65.8	72.8	1017	1017	8.1	3	173.9	174.45	40	37	
8/29/2023 9:46	18.8	65.9	72.7	1017	1017	8.1	3	171.3	174.46	40	38	
8/29/2023 9:47	18.8	65.8	72.2	1017	1017	8.1	3.2	172.8	174.44	40	38	
8/29/2023 9:48	18.7	65.6	72.7	1017	1017	8.7	3.6	173.7	174.45	38	38	
8/29/2023 9:49	18.6	65.5	73.5	1017	1017	8.7	3.5	174.4	174.4	38	38	
8/29/2023 9:50	18.5	65.3	73.5	1017	1017	8.7	3.6	173.5	174.29	39	38	
8/29/2023 9:51	18.6	65.5	73.8	1017	1017	8.7	3.4	172.8	174.1	38	38	
8/29/2023 9:52	18.8	65.8	72.8	1017	1017	8.7	3.3	174	174.03	37	38	
8/29/2023 9:53	18.9	66	72.1	1017	1017	8.7	3.2	173.2	173.91	38	38	
8/29/2023 9:54	18.9	66	71.7	1017	1017	8.7	3.2	171	173.68	37	38	
8/29/2023 9:55	19.1	66.4	71.1	1017	1017	8.7	3.2	172.8	173.59	41	38	
8/29/2023 9:56	19.1	66.4	71	1017	1017	8.7	3.3	173.1	173.43	41	38	
8/29/2023 9:57	19	66.2	71.4	1017	1017	8.7	3.4	172.9	173.23	45	39	
8/29/2023 9:58	18.9	66	71.6	1017	1017	8.7	3.4	172.5	173.07	40	39	
8/29/2023 9:59	18.8	65.8	72.2	1017	1017	8.7	3.4	170.3	172.81	38	39	
8/29/2023 10:00	18.8	65.8	73.1	1017	1017	8.7	3.6	171.7	172.67	39	39	0.00938
8/29/2023 10:01	18.8	65.8	73.3	1017	1017	8.7	3.7	170.5	172.61	39	39	
8/29/2023 10:02	18.9	66	73.1	1017	1017	8.7	3.8	168.5	172.33	39	39	
8/29/2023 10:03	19	66.2	73	1017	1017	8.7	3.8	171.8	172.2	40	39	
8/29/2023 10:04	19.2	66.5	71.6	1017	1017	8.7	3.7	173.6	172.15	37	39	
8/29/2023 10:05	19.2	66.6	71.5	1017	1017	7.9	3.2	171.6	172.02	37	39	
8/29/2023 10:06	19.3	66.8	72	1017	1017	6.3	2.8	170.2	171.85	37	39	
8/29/2023 10:07	19.6	67.3	70.7	1017	1017	6.3	2.6	171	171.65	39	39	
8/29/2023 10:08	19.8	67.7	69.2	1017	1017	6.1	2.4	170.2	171.45	38	39	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 10:09	20	68	68.2	1017	1017	6.4	2.3	169.6	171.35	36	39	
8/29/2023 10:10	20	67.9	67.5	1017	1017	6.4	2.3	172.7	171.35	38	38	
8/29/2023 10:11	19.7	67.5	68.5	1017	1017	8	2.3	178.1	171.68	36	38	
8/29/2023 10:12	19.5	67.1	69.8	1017	1017	8	2.3	177.1	171.96	36	37	
8/29/2023 10:13	19.6	67.2	68.6	1017	1017	9.3	2.7	176	172.19	36	37	
8/29/2023 10:14	19.4	66.9	69.6	1017	1017	9.3	2.9	176.6	172.61	36	37	
8/29/2023 10:15	19.4	66.9	69.6	1017	1017	9.3	3.1	178.3	173.05	37	37	
8/29/2023 10:16	19.5	67.1	69.1	1017	1017	9.3	3.2	176.8	173.47	40	37	
8/29/2023 10:17	19.6	67.3	67.4	1017	1017	9.6	3.5	177	174.04	34	37	
8/29/2023 10:18	19.4	66.9	68	1017	1017	9.6	3.9	179.1	174.53	34	36	
8/29/2023 10:19	19.4	66.9	68.5	1017	1017	9.6	3.8	179.4	174.91	35	36	
8/29/2023 10:20	19.7	67.5	68	1017	1017	9.6	3.7	178.4	175.37	40	36	
8/29/2023 10:21	19.8	67.6	67.7	1017	1017	9.6	3.8	176.6	175.79	39	36	
8/29/2023 10:22	20	67.9	66.2	1017	1017	9.6	3.7	177.4	176.22	35	36	
8/29/2023 10:23	19.8	67.6	66	1017	1017	9.6	3.8	177.6	176.71	34	36	
8/29/2023 10:24	19.7	67.4	67.5	1017	1017	9.6	3.6	177	177.21	35	36	
8/29/2023 10:25	19.8	67.6	67.4	1017	1017	9.6	3.7	177.6	177.53	37	36	
8/29/2023 10:26	20	68	66.8	1017	1017	9.1	3.5	176.1	177.4	40	36	
8/29/2023 10:27	20	68	66.2	1017	1017	9.1	3.2	175.5	177.29	35	36	
8/29/2023 10:28	19.9	67.8	66.9	1017	1017	9.1	3.6	172.3	177.05	38	36	
8/29/2023 10:29	20.1	68.2	67.3	1017	1017	9.1	3.6	172.4	176.77	38	36	
8/29/2023 10:30	20.3	68.5	66.2	1017	1017	9.1	3.6	173.1	176.42	35	36	
8/29/2023 10:31	20.3	68.6	66	1017	1017	8.1	3.5	171.8	176.09	35	36	
8/29/2023 10:32	20.1	68.2	66.7	1017	1017	8.7	3.8	172.3	175.77	36	36	
8/29/2023 10:33	19.9	67.8	67.8	1017	1017	8.7	4.1	171.8	175.29	37	36	
8/29/2023 10:34	19.9	67.8	68.7	1017	1017	9.7	4.3	171.6	174.77	37	36	
8/29/2023 10:35	20.1	68.2	66.9	1017	1017	10.8	4.5	174	174.47	35	36	
8/29/2023 10:36	20	68	68	1017	1017	10.8	4.7	174.7	174.35	36	36	
8/29/2023 10:37	20	68	68.8	1017	1017	10.8	4.7	174.3	174.14	37	36	
8/29/2023 10:38	20.1	68.2	68.4	1017	1017	10.8	4.8	175.1	173.97	38	36	
8/29/2023 10:39	20.2	68.4	67.8	1017	1017	10.8	5.1	175.8	173.89	37	36	
8/29/2023 10:40	20.2	68.3	68.1	1017	1017	10.8	5.3	176.3	173.81	37	36	
8/29/2023 10:41	20.1	68.2	68.5	1017	1017	10.8	5.2	177	173.87	36	36	
8/29/2023 10:42	20.2	68.4	68.1	1017	1017	10.8	5.1	178.1	174.04	37	36	
8/29/2023 10:43	20.3	68.6	67.1	1017	1017	10.8	5	179	174.49	40	36	
8/29/2023 10:44	20.5	68.9	66.8	1017	1017	10.3	4.8	178.2	174.87	38	36	
8/29/2023 10:45	20.5	68.9	66	1017	1017	9.7	4.5	177.9	175.19	37	36	
8/29/2023 10:46	20.6	69.1	66.3	1017	1017	9.7	4.2	178.7	175.65	36	36	
8/29/2023 10:47	20.7	69.3	65.9	1017	1017	9.7	4.4	177.7	176.01	33	36	
8/29/2023 10:48	20.3	68.5	66.3	1017	1017	9.7	4.3	177.8	176.41	33	36	
8/29/2023 10:49	20.2	68.4	67.6	1017	1017	9.2	4	177.4	176.8	34	36	
8/29/2023 10:50	20.4	68.7	66.7	1017	1017	9.2	3.7	175.8	176.92	35	36	
8/29/2023 10:51	20.6	69.1	65.7	1017	1017	9.2	3.7	174.5	176.91	36	36	
8/29/2023 10:52	20.7	69.3	64.7	1017	1017	9.2	3.7	174.8	176.94	35	36	
8/29/2023 10:53	20.7	69.3	65.2	1017	1017	9.2	3.7	175.6	176.97	37	36	
8/29/2023 10:54	20.8	69.4	64.5	1017	1017	9.2	3.6	176.1	176.99	38	36	
8/29/2023 10:55	21.1	70	63.7	1017	1017	9.2	3.6	175.9	176.97	36	36	
8/29/2023 10:56	21.3	70.3	62.6	1017	1017	7.7	3.5	176.4	176.93	36	36	
8/29/2023 10:57	21.3	70.3	62.5	1017	1017	7.7	2.7	177.1	176.86	34	35	
8/29/2023 10:58	21.2	70.1	62.3	1017	1017	7.7	2.7	179.6	176.9	33	35	
8/29/2023 10:59	21.1	69.9	62.5	1017	1017	7.7	2.7	181.6	177.13	33	35	
8/29/2023 11:00	20.9	69.6	63	1017	1017	6.5	2.5	182.2	177.41	33	34	0.01206
8/29/2023 11:01	20.9	69.6	62.4	1017	1017	6.5	2.4	179.1	177.44	32	34	
8/29/2023 11:02	21	69.7	62.2	1017	1017	6.5	2.5	179.1	177.53	32	34	
8/29/2023 11:03	21.1	69.9	61.4	1017	1017	6	2.4	178.5	177.58	32	34	
8/29/2023 11:04	21.1	69.9	60.1	1017	1017	6	2.5	181.4	177.85	31	34	
8/29/2023 11:05	21.2	70.1	60.2	1017	1017	7.8	2.4	183.2	178.34	32	34	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 11:06	21.2	70.1	60	1017	1017	7.8	2.4	186.9	179.17	30	33	
8/29/2023 11:07	21.3	70.4	58.6	1017	1017	7.8	2.4	187.3	180	30	33	
8/29/2023 11:08	21.4	70.5	56.6	1017	1017	7.8	2.4	192.1	181.1	28	32	
8/29/2023 11:09	21.3	70.3	57	1017	1017	7.8	2.4	196.6	182.47	28	32	
8/29/2023 11:10	21.5	70.7	56.1	1017	1017	7.8	2.4	204.8	184.39	28	31	
8/29/2023 11:11	21.6	70.9	56.5	1017	1017	7.8	2.2	206	186.37	28	30	
8/29/2023 11:12	21.7	71	56	1017	1017	7.8	2.2	207.1	188.37	28	30	
8/29/2023 11:13	21.7	71	56.9	1017	1017	8.6	2.4	206	190.13	29	30	
8/29/2023 11:14	21.5	70.6	57.8	1017	1017	8.6	2.7	206	191.75	30	30	
8/29/2023 11:15	21.5	70.6	58.8	1017	1017	8.6	2.9	199.4	192.9	30	29	
8/29/2023 11:16	21.5	70.7	59.9	1017	1017	8.6	3	193.1	193.83	32	29	
8/29/2023 11:17	21.5	70.7	60.3	1017	1017	8.6	3.2	184.9	194.22	33	29	
8/29/2023 11:18	21.5	70.6	59.7	1017	1017	8.6	3.5	183.3	194.54	30	29	
8/29/2023 11:19	21	69.9	61.6	1017	1017	8.6	3.6	179.7	194.43	31	29	
8/29/2023 11:20	21.1	69.9	61.1	1017	1017	8.6	3.8	179.8	194.2	31	29	
8/29/2023 11:21	21.3	70.3	61.4	1017	1017	8.6	3.8	178	193.61	31	29	
8/29/2023 11:22	21.5	70.6	60.2	1017	1017	8.6	4.1	175.1	192.79	31	29	
8/29/2023 11:23	21.1	69.9	61.1	1017	1017	8.6	4	172.6	191.49	31	30	
8/29/2023 11:24	20.9	69.7	62.6	1017	1017	9.7	3.9	172.5	189.89	30	30	
8/29/2023 11:25	21.1	70	62	1017	1017	9.7	4	171.7	187.68	31	30	
8/29/2023 11:26	21.2	70.1	60.9	1017	1017	9.7	4.2	173.7	185.53	30	30	
8/29/2023 11:27	21	69.7	61.8	1017	1017	9.7	4	172.4	183.21	30	30	
8/29/2023 11:28	20.8	69.5	61.2	1017	1017	9.7	4.1	172.9	181.01	30	30	
8/29/2023 11:29	20.9	69.6	62	1017	1017	9.7	4.4	173.5	178.84	29	30	
8/29/2023 11:30	20.9	69.5	61.4	1017	1017	9.7	4.6	174.4	177.17	29	30	
8/29/2023 11:31	20.9	69.5	61.8	1017	1017	9.7	4.6	175.1	175.97	29	30	
8/29/2023 11:32	20.8	69.4	61.9	1017	1017	9.7	4.8	174.6	175.29	30	30	
8/29/2023 11:33	20.9	69.6	61.6	1017	1017	9.7	4.8	174	174.67	31	30	
8/29/2023 11:34	21.1	69.9	61.3	1017	1017	9.3	4.8	175.4	174.38	31	30	
8/29/2023 11:35	21.3	70.3	61.2	1017	1017	9.2	4.5	175.8	174.11	32	30	
8/29/2023 11:36	21.5	70.7	60.2	1017	1017	10.3	4.7	177.8	174.1	30	30	
8/29/2023 11:37	21.3	70.4	60.2	1017	1017	10.3	4.8	177.3	174.25	29	30	
8/29/2023 11:38	21.3	70.4	60.3	1017	1017	10.3	4.5	176.8	174.53	29	30	
8/29/2023 11:39	21.4	70.5	59.1	1017	1017	10.3	4.4	176.3	174.78	29	29	
8/29/2023 11:40	21.3	70.3	58.4	1017	1017	10.3	3.9	176.6	175.11	29	29	
8/29/2023 11:41	21.5	70.7	59.4	1017	1017	10.3	3.7	178	175.39	30	29	
8/29/2023 11:42	21.6	70.9	59.7	1017	1017	10.3	3.6	178.6	175.81	31	29	
8/29/2023 11:43	21.8	71.3	58.7	1017	1017	10.3	3.7	178.8	176.2	31	29	
8/29/2023 11:44	21.8	71.2	58.6	1017	1017	10.3	3.9	179.2	176.58	30	30	
8/29/2023 11:45	21.7	71	60	1017	1017	8.4	3.3	174.6	176.59	29	30	
8/29/2023 11:46	21.6	70.8	58.6	1017	1017	7.8	3.1	175.3	176.61	29	30	
8/29/2023 11:47	21.7	71	57.9	1017	1017	7.8	3.1	174.6	176.61	29	29	
8/29/2023 11:48	21.8	71.2	58.1	1017	1017	7.8	3	174.1	176.61	29	29	
8/29/2023 11:49	21.7	71	58.5	1017	1017	7.8	3.2	174.4	176.55	30	29	
8/29/2023 11:50	21.7	71	59.1	1017	1017	7.8	3	174.7	176.47	29	29	
8/29/2023 11:51	21.8	71.1	58.3	1017	1017	7	2.8	175.4	176.31	29	29	
8/29/2023 11:52	22.1	71.7	57.3	1017	1017	9.3	2.9	173.8	176.08	29	29	
8/29/2023 11:53	22.2	71.9	57.2	1017	1017	9.3	2.8	170.7	175.67	29	29	
8/29/2023 11:54	22.3	72.2	56.2	1017	1017	9.3	2.9	171.5	175.35	29	29	
8/29/2023 11:55	22.4	72.3	55.3	1017	1017	9.3	2.8	181.3	175.67	28	29	
8/29/2023 11:56	22.6	72.6	55.3	1017	1017	9.3	2.6	183.1	176.01	29	29	
8/29/2023 11:57	22.6	72.6	54.9	1017	1017	9.3	2.5	186.9	176.56	28	29	
8/29/2023 11:58	22.6	72.8	54.7	1017	1017	9.3	2.3	193.2	177.52	28	28	
8/29/2023 11:59	22.7	72.8	54.5	1017	1017	9.3	2.3	189	178.17	29	28	
8/29/2023 12:00	22.7	72.8	54.3	1017	1017	9.3	2.4	190.7	179.25	28	28	0.014521
8/29/2023 12:01	22.6	72.7	54.2	1017	1017	7	2.3	197.1	180.7	28	28	
8/29/2023 12:02	22.6	72.7	54.1	1017	1017	8	2.3	198.2	182.27	28	28	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 12:03	22.4	72.4	54.7	1017	1017	8	2.6	194.1	183.61	28	28	
8/29/2023 12:04	22.3	72.2	55.8	1017	1017	8	2.6	195.2	184.99	30	28	
8/29/2023 12:05	22.5	72.6	55.2	1017	1017	8	2.7	205.1	187.02	29	28	
8/29/2023 12:06	22.6	72.7	54.8	1017	1017	8	2.6	207.8	189.18	28	28	
8/29/2023 12:07	22.8	73.1	54.4	1017	1017	8	2.6	207.7	191.44	28	28	
8/29/2023 12:08	22.8	73.1	54.1	1017	1017	8	2.6	210.6	194.1	28	28	
8/29/2023 12:09	22.9	73.3	53.7	1017	1017	8	2.5	209.6	196.64	28	28	
8/29/2023 12:10	23	73.4	53	1017	1017	8	2.5	219.5	199.19	28	28	
8/29/2023 12:11	22.9	73.2	53.1	1017	1017	6.9	2.3	239.3	202.93	28	28	
8/29/2023 12:12	23	73.4	52.7	1017	1017	6.9	2.2	264.4	208.1	28	28	
8/29/2023 12:13	23.1	73.6	52.4	1017	1017	6.9	2.1	269.6	213.19	28	28	
8/29/2023 12:14	23.1	73.6	51.7	1017	1017	6.9	2.1	244.6	216.9	28	28	
8/29/2023 12:15	22.9	73.2	52.8	1017	1017	6.9	2.2	227.6	219.36	28	28	
8/29/2023 12:16	22.9	73.2	53.1	1017	1017	6.9	2.2	214.1	220.49	28	28	
8/29/2023 12:17	23	73.3	52.4	1017	1017	6.9	2.4	203.1	220.82	27	28	
8/29/2023 12:18	23.1	73.5	52.5	1017	1017	6.9	2.6	197.8	221.07	28	28	
8/29/2023 12:19	23.2	73.8	52.3	1017	1017	7.1	2.6	186.1	220.46	28	28	
8/29/2023 12:20	23.2	73.8	52.2	1017	1017	7.1	2.7	177.9	218.65	28	27	
8/29/2023 12:21	23.1	73.6	53.1	1017	1017	8	3	174.3	216.41	27	27	
8/29/2023 12:22	22.9	73.3	53.1	1017	1017	8	3.2	173.7	214.15	28	27	
8/29/2023 12:23	22.7	72.9	54.3	1017	1017	8.7	3.2	174.4	211.73	29	27	
8/29/2023 12:24	23	73.4	53.7	1017	1017	8.7	3.3	179.8	209.75	28	27	
8/29/2023 12:25	23.2	73.8	52.8	1017	1017	8.7	3.3	184.9	207.44	28	27	
8/29/2023 12:26	23.3	73.9	52.8	1017	1017	8.7	3.2	187.5	203.99	27	27	
8/29/2023 12:27	23.3	74	52.6	1017	1017	8.7	3	196.2	199.44	27	27	
8/29/2023 12:28	23.6	74.5	52	1017	1017	8.7	2.8	197.1	194.61	28	27	
8/29/2023 12:29	23.8	74.8	51.3	1017	1017	8.7	2.6	202.7	191.81	28	27	
8/29/2023 12:30	23.7	74.7	52.1	1017	1017	8.7	2.3	210.6	190.68	27	27	
8/29/2023 12:31	23.7	74.7	52.3	1017	1017	8.7	2.1	222.4	191.23	28	27	
8/29/2023 12:32	23.8	74.8	51.2	1017	1017	9.3	2.1	229.2	192.97	28	27	
8/29/2023 12:33	23.6	74.4	52.3	1017	1017	9.3	2.1	251	196.52	29	27	
8/29/2023 12:34	23.5	74.3	52	1017	1017	9.3	2	249.2	200.73	28	27	
8/29/2023 12:35	23.4	74.1	52.1	1017	1017	9.3	2.1	258.9	206.13	28	27	
8/29/2023 12:36	23.4	74.1	52	1017	1017	9.3	2.2	260.2	211.85	28	27	
8/29/2023 12:37	23.2	73.7	52.2	1017	1017	9.3	2.4	260.5	217.64	27	27	
8/29/2023 12:38	23	73.3	53.2	1017	1017	9.3	2.4	260.4	223.37	27	27	
8/29/2023 12:39	23.3	73.9	51.9	1017	1017	9.3	2.5	255	228.39	28	27	
8/29/2023 12:40	23.5	74.3	50.7	1017	1017	9.3	2.5	245.4	232.42	27	27	
8/29/2023 12:41	23.7	74.6	50.6	1017	1017	7.9	2.5	251	236.65	27	27	
8/29/2023 12:42	23.9	75	50	1017	1017	7.1	2.3	242.4	239.73	28	27	
8/29/2023 12:43	24	75.2	49.1	1017	1017	7.1	2.3	230.6	241.97	27	27	
8/29/2023 12:44	24	75.2	49.2	1017	1017	7.6	2.2	218.5	243.02	26	27	
8/29/2023 12:45	24.2	75.5	48.8	1017	1017	7.1	2.1	210	242.98	27	27	
8/29/2023 12:46	24.4	75.9	48.4	1017	1017	7.1	2	207.3	241.97	27	27	
8/29/2023 12:47	24.4	75.9	48.5	1017	1017	7.1	2	210.5	240.73	27	27	
8/29/2023 12:48	24.4	75.9	48.5	1017	1017	7.3	2	223.6	238.9	28	27	
8/29/2023 12:49	24.3	75.7	48.5	1017	1017	7.3	2	249.7	238.93	27	27	
8/29/2023 12:50	23.9	75.1	50.1	1017	1017	7.9	2	251.9	238.47	28	27	
8/29/2023 12:51	24.2	75.5	49.4	1017	1017	7.9	2.2	239	237.05	28	27	
8/29/2023 12:52	24.4	75.8	49.1	1017	1017	7.9	2.1	239.4	235.65	28	27	
8/29/2023 12:53	24.4	75.8	48.4	1017	1017	7.9	2.1	241.9	234.41	28	27	
8/29/2023 12:54	24.4	75.8	49.2	1017	1017	7.9	2.1	240.9	233.47	28	27	
8/29/2023 12:55	24.4	76	48.7	1017	1017	9.1	2.2	242.5	233.28	28	27	
8/29/2023 12:56	24.3	75.7	48.9	1017	1017	9.1	2.2	243.9	232.81	28	27	
8/29/2023 12:57	24.2	75.6	49.2	1017	1017	9.1	2.2	243.9	232.91	28	27	
8/29/2023 12:58	24.1	75.4	49.6	1017	1017	9.4	2	238.4	233.43	27	27	
8/29/2023 12:59	24	75.3	49.6	1017	1017	9.4	2.2	249.8	235.51	28	27	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 13:00	24	75.3	49.7	1017	1017	9.4	2	271.3	239.6	28	27	0.016762
8/29/2023 13:01	24	75.3	49.7	1016	1016	9.4	2.1	295.1	245.45	28	27	
8/29/2023 13:02	24.3	75.7	48.7	1017	1017	9.4	2.2	296.9	251.21	27	27	
8/29/2023 13:03	24.3	75.8	49	1017	1017	9.4	2.4	299	256.24	28	27	
8/29/2023 13:04	24.1	75.4	48.7	1016	1016	9.4	2.3	301	259.66	28	27	
8/29/2023 13:05	23.9	75.1	49.8	1017	1017	9.4	2.3	295.5	262.57	28	27	
8/29/2023 13:06	24	75.3	49.4	1017	1017	9.4	2.5	289.2	265.91	28	27	
8/29/2023 13:07	24	75.3	49.5	1016	1016	8	2.6	282.4	268.78	27	27	
8/29/2023 13:08	24.2	75.6	48.6	1017	1017	8	2.6	282.2	271.47	27	27	
8/29/2023 13:09	24.6	76.2	47.1	1016	1016	8.6	2.8	287.9	274.6	27	27	
8/29/2023 13:10	24.4	76	47.2	1016	1016	8.6	2.9	286.3	277.52	27	27	
8/29/2023 13:11	24.3	75.8	48.1	1016	1016	8.6	3	294.1	280.87	26	27	
8/29/2023 13:12	24.2	75.5	48.1	1016	1016	8.6	2.9	296	284.34	27	27	
8/29/2023 13:13	24	75.3	48.5	1016	1016	8.6	3	295.5	288.15	27	27	
8/29/2023 13:14	24.1	75.5	48	1016	1016	8.6	3	300.7	291.54	26	27	
8/29/2023 13:15	24	75.2	48.2	1016	1016	8.6	2.9	309.7	294.1	26	27	
8/29/2023 13:16	23.8	74.9	48.8	1016	1016	9.9	3.1	319.5	295.73	27	27	
8/29/2023 13:17	23.8	74.9	48.8	1016	1016	9.9	3.3	323.1	297.47	27	27	
8/29/2023 13:18	23.9	75.1	48.8	1016	1016	9.9	3.2	322.5	299.04	27	27	
8/29/2023 13:19	24.1	75.3	48.1	1016	1016	9.9	3.3	316.1	300.05	27	26	
8/29/2023 13:20	24	75.2	49.3	1016	1016	9.9	3.4	316.4	301.44	27	26	
8/29/2023 13:21	23.9	75.1	50.1	1016	1016	9.9	3.6	320.4	303.52	28	26	
8/29/2023 13:22	24	75.1	49.9	1016	1016	9.9	3.7	324.7	306.34	28	26	
8/29/2023 13:23	23.7	74.6	51.4	1016	1016	9.9	3.6	325.3	309.21	28	27	
8/29/2023 13:24	24	75.1	50.2	1016	1016	9.9	3.4	323.8	311.61	28	27	
8/29/2023 13:25	24.4	75.9	48.8	1016	1016	9.3	3.2	318.4	313.75	29	27	
8/29/2023 13:26	24.8	76.6	48.2	1016	1016	9.3	2.9	317.2	315.29	27	27	
8/29/2023 13:27	24.9	76.7	47.7	1016	1016	9.3	2.9	317.7	316.73	29	27	
8/29/2023 13:28	24.8	76.7	48.1	1016	1016	9	2.8	323.7	318.61	29	27	
8/29/2023 13:29	24.7	76.4	48.9	1016	1016	7.5	2.7	327.2	320.38	28	27	
8/29/2023 13:30	24.5	76.2	49.5	1016	1016	7.5	2.5	325.4	321.43	28	27	
8/29/2023 13:31	24.8	76.7	48.2	1016	1016	7.5	2.5	329.8	322.11	29	27	
8/29/2023 13:32	24.7	76.5	49.2	1016	1016	7.9	2.8	331.4	322.67	29	28	
8/29/2023 13:33	24.4	76	50.6	1016	1016	7.9	3	331.7	323.28	29	28	
8/29/2023 13:34	24.4	76	50.6	1016	1016	7.9	3	334.7	324.52	28	28	
8/29/2023 13:35	24.7	76.5	50.1	1016	1016	8	3	332.1	325.57	29	28	
8/29/2023 13:36	24.7	76.5	49.8	1016	1016	8	3.1	324.2	325.82	29	28	
8/29/2023 13:37	24.3	75.8	51.3	1016	1016	8.7	3.2	320.4	325.53	29	28	
8/29/2023 13:38	24.3	75.8	51.5	1016	1016	9.1	3.2	315.8	324.9	29	28	
8/29/2023 13:39	24.3	75.8	50.5	1016	1016	9.1	3.3	316.5	324.41	29	28	
8/29/2023 13:40	24	75.3	52.1	1016	1016	9.1	3.5	319.6	324.49	29	28	
8/29/2023 13:41	24	75.3	52.5	1016	1016	9.1	3.6	316.6	324.45	29	28	
8/29/2023 13:42	24	75.3	52.3	1016	1016	9.1	3.7	317.7	324.45	28	28	
8/29/2023 13:43	23.9	75	53.1	1016	1016	9.1	3.7	316.5	323.97	28	28	
8/29/2023 13:44	24	75.3	52	1016	1016	9.1	3.7	313.9	323.09	29	28	
8/29/2023 13:45	24.3	75.8	51.1	1016	1016	9.1	3.7	320.5	322.76	27	28	
8/29/2023 13:46	24.5	76	51	1016	1016	9.1	3.7	324.5	322.41	28	28	
8/29/2023 13:47	24.1	75.5	51.4	1016	1016	9.3	3.7	327.3	322.13	27	28	
8/29/2023 13:48	23.9	75.1	52.8	1016	1016	8.5	3.7	327.1	321.83	27	28	
8/29/2023 13:49	24.1	75.5	53	1016	1016	8.5	3.3	323.9	321.11	27	28	
8/29/2023 13:50	24.6	76.2	51.7	1016	1016	8.5	2.9	324.5	320.6	27	28	
8/29/2023 13:51	24.7	76.5	50.4	1016	1016	8.5	3	324.3	320.61	27	28	
8/29/2023 13:52	24.2	75.6	52.1	1016	1016	8.5	3	325.1	320.92	26	27	
8/29/2023 13:53	24.2	75.5	52.4	1016	1016	8.5	3	327.1	321.67	26	27	
8/29/2023 13:54	24.1	75.4	52.5	1016	1016	8.4	2.8	329.2	322.52	26	27	
8/29/2023 13:55	24.1	75.4	52.5	1016	1016	8.7	2.8	332.1	323.35	26	27	
8/29/2023 13:56	24.1	75.4	52.2	1016	1016	10	2.8	331.6	324.35	25	26	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 13:57	24	75.3	52.3	1016	1016	10	2.9	333.9	325.43	25	26	0.01887
8/29/2023 13:58	23.9	75.1	52.3	1016	1016	10	3.1	336.3	326.75	25	26	
8/29/2023 13:59	24.1	75.4	51.4	1016	1016	10	3.3	333.7	328.07	25	26	
8/29/2023 14:00	24.1	75.3	51.2	1016	1016	10	3.3	332.5	328.87	25	26	
8/29/2023 14:01	24.1	75.4	51.1	1016	1016	10	3.3	333.8	329.49	25	25	
8/29/2023 14:02	24	75.3	51.8	1016	1016	10	3.3	333.9	329.93	25	25	
8/29/2023 14:03	24.3	75.7	50.8	1016	1016	10	3.2	330	330.13	25	25	
8/29/2023 14:04	24.4	76	50.8	1016	1016	10	3.2	325.1	330.21	25	25	
8/29/2023 14:05	24.5	76.2	50.3	1016	1016	8.2	2.9	320.2	329.92	24	25	
8/29/2023 14:06	24.6	76.2	50.4	1016	1016	8.2	2.9	308.4	328.86	24	25	
8/29/2023 14:07	24.9	76.7	49.4	1016	1016	8.2	2.6	295.6	326.89	24	25	
8/29/2023 14:08	25	77.1	48.7	1016	1016	7.5	2.5	283.9	324.01	26	25	
8/29/2023 14:09	24.9	76.9	49	1016	1016	6.9	2.4	278.9	320.66	25	24	
8/29/2023 14:10	24.7	76.5	50.3	1016	1016	7	2.2	267.4	316.35	24	24	
8/29/2023 14:11	24.8	76.7	49.4	1016	1016	8.8	2.4	278.8	312.83	24	24	
8/29/2023 14:12	24.7	76.5	49.4	1016	1016	8.8	2.6	296.1	310.31	24	24	
8/29/2023 14:13	24.7	76.5	49.3	1016	1016	8.8	2.8	311.3	308.64	25	24	
8/29/2023 14:14	24.5	76.2	49.7	1016	1016	8.8	2.8	320.2	307.74	24	24	
8/29/2023 14:15	24.8	76.6	49.1	1016	1016	8.8	2.7	328.1	307.45	25	24	
8/29/2023 14:16	24.8	76.7	49.3	1016	1016	8.8	2.8	330.5	307.23	23	24	
8/29/2023 14:17	25	77	48.5	1016	1016	8.8	2.8	335.6	307.34	24	24	
8/29/2023 14:18	25.2	77.4	47.7	1016	1016	8.8	2.8	335.2	307.69	24	24	
8/29/2023 14:19	24.9	76.8	48.7	1016	1016	8.8	3	327.3	307.83	29	24	
8/29/2023 14:20	24.8	76.6	48.8	1016	1016	8.3	2.9	323.7	308.07	24	24	
8/29/2023 14:21	24.8	76.7	49.2	1016	1016	8.3	2.8	319.3	308.79	24	24	
8/29/2023 14:22	25	77	48.4	1016	1016	8.3	2.7	313.9	310.01	24	24	
8/29/2023 14:23	24.8	76.6	49.3	1016	1016	8.3	2.9	309.1	311.69	24	24	
8/29/2023 14:24	24.7	76.5	49.3	1016	1016	8.3	2.9	304.9	313.43	25	24	
8/29/2023 14:25	24.4	76	50.1	1016	1016	8.3	2.9	299.7	315.58	25	24	
8/29/2023 14:26	24.6	76.3	49.6	1016	1016	8.3	2.9	286.2	316.07	25	24	
8/29/2023 14:27	24.8	76.7	49	1016	1016	8.5	2.8	277.8	314.85	24	24	
8/29/2023 14:28	25	77	48.1	1016	1016	8.5	2.8	281.2	312.85	25	24	
8/29/2023 14:29	25	77	48.5	1016	1016	8.5	2.5	281.4	310.26	25	24	
8/29/2023 14:30	25	77	48.8	1016	1016	8.5	2.5	290.6	307.76	24	24	
8/29/2023 14:31	25.2	77.4	48	1016	1016	8.5	2.4	289.5	305.03	24	24	
8/29/2023 14:32	25.4	77.7	46.9	1016	1016	8.1	2.1	283.1	301.53	24	24	
8/29/2023 14:33	25.7	78.2	45.9	1016	1016	8.1	2.1	289.8	298.5	24	24	
8/29/2023 14:34	25.4	77.7	46.6	1016	1016	8.1	2.2	292.9	296.21	24	24	
8/29/2023 14:35	25.5	77.9	46.6	1016	1016	8.1	2.1	311	295.36	24	24	
8/29/2023 14:36	25.5	77.9	46.9	1016	1016	8.1	2.1	312.4	294.9	24	24	
8/29/2023 14:37	25.5	77.9	47	1016	1016	7.2	2.2	313.4	294.87	23	24	
8/29/2023 14:38	25.6	78.1	46.6	1016	1016	7.2	2.1	316.4	295.35	24	24	
8/29/2023 14:39	25.5	77.9	47	1016	1016	7.2	2.3	304.7	295.34	23	24	
8/29/2023 14:40	25.3	77.6	47.2	1016	1016	7.6	2.4	304.1	295.63	24	24	
8/29/2023 14:41	25.1	77.1	47.8	1016	1016	8.4	2.4	303.4	296.78	24	24	
8/29/2023 14:42	25	76.9	48.4	1016	1016	8.4	2.4			23	23	
8/29/2023 14:43	25.2	77.3	48	1016	1016	8.4	2.5	292.8	298.96	23	23	
8/29/2023 14:44	25.5	77.9	47.8	1016	1016	8.4	2.6	296.9	300.07	24	23	
8/29/2023 14:45	25.3	77.5	48.6	1016	1016	8.4	2.9	303.2	300.97	24	23	
8/29/2023 14:46	25	77	49.4	1016	1016	8.4	3	304.8	302.06	24	23	
8/29/2023 14:47	25	77	49.7	1016	1016	8.4	3.1	306.4	303.73	23	23	
8/29/2023 14:48	25.2	77.3	49.2	1015	1015	8.4	3	316.4	305.63	24	23	
8/29/2023 14:49	25.2	77.3	49.2	1016	1016	8.4	3.1	321	307.64	24	23	
8/29/2023 14:50	25.1	77.2	49.1	1015	1015	7.8	3.4	325	308.64	23	23	
8/29/2023 14:51	25	77	49.4	1015	1015	7.8	3.4	330.4	309.92	24	23	
8/29/2023 14:52	25.1	77.2	49.5	1015	1015	8.9	3.6	333.9	311.39	24	23	
8/29/2023 14:53	25.1	77.2	48.9	1015	1015	8.9	3.4	333.9	312.64	24	23	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 14:54	25.4	77.7	48.2	1015	1015	8.9	3.3	334.1	314.74	24	23	
8/29/2023 14:55	25.4	77.7	47.5	1015	1015	8.9	3.2	332.6	316.77	24	23	
8/29/2023 14:56	25.4	77.7	48.2	1015	1015	8.9	3.2	330.3	318.69	24	23	
8/29/2023 14:57	25.4	77.7	48.5	1015	1015	8.9	3.2	327.9	319.31	24	23	
8/29/2023 14:58	25.4	77.7	49.4	1015	1015	8.9	3.1	319.4	321.08	24	23	
8/29/2023 14:59	25.6	78.1	47.8	1015	1015	9.8	3.1	314.2	322.23	24	23	
8/29/2023 15:00	25.8	78.5	47.6	1015	1015	9.8	3	310.1	322.69	24	23	0.020861
8/29/2023 15:01	25.9	78.7	46.7	1015	1015	9.8	2.8	302	322.51	24	23	
8/29/2023 15:02	25.8	78.4	47.7	1015	1015	9.8	2.9	305.8	322.47	24	23	
8/29/2023 15:03	25.8	78.4	47.9	1015	1015	9.8	2.8	304.8	321.69	24	23	
8/29/2023 15:04	26	78.7	48	1015	1015	9.8	2.7	306.5	320.73	24	23	
8/29/2023 15:05	25.9	78.7	48.7	1015	1015	9.8	2.8	314.7	320.04	24	24	
8/29/2023 15:06	25.5	77.8	49.9	1015	1015	9.8	3	317.4	319.17	25	24	
8/29/2023 15:07	25.4	77.7	50.5	1015	1015	9.8	3	323.9	318.51	24	24	
8/29/2023 15:08	25.4	77.7	50.3	1015	1015	11.4	3.2	331.8	318.37	24	24	
8/29/2023 15:09	25	76.9	51.4	1015	1015	11.4	3.5	333	318.29	24	24	
8/29/2023 15:10	24.9	76.8	51.8	1015	1015	11.4	3.7	341.6	318.89	24	24	
8/29/2023 15:11	24.8	76.6	51.7	1015	1015	11.4	4	339.7	319.52	24	24	
8/29/2023 15:12	24.6	76.3	52.1	1015	1015	11.4	4.2	341.7	320.44	24	24	
8/29/2023 15:13	24.4	75.9	52.8	1015	1015	11.4	4.4	343.5	322.05	24	24	
8/29/2023 15:14	24.4	75.9	52.4	1015	1015	11.4	4.6	342.7	323.95	24	24	
8/29/2023 15:15	24.6	76.2	52.3	1015	1015	11.4	4.5	344.3	326.23	23	24	
8/29/2023 15:16	24.5	76.1	52.7	1015	1015	11.4	4.8	344.9	329.09	23	23	
8/29/2023 15:17	24.4	75.9	53.2	1015	1015	9.5	4.8	346.6	331.81	24	23	
8/29/2023 15:18	24.5	76.1	52.6	1015	1015	9.5	4.6	348.3	334.71	24	23	
8/29/2023 15:19	24.4	75.9	53.1	1015	1015	9.5	4.6	346.4	337.37	24	23	
8/29/2023 15:20	24.4	75.9	53.7	1015	1015	9.5	4.5	344.7	339.37	25	24	
8/29/2023 15:21	24.5	76.1	53.6	1015	1015	9.5	4.3	345.1	341.21	24	23	
8/29/2023 15:22	24.7	76.5	53.2	1015	1015	9.5	4.1	344.4	342.58	24	23	
8/29/2023 15:23	24.9	76.8	52.4	1015	1015	9.5	3.8	345.7	343.51	24	23	
8/29/2023 15:24	25.1	77.2	51.4	1015	1015	9.5	3.7	346.7	344.42	23	23	
8/29/2023 15:25	25.2	77.4	50.6	1015	1015	9.1	3.6	346.8	344.77	24	23	
8/29/2023 15:26	25.2	77.4	50.7	1015	1015	7.5	3.5	347.7	345.3	24	23	
8/29/2023 15:27	25.2	77.4	50.8	1015	1015	7.5	3.5	347.6	345.69	24	23	
8/29/2023 15:28	25.1	77.2	50.5	1015	1015	7.5	3.4	346.3	345.88	24	23	
8/29/2023 15:29	25.3	77.5	50	1015	1015	7.1	3.2	346	346.1	23	23	
8/29/2023 15:30	25.7	78.3	49.3	1015	1015	7.1	2.9	340.9	345.87	24	23	
8/29/2023 15:31	25.9	78.6	48.6	1015	1015	7.1	2.8	339.3	345.5	24	23	
8/29/2023 15:32	26.2	79.1	48	1015	1015	7.5	2.9	334.2	344.67	24	23	
8/29/2023 15:33	26	78.8	46.9	1015	1015	7.5	2.9	331	343.52	24	23	
8/29/2023 15:34	25.7	78.3	46.5	1015	1015	7.5	3	328.8	342.35	23	23	
8/29/2023 15:35	25.8	78.4	46	1015	1015	8.6	2.9	327.4	341.19	22	23	
8/29/2023 15:36	25.7	78.2	45.4	1015	1015	8.6	2.9	319.3	339.47	23	23	
8/29/2023 15:37	25.7	78.2	45.8	1015	1015	8.6	2.9	318.9	337.77	23	23	
8/29/2023 15:38	25.7	78.2	46	1015	1015	8.6	2.9	321.2	336.14	24	23	
8/29/2023 15:39	26	78.8	46.2	1015	1015	8.6	3.1	322.9	334.55	24	23	
8/29/2023 15:40	26.2	79.1	46.5	1015	1015	9.9	3.5	324.4	333.06	25	23	
8/29/2023 15:41	26.3	79.4	46.4	1015	1015	9.9	3.7	327.1	331.69	25	23	
8/29/2023 15:42	26.1	79	47.8	1015	1015	9.9	3.5	326.2	330.26	25	23	
8/29/2023 15:43	26	78.9	48	1015	1015	9.9	3.4	327	328.97	24	23	
8/29/2023 15:44	26.1	78.9	47.6	1015	1015	9.9	3.4	324.3	327.53	25	23	
8/29/2023 15:45	26.2	79.2	48	1015	1015	9.9	3.1	324.9	326.46	24	23	
8/29/2023 15:46	26	78.9	48.4	1015	1015	9.9	3.2	325.3	325.53	24	23	
8/29/2023 15:47	25.9	78.7	49	1015	1015	9.9	3.3	324.4	324.87	24	23	
8/29/2023 15:48	25.8	78.5	49.5	1015	1015	9.9	3.4	324.6	324.45	24	23	
8/29/2023 15:49	25.8	78.4	49.5	1015	1015	8.9	3.2	323.6	324.1	24	24	
8/29/2023 15:50	25.7	78.3	49.3	1015	1015	8.9	3.1	323.7	323.85	24	24	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/29/2023 15:51	25.8	78.5	49	1015	1015	8.9	3.1	320.5	323.93	24	24	
8/29/2023 15:52	25.9	78.7	48.5	1015	1015	8.9	3	314.9	323.67	24	24	
8/29/2023 15:53	26.1	79.1	48.1	1015	1015	8.9	3	317	323.39	24	24	
8/29/2023 15:54	26	78.9	48.5	1015	1015	8.9	3.2	319.5	323.16	24	24	
8/29/2023 15:55	25.9	78.7	49.4	1015	1015	8.9	3.3	321.1	322.94	24	24	
8/29/2023 15:56	25.8	78.5	49.5	1015	1015	8.9	3.4	324.6	322.77	24	24	
8/29/2023 15:57	25.6	78.2	50.1	1015	1015	9	3.4	326.2	322.77	24	24	
8/29/2023 15:58	25.6	78.2	49.7	1015	1015	9	3.4	326.3	322.73	24	24	
8/29/2023 15:59	25.6	78.2	49.7	1015	1015	9	3.6	325.4	322.8	24	24	
8/29/2023 16:00	25.6	78.2	49.4	1015	1015	9	3.6	329.3	323.09	24	24	0.025038
8/29/2023 16:01	25.8	78.4	49.4	1015	1015	9	3.7	333.1	323.61	24	24	
8/29/2023 16:02	25.7	78.2	48.8	1015	1015	9	4	331.5	324.09	24	24	
8/29/2023 16:03	25.7	78.2	49.5	1015	1015	9	3.8	331.4	324.54	24	24	
8/29/2023 16:04	26	78.7	49.1	1015	1015	9	3.6	329.9	324.96	24	24	
8/29/2023 16:05	26.3	79.3	47.8	1015	1015	9	3.6	327.4	325.21	24	24	
8/29/2023 16:06	26.2	79.1	48.4	1015	1015	8.9	3.4	327.8	325.69	24	24	
8/29/2023 16:07	26.4	79.4	47.6	1015	1015	8.9	3.5	327.6	326.54	24	24	
8/29/2023 16:08										24	24	
					Min	3.4			132.75	22		
					Max	11.4			346.1	74		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 7:00			
8/29/2023 7:31			
8/29/2023 7:34	10	10	
8/29/2023 7:35	13	11	
8/29/2023 7:36	12	11	
8/29/2023 7:37	13	12	
8/29/2023 7:38	14	12	
8/29/2023 7:39	14	12	
8/29/2023 7:40	13	12	
8/29/2023 7:41	13	12	
8/29/2023 7:42	13	12	
8/29/2023 7:43	13	12	
8/29/2023 7:44	15	13	
8/29/2023 7:45	14	13	
8/29/2023 7:46	13	13	
8/29/2023 7:47	14	13	
8/29/2023 7:48	14	13	
8/29/2023 7:49	15	13	
8/29/2023 7:50	15	13	
8/29/2023 7:51	16	13	
8/29/2023 7:52	18	14	
8/29/2023 7:53	17	14	
8/29/2023 7:54	16	14	
8/29/2023 7:55	15	14	
8/29/2023 7:56	13	14	
8/29/2023 7:57	15	14	
8/29/2023 7:58	14	14	
8/29/2023 7:59	13	14	
8/29/2023 8:00	12	14	0.00034615
8/29/2023 8:01	12	14	
8/29/2023 8:02	13	14	
8/29/2023 8:03	12	14	
8/29/2023 8:04	48	16	
8/29/2023 8:05	56	19	
8/29/2023 8:06	59	22	
8/29/2023 8:07	59	24	
8/29/2023 8:08	56	27	
8/29/2023 8:09	54	30	
8/29/2023 8:10	55	32	
8/29/2023 8:11	53	35	
8/29/2023 8:12	50	37	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:13	50	40	
8/29/2023 8:14	49	42	
8/29/2023 8:15	50	45	
8/29/2023 8:16	49	47	
8/29/2023 8:17	49	49	
8/29/2023 8:18	49	52	
8/29/2023 8:19	50	52	
8/29/2023 8:20	49	52	
8/29/2023 8:21	50	51	
8/29/2023 8:22	50	50	
8/29/2023 8:23	50	50	
8/29/2023 8:24	51	50	
8/29/2023 8:25	51	50	
8/29/2023 8:26	51	49	
8/29/2023 8:27	52	50	
8/29/2023 8:28	53	50	
8/29/2023 8:29	53	50	
8/29/2023 8:30	54	50	
8/29/2023 8:31	53	51	
8/29/2023 8:32	51	51	
8/29/2023 8:33	51	51	
8/29/2023 8:34	51	51	
8/29/2023 8:35	50	51	
8/29/2023 8:36	51	51	
8/29/2023 8:37	51	51	
8/29/2023 8:38	50	51	
8/29/2023 8:39	50	51	
8/29/2023 8:40	49	51	
8/29/2023 8:41	49	51	
8/29/2023 8:42	50	51	
8/29/2023 8:43	49	50	
8/29/2023 8:44	48	50	
8/29/2023 8:45	50	50	
8/29/2023 8:46	50	50	
8/29/2023 8:47	51	50	
8/29/2023 8:48	50	49	
8/29/2023 8:49	49	49	
8/29/2023 8:50	48	49	
8/29/2023 8:51	49	49	
8/29/2023 8:52	48	49	
8/29/2023 8:53	48	49	
8/29/2023 8:54	48	49	
8/29/2023 8:55	48	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:56	47	48	0.0020647
8/29/2023 8:57	47	48	
8/29/2023 8:58	46	48	
8/29/2023 8:59	46	48	
8/29/2023 9:00	46	48	
8/29/2023 9:01	46	47	
8/29/2023 9:02	46	47	
8/29/2023 9:03	45	47	
8/29/2023 9:04	45	46	
8/29/2023 9:05	45	46	
8/29/2023 9:06	46	46	
8/29/2023 9:07	46	46	
8/29/2023 9:08	46	46	
8/29/2023 9:09	48	46	
8/29/2023 9:10	45	46	
8/29/2023 9:11	45	45	
8/29/2023 9:12	45	45	
8/29/2023 9:13	44	45	
8/29/2023 9:14	44	45	
8/29/2023 9:15	45	45	
8/29/2023 9:16	46	45	
8/29/2023 9:17	50	45	
8/29/2023 9:18	52	46	
8/29/2023 9:19	47	46	
8/29/2023 9:20	42	46	
8/29/2023 9:21	41	45	
8/29/2023 9:22	41	45	
8/29/2023 9:23	39	44	
8/29/2023 9:24	39	44	
8/29/2023 9:25	39	43	
8/29/2023 9:26	38	43	
8/29/2023 9:27	37	42	
8/29/2023 9:28	37	42	
8/29/2023 9:29	37	42	
8/29/2023 9:30	37	41	
8/29/2023 9:31	36	40	
8/29/2023 9:32	36	39	
8/29/2023 9:33	35	38	
8/29/2023 9:34	36	38	
8/29/2023 9:35	35	37	
8/29/2023 9:36	35	37	
8/29/2023 9:37	35	36	
8/29/2023 9:38	35	36	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:39	34	36	0.0045543
8/29/2023 9:40	36	35	
8/29/2023 9:41	34	35	
8/29/2023 9:42	35	35	
8/29/2023 9:43	36	35	
8/29/2023 9:44	36	35	
8/29/2023 9:45	35	35	
8/29/2023 9:46	36	35	
8/29/2023 9:47	37	35	
8/29/2023 9:48	37	35	
8/29/2023 9:49	35	35	
8/29/2023 9:50	35	35	
8/29/2023 9:51	35	35	
8/29/2023 9:52	35	35	
8/29/2023 9:53	35	35	
8/29/2023 9:54	36	35	
8/29/2023 9:55	35	35	
8/29/2023 9:56	36	35	
8/29/2023 9:57	43	36	
8/29/2023 9:58	44	36	
8/29/2023 9:59	38	36	
8/29/2023 10:00	36	36	
8/29/2023 10:01	36	36	
8/29/2023 10:02	36	36	
8/29/2023 10:03	36	36	
8/29/2023 10:04	35	36	
8/29/2023 10:05	35	36	
8/29/2023 10:06	34	36	
8/29/2023 10:07	34	36	
8/29/2023 10:08	35	36	
8/29/2023 10:09	35	36	
8/29/2023 10:10	34	36	
8/29/2023 10:11	35	36	
8/29/2023 10:12	35	35	
8/29/2023 10:13	36	35	
8/29/2023 10:14	34	35	
8/29/2023 10:15	34	34	
8/29/2023 10:16	35	34	
8/29/2023 10:17	38	35	
8/29/2023 10:18	35	34	
8/29/2023 10:19	34	34	
8/29/2023 10:20	33	34	
8/29/2023 10:21	36	34	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:22	35	34	
8/29/2023 10:23	33	34	
8/29/2023 10:24	32	34	
8/29/2023 10:25	32	34	
8/29/2023 10:26	34	34	
8/29/2023 10:27	34	34	
8/29/2023 10:28	34	34	
8/29/2023 10:29	35	34	
8/29/2023 10:30	34	34	
8/29/2023 10:31	33	34	
8/29/2023 10:32	33	33	
8/29/2023 10:33	35	33	
8/29/2023 10:34	35	33	
8/29/2023 10:35	35	34	
8/29/2023 10:36	34	33	
8/29/2023 10:37	34	33	
8/29/2023 10:38	36	34	
8/29/2023 10:39	36	34	
8/29/2023 10:40	36	34	
8/29/2023 10:41	35	34	
8/29/2023 10:42	35	34	
8/29/2023 10:43	34	34	
8/29/2023 10:44	34	34	
8/29/2023 10:45	34	34	
8/29/2023 10:46	34	34	
8/29/2023 10:47	35	34	
8/29/2023 10:48	34	34	
8/29/2023 10:49	33	34	
8/29/2023 10:50	36	34	
8/29/2023 10:51	39	35	
8/29/2023 10:52	34	35	
8/29/2023 10:53	32	34	
8/29/2023 10:54	33	34	
8/29/2023 10:55	32	34	
8/29/2023 10:56	32	34	
8/29/2023 10:57	33	33	
8/29/2023 10:58	32	33	
8/29/2023 10:59	31	33	
8/29/2023 11:00	31	33	0.0069449
8/29/2023 11:01	31	33	
8/29/2023 11:02	31	32	
8/29/2023 11:03	30	32	
8/29/2023 11:04	29	32	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:05	29	31	
8/29/2023 11:06	29	31	
8/29/2023 11:07	29	30	
8/29/2023 11:08	29	30	
8/29/2023 11:09	27	30	
8/29/2023 11:10	26	29	
8/29/2023 11:11	26	29	
8/29/2023 11:12	26	29	
8/29/2023 11:13	27	28	
8/29/2023 11:14	28	28	
8/29/2023 11:15	28	28	
8/29/2023 11:16	28	28	
8/29/2023 11:17	29	28	
8/29/2023 11:18	29	27	
8/29/2023 11:19	29	27	
8/29/2023 11:20	29	27	
8/29/2023 11:21	29	27	
8/29/2023 11:22	29	27	
8/29/2023 11:23	29	27	
8/29/2023 11:24	28	28	
8/29/2023 11:25	29	28	
8/29/2023 11:26	29	28	
8/29/2023 11:27	29	28	
8/29/2023 11:28	28	28	
8/29/2023 11:29	29	28	
8/29/2023 11:30	28	28	
8/29/2023 11:31	28	28	
8/29/2023 11:32	27	28	
8/29/2023 11:33	28	28	
8/29/2023 11:34	29	28	
8/29/2023 11:35	29	28	
8/29/2023 11:36	29	28	
8/29/2023 11:37	28	28	
8/29/2023 11:38	28	28	
8/29/2023 11:39	27	28	
8/29/2023 11:40	26	28	
8/29/2023 11:41	26	27	
8/29/2023 11:42	27	27	
8/29/2023 11:43	28	27	
8/29/2023 11:44	29	27	
8/29/2023 11:45	29	27	
8/29/2023 11:46	28	27	
8/29/2023 11:47	28	27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:48	27	27	0.0091759
8/29/2023 11:49	27	27	
8/29/2023 11:50	28	27	
8/29/2023 11:51	28	27	
8/29/2023 11:52	28	27	
8/29/2023 11:53	28	27	
8/29/2023 11:54	28	27	
8/29/2023 11:55	27	27	
8/29/2023 11:56	27	27	
8/29/2023 11:57	27	27	
8/29/2023 11:58	27	27	
8/29/2023 11:59	26	27	
8/29/2023 12:00	26	27	
8/29/2023 12:01	26	27	
8/29/2023 12:02	27	27	
8/29/2023 12:03	26	27	
8/29/2023 12:04	27	27	
8/29/2023 12:05	29	27	
8/29/2023 12:06	27	27	
8/29/2023 12:07	26	26	
8/29/2023 12:08	27	26	
8/29/2023 12:09	27	26	
8/29/2023 12:10	26	26	
8/29/2023 12:11	25	26	
8/29/2023 12:12	25	26	
8/29/2023 12:13	26	26	
8/29/2023 12:14	26	26	
8/29/2023 12:15	26	26	
8/29/2023 12:16	26	26	
8/29/2023 12:17	26	26	
8/29/2023 12:18	26	26	
8/29/2023 12:19	27	26	
8/29/2023 12:20	26	26	
8/29/2023 12:21	26	26	
8/29/2023 12:22	25	26	
8/29/2023 12:23	25	25	
8/29/2023 12:24	26	25	
8/29/2023 12:25	26	25	
8/29/2023 12:26	26	25	
8/29/2023 12:27	26	25	
8/29/2023 12:28	25	25	
8/29/2023 12:29	26	25	
8/29/2023 12:30	26	25	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:31	28	26	
8/29/2023 12:32	26	26	
8/29/2023 12:33	26	26	
8/29/2023 12:34	26	25	
8/29/2023 12:35	26	25	
8/29/2023 12:36	26	25	
8/29/2023 12:37	26	26	
8/29/2023 12:38	24	25	
8/29/2023 12:39	25	25	
8/29/2023 12:40	25	25	
8/29/2023 12:41	25	25	
8/29/2023 12:42	25	25	
8/29/2023 12:43	25	25	
8/29/2023 12:44	25	25	
8/29/2023 12:45	25	25	
8/29/2023 12:46	24	25	
8/29/2023 12:47	24	25	
8/29/2023 12:48	25	25	
8/29/2023 12:49	25	25	
8/29/2023 12:50	25	24	
8/29/2023 12:51	25	24	
8/29/2023 12:52	25	24	
8/29/2023 12:53	26	24	
8/29/2023 12:54	26	25	
8/29/2023 12:55	25	25	
8/29/2023 12:56	25	25	
8/29/2023 12:57	26	25	
8/29/2023 13:00			0.011227
8/29/2023 13:00			
8/29/2023 13:02	0	23	
8/29/2023 13:03	0	20	
8/29/2023 13:04	0	18	
8/29/2023 13:05	0	16	
8/29/2023 13:06	0	13	
8/29/2023 13:07	0	11	
8/29/2023 13:08	0	9	
8/29/2023 13:09	0	6	
8/29/2023 13:10	0	4	
8/29/2023 13:11	0	2	
8/29/2023 13:12	0	0	
8/29/2023 13:13	0	0	
8/29/2023 13:14	0	0	
8/29/2023 13:15	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:16	0	0	
8/29/2023 13:17	0	0	
8/29/2023 13:18	0	0	
8/29/2023 13:19	0	0	
8/29/2023 13:20	0	0	
8/29/2023 13:21	0	0	
8/29/2023 13:22	0	0	
8/29/2023 13:23	0	0	
8/29/2023 13:24	0	0	
8/29/2023 13:25	0	0	
8/29/2023 13:26	0	0	
8/29/2023 13:27	0	0	
8/29/2023 13:28	0	0	
8/29/2023 13:29	0	0	
8/29/2023 13:30	0	0	
8/29/2023 13:32	31	2	
8/29/2023 13:33	32	4	
8/29/2023 13:34	30	6	
8/29/2023 13:35	34	9	
8/29/2023 13:36	29	11	
8/29/2023 13:37	31	13	
8/29/2023 13:38	30	15	
8/29/2023 13:39	30	17	
8/29/2023 13:40	30	19	
8/29/2023 13:41	30	21	
8/29/2023 13:42	35	24	
8/29/2023 13:43	31	26	
8/29/2023 13:44	30	28	
8/29/2023 13:45	29	30	
8/29/2023 13:46	29	30	
8/29/2023 13:47	29	30	
8/29/2023 13:48	29	30	
8/29/2023 13:49	28	30	
8/29/2023 13:50	28	29	
8/29/2023 13:51	28	29	
8/29/2023 13:52	27	29	
8/29/2023 13:53	27	29	
8/29/2023 13:54	27	29	
8/29/2023 13:55	26	28	
8/29/2023 13:56	27	28	
8/29/2023 13:57	27	28	
8/29/2023 13:58	26	27	
8/29/2023 13:59	26	27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:00	26	27	0.009715
8/29/2023 14:01	26	27	
8/29/2023 14:02	26	26	
8/29/2023 14:03	26	26	
8/29/2023 14:04	26	26	
8/29/2023 14:05	26	26	
8/29/2023 14:06	25	26	
8/29/2023 14:07	26	26	
8/29/2023 14:08	26	26	
8/29/2023 14:09	26	26	
8/29/2023 14:10	26	26	
8/29/2023 14:11	25	25	
8/29/2023 14:12	26	25	
8/29/2023 14:13	26	25	
8/29/2023 14:14	26	25	
8/29/2023 14:15	25	25	
8/29/2023 14:16	26	25	
8/29/2023 14:17	25	25	
8/29/2023 14:18	25	25	
8/29/2023 14:19	28	25	
8/29/2023 14:20	26	25	
8/29/2023 14:21	26	25	
8/29/2023 14:22	25	25	
8/29/2023 14:23	25	25	
8/29/2023 14:24	25	25	
8/29/2023 14:25	25	25	
8/29/2023 14:26	25	25	
8/29/2023 14:27	25	25	
8/29/2023 14:28	26	25	
8/29/2023 14:29	25	25	
8/29/2023 14:30	25	25	
8/29/2023 14:31	25	25	
8/29/2023 14:32	25	25	
8/29/2023 14:33	25	25	
8/29/2023 14:34	25	25	
8/29/2023 14:35	25	25	
8/29/2023 14:36	25	25	
8/29/2023 14:37	25	25	
8/29/2023 14:38	25	25	
8/29/2023 14:39	25	25	
8/29/2023 14:40	25	25	
8/29/2023 14:41	25	25	
8/29/2023 14:42	25	25	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:43	25	25	0.0089194
8/29/2023 14:44	25	25	
8/29/2023 14:45	25	25	
8/29/2023 14:46	25	25	
8/29/2023 14:47	25	25	
8/29/2023 14:48	25	25	
8/29/2023 14:49	25	25	
8/29/2023 14:50	25	25	
8/29/2023 14:51	25	25	
8/29/2023 14:52	25	25	
8/29/2023 14:53	24	24	
8/29/2023 14:54	25	24	
8/29/2023 14:55	24	24	
8/29/2023 14:56	25	24	
8/29/2023 14:57	26	24	
8/29/2023 14:58	25	24	
8/29/2023 14:59	26	25	
8/29/2023 15:00	25	25	
8/29/2023 15:01	25	25	
8/29/2023 15:02	25	25	
8/29/2023 15:03	25	25	
8/29/2023 15:04	25	25	
8/29/2023 15:05	25	25	
8/29/2023 15:06	26	25	
8/29/2023 15:07	26	25	
8/29/2023 15:08	26	25	
8/29/2023 15:09	26	25	
8/29/2023 15:10	25	25	
8/29/2023 15:11	26	25	
8/29/2023 15:12	26	25	
8/29/2023 15:13	25	25	
8/29/2023 15:14	25	25	
8/29/2023 15:15	26	25	
8/29/2023 15:16	26	25	
8/29/2023 15:17	26	25	
8/29/2023 15:18	26	25	
8/29/2023 15:19	25	25	
8/29/2023 15:20	25	25	
8/29/2023 15:21	26	25	
8/29/2023 15:22	26	25	
8/29/2023 15:23	26	25	
8/29/2023 15:24	26	25	
8/29/2023 15:25	26	25	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:26	25	25	
8/29/2023 15:27	26	25	
8/29/2023 15:28	26	25	
8/29/2023 15:29	26	25	
8/29/2023 15:30	26	25	
8/29/2023 15:31	26	25	
8/29/2023 15:32	26	25	
8/29/2023 15:33	26	25	
8/29/2023 15:34	26	25	
8/29/2023 15:35	25	25	
8/29/2023 15:36	25	25	
8/29/2023 15:37	25	25	
8/29/2023 15:38	26	25	
8/29/2023 15:39	26	25	
8/29/2023 15:40	27	25	
8/29/2023 15:41	26	25	
8/29/2023 15:42	27	25	
8/29/2023 15:43	26	25	
8/29/2023 15:44	27	26	
8/29/2023 15:45	27	26	
8/29/2023 15:46	27	26	
8/29/2023 15:47	26	26	
8/29/2023 15:48	26	26	
8/29/2023 15:49	27	26	
8/29/2023 15:50	26	26	
8/29/2023 15:51	27	26	
8/29/2023 15:52	26	26	
8/29/2023 15:53	28	26	
8/29/2023 15:54	27	26	
8/29/2023 15:55	26	26	
8/29/2023 15:56	26	26	
8/29/2023 15:57	27	26	
8/29/2023 15:58	27	26	
8/29/2023 15:59	27	26	
8/29/2023 16:00	27	26	0.009697
8/29/2023 16:01	26	26	
8/29/2023 16:02	26	26	
8/29/2023 16:03	27	26	
8/29/2023 16:04	28	26	
8/29/2023 16:05	26	26	
8/29/2023 16:06	26	26	
8/29/2023 16:07	26	26	
8/29/2023 16:08	27	26	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 16:09	27	26	
8/29/2023 16:10	28	26	
8/29/2023 16:11	26	26	
8/29/2023 16:12	26	26	
8/29/2023 16:13	26	26	
8/29/2023 16:14	26	26	
8/29/2023 16:15	26	26	
8/29/2023 16:16	27	26	
8/29/2023 16:17	26	26	
8/29/2023 16:18	50	28	
Min	10		
Max	59		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 7:00			
8/29/2023 7:40			
8/29/2023 7:41			
8/29/2023 7:43	71	71	
8/29/2023 7:44	59	65	
8/29/2023 7:45	57	62	
8/29/2023 7:46	55	60	
8/29/2023 7:47	55	59	
8/29/2023 7:48	55	58	
8/29/2023 7:49	55	58	
8/29/2023 7:50	56	57	
8/29/2023 7:51	56	57	
8/29/2023 7:52	62	58	
8/29/2023 7:53	56	57	
8/29/2023 7:54	55	57	
8/29/2023 7:55	59	57	
8/29/2023 7:56	60	57	
8/29/2023 7:57	58	57	
8/29/2023 7:58	59	57	
8/29/2023 7:59	57	57	
8/29/2023 8:00	55	56	0.00023529
8/29/2023 8:01	55	56	
8/29/2023 8:02	56	56	
8/29/2023 8:03	55	56	
8/29/2023 8:04	56	57	
8/29/2023 8:05	58	57	
8/29/2023 8:06	57	57	
8/29/2023 8:07	57	56	
8/29/2023 8:08	55	56	
8/29/2023 8:09	53	56	
8/29/2023 8:10	54	56	
8/29/2023 8:11	52	55	
8/29/2023 8:12	52	55	
8/29/2023 8:13	49	54	
8/29/2023 8:14	48	54	
8/29/2023 8:15	48	53	
8/29/2023 8:16	47	53	
8/29/2023 8:17	46	52	
8/29/2023 8:18	46	51	
8/29/2023 8:19	46	51	
8/29/2023 8:20	47	50	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:21	46	49	
8/29/2023 8:22	47	49	
8/29/2023 8:23	47	48	
8/29/2023 8:24	48	48	
8/29/2023 8:25	51	48	
8/29/2023 8:26	51	47	
8/29/2023 8:27	51	47	
8/29/2023 8:28	50	47	
8/29/2023 8:29	50	48	
8/29/2023 8:30	51	48	
8/29/2023 8:31	50	48	
8/29/2023 8:32	48	48	
8/29/2023 8:33	50	48	
8/29/2023 8:34	48	49	
8/29/2023 8:35	48	49	
8/29/2023 8:36	48	49	
8/29/2023 8:37	48	49	
8/29/2023 8:38	47	49	
8/29/2023 8:39	66	50	
8/29/2023 8:40	72	51	
8/29/2023 8:41	75	53	
8/29/2023 8:42	61	54	
8/29/2023 8:43	50	54	
8/29/2023 8:44	49	54	
8/29/2023 8:45	52	54	
8/29/2023 8:46	50	54	
8/29/2023 8:47	49	54	
8/29/2023 8:48	47	54	
8/29/2023 8:49	48	54	
8/29/2023 8:50	50	54	
8/29/2023 8:51	47	54	
8/29/2023 8:52	47	54	
8/29/2023 8:53	46	53	
8/29/2023 8:54	45	52	
8/29/2023 8:55	45	50	
8/29/2023 8:56	48	48	
8/29/2023 8:57	123	53	
8/29/2023 8:58	65	54	
8/29/2023 8:59	57	54	
8/29/2023 9:00	54	54	0.002751
8/29/2023 9:01	46	54	
8/29/2023 9:02	48	54	
8/29/2023 9:03	47	54	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:04	48	54	
8/29/2023 9:05	77	56	
8/29/2023 9:06	45	56	
8/29/2023 9:07	47	56	
8/29/2023 9:08	47	56	
8/29/2023 9:09	49	56	
8/29/2023 9:10	46	56	
8/29/2023 9:11	44	56	
8/29/2023 9:12	46	51	
8/29/2023 9:13	44	49	
8/29/2023 9:14	44	48	
8/29/2023 9:15	44	48	
8/29/2023 9:16	47	48	
8/29/2023 9:17	46	48	
8/29/2023 9:18	46	48	
8/29/2023 9:19	53	48	
8/29/2023 9:20	48	46	
8/29/2023 9:21	45	46	
8/29/2023 9:22	42	46	
8/29/2023 9:23	43	45	
8/29/2023 9:24	45	45	
8/29/2023 9:25	48	45	
8/29/2023 9:26	48	45	
8/29/2023 9:27	46	45	
8/29/2023 9:28	40	45	
8/29/2023 9:29	41	45	
8/29/2023 9:30	39	45	
8/29/2023 9:31	43	44	
8/29/2023 9:32	48	45	
8/29/2023 9:33	43	44	
8/29/2023 9:34	38	43	
8/29/2023 9:35	37	43	
8/29/2023 9:36	37	42	
8/29/2023 9:37	36	42	
8/29/2023 9:38	36	41	
8/29/2023 9:39	36	41	
8/29/2023 9:40	37	40	
8/29/2023 9:41	36	39	
8/29/2023 9:42	36	38	
8/29/2023 9:43	35	38	
8/29/2023 9:44	35	38	
8/29/2023 9:45	37	38	
8/29/2023 9:46	38	37	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:47	40	37	0.0056673
8/29/2023 9:48	37	36	
8/29/2023 9:49	36	36	
8/29/2023 9:50	36	36	
8/29/2023 9:51	36	36	
8/29/2023 9:52	36	36	
8/29/2023 9:53	36	36	
8/29/2023 9:54	39	36	
8/29/2023 9:55	38	36	
8/29/2023 9:56	40	37	
8/29/2023 9:57	38	37	
8/29/2023 9:58	37	37	
8/29/2023 9:59	36	37	
8/29/2023 10:00	36	37	
8/29/2023 10:01	36	37	
8/29/2023 10:02	37	36	
8/29/2023 10:03	37	36	
8/29/2023 10:04	37	37	
8/29/2023 10:05	38	37	
8/29/2023 10:06	38	37	
8/29/2023 10:07	37	37	
8/29/2023 10:08	35	37	
8/29/2023 10:09	36	37	
8/29/2023 10:10	36	36	
8/29/2023 10:11	35	36	
8/29/2023 10:12	37	36	
8/29/2023 10:13	36	36	
8/29/2023 10:14	36	36	
8/29/2023 10:15	37	36	
8/29/2023 10:16	36	36	
8/29/2023 10:17	36	36	
8/29/2023 10:18	35	36	
8/29/2023 10:19	35	36	
8/29/2023 10:20	35	36	
8/29/2023 10:21	37	35	
8/29/2023 10:22	36	35	
8/29/2023 10:23	36	35	
8/29/2023 10:24	34	35	
8/29/2023 10:25	36	35	
8/29/2023 10:26	42	36	
8/29/2023 10:27	36	36	
8/29/2023 10:28	37	36	
8/29/2023 10:29	35	36	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:30	40	36	0.0065187
8/29/2023 10:35			
8/29/2023 10:36	32	36	
8/29/2023 10:37	36	36	
8/29/2023 10:38	36	36	
8/29/2023 10:39	41	37	
8/29/2023 10:40	38	37	
8/29/2023 10:41	37	36	
8/29/2023 10:42	37	36	
8/29/2023 10:43	36	36	
8/29/2023 10:44	36	36	
8/29/2023 10:45	36	36	
8/29/2023 10:46	36	36	
8/29/2023 10:47	37	36	
8/29/2023 10:48	37	36	
8/29/2023 10:49	35	36	
8/29/2023 10:50	35	36	
8/29/2023 10:51	35	36	
8/29/2023 10:52	37	36	
8/29/2023 10:53	36	36	
8/29/2023 10:54	34	36	
8/29/2023 10:55	33	35	
8/29/2023 10:56	33	35	
8/29/2023 10:57	34	35	
8/29/2023 10:58	34	35	
8/29/2023 10:59	34	35	
8/29/2023 11:00	34	34	
8/29/2023 11:01	34	34	
8/29/2023 11:02	33	34	
8/29/2023 11:03	33	34	
8/29/2023 11:04	34	34	
8/29/2023 11:05	32	34	
8/29/2023 11:06	31	33	
8/29/2023 11:07	31	33	
8/29/2023 11:08	32	33	
8/29/2023 11:09	30	32	
8/29/2023 11:10	42	33	
8/29/2023 11:11	28	33	
8/29/2023 11:12	30	32	
8/29/2023 11:13	83	36	
8/29/2023 11:14	34	36	
8/29/2023 11:15	30	35	
8/29/2023 11:16	29	35	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:17	31	35	
8/29/2023 11:18	32	35	
8/29/2023 11:19	34	35	
8/29/2023 11:20	32	35	
8/29/2023 11:21	32	35	
8/29/2023 11:22	31	35	
8/29/2023 11:23	32	35	
8/29/2023 11:24	32	35	
8/29/2023 11:25	32	34	
8/29/2023 11:26	32	35	
8/29/2023 11:27	33	35	
8/29/2023 11:28	31	31	
8/29/2023 11:29	31	31	
8/29/2023 11:30	32	31	
8/29/2023 11:31	37	32	
8/29/2023 11:32	36	32	
8/29/2023 11:33	32	32	
8/29/2023 11:34	32	32	
8/29/2023 11:35	31	32	
8/29/2023 11:36	44	33	
8/29/2023 11:37	32	33	
8/29/2023 11:38	31	33	
8/29/2023 11:39	32	33	
8/29/2023 11:40	30	33	
8/29/2023 11:41	28	32	
8/29/2023 11:42	29	32	
8/29/2023 11:43	30	32	
8/29/2023 11:44	31	32	
8/29/2023 11:45	32	32	
8/29/2023 11:46	30	32	
8/29/2023 11:47	31	31	
8/29/2023 11:48	30	31	
8/29/2023 11:49	31	31	
8/29/2023 11:50	30	31	
8/29/2023 11:51	31	30	
8/29/2023 11:52	30	30	
8/29/2023 11:53	30	30	
8/29/2023 11:54	30	30	
8/29/2023 11:55	32	30	
8/29/2023 11:56	30	30	
8/29/2023 11:57	30	30	
8/29/2023 11:58	29	30	
8/29/2023 11:59	30	30	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:00	30	30	0.0059949
8/29/2023 12:01	30	30	
8/29/2023 12:02	51	31	
8/29/2023 12:03	48	32	
8/29/2023 12:04	31	32	
8/29/2023 12:05	30	32	
8/29/2023 12:06	39	33	
8/29/2023 12:07	38	33	
8/29/2023 12:08	36	34	
8/29/2023 12:09	105	39	
8/29/2023 12:10	39	39	
8/29/2023 12:11	29	39	
8/29/2023 12:12	40	40	
8/29/2023 12:13	34	40	
8/29/2023 12:14	30	40	
8/29/2023 12:15	49	41	
8/29/2023 12:16	39	42	
8/29/2023 12:17	34	41	
8/29/2023 12:18	32	40	
8/29/2023 12:19	31	40	
8/29/2023 12:20	30	40	
8/29/2023 12:21	30	39	
8/29/2023 12:22	29	39	
8/29/2023 12:23	29	38	
8/29/2023 12:24	29	33	
8/29/2023 12:25	30	33	
8/29/2023 12:26	29	33	
8/29/2023 12:27	29	32	
8/29/2023 12:28	29	31	
8/29/2023 12:29	29	31	
8/29/2023 12:30	29	30	
8/29/2023 12:31	29	29	
8/29/2023 12:32	29	29	
8/29/2023 12:33	28	29	
8/29/2023 12:34	29	29	
8/29/2023 12:35	29	29	
8/29/2023 12:36	29	29	
8/29/2023 12:37	28	28	
8/29/2023 12:38	28	28	
8/29/2023 12:39	29	28	
8/29/2023 12:40	29	28	
8/29/2023 12:41	28	28	
8/29/2023 12:42	28	28	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:43	29	28	0.0063513
8/29/2023 12:44	29	28	
8/29/2023 12:45	29	28	
8/29/2023 12:46	28	28	
8/29/2023 12:47	29	28	
8/29/2023 12:48	29	28	
8/29/2023 12:49	29	28	
8/29/2023 12:50	29	28	
8/29/2023 12:51	29	28	
8/29/2023 12:52	29	28	
8/29/2023 12:53	32	29	
8/29/2023 12:54	33	29	
8/29/2023 12:55	30	29	
8/29/2023 12:56	31	29	
8/29/2023 12:57	30	29	
8/29/2023 12:58	29	29	
8/29/2023 12:59	28	29	
8/29/2023 13:00	29	29	
8/29/2023 13:01	29	29	
8/29/2023 13:02	29	29	
8/29/2023 13:03	31	29	
8/29/2023 13:04	28	29	
8/29/2023 13:05	29	29	
8/29/2023 13:06	29	29	
8/29/2023 13:07	28	29	
8/29/2023 13:08	31	29	
8/29/2023 13:09	29	29	
8/29/2023 13:10	29	29	
8/29/2023 13:11	29	29	
8/29/2023 13:12	28	29	
8/29/2023 13:13	27	28	
8/29/2023 13:14	28	28	
8/29/2023 13:15	29	28	
8/29/2023 13:16	31	29	
8/29/2023 13:17	29	29	
8/29/2023 13:18	29	28	
8/29/2023 13:19	30	29	
8/29/2023 13:20	30	29	
8/29/2023 13:21	30	29	
8/29/2023 13:22	29	29	
8/29/2023 13:23	31	29	
8/29/2023 13:24	30	29	
8/29/2023 13:25	30	29	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:26	31	29	
8/29/2023 13:27	30	29	
8/29/2023 13:28	29	29	
8/29/2023 13:29	32	30	
8/29/2023 13:30	35	30	
8/29/2023 13:31	31	30	
8/29/2023 13:32	30	30	
8/29/2023 13:33	31	30	
8/29/2023 13:34	33	30	
8/29/2023 13:35	31	30	
8/29/2023 13:36	31	30	
8/29/2023 13:37	31	31	
8/29/2023 13:38	30	31	
8/29/2023 13:39	31	31	
8/29/2023 13:40	30	31	
8/29/2023 13:41	30	31	
8/29/2023 13:42	31	31	
8/29/2023 13:43	34	31	
8/29/2023 13:44	38	31	
8/29/2023 13:45	32	31	
8/29/2023 13:46	31	31	
8/29/2023 13:47	28	31	
8/29/2023 13:48	28	31	
8/29/2023 13:49	29	31	
8/29/2023 13:50	28	30	
8/29/2023 13:51	28	30	
8/29/2023 13:52	27	30	
8/29/2023 13:53	27	30	
8/29/2023 13:54	27	29	
8/29/2023 13:55	27	29	
8/29/2023 13:56	28	29	
8/29/2023 13:57	27	29	
8/29/2023 13:58	28	28	
8/29/2023 13:59	26	28	
8/29/2023 14:00	27	27	0.0071535
8/29/2023 14:01	26	27	
8/29/2023 14:02	26	27	
8/29/2023 14:03	26	27	
8/29/2023 14:04	26	26	
8/29/2023 14:05	25	26	
8/29/2023 14:06	25	26	
8/29/2023 14:07	27	26	
8/29/2023 14:08	29	26	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:09	26	26	
8/29/2023 14:10	26	26	
8/29/2023 14:11	27	26	
8/29/2023 14:12	27	26	
8/29/2023 14:13	27	26	
8/29/2023 14:14	26	26	
8/29/2023 14:15	25	26	
8/29/2023 14:16	26	26	
8/29/2023 14:17	26	26	
8/29/2023 14:18	25	26	
8/29/2023 14:19	25	26	
8/29/2023 14:20	25	26	
8/29/2023 14:21	25	26	
8/29/2023 14:22	26	26	
8/29/2023 14:23	26	25	
8/29/2023 14:24	25	25	
8/29/2023 14:25	28	25	
8/29/2023 14:26	26	25	
8/29/2023 14:27	25	25	
8/29/2023 14:28	26	25	
8/29/2023 14:29	25	25	
8/29/2023 14:30	25	25	
8/29/2023 14:31	25	25	
8/29/2023 14:32	26	25	
8/29/2023 14:33	27	25	
8/29/2023 14:34	25	25	
8/29/2023 14:35	25	25	
8/29/2023 14:36	25	25	
8/29/2023 14:37	25	25	
8/29/2023 14:38	25	25	
8/29/2023 14:39	25	25	
8/29/2023 14:40	25	25	
8/29/2023 14:41	25	25	
8/29/2023 14:42	25	25	
8/29/2023 14:43	26	25	
8/29/2023 14:44	25	25	
8/29/2023 14:45	26	25	
8/29/2023 14:46	25	25	
8/29/2023 14:47	25	25	
8/29/2023 14:48	25	25	
8/29/2023 14:49	26	25	
8/29/2023 14:50	25	25	
8/29/2023 14:51	26	25	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:52	25	25	0.0081948
8/29/2023 14:53	25	25	
8/29/2023 14:54	25	25	
8/29/2023 14:55	26	25	
8/29/2023 14:56	25	25	
8/29/2023 14:57	25	25	
8/29/2023 14:58	25	25	
8/29/2023 14:59	25	25	
8/29/2023 15:00	25	25	
8/29/2023 15:01	25	25	
8/29/2023 15:02	27	25	
8/29/2023 15:03	26	25	
8/29/2023 15:04	26	25	
8/29/2023 15:05	26	25	
8/29/2023 15:06	26	25	
8/29/2023 15:07	26	25	
8/29/2023 15:08	26	25	
8/29/2023 15:09	26	25	
8/29/2023 15:10	25	25	
8/29/2023 15:11	28	25	
8/29/2023 15:12	27	25	
8/29/2023 15:13	26	26	
8/29/2023 15:14	25	26	
8/29/2023 15:15	26	26	
8/29/2023 15:16	25	26	
8/29/2023 15:17	27	26	
8/29/2023 15:18	26	26	
8/29/2023 15:19	26	26	
8/29/2023 15:20	26	26	
8/29/2023 15:21	25	26	
8/29/2023 15:22	26	26	
8/29/2023 15:23	26	26	
8/29/2023 15:24	25	25	
8/29/2023 15:25	25	25	
8/29/2023 15:26	25	25	
8/29/2023 15:27	25	25	
8/29/2023 15:28	25	25	
8/29/2023 15:29	25	25	
8/29/2023 15:30	25	25	
8/29/2023 15:31	25	25	
8/29/2023 15:32	25	25	
8/29/2023 15:33	25	25	
8/29/2023 15:34	25	25	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:35	25	25	0.010507
8/29/2023 15:36	25	25	
8/29/2023 15:37	25	25	
8/29/2023 15:38	25	25	
8/29/2023 15:39	25	25	
8/29/2023 15:40	25	25	
8/29/2023 15:41	26	25	
8/29/2023 15:42	26	25	
8/29/2023 15:43	25	25	
8/29/2023 15:44	26	25	
8/29/2023 15:45	26	25	
8/29/2023 15:46	27	25	
8/29/2023 15:47	27	25	
8/29/2023 15:48	26	25	
8/29/2023 15:49	25	25	
8/29/2023 15:50	26	25	
8/29/2023 15:51	26	25	
8/29/2023 15:52	25	25	
8/29/2023 15:53	26	25	
8/29/2023 15:54	26	25	
8/29/2023 15:55	26	25	
8/29/2023 15:56	26	25	
8/29/2023 15:57	26	25	
8/29/2023 15:58	26	26	
8/29/2023 15:59	26	26	
8/29/2023 16:00	25	25	
8/29/2023 16:01	25	25	
8/29/2023 16:02	26	25	
8/29/2023 16:03	26	25	
8/29/2023 16:04	28	25	
8/29/2023 16:05	24	25	
8/29/2023 16:06	25	25	
8/29/2023 16:07	26	25	
8/29/2023 16:08	26	25	
8/29/2023 16:09	31	26	
8/29/2023 16:10	31	26	
8/29/2023 16:11	34	27	
8/29/2023 16:12	27	27	
8/29/2023 16:13	24	26	
8/29/2023 16:14	26	26	
8/29/2023 16:15	25	26	
8/29/2023 16:16	28	27	
8/29/2023 16:17	32	27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 16:18	45	28	
8/29/2023 16:19	27	28	
8/29/2023 16:20	26	28	
8/29/2023 16:21	25	28	
8/29/2023 16:22	25	28	
Min	24		
Max	123		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 7:00			
8/29/2023 7:51			
8/29/2023 7:51			
8/29/2023 7:52	48	48	
8/29/2023 7:53	50	49	
8/29/2023 7:54	49	49	
8/29/2023 7:55	49	49	
8/29/2023 7:56	52	49	
8/29/2023 7:57	50	49	
8/29/2023 7:58	48	49	
8/29/2023 7:59	47	49	
8/29/2023 8:00	50	49	0
8/29/2023 8:01	47	49	
8/29/2023 9:00			0
8/29/2023 9:06			
8/29/2023 9:07	34	34	
8/29/2023 9:08	39	36	
8/29/2023 9:09	37	36	
8/29/2023 9:10	37	36	
8/29/2023 9:11	39	37	
8/29/2023 9:12	38	37	
8/29/2023 9:13	37	37	
8/29/2023 9:14	37	37	
8/29/2023 9:15	36	37	
8/29/2023 9:16	34	36	
8/29/2023 9:17	34	36	
8/29/2023 9:18	32	36	
8/29/2023 9:19	33	35	
8/29/2023 9:20	33	35	
8/29/2023 9:25			
8/29/2023 9:26	27	34	
8/29/2023 9:27	31	33	
8/29/2023 9:28	30	32	
8/29/2023 9:29	29	31	
8/29/2023 9:30	31	31	
8/29/2023 9:31	31	31	
8/29/2023 9:32	29	30	
8/29/2023 9:33	29	30	
8/29/2023 9:34	30	30	
8/29/2023 9:35	30	29	
8/29/2023 9:36	29	29	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:37	28	29	0.00025
8/29/2023 9:38	28	29	
8/29/2023 9:39	28	29	
8/29/2023 9:40	28	29	
8/29/2023 9:41	27	29	
8/29/2023 9:42	27	28	
8/29/2023 9:43	27	28	
8/29/2023 9:44	29	28	
8/29/2023 9:45	29	28	
8/29/2023 9:46	29	28	
8/29/2023 9:47	28	28	
8/29/2023 9:48	28	28	
8/29/2023 9:49	29	28	
8/29/2023 9:50	30	28	
8/29/2023 9:51	28	28	
8/29/2023 9:52	27	28	
8/29/2023 9:53	28	28	
8/29/2023 9:54	27	28	
8/29/2023 9:55	29	28	
8/29/2023 9:56	29	28	
8/29/2023 9:57	28	28	
8/29/2023 9:58	28	28	
8/29/2023 9:59	28	28	
8/29/2023 10:00	28	28	
8/29/2023 10:01	27	28	
8/29/2023 10:02	27	28	
8/29/2023 10:03	29	28	
8/29/2023 10:04	28	28	
8/29/2023 10:05	28	27	
8/29/2023 10:06	28	27	
8/29/2023 10:07	28	28	
8/29/2023 10:08	27	27	
8/29/2023 10:09	26	27	
8/29/2023 10:10	28	27	
8/29/2023 10:11	27	27	
8/29/2023 10:12	27	27	
8/29/2023 10:13	27	27	
8/29/2023 10:14	28	27	
8/29/2023 10:15	27	27	
8/29/2023 10:16	26	27	
8/29/2023 10:17	26	27	
8/29/2023 10:18	26	27	
8/29/2023 10:19	27	27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:20	27	27	
8/29/2023 10:21	29	27	
8/29/2023 10:22	27	27	
8/29/2023 10:23	30	27	
8/29/2023 10:24	27	27	
8/29/2023 10:25	27	27	
8/29/2023 10:26	27	27	
8/29/2023 10:27	25	27	
8/29/2023 10:28	26	27	
8/29/2023 10:29	31	27	
8/29/2023 10:30	29	27	
8/29/2023 10:31	31	27	
8/29/2023 10:34			
8/29/2023 10:35			
8/29/2023 10:35			
8/29/2023 10:36	26	27	
8/29/2023 10:37	28	27	
8/29/2023 10:38	28	27	
8/29/2023 10:39	28	27	
8/29/2023 10:40	28	27	
8/29/2023 10:41	29	28	
8/29/2023 10:42	28	28	
8/29/2023 10:43	29	28	
8/29/2023 10:44	27	28	
8/29/2023 10:45	29	28	
8/29/2023 10:46	27	27	
8/29/2023 10:47	25	27	
8/29/2023 10:48	25	27	
8/29/2023 10:49	25	27	
8/29/2023 10:50	27	27	
8/29/2023 10:51	27	27	
8/29/2023 10:52	28	27	
8/29/2023 10:53	25	27	
8/29/2023 10:54	23	26	
8/29/2023 10:55	24	26	
8/29/2023 10:56	25	26	
8/29/2023 10:57	24	26	
8/29/2023 10:58	24	25	
8/29/2023 10:59	24	25	
8/29/2023 11:00	23	25	0.00064205
8/29/2023 11:01	22	24	
8/29/2023 11:02	24	24	
8/29/2023 11:03	23	24	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:04	26	24	
8/29/2023 11:05	23	24	
8/29/2023 11:06	22	24	
8/29/2023 11:07	24	23	
8/29/2023 11:08	23	23	
8/29/2023 11:09	22	23	
8/29/2023 11:10	22	23	
8/29/2023 11:11	24	23	
8/29/2023 11:12	23	23	
8/29/2023 11:13	26	23	
8/29/2023 11:14	25	23	
8/29/2023 11:15	23	23	
8/29/2023 11:16	22	23	
8/29/2023 11:17	23	23	
8/29/2023 11:18	22	23	
8/29/2023 11:19	22	23	
8/29/2023 11:20	21	22	
8/29/2023 11:21	21	22	
8/29/2023 11:22	21	22	
8/29/2023 11:23	21	22	
8/29/2023 11:24	22	22	
8/29/2023 11:25	22	22	
8/29/2023 11:26	20	22	
8/29/2023 11:27	20	22	
8/29/2023 11:28	20	21	
8/29/2023 11:29	21	21	
8/29/2023 11:30	21	21	
8/29/2023 11:31	20	21	
8/29/2023 11:32	20	20	
8/29/2023 11:33	20	20	
8/29/2023 11:34	20	20	
8/29/2023 11:35	20	20	
8/29/2023 11:36	20	20	
8/29/2023 11:37	19	20	
8/29/2023 11:38	18	20	
8/29/2023 11:39	19	20	
8/29/2023 11:40	18	19	
8/29/2023 11:41	19	19	
8/29/2023 11:42	20	19	
8/29/2023 11:43	20	19	
8/29/2023 11:44	20	19	
8/29/2023 11:45	20	19	
8/29/2023 11:46	20	19	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:47	20	19	0.001067
8/29/2023 11:48	20	19	
8/29/2023 11:49	20	19	
8/29/2023 11:50	21	19	
8/29/2023 11:51	22	19	
8/29/2023 11:52	20	19	
8/29/2023 11:53	20	19	
8/29/2023 11:54	19	19	
8/29/2023 11:55	19	20	
8/29/2023 11:56	19	20	
8/29/2023 11:57	18	19	
8/29/2023 11:58	19	19	
8/29/2023 11:59	19	19	
8/29/2023 12:00	19	19	
8/29/2023 12:01	20	19	
8/29/2023 12:02	18	19	
8/29/2023 12:03	19	19	
8/29/2023 12:04	19	19	
8/29/2023 12:05	19	19	
8/29/2023 12:06	19	19	
8/29/2023 12:07	19	19	
8/29/2023 12:08	18	18	
8/29/2023 12:09	18	18	
8/29/2023 12:10	18	18	
8/29/2023 12:11	17	18	
8/29/2023 12:12	17	18	
8/29/2023 12:13	18	18	
8/29/2023 12:14	18	18	
8/29/2023 12:15	18	18	
8/29/2023 12:16	18	18	
8/29/2023 12:17	18	18	
8/29/2023 12:18	19	18	
8/29/2023 12:19	18	18	
8/29/2023 12:20	18	18	
8/29/2023 12:21	18	18	
8/29/2023 12:22	18	17	
8/29/2023 12:23	18	17	
8/29/2023 12:24	18	17	
8/29/2023 12:25	20	18	
8/29/2023 12:26	21	18	
8/29/2023 12:27	21	18	
8/29/2023 12:28	19	18	
8/29/2023 12:29	20	18	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:30	17	18	0.001753
8/29/2023 12:31	17	18	
8/29/2023 12:32	22	18	
8/29/2023 12:33	17	18	
8/29/2023 12:34	20	18	
8/29/2023 12:35	18	18	
8/29/2023 12:36	17	18	
8/29/2023 12:37	17	18	
8/29/2023 12:38	16	18	
8/29/2023 12:39	17	18	
8/29/2023 12:40	17	18	
8/29/2023 12:41	17	18	
8/29/2023 12:42	18	17	
8/29/2023 12:43	18	17	
8/29/2023 12:44	17	17	
8/29/2023 12:45	17	17	
8/29/2023 12:46	17	17	
8/29/2023 12:47	17	17	
8/29/2023 12:48	17	17	
8/29/2023 12:49	17	17	
8/29/2023 12:50	17	17	
8/29/2023 12:51	18	17	
8/29/2023 12:52	18	17	
8/29/2023 12:53	17	17	
8/29/2023 12:54	18	17	
8/29/2023 12:55	19	17	
8/29/2023 12:56	17	17	
8/29/2023 12:57	20	17	
8/29/2023 12:58	18	17	
8/29/2023 12:59	17	17	
8/29/2023 13:00	16	17	
8/29/2023 13:01	18	17	
8/29/2023 13:02	17	17	
8/29/2023 13:03	17	17	
8/29/2023 13:04	18	17	
8/29/2023 13:05	18	17	
8/29/2023 13:06	18	17	
8/29/2023 13:07	17	17	
8/29/2023 13:08	16	17	
8/29/2023 13:09	16	17	
8/29/2023 13:10	16	17	
8/29/2023 13:11	16	17	
8/29/2023 13:12	16	16	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:13	16	16	
8/29/2023 13:14	16	16	
8/29/2023 13:15	16	16	
8/29/2023 13:16	16	16	
8/29/2023 13:17	16	16	
8/29/2023 13:18	15	16	
8/29/2023 13:19	16	16	
8/29/2023 13:20	17	16	
8/29/2023 13:21	16	16	
8/29/2023 13:22	17	16	
8/29/2023 13:23	17	16	
8/29/2023 13:24	17	16	
8/29/2023 13:25	17	16	
8/29/2023 13:26	17	16	
8/29/2023 13:27	18	16	
8/29/2023 13:28	17	16	
8/29/2023 13:29	16	16	
8/29/2023 13:30	17	16	
8/29/2023 13:31	18	16	
8/29/2023 13:32	17	16	
8/29/2023 13:33	17	16	
8/29/2023 13:34	17	17	
8/29/2023 13:35	19	17	
8/29/2023 13:36	21	17	
8/29/2023 13:37	18	17	
8/29/2023 13:38	18	17	
8/29/2023 13:39	17	17	
8/29/2023 13:40	19	17	
8/29/2023 13:41	18	17	
8/29/2023 13:42	17	17	
8/29/2023 13:43	17	17	
8/29/2023 13:44	17	17	
8/29/2023 13:45	17	17	
8/29/2023 13:46	16	17	
8/29/2023 13:47	16	17	
8/29/2023 13:48	17	17	
8/29/2023 13:49	16	17	
8/29/2023 13:50	16	17	
8/29/2023 13:51	15	16	
8/29/2023 13:52	15	16	
8/29/2023 13:53	15	16	
8/29/2023 13:54	15	16	
8/29/2023 13:55	14	16	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:56	15	15	0.0025597
8/29/2023 13:57	15	15	
8/29/2023 13:58	14	15	
8/29/2023 13:59	14	15	
8/29/2023 14:00	14	15	
8/29/2023 14:01	14	15	
8/29/2023 14:02	14	14	
8/29/2023 14:03	14	14	
8/29/2023 14:04	14	14	
8/29/2023 14:05	14	14	
8/29/2023 14:06	14	14	
8/29/2023 14:07	14	14	
8/29/2023 14:08	14	14	
8/29/2023 14:09	14	14	
8/29/2023 14:10	14	14	
8/29/2023 14:11	14	14	
8/29/2023 14:12	13	13	
8/29/2023 14:13	15	14	
8/29/2023 14:14	13	13	
8/29/2023 14:15	19	14	
8/29/2023 14:16	14	14	
8/29/2023 14:17	14	14	
8/29/2023 14:18	14	14	
8/29/2023 14:19	14	14	
8/29/2023 14:20	13	14	
8/29/2023 14:21	13	14	
8/29/2023 14:22	13	14	
8/29/2023 14:23			
8/29/2023 14:24			
8/29/2023 14:25			
8/29/2023 14:26	14	14	
8/29/2023 14:27	14	14	
8/29/2023 14:28	14	14	
8/29/2023 14:29	15	14	
8/29/2023 14:33			
8/29/2023 14:33			
8/29/2023 14:34			
8/29/2023 14:35	13	13	
8/29/2023 14:36	15	14	
8/29/2023 14:37	14	14	
8/29/2023 14:38	13	14	
8/29/2023 14:39	13	13	
8/29/2023 14:40	13	13	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:41	13	13	0.0028864
8/29/2023 14:42	13	13	
8/29/2023 14:43	13	13	
8/29/2023 14:44	12	13	
8/29/2023 14:45	12	13	
8/29/2023 14:46	12	13	
8/29/2023 14:47	13	13	
8/29/2023 14:50			
8/29/2023 14:52	12	12	
8/29/2023 14:53	13	12	
8/29/2023 14:54	13	12	
8/29/2023 14:55	13	12	
8/29/2023 14:56	13	12	
8/29/2023 14:57	13	12	
8/29/2023 14:58	13	12	
8/29/2023 14:59	13	12	
8/29/2023 15:00	13	12	
8/29/2023 15:01	13	12	
8/29/2023 15:02	13	12	
8/29/2023 15:03	13	12	
8/29/2023 15:04	13	12	
8/29/2023 15:05	13	12	
8/29/2023 15:06	13	12	
8/29/2023 15:07	13	13	
8/29/2023 15:08	13	13	
8/29/2023 15:09	13	13	
8/29/2023 15:10	13	13	
8/29/2023 15:11	12	12	
8/29/2023 15:12	13	12	
8/29/2023 15:13	13	12	
8/29/2023 15:14	13	12	
8/29/2023 15:15	13	12	
8/29/2023 15:16	13	12	
8/29/2023 15:17	12	12	
8/29/2023 15:18	13	12	
8/29/2023 15:19	13	12	
8/29/2023 15:20	13	12	
8/29/2023 15:21	13	12	
8/29/2023 15:22	12	12	
8/29/2023 15:23	12	12	
8/29/2023 15:24	12	12	
8/29/2023 15:25	12	12	
8/29/2023 15:26	12	12	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:27	12	12	
8/29/2023 15:28	13	12	
8/29/2023 15:29	12	12	
8/29/2023 15:30	12	12	
8/29/2023 15:31	12	12	
8/29/2023 15:32	12	12	
8/29/2023 15:33	12	12	
8/29/2023 15:34	12	12	
8/29/2023 15:35	11	12	
8/29/2023 15:36	11	11	
8/29/2023 15:37	12	11	
8/29/2023 15:38	12	11	
8/29/2023 15:39	13	12	
8/29/2023 15:40	14	12	
8/29/2023 15:41	12	12	
8/29/2023 15:42	14	12	
8/29/2023 15:43	12	12	
8/29/2023 15:44	12	12	
8/29/2023 15:45	12	12	
8/29/2023 15:46	13	12	
8/29/2023 15:47	11	12	
8/29/2023 15:48	11	12	
8/29/2023 15:49	12	12	
8/29/2023 15:50	12	12	
8/29/2023 15:51	12	12	
8/29/2023 15:52	13	12	
8/29/2023 15:53	12	12	
8/29/2023 15:54	12	12	
8/29/2023 15:55	12	12	
8/29/2023 15:56	12	12	
8/29/2023 15:57	11	11	
8/29/2023 15:58	13	12	
8/29/2023 15:59	13	12	
8/29/2023 16:00	11	12	0.0030177
8/29/2023 16:01	11	11	
8/29/2023 16:02	11	11	
8/29/2023 16:03	11	11	
8/29/2023 16:04	11	11	
8/29/2023 16:05	11	11	
8/29/2023 16:06	11	11	
8/29/2023 16:07	11	11	
8/29/2023 16:08	11	11	
8/29/2023 16:09	12	11	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 16:10	12	11	
8/29/2023 16:11	11	11	
8/29/2023 16:12	11	11	
8/29/2023 16:13	11	11	
8/29/2023 16:14	11	11	
8/29/2023 16:15	11	11	
8/29/2023 16:16	12	11	
8/29/2023 16:17	11	11	
8/29/2023 16:18	11	11	
8/29/2023 16:19	12	11	
8/29/2023 16:20	11	11	
8/29/2023 16:21	12	11	
8/29/2023 16:22	12	11	
8/29/2023 16:23	11	11	
8/29/2023 16:24	11	11	
8/29/2023 16:25	11	11	
8/29/2023 16:26	11	11	
8/29/2023 16:27	11	11	
8/29/2023 16:28	11	11	
Min	11		
Max	52		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 7:57			
8/29/2023 8:00	64	64	
8/29/2023 8:01	66	65	
8/29/2023 8:02	59	63	
8/29/2023 8:03	59	62	
8/29/2023 8:04	61	61	
8/29/2023 8:05	67	62	
8/29/2023 8:06	64	62	
8/29/2023 8:07	64	63	
8/29/2023 8:08	74	64	
8/29/2023 8:09	74	65	
8/29/2023 8:10	68	65	
8/29/2023 8:11	68	65	
8/29/2023 8:12	60	65	
8/29/2023 8:13	56	64	
8/29/2023 8:14	60	64	
8/29/2023 8:15	65	64	
8/29/2023 8:16	67	64	
8/29/2023 8:17	73	65	
8/29/2023 8:18	67	65	
8/29/2023 8:19	65	66	
8/29/2023 8:20	63	65	
8/29/2023 8:21	57	65	
8/29/2023 8:22	56	64	
8/29/2023 8:23	59	63	
8/29/2023 8:24	62	63	
8/29/2023 8:25	57	62	
8/29/2023 8:26	61	61	
8/29/2023 8:27	58	61	
8/29/2023 8:28	55	61	
8/29/2023 8:29	55	61	
8/29/2023 8:30	59	60	
8/29/2023 8:31	65	60	
8/29/2023 8:32	55	59	
8/29/2023 8:33	62	59	
8/29/2023 8:34	54	58	
8/29/2023 8:35	62	58	
8/29/2023 8:36	62	58	
8/29/2023 8:37	62	59	
8/29/2023 8:38	59	59	
8/29/2023 8:39	60	59	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:40	55	58	0.0036167
8/29/2023 8:41	56	58	
8/29/2023 8:42	58	58	
8/29/2023 8:43	55	58	
8/29/2023 8:44	56	58	
8/29/2023 8:45	54	58	
8/29/2023 8:46	54	57	
8/29/2023 8:47	54	57	
8/29/2023 8:48	53	56	
8/29/2023 8:49	53	56	
8/29/2023 8:50	58	56	
8/29/2023 8:51	51	55	
8/29/2023 8:52	50	55	
8/29/2023 8:53	50	54	
8/29/2023 8:54	56	54	
8/29/2023 8:55	61	54	
8/29/2023 8:56	62	55	
8/29/2023 8:57	61	55	
8/29/2023 8:58	52	55	
8/29/2023 8:59	48	54	
8/29/2023 9:00	52	54	
8/29/2023 9:01	49	54	
8/29/2023 9:02	50	53	
8/29/2023 9:03	50	53	
8/29/2023 9:04	50	53	
8/29/2023 9:05	48	52	
8/29/2023 9:06	48	52	
8/29/2023 9:07	49	52	
8/29/2023 9:08	54	52	
8/29/2023 9:09	51	52	
8/29/2023 9:10	51	51	
8/29/2023 9:11	48	50	
8/29/2023 9:12	51	50	
8/29/2023 9:13	54	50	
8/29/2023 9:14	55	50	
8/29/2023 9:15	52	50	
8/29/2023 9:16	54	51	
8/29/2023 9:17	47	50	
8/29/2023 9:18	50	50	
8/29/2023 9:19	54	51	
8/29/2023 9:20	53	51	
8/29/2023 9:21	51	51	
8/29/2023 9:22	47	51	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:23	51	51	
8/29/2023 9:24	48	51	
8/29/2023 9:25	53	51	
8/29/2023 9:26	49	51	
8/29/2023 9:27	48	51	
8/29/2023 9:28	46	50	
8/29/2023 9:29	44	49	
8/29/2023 9:30	46	49	
8/29/2023 9:31	46	48	
8/29/2023 9:32	45	48	
8/29/2023 9:33	43	48	
8/29/2023 9:34	45	47	
8/29/2023 9:35	43	47	
8/29/2023 9:36	45	46	
8/29/2023 9:37	43	46	
8/29/2023 9:38	46	46	
8/29/2023 9:39	45	45	
8/29/2023 9:40	43	45	
8/29/2023 9:41	40	44	
8/29/2023 9:42	42	44	
8/29/2023 9:43	44	44	
8/29/2023 9:44	43	43	
8/29/2023 9:45	43	43	
8/29/2023 9:46	47	43	
8/29/2023 9:47	44	43	
8/29/2023 9:48	49	44	
8/29/2023 9:49	48	44	
8/29/2023 9:50	43	44	
8/29/2023 9:51	43	44	
8/29/2023 9:52	44	44	
8/29/2023 9:53	45	44	
8/29/2023 9:54	44	44	
8/29/2023 9:55	45	44	
8/29/2023 9:56	45	44	
8/29/2023 9:57	46	44	
8/29/2023 9:58	45	44	
8/29/2023 9:59	44	45	
8/29/2023 10:00	45	45	0.0070917
8/29/2023 10:01	51	45	
8/29/2023 10:02	55	46	
8/29/2023 10:03	54	46	
8/29/2023 10:04	55	46	
8/29/2023 10:05	54	47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:06	47	47	
8/29/2023 10:07	49	48	
8/29/2023 10:08	51	48	
8/29/2023 10:09	42	48	
8/29/2023 10:10	45	48	
8/29/2023 10:11	47	48	
8/29/2023 10:12	48	48	
8/29/2023 10:13	47	48	
8/29/2023 10:14	48	49	
8/29/2023 10:15	40	48	
8/29/2023 10:16	46	48	
8/29/2023 10:17	43	47	
8/29/2023 10:18	45	47	
8/29/2023 10:19	46	46	
8/29/2023 10:20	44	45	
8/29/2023 10:21	43	45	
8/29/2023 10:22	43	45	
8/29/2023 10:26			
8/29/2023 10:26			
8/29/2023 10:27	33	43	
8/29/2023 10:28	42	43	
8/29/2023 10:29	47	42	
8/29/2023 10:30	47	43	
8/29/2023 10:31	45	43	
8/29/2023 10:32	44	43	
8/29/2023 10:33	43	43	
8/29/2023 10:34	43	43	
8/29/2023 10:35	42	42	
8/29/2023 10:36	43	42	
8/29/2023 10:37	44	43	
8/29/2023 10:38	46	43	
8/29/2023 10:39	45	43	
8/29/2023 10:40	44	43	
8/29/2023 10:41	44	43	
8/29/2023 10:42	45	44	
8/29/2023 10:43	43	44	
8/29/2023 10:44	42	44	
8/29/2023 10:45	48	44	
8/29/2023 10:46	46	44	
8/29/2023 10:47	46	44	
8/29/2023 10:48	45	44	
8/29/2023 10:49	43	44	
8/29/2023 10:50	43	44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:51	56	45	0.0070671
8/29/2023 10:52	45	45	
8/29/2023 10:53	48	45	
8/29/2023 10:54	64	46	
8/29/2023 10:55	53	47	
8/29/2023 10:56	44	47	
8/29/2023 10:57	43	47	
8/29/2023 10:58	40	47	
8/29/2023 10:59	41	47	
8/29/2023 11:00	42	46	
8/29/2023 11:01	40	46	
8/29/2023 11:02	38	45	
8/29/2023 11:03	40	45	
8/29/2023 11:04	44	45	
8/29/2023 11:05	48	45	
8/29/2023 11:06	42	44	
8/29/2023 11:07	39	44	
8/29/2023 11:08	43	44	
8/29/2023 11:09	43	42	
8/29/2023 11:10	39	41	
8/29/2023 11:11	39	41	
8/29/2023 11:12	39	41	
8/29/2023 11:13	48	41	
8/29/2023 11:14	52	42	
8/29/2023 11:15	41	42	
8/29/2023 11:16	50	43	
8/29/2023 11:17	46	43	
8/29/2023 11:18	42	43	
8/29/2023 11:19	40	43	
8/29/2023 11:20	40	42	
8/29/2023 11:21	39	42	
8/29/2023 11:22	40	42	
8/29/2023 11:23	40	42	
8/29/2023 11:24	40	42	
8/29/2023 11:25	43	42	
8/29/2023 11:26	42	42	
8/29/2023 11:27	38	42	
8/29/2023 11:28	42	42	
8/29/2023 11:29	38	41	
8/29/2023 11:30	38	41	
8/29/2023 11:31	40	40	
8/29/2023 11:32	38	40	
8/29/2023 11:33	45	40	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:34	41	40	0.0067253
8/29/2023 11:35	38	40	
8/29/2023 11:36	38	40	
8/29/2023 11:37	41	40	
8/29/2023 11:38	36	39	
8/29/2023 11:39	39	39	
8/29/2023 11:40	41	39	
8/29/2023 11:41	42	39	
8/29/2023 11:42	41	39	
8/29/2023 11:43	39	39	
8/29/2023 11:44	41	39	
8/29/2023 11:45	38	39	
8/29/2023 11:46	37	39	
8/29/2023 11:47	38	39	
8/29/2023 11:48	44	39	
8/29/2023 11:49	49	40	
8/29/2023 11:50	46	40	
8/29/2023 11:51	45	41	
8/29/2023 11:52	40	41	
8/29/2023 11:53	39	41	
8/29/2023 11:54	38	41	
8/29/2023 11:55	38	41	
8/29/2023 11:56	38	40	
8/29/2023 11:57	39	40	
8/29/2023 11:58	40	40	
8/29/2023 11:59	39	40	
8/29/2023 12:00	37	40	
8/29/2023 12:01	37	40	
8/29/2023 12:02	39	40	
8/29/2023 12:03	38	40	
8/29/2023 12:04	42	39	
8/29/2023 12:05	44	39	
8/29/2023 12:06	41	39	
8/29/2023 12:07	41	39	
8/29/2023 12:08	39	39	
8/29/2023 12:09	38	39	
8/29/2023 12:10	36	39	
8/29/2023 12:11	37	39	
8/29/2023 12:12	41	39	
8/29/2023 12:13	39	39	
8/29/2023 12:14	36	39	
8/29/2023 12:15	36	38	
8/29/2023 12:16	36	38	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:17	36	38	
8/29/2023 12:18	37	38	
8/29/2023 12:19	36	38	
8/29/2023 12:20	36	37	
8/29/2023 12:21	36	37	
8/29/2023 12:22	37	37	
8/29/2023 12:23	36	36	
8/29/2023 12:24	37	36	
8/29/2023 12:25	38	36	
8/29/2023 12:26	37	36	
8/29/2023 12:27	37	36	
8/29/2023 12:28	37	36	
8/29/2023 12:29	37	36	
8/29/2023 12:30	37	36	
8/29/2023 12:31	44	37	
8/29/2023 12:32	57	38	
8/29/2023 12:33	41	38	
8/29/2023 12:34	37	38	
8/29/2023 12:35	38	39	
8/29/2023 12:36	37	39	
8/29/2023 12:37	37	39	
8/29/2023 12:38	36	39	
8/29/2023 12:39	36	39	
8/29/2023 12:40	37	39	
8/29/2023 12:41	37	39	
8/29/2023 12:42	36	38	
8/29/2023 12:43	38	39	
8/29/2023 12:44	37	39	
8/29/2023 12:45	38	39	
8/29/2023 12:46	37	38	
8/29/2023 12:47	36	37	
8/29/2023 12:48	36	36	
8/29/2023 12:49	36	36	
8/29/2023 12:50	37	36	
8/29/2023 12:51	37	36	
8/29/2023 12:52	37	36	
8/29/2023 12:53	38	36	
8/29/2023 12:54	37	36	
8/29/2023 12:55	36	36	
8/29/2023 12:56	37	36	
8/29/2023 12:57	37	36	
8/29/2023 12:58	37	36	
8/29/2023 12:59	37	36	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:00	37	36	0.0075169
8/29/2023 13:01	37	36	
8/29/2023 13:02	38	36	
8/29/2023 13:03	36	36	
8/29/2023 13:04	37	37	
8/29/2023 13:05	37	37	
8/29/2023 13:06	37	37	
8/29/2023 13:07	37	37	
8/29/2023 13:08	36	36	
8/29/2023 13:09	36	36	
8/29/2023 13:10	36	36	
8/29/2023 13:11	36	36	
8/29/2023 13:12	36	36	
8/29/2023 13:13	36	36	
8/29/2023 13:14	36	36	
8/29/2023 13:15	36	36	
8/29/2023 13:16	36	36	
8/29/2023 13:17	38	36	
8/29/2023 13:18			
8/29/2023 13:18			
8/29/2023 13:20	37	36	
8/29/2023 13:21	39	36	
8/29/2023 13:22	42	36	
8/29/2023 13:23	38	37	
8/29/2023 13:24	38	37	
8/29/2023 13:25	38	37	
8/29/2023 13:26	38	37	
8/29/2023 13:27	39	37	
8/29/2023 13:28	38	37	
8/29/2023 13:29	38	38	
8/29/2023 13:30	39	38	
8/29/2023 13:31	41	38	
8/29/2023 13:32	39	38	
8/29/2023 13:33	39	38	
8/29/2023 13:34	38	38	
8/29/2023 13:35	39	38	
8/29/2023 13:36	38	38	
8/29/2023 13:37	38	38	
8/29/2023 13:38	39	38	
8/29/2023 13:39	40	38	
8/29/2023 13:40	43	39	
8/29/2023 13:41	40	39	
8/29/2023 13:42	39	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:43	37	39	0.0071319
8/29/2023 13:44	37	39	
8/29/2023 13:45	39	39	
8/29/2023 13:46	37	38	
8/29/2023 13:47	38	38	
8/29/2023 13:48	37	38	
8/29/2023 13:49	37	38	
8/29/2023 13:50	37	38	
8/29/2023 13:51	40	38	
8/29/2023 13:52	38	38	
8/29/2023 13:53	37	38	
8/29/2023 13:54	35	38	
8/29/2023 13:55	35	37	
8/29/2023 13:56	35	37	
8/29/2023 13:57	35	36	
8/29/2023 13:58	35	36	
8/29/2023 13:59	38	36	
8/29/2023 14:00	36	36	
8/29/2023 14:01	35	36	
8/29/2023 14:02	40	36	
8/29/2023 14:03	36	36	
8/29/2023 14:04	36	36	
8/29/2023 14:05	37	36	
8/29/2023 14:06	36	36	
8/29/2023 14:07	35	36	
8/29/2023 14:08	36	36	
8/29/2023 14:09	36	36	
8/29/2023 14:10	35	36	
8/29/2023 14:11	35	36	
8/29/2023 14:12	36	36	
8/29/2023 14:13	35	36	
8/29/2023 14:14	36	36	
8/29/2023 14:15	35	35	
8/29/2023 14:16	35	35	
8/29/2023 14:17	35	35	
8/29/2023 14:18	35	35	
8/29/2023 14:19	34	35	
8/29/2023 14:20	35	35	
8/29/2023 14:21	35	35	
8/29/2023 14:22	35	35	
8/29/2023 14:23	34	35	
8/29/2023 14:24	34	34	
8/29/2023 14:25	35	34	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:26	34	34	
8/29/2023 14:27	35	34	
8/29/2023 14:28	35	34	
8/29/2023 14:29	35	34	
8/29/2023 14:30	35	34	
8/29/2023 14:31	35	34	
8/29/2023 14:32	34	34	
8/29/2023 14:33	35	34	
8/29/2023 14:34	34	34	
8/29/2023 14:35	35	34	
8/29/2023 14:36	36	34	
8/29/2023 14:37	35	34	
8/29/2023 14:38	35	34	
8/29/2023 14:39	34	34	
8/29/2023 14:40	35	34	
8/29/2023 14:41	34	34	
8/29/2023 14:42	34	34	
8/29/2023 14:43	34	34	
8/29/2023 14:44	35	34	
8/29/2023 14:45	34	34	
8/29/2023 14:46	34	34	
8/29/2023 14:47	34	34	
8/29/2023 14:48	34	34	
8/29/2023 14:49	34	34	
8/29/2023 14:50	34	34	
8/29/2023 14:51	33	34	
8/29/2023 14:52	34	34	
8/29/2023 14:53	34	34	
8/29/2023 14:54	34	34	
8/29/2023 14:55	34	34	
8/29/2023 14:56	34	34	
8/29/2023 14:57	34	34	
8/29/2023 14:58	34	34	
8/29/2023 14:59	34	33	
8/29/2023 15:00	34	33	0.0068845
8/29/2023 15:01	34	33	
8/29/2023 15:02	34	33	
8/29/2023 15:03	34	33	
8/29/2023 15:04	34	33	
8/29/2023 15:05	34	33	
8/29/2023 15:06	34	34	
8/29/2023 15:07	34	34	
8/29/2023 15:08	34	34	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:09	34	34	
8/29/2023 15:10	34	34	
8/29/2023 15:11	34	34	
8/29/2023 15:12	34	34	
8/29/2023 15:13	35	34	
8/29/2023 15:14	34	34	
8/29/2023 15:15	34	34	
8/29/2023 15:16	34	34	
8/29/2023 15:17	34	34	
8/29/2023 15:18	35	34	
8/29/2023 15:19	34	34	
8/29/2023 15:20	34	34	
8/29/2023 15:21	34	34	
8/29/2023 15:22	34	34	
8/29/2023 15:23	35	34	
8/29/2023 15:24	34	34	
8/29/2023 15:25	34	34	
8/29/2023 15:26	34	34	
8/29/2023 15:27	34	34	
8/29/2023 15:28	34	34	
8/29/2023 15:29	34	34	
8/29/2023 15:30	33	34	
8/29/2023 15:31	34	34	
8/29/2023 15:32	34	34	
8/29/2023 15:33	34	34	
8/29/2023 15:34	34	34	
8/29/2023 15:35	35	34	
8/29/2023 15:36	34	34	
8/29/2023 15:37	33	34	
8/29/2023 15:38	34	33	
8/29/2023 15:39	36	34	
8/29/2023 15:40	35	34	
8/29/2023 15:41	34	34	
8/29/2023 15:42	34	34	
8/29/2023 15:43	35	34	
8/29/2023 15:44	34	34	
8/29/2023 15:45	35	34	
8/29/2023 15:46	34	34	
8/29/2023 15:47	34	34	
8/29/2023 15:48	33	34	
8/29/2023 15:49	34	34	
8/29/2023 15:50	34	34	
8/29/2023 15:51	34	34	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:52	34	34	0.0072489
8/29/2023 15:53	35	34	
8/29/2023 15:54	34	34	
8/29/2023 15:55	34	34	
8/29/2023 15:56	34	34	
8/29/2023 15:57	34	34	
8/29/2023 15:58	35	34	
8/29/2023 15:59	34	34	
8/29/2023 16:00	35	34	
8/29/2023 16:01	34	34	
8/29/2023 16:02	34	34	
8/29/2023 16:03	34	34	
8/29/2023 16:04	35	34	
8/29/2023 16:05	36	34	
8/29/2023 16:06	35	34	
8/29/2023 16:07	34	34	
8/29/2023 16:08	34	34	
8/29/2023 16:09	35	34	
8/29/2023 16:10	36	34	
8/29/2023 16:11	34	34	
8/29/2023 16:12	35	34	
8/29/2023 16:13	34	34	
8/29/2023 16:14	33	34	
8/29/2023 16:15	34	34	
8/29/2023 16:16	35	34	
8/29/2023 16:17	35	34	
8/29/2023 16:18	34	34	
8/29/2023 16:19	33	34	
8/29/2023 16:20	33	34	
8/29/2023 16:21	34	34	
8/29/2023 16:22	34	34	
8/29/2023 16:23	34	34	
8/29/2023 16:24	35	34	
8/29/2023 16:25	34	34	
8/29/2023 16:26	34	34	
8/29/2023 16:27	34	34	
8/29/2023 16:28	34	34	
8/29/2023 16:29	34	34	
8/29/2023 16:30	33	34	
8/29/2023 16:31	33	33	
8/29/2023 16:32	34	33	
8/29/2023 16:33	33	33	
8/29/2023 16:34	33	33	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 16:35	33	33	
Min	33		
Max	74		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:00			
8/29/2023 8:05			
8/29/2023 8:08	67	67	
8/29/2023 8:09	64	65	
8/29/2023 8:10	72	67	
8/29/2023 8:11	63	66	
8/29/2023 8:12	58	64	
8/29/2023 8:13	56	63	
8/29/2023 8:14	60	62	
8/29/2023 8:15	62	62	
8/29/2023 8:16	60	62	
8/29/2023 8:17	56	61	
8/29/2023 8:18	55	61	
8/29/2023 8:19	53	60	
8/29/2023 8:20	60	60	
8/29/2023 8:21	63	60	
8/29/2023 8:22	69	61	
8/29/2023 8:23	62	60	
8/29/2023 8:24	62	60	
8/29/2023 8:25	60	59	
8/29/2023 8:26	55	59	
8/29/2023 8:27	53	59	
8/29/2023 8:28	53	58	
8/29/2023 8:29	55	58	
8/29/2023 8:30	54	58	
8/29/2023 8:31	54	57	
8/29/2023 8:32	53	57	
8/29/2023 8:33	52	57	
8/29/2023 8:34	52	57	
8/29/2023 8:35	62	57	
8/29/2023 8:36	55	56	
8/29/2023 8:37	52	55	
8/29/2023 8:38	51	54	
8/29/2023 8:39	54	54	
8/29/2023 8:40	54	53	
8/29/2023 8:41	55	53	
8/29/2023 8:42	54	54	
8/29/2023 8:43	53	54	
8/29/2023 8:44	54	53	
8/29/2023 8:45	53	53	
8/29/2023 8:46	53	53	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 8:47	54	53	0.0029038
8/29/2023 8:48	56	54	
8/29/2023 8:49	56	54	
8/29/2023 8:50	58	54	
8/29/2023 8:51	55	54	
8/29/2023 8:52	50	54	
8/29/2023 8:53	48	53	
8/29/2023 8:54	54	53	
8/29/2023 8:55	52	53	
8/29/2023 8:56	49	53	
8/29/2023 8:57	53	53	
8/29/2023 8:58	54	53	
8/29/2023 8:59	51	53	
8/29/2023 9:00	53	53	
8/29/2023 9:01	64	53	
8/29/2023 9:02	53	53	
8/29/2023 9:03	61	54	
8/29/2023 9:04	62	54	
8/29/2023 9:05	54	54	
8/29/2023 9:06	52	54	
8/29/2023 9:07	54	54	
8/29/2023 9:08	51	54	
8/29/2023 9:09	56	54	
8/29/2023 9:10	54	54	
8/29/2023 9:11	51	54	
8/29/2023 9:12	50	54	
8/29/2023 9:13	53	54	
8/29/2023 9:14	48	54	
8/29/2023 9:15	47	54	
8/29/2023 9:16	45	52	
8/29/2023 9:17	43	52	
8/29/2023 9:18	49	51	
8/29/2023 9:19	48	50	
8/29/2023 9:20	55	50	
8/29/2023 9:21	46	50	
8/29/2023 9:22	41	49	
8/29/2023 9:23	46	48	
8/29/2023 9:24	44	48	
8/29/2023 9:25	41	47	
8/29/2023 9:26	48	46	
8/29/2023 9:27	49	46	
8/29/2023 9:28	42	46	
8/29/2023 9:29	40	45	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 9:30	42	45	0.0060769
8/29/2023 9:31	45	45	
8/29/2023 9:32	46	45	
8/29/2023 9:33	58	46	
8/29/2023 9:34	57	46	
8/29/2023 9:35	43	45	
8/29/2023 9:36	39	45	
8/29/2023 9:37	40	45	
8/29/2023 9:38	44	45	
8/29/2023 9:39	45	45	
8/29/2023 9:40	45	45	
8/29/2023 9:41	43	45	
8/29/2023 9:42	41	44	
8/29/2023 9:43	44	44	
8/29/2023 9:44	41	44	
8/29/2023 9:45	41	44	
8/29/2023 9:46	48	45	
8/29/2023 9:47	49	45	
8/29/2023 9:48	46	44	
8/29/2023 9:49	51	44	
8/29/2023 9:50	54	44	
8/29/2023 9:51	45	45	
8/29/2023 9:52	40	45	
8/29/2023 9:53	38	44	
8/29/2023 9:54	40	44	
8/29/2023 9:55	48	44	
8/29/2023 9:56	58	45	
8/29/2023 9:57	39	45	
8/29/2023 9:58	39	45	
8/29/2023 9:59	42	45	
8/29/2023 10:00	40	45	
8/29/2023 10:01	42	44	
8/29/2023 10:02	45	44	
8/29/2023 10:03	44	44	
8/29/2023 10:04	39	43	
8/29/2023 10:05	39	42	
8/29/2023 10:06	39	42	
8/29/2023 10:07	44	42	
8/29/2023 10:08	40	42	
8/29/2023 10:09	43	42	
8/29/2023 10:10	45	42	
8/29/2023 10:11	42	41	
8/29/2023 10:12	38	41	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:13	39	41	
8/29/2023 10:14	38	41	
8/29/2023 10:15	39	41	
8/29/2023 10:16	41	41	
8/29/2023 10:17	41	40	
8/29/2023 10:18	44	40	
8/29/2023 10:19	42	40	
8/29/2023 10:20	37	40	
8/29/2023 10:21	38	40	
8/29/2023 10:22	39	40	
8/29/2023 10:23	43	40	
8/29/2023 10:24	37	40	
8/29/2023 10:25	42	40	
8/29/2023 10:26	41	39	
8/29/2023 10:27	40	40	
8/29/2023 10:28	48	40	
8/29/2023 10:29	46	41	
8/29/2023 10:30	46	41	
8/29/2023 10:31	45	41	
8/29/2023 10:32	45	42	
8/29/2023 10:33	43	42	
8/29/2023 10:34	40	42	
8/29/2023 10:35	41	42	
8/29/2023 10:36	44	42	
8/29/2023 10:37	43	42	
8/29/2023 10:38	42	42	
8/29/2023 10:39	42	43	
8/29/2023 10:40	42	43	
8/29/2023 10:41	42	43	
8/29/2023 10:42	48	43	
8/29/2023 10:43	46	43	
8/29/2023 10:44	46	43	
8/29/2023 10:45	40	43	
8/29/2023 10:46	41	43	
8/29/2023 10:47	40	42	
8/29/2023 10:48	49	43	
8/29/2023 10:49	64	44	
8/29/2023 10:50	54	45	
8/29/2023 10:51	60	46	
8/29/2023 10:52	41	46	
8/29/2023 10:53	36	46	
8/29/2023 10:54	38	45	
8/29/2023 10:55	38	45	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 10:56	39	45	0.0089624
8/29/2023 10:57	38	44	
8/29/2023 10:58	38	44	
8/29/2023 10:59	38	43	
8/29/2023 11:00	38	43	
8/29/2023 11:01	40	43	
8/29/2023 11:02	37	43	
8/29/2023 11:03	37	42	
8/29/2023 11:04	38	40	
8/29/2023 11:05	37	39	
8/29/2023 11:06	42	38	
8/29/2023 11:07	43	38	
8/29/2023 11:08	37	38	
8/29/2023 11:09	45	39	
8/29/2023 11:10	47	39	
8/29/2023 11:11	45	40	
8/29/2023 11:12	39	40	
8/29/2023 11:13	40	40	
8/29/2023 11:14	39	40	
8/29/2023 11:15	35	40	
8/29/2023 11:16	34	39	
8/29/2023 11:17	34	39	
8/29/2023 11:18	35	39	
8/29/2023 11:19	35	39	
8/29/2023 11:20	34	38	
8/29/2023 11:21	33	38	
8/29/2023 11:22	33	37	
8/29/2023 11:23	43	38	
8/29/2023 11:24	36	37	
8/29/2023 11:25	38	36	
8/29/2023 11:26	37	36	
8/29/2023 11:27	37	36	
8/29/2023 11:28	33	35	
8/29/2023 11:29	33	35	
8/29/2023 11:31			
8/29/2023 11:34	38	35	
8/29/2023 11:35	34	35	
8/29/2023 11:36	32	35	
8/29/2023 11:37	29	35	
8/29/2023 11:38	29	34	
8/29/2023 11:39	32	33	
8/29/2023 11:40	32	33	
8/29/2023 11:41	32	32	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 11:42	32	32	0.0093022
8/29/2023 11:43	32	32	
8/29/2023 11:44	32	32	
8/29/2023 11:45	31	32	
8/29/2023 11:46	30	31	
8/29/2023 11:47	31	31	
8/29/2023 11:48	33	31	
8/29/2023 11:49	38	31	
8/29/2023 11:50	40	32	
8/29/2023 11:51	37	32	
8/29/2023 11:52	33	32	
8/29/2023 11:53	32	33	
8/29/2023 11:54	33	33	
8/29/2023 11:55	31	33	
8/29/2023 11:56	31	33	
8/29/2023 11:57	30	32	
8/29/2023 11:58	33	33	
8/29/2023 11:59	31	32	
8/29/2023 12:00	31	32	
8/29/2023 12:01	32	33	
8/29/2023 12:02	32	33	
8/29/2023 12:03	31	33	
8/29/2023 12:04	33	32	
8/29/2023 12:05	33	32	
8/29/2023 12:06	33	31	
8/29/2023 12:07	33	31	
8/29/2023 12:08	30	31	
8/29/2023 12:09	30	31	
8/29/2023 12:10	30	31	
8/29/2023 12:11	30	31	
8/29/2023 12:12	30	31	
8/29/2023 12:13	32	31	
8/29/2023 12:14	30	31	
8/29/2023 12:15	29	31	
8/29/2023 12:16	29	31	
8/29/2023 12:17	29	30	
8/29/2023 12:18	29	30	
8/29/2023 12:19	30	30	
8/29/2023 12:20	29	30	
8/29/2023 12:21	30	30	
8/29/2023 12:22	31	29	
8/29/2023 12:23	30	29	
8/29/2023 12:24	72	32	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 12:25	64	34	
8/29/2023 12:26	32	35	
8/29/2023 12:27	30	35	
8/29/2023 12:28	30	34	
8/29/2023 12:29	30	34	
8/29/2023 12:30	29	34	
8/29/2023 12:31	29	34	
8/29/2023 12:32	30	35	
8/29/2023 12:33	30	35	
8/29/2023 12:34	32	35	
8/29/2023 12:35	32	35	
8/29/2023 12:36	30	35	
8/29/2023 12:37	30	35	
8/29/2023 12:38	29	35	
8/29/2023 12:39	30	32	
8/29/2023 12:40	29	30	
8/29/2023 12:41	30	30	
8/29/2023 12:42	29	29	
8/29/2023 12:43	29	29	
8/29/2023 12:44	29	29	
8/29/2023 12:45	29	29	
8/29/2023 12:46	28	29	
8/29/2023 12:47	28	29	
8/29/2023 12:48	28	29	
8/29/2023 12:49	29	29	
8/29/2023 12:50	30	29	
8/29/2023 12:51	30	29	
8/29/2023 12:52	30	29	
8/29/2023 12:53	30	29	
8/29/2023 12:54	28	29	
8/29/2023 12:55	28	29	
8/29/2023 12:56	29	28	
8/29/2023 12:57	28	28	
8/29/2023 12:58	30	28	
8/29/2023 12:59	29	28	
8/29/2023 13:00	29	28	0.0082017
8/29/2023 13:01	29	29	
8/29/2023 13:02	29	29	
8/29/2023 13:03	28	29	
8/29/2023 13:04	28	29	
8/29/2023 13:05	30	29	
8/29/2023 13:06	29	28	
8/29/2023 13:07	29	28	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:08	28	28	
8/29/2023 13:09	28	28	
8/29/2023 13:10	28	28	
8/29/2023 13:11	29	28	
8/29/2023 13:12	28	28	
8/29/2023 13:13	28	28	
8/29/2023 13:14	27	28	
8/29/2023 13:15	27	28	
8/29/2023 13:16	28	28	
8/29/2023 13:17	27	28	
8/29/2023 13:18	27	28	
8/29/2023 13:19	27	28	
8/29/2023 13:20	28	27	
8/29/2023 13:21	28	27	
8/29/2023 13:22	29	27	
8/29/2023 13:23			
8/29/2023 13:24			
8/29/2023 13:25	29	27	
8/29/2023 13:26	33	28	
8/29/2023 13:27	31	28	
8/29/2023 13:28	30	28	
8/29/2023 13:29	31	28	
8/29/2023 13:30	33	29	
8/29/2023 13:31	33	29	
8/29/2023 13:32	31	30	
8/29/2023 13:33	30	30	
8/29/2023 13:34	30	30	
8/29/2023 13:35	29	30	
8/29/2023 13:36	30	30	
8/29/2023 13:37	29	30	
8/29/2023 13:38	30	30	
8/29/2023 13:39	40	31	
8/29/2023 13:40	36	31	
8/29/2023 13:41	33	31	
8/29/2023 13:42	31	31	
8/29/2023 13:43	29	31	
8/29/2023 13:44	28	31	
8/29/2023 13:45	30	31	
8/29/2023 13:46	28	30	
8/29/2023 13:47	29	30	
8/29/2023 13:48	30	30	
8/29/2023 13:49	28	30	
8/29/2023 13:50	46	31	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 13:51	44	32	0.0073461
8/29/2023 13:52	33	33	
8/29/2023 13:53	32	33	
8/29/2023 13:54	39	33	
8/29/2023 13:55	28	32	
8/29/2023 13:56	28	32	
8/29/2023 13:57	53	33	
8/29/2023 13:58	60	35	
8/29/2023 13:59	42	36	
8/29/2023 14:00	40	37	
8/29/2023 14:01	38	38	
8/29/2023 14:02	32	38	
8/29/2023 14:03	48	39	
8/29/2023 14:04	63	41	
8/29/2023 14:05	37	41	
8/29/2023 14:06	43	41	
8/29/2023 14:07	43	41	
8/29/2023 14:08	36	42	
8/29/2023 14:09	28	41	
8/29/2023 14:10	28	41	
8/29/2023 14:11	27	41	
8/29/2023 14:12	26	39	
8/29/2023 14:13	26	37	
8/29/2023 14:14	26	36	
8/29/2023 14:15	27	35	
8/29/2023 14:16	27	34	
8/29/2023 14:17	33	34	
8/29/2023 14:18	28	33	
8/29/2023 14:19	30	31	
8/29/2023 14:20	31	30	
8/29/2023 14:21	31	29	
8/29/2023 14:22	27	28	
8/29/2023 14:23	28	28	
8/29/2023 14:24	27	28	
8/29/2023 14:25	28	28	
8/29/2023 14:26	27	28	
8/29/2023 14:27	29	28	
8/29/2023 14:28	27	28	
8/29/2023 14:29	26	28	
8/29/2023 14:30	25	28	
8/29/2023 14:31	30	28	
8/29/2023 14:32	30	28	
8/29/2023 14:33	26	28	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 14:34	26	27	
8/29/2023 14:35	29	27	
8/29/2023 14:36	26	27	
8/29/2023 14:37	27	27	
8/29/2023 14:38	27	27	
8/29/2023 14:39	26	27	
8/29/2023 14:40	25	27	
8/29/2023 14:41	24	26	
8/29/2023 14:42	25	26	
8/29/2023 14:43	28	26	
8/29/2023 14:44	26	26	
8/29/2023 14:45	25	26	
8/29/2023 14:46	24	26	
8/29/2023 14:47	26	26	
8/29/2023 14:48	24	25	
8/29/2023 14:49	24	25	
8/29/2023 14:50	25	25	
8/29/2023 14:51	24	25	
8/29/2023 14:52	24	25	
8/29/2023 14:53	26	25	
8/29/2023 14:54	24	24	
8/29/2023 14:55	24	24	
8/29/2023 14:56	24	24	
8/29/2023 14:57	25	24	
8/29/2023 14:58	24	24	
8/29/2023 14:59	24	24	
8/29/2023 15:00	25	24	0.0069442
8/29/2023 15:01	24	24	
8/29/2023 15:02	24	24	
8/29/2023 15:03	24	24	
8/29/2023 15:04	24	24	
8/29/2023 15:05	25	24	
8/29/2023 15:06	25	24	
8/29/2023 15:07	24	24	
8/29/2023 15:08	25	24	
8/29/2023 15:09	24	24	
8/29/2023 15:10	24	24	
8/29/2023 15:11	24	24	
8/29/2023 15:12	23	24	
8/29/2023 15:13	25	24	
8/29/2023 15:14	25	24	
8/29/2023 15:15	24	24	
8/29/2023 15:16	24	24	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 15:17	24	24	
8/29/2023 15:18	25	24	
8/29/2023 15:19	24	24	
8/29/2023 15:20	24	24	
8/29/2023 15:21	24	24	
8/29/2023 15:22	25	24	
8/29/2023 15:23	24	24	
8/29/2023 15:24	24	24	
8/29/2023 15:25	24	24	
8/29/2023 15:26	24	24	
8/29/2023 15:27	24	24	
8/29/2023 15:28	24	24	
8/29/2023 15:29	24	24	
8/29/2023 15:30	24	24	
8/29/2023 15:31	24	24	
8/29/2023 15:32	24	24	
8/29/2023 15:33	36	24	
8/29/2023 15:34	27	25	
8/29/2023 15:35	25	25	
8/29/2023 15:36	24	25	
8/29/2023 15:37	24	25	
8/29/2023 15:38	25	25	
8/29/2023 15:39	25	25	
8/29/2023 15:40	24	25	
8/29/2023 15:41	25	25	
8/29/2023 15:42	25	25	
8/29/2023 15:43	25	25	
8/29/2023 15:44	25	25	
8/29/2023 15:45	25	25	
8/29/2023 15:46	24	25	
8/29/2023 15:47	24	25	
8/29/2023 15:48	25	24	
8/29/2023 15:49	26	24	
8/29/2023 15:50	24	24	
8/29/2023 15:51	25	24	
8/29/2023 15:52	24	24	
8/29/2023 15:53	25	24	
8/29/2023 15:54	24	24	
8/29/2023 15:55	25	24	
8/29/2023 15:56	24	24	
8/29/2023 15:57	25	24	
8/29/2023 15:58	24	24	
8/29/2023 15:59	25	24	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/29/2023 16:00	25	24	0.0070429
8/29/2023 16:01	25	24	
8/29/2023 16:02	25	24	
8/29/2023 16:03	25	24	
8/29/2023 16:04	27	24	
8/29/2023 16:05	27	25	
8/29/2023 16:06	26	25	
8/29/2023 16:07	25	25	
8/29/2023 16:08	26	25	
8/29/2023 16:09	26	25	
8/29/2023 16:10	26	25	
8/29/2023 16:11	27	25	
8/29/2023 16:12	24	25	
8/29/2023 16:13	24	25	
8/29/2023 16:14	25	25	
8/29/2023 16:15	27	25	
8/29/2023 16:16	26	25	
8/29/2023 16:17	25	25	
8/29/2023 16:18	24	25	
8/29/2023 16:19	24	25	
8/29/2023 16:20	24	25	
8/29/2023 16:21	24	25	
8/29/2023 16:22	25	25	
8/29/2023 16:23	25	25	
8/29/2023 16:24	25	25	
8/29/2023 16:25	25	24	
8/29/2023 16:26	24	24	
8/29/2023 16:27	24	24	
8/29/2023 16:28	24	24	
8/29/2023 16:29	24	24	
8/29/2023 16:30	24	24	
8/29/2023 16:31	24	24	
8/29/2023 16:32	23	24	
8/29/2023 16:33	23	24	
8/29/2023 16:34	25	24	
8/29/2023 16:35	24	24	
8/29/2023 16:36	23	24	
8/29/2023 16:37	25	24	
8/29/2023 16:38	25	24	
8/29/2023 16:39	24	24	
8/29/2023 16:40	25	24	
Minimum	23		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
-----------	--	--	---

Maximum

72

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 9:00												
8/30/2023 9:21	21.8	71.3	69.1	1014	1014	3.4	1.3	315.5	315.5	38	38	
8/30/2023 9:22	22	71.6	69.2	1014	1014	3.4	1.5	313.5	314.5	39	38	
8/30/2023 9:23	22	71.6	67.9	1014	1014	3.4	1.7	306.8	311.93	39	38	
8/30/2023 9:24	21.9	71.4	68.8	1014	1014	3.4	1.8	306.1	310.48	39	38	
8/30/2023 9:25	21.9	71.4	69.1	1014	1014	3.4	2	308	309.98	39	38	
8/30/2023 9:26	21.9	71.4	69	1014	1014	3.4	1.9	309.8	309.95	40	39	
8/30/2023 9:27	21.9	71.4	68.8	1014	1014	3.4	1.9	311.4	310.16	40	39	
8/30/2023 9:28	21.9	71.4	68.6	1014	1014	3.4	1.8	310.4	310.19	40	39	
8/30/2023 9:29	22	71.6	68.1	1014	1014	3.4	1.8	312.7	310.47	41	39	
8/30/2023 9:30	22	71.6	67.6	1014	1014	3.4	2	316.5	311.07	41	39	
8/30/2023 9:31	22	71.6	67.9	1014	1014	3.8	2.1	322.6	312.12	42	39	
8/30/2023 9:32	21.9	71.4	68.1	1014	1014	3.8	2	329.3	313.55	42	40	
8/30/2023 9:33	22	71.6	67.5	1014	1014	3.8	2	333.7	315.1	42	40	
8/30/2023 9:34	22.1	71.7	67.4	1014	1014	3.8	2	333.7	316.43	42	40	
8/30/2023 9:35	22.2	72	66.5	1014	1014	3.8	2	336.1	317.74	44	40	
8/30/2023 9:36	22.2	72	66.5	1014	1014	3.8	2	335.1	319.05	43	40	
8/30/2023 9:37	22.3	72.1	66.4	1014	1014	3.8	2.1	332.1	320.29	43	41	
8/30/2023 9:38	22.4	72.3	65.8	1014	1014	3.8	2	328.9	321.76	43	41	
8/30/2023 9:39	22.5	72.5	65.9	1014	1014	3.8	1.7	328.8	323.27	44	41	
8/30/2023 9:40	22.6	72.7	65.4	1014	1014	3.7	1.5	325.2	324.42	43	42	
8/30/2023 9:41	22.8	73	64.5	1014	1014	3.7	1.5	325.2	325.45	43	42	
8/30/2023 9:42	23	73.4	63.7	1014	1014	3.7	1.5	327	326.49	46	42	
8/30/2023 9:43	22.9	73.2	63.2	1014	1014	3.7	1.5	332.1	327.93	46	43	
8/30/2023 9:44	22.8	73	63.6	1014	1014	3.7	1.5	338.4	329.65	45	43	
8/30/2023 9:45	22.8	73	63.8	1014	1014	2.7	1.4	343.7	331.46	46	43	
8/30/2023 9:46	23	73.3	63.9	1014	1014	2.9	1.3	347.8	333.14	45	43	
8/30/2023 9:47	23.1	73.5	64.1	1014	1014	2.9	1.4	343.7	334.1	43	43	
8/30/2023 9:48	23.2	73.7	64.1	1014	1014	3.9	1.5	333.7	334.1	44	44	
8/30/2023 9:49	23.2	73.7	63.9	1014	1014	3.9	1.6	320.5	333.22	44	44	
8/30/2023 9:50	23.4	74.1	63.7	1014	1014	3.9	1.6	312.4	331.64	46	44	
8/30/2023 9:51	23.6	74.4	62.2	1014	1014	3.9	1.5	0	309.3	48	44	
8/30/2023 9:52	23.7	74.6	62.4	1014	1014	4.2	1.6	0	287.16	45	44	
8/30/2023 9:53	23.7	74.6	62	1014	1014	4.2	1.6	0	265.23	46	44	
8/30/2023 9:54												
8/30/2023 9:55	23.7	74.6	61.6	1014	1014	3.7	1.7	261.3	256.13			
8/30/2023 9:56	23.7	74.6	61.7	1014	1014	3.7	2	275.3	252.56	44	45	
8/30/2023 9:57	23.7	74.6	61.7	1014	1014	3.7	1.8	269.3	248.44	44	45	
8/30/2023 9:58	23.8	74.9	61.1	1013	1013	3.7	1.6	268.8	243.92	44	44	
8/30/2023 9:59	23.8	74.9	61.1	1014	1014	3.7	1.6	0	219.75	44	44	
8/30/2023 10:00	23.6	74.5	62.1	1014	1014	3.7	1.6	0	195.2	45	44	0.002053
8/30/2023 10:03												
8/30/2023 10:05	23.8	74.9	60.5	1013	1013	3.4	1.6	0	107.47	47	45	
8/30/2023 10:06	23.9	75.1	60.3	1014	1014	3.4	1.6	0	107.47	46	45	
8/30/2023 10:07	24.2	75.5	59.5	1013	1013	3.4	1.6	311.2	138.59	46	45	
8/30/2023 10:08	24.3	75.8	59.1	1014	1014	3.4	1.6	304.9	169.08	46	45	
8/30/2023 10:09	24.3	75.8	59.1	1014	1014	3.9	1.6	294.1	180.45	47	45	
8/30/2023 10:10	24.3	75.8	59.2	1014	1014	3.9	1.6	292.2	183.25	49	45	
8/30/2023 10:11	24.3	75.8	59.2	1014	1014	3.9	1.6	295.7	185.11	49	46	
8/30/2023 10:12	24.2	75.6	59	1014	1014	4.3	1.6	288.2	186.83	50	46	
8/30/2023 10:13	24.2	75.6	59	1014	1014	4.3	1.6	271.2	187.05	51	47	
8/30/2023 10:14	24.1	75.4	59	1014	1014	5.1	1.6	267.5	211.36	50	47	
8/30/2023 10:15	24.1	75.4	59	1014	1014	5.1	1.8	267.4	235.67	50	48	
8/30/2023 10:16	24	75.2	59.3	1014	1014	5.1	1.9	269	238.45	51	48	
8/30/2023 10:17	24	75.2	59.3	1014	1014	5.1	1.9	265.2	240.51	51	48	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 10:18	24	75.3	58.5	1014	1014	5.1	1.9	270.8	242.67	52	48	
8/30/2023 10:19	24	75.3	58.5	1014	1014	5.1	1.9	276.2	244.91	52	49	
8/30/2023 10:20	24.4	75.9	57.6	1014	1014	5.1	1.8	273.9	263.17	51	49	
8/30/2023 10:21	24.4	75.9	57.6	1014	1014	5.1	1.8	272.9	281.36	52	49	
8/30/2023 10:22	24.5	76.1	57.3	1014	1014	5.1	1.6	279.1	279.22	51	50	
8/30/2023 10:23	24.5	76.1	57.3	1014	1014	3.5	1.5	282.4	277.72	51	50	
8/30/2023 10:24	24.7	76.5	57.1	1013	1013	3.5	1.3	278.6	276.69	51	50	
8/30/2023 10:25	24.7	76.5	57.1	1014	1014	3.9	1.2	248.7	273.79	52	50	
8/30/2023 10:26	24.7	76.4	56.3	1013	1013	3.9	1.1	249.1	270.68	52	51	
8/30/2023 10:27	24.8	76.6	56	1013	1013	3.9	1.2	250.2	268.15	52	51	
8/30/2023 10:28	24.9	76.7	55.7	1013	1013	3.9	1.3	244.6	266.37	53	51	
8/30/2023 10:29	25	77	55.3	1013	1013	3.9	1.3	243.2	264.75	53	51	
8/30/2023 10:30	25.3	77.5	53.7	1014	1014	4.3	1.4	244.6	263.23	53	51	
8/30/2023 10:31	25.3	77.5	53.7	1013	1013	4.3	1.5	244	261.57	54	52	
8/30/2023 10:32	25.2	77.3	54	1013	1013	4.3	1.5	246.6	260.33	54	52	
8/30/2023 10:33	25.1	77.1	54.3	1013	1013	4.3	1.5	250.9	259	53	52	
8/30/2023 10:34	25.2	77.3	54.5	1013	1013	4.3	1.5	254.1	257.53	54	52	
8/30/2023 10:35	25.4	77.7	53.7	1013	1013	4.3	1.4	266	257	54	52	
8/30/2023 10:36	25.6	78	52.8	1013	1013	4.3	1.4	262.7	256.32	55	52	
8/30/2023 10:37	25.6	78	52.7	1013	1013	4.3	1.3	264.7	255.36	56	53	
8/30/2023 10:38	25.4	77.7	53.3	1013	1013	4.3	1.4	266	254.27	56	53	
8/30/2023 10:39	25.6	78	52.7	1013	1013	4.6	1.3	271.9	253.82	55	53	
8/30/2023 10:40	25.7	78.2	52.2	1013	1013	4.6	1.4	277.4	255.73	57	54	
8/30/2023 10:41	25.6	78	52.8	1013	1013	5.5	1.4	270.9	257.19	56	54	
8/30/2023 10:42	25.7	78.2	52.4	1013	1013	6.2	1.6	258.4	257.73	59	54	
8/30/2023 10:43	25.7	78.2	52.4	1013	1013	6.2	1.7	251.6	258.2	58	55	
8/30/2023 10:44	25.6	78.2	51.9	1013	1013	6.2	1.8	240.2	258	57	55	
8/30/2023 10:45	25.7	78.3	51.9	1013	1013	6.2	1.7	238.2	257.57	57	55	
8/30/2023 10:46	25.8	78.5	51.1	1013	1013	6.2	1.7	238.6	257.21	60	56	
8/30/2023 10:47	26.1	79	50.2	1013	1013	6.2	1.8	240.3	256.79	60	56	
8/30/2023 10:48	26.1	79.1	49.7	1013	1013	6.2	1.8	235.3	255.75	60	56	
8/30/2023 10:49	26.1	78.9	50.2	1013	1013	6.8	1.8	227.1	253.95	61	57	
8/30/2023 10:50	26.1	79	50.7	1013	1013	6.8	1.9	220.6	250.93	61	57	
8/30/2023 10:51	26	78.9	50.8	1013	1013	6.8	1.9	224.8	248.4	60	58	
8/30/2023 10:52	25.9	78.7	50.6	1013	1013	6.8	1.8	223	245.62	62	58	
8/30/2023 10:53	26	78.9	49.5	1013	1013	6.8	1.7	221	242.62	62	59	
8/30/2023 10:54	26	78.9	49.5	1013	1013	6.8	1.9	222	239.29	64	59	
8/30/2023 10:55	26	78.9	49.6	1013	1013	6.8	2	214.8	235.12	63	60	
8/30/2023 10:56	26	78.9	49.6	1013	1013	6.8	2	207.7	230.91	65	60	
8/30/2023 10:57	26.1	79	49.6	1013	1013	6.8	1.9	207.9	227.54	65	61	
8/30/2023 10:58	26.1	79	49.6	1013	1013	6.8	1.8	208.6	224.67	64	61	
8/30/2023 10:59	26.1	79	49.6	1013	1013	5.5	1.8	209.5	222.63	63	61	
8/30/2023 11:00	26	78.8	49.7	1013	1013	5.5	1.8	202.6	220.25	63	62	0.002392
8/30/2023 11:01	26	78.8	49.7	1013	1013	5.5	1.8	204	217.95	63	62	
8/30/2023 11:02	26.2	79.2	48.4	1013	1013	5.5	2	212.6	216.1	64	62	
8/30/2023 11:03	26.2	79.2	48.4	1013	1013	5.5	1.9	219.7	215.06	62	62	
8/30/2023 11:04	26.2	79.2	50.7	1013	1013	5.5	2.1	239	215.85	57	62	
8/30/2023 11:05	26.2	79.2	50.7	1013	1013	5.8	2.3	247.5	217.65	58	62	
8/30/2023 11:06	26.2	79.2	50.5	1013	1013	5.8	2.4	250.9	219.39	57	62	
8/30/2023 11:07	26.1	79	51.3	1013	1013	5.8	2.5	250.8	221.24	59	61	
8/30/2023 11:08	26.2	79.2	50.8	1013	1013	5.8	2.6	259.1	223.78	68	62	
8/30/2023 11:09	26.2	79.2	50.9	1013	1013	5.8	2.6	266.9	226.77	65	62	
8/30/2023 11:10	26.2	79.2	52.1	1013	1013	5.8	2.7	266.7	230.23	65	62	
8/30/2023 11:11	26.1	79	51.7	1013	1013	5.8	2.5	264.1	233.99	58	62	
8/30/2023 11:12	26.4	79.6	52.6	1013	1013	5.8	2.5	262.6	237.64	57	61	
8/30/2023 11:13	26.4	79.6	52	1013	1013	5.8	2.5	258.3	240.95	57	61	
8/30/2023 11:14	26.3	79.4	51.6	1013	1013	5.9	2.5	258.6	244.23	56	60	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 11:15	26.1	79	53.2	1013	1013	5.9	2.5	258	247.92	63	60	
8/30/2023 11:16	26.1	79	53.2	1013	1013	6.4	2.5	260.4	251.68	60	60	
8/30/2023 11:17	26.3	79.4	52	1013	1013	6.4	2.6	258.4	254.73	59	60	
8/30/2023 11:18	26.3	79.4	50.1	1013	1013	6.4	2.6	259.2	257.37	61	60	
8/30/2023 11:19	26.4	79.5	50.8	1013	1013	6.4	2.4	264.9	259.09	60	60	
8/30/2023 11:20	26.5	79.8	53.4	1013	1013	6.4	2.5	266.5	260.36	60	60	
8/30/2023 11:21	26.8	80.3	50.9	1013	1013	6.4	2.6	264.5	261.27	71	61	
8/30/2023 11:22	26.9	80.4	51.5	1013	1013	6.4	2.5	267.3	262.37	66	61	
8/30/2023 11:23	26.9	80.5	52.3	1013	1013	6.4	2.1	268.4	262.99	54	60	
8/30/2023 11:24	26.9	80.4	52.4	1013	1013	6.4	2.1	268.4	263.09	59	60	
8/30/2023 11:25	27	80.6	50.1	1013	1013	5.6	2.1	266.4	263.07	61	60	
8/30/2023 11:26	27	80.6	49.9	1013	1013	5.6	2	264.3	263.08	63	60	
8/30/2023 11:27	26.9	80.4	49.6	1013	1013	5.6	2	263.5	263.14	65	61	
8/30/2023 11:28	26.9	80.4	47.2	1013	1013	5.6	2.1	258.8	263.17	73	62	
8/30/2023 11:29	27.2	80.9	47.9	1013	1013	5.6	2.1	255.6	262.97	66	62	
8/30/2023 11:30	27.2	80.9	47.9	1013	1013	6.2	2	259.1	263.05	67	63	
8/30/2023 11:31	27.4	81.3	45	1013	1013	6.2	2.2	261.1	263.09	78	64	
8/30/2023 11:32	27.3	81.1	44.4	1013	1013	6.2	2.2	261.3	263.29	78	65	
8/30/2023 11:33	27.3	81.1	44.9	1013	1013	6.2	2.3	260.6	263.38	74	66	
8/30/2023 11:34	27.4	81.3	44.6	1013	1013	6.2	2.3	260	263.05	78	67	
8/30/2023 11:35	27.5	81.4	43.9	1013	1013	6.2	2.2	263.8	262.87	78	68	
8/30/2023 11:36	27.5	81.4	43.9	1013	1013	6.2	2.3	259.9	262.57	83	69	
8/30/2023 11:37	27.5	81.4	42.7	1013	1013	6.2	2.2	262.7	262.26	82	70	
8/30/2023 11:38	27.6	81.6	42.8	1013	1013	6.2	2.2	269	262.3	83	72	
8/30/2023 11:39	27.6	81.6	41.6	1013	1013	5.2	2.2	272.3	262.56	86	74	
8/30/2023 11:40	27.9	82.3	41.2	1013	1013	5.6	2	273.2	263.01	85	75	
8/30/2023 11:41	28	82.3	39.5	1013	1013	8.2	2.1	264.4	263.02	91	77	
8/30/2023 11:42	27.9	82.3	38	1013	1013	8.2	2.1	252.7	262.3	91	79	
8/30/2023 11:43	28.1	82.7	38.7	1013	1013	8.2	2.2	251.2	261.79	90	80	
8/30/2023 11:44	28.2	82.8	37.7	1013	1013	8.2	2.2	241.4	260.85	90	82	
8/30/2023 11:45	28.1	82.6	38.7	1013	1013	8.2	2.2	236.7	259.35	89	83	
8/30/2023 11:46	28.1	82.6	38.7	1013	1013	8.2	2.2	229.3	257.23	89	84	
8/30/2023 11:47	28.1	82.6	39.3	1013	1013	8.2	2.1	218.4	254.37	89	85	
8/30/2023 11:48	28.3	83	38.3	1012	1012	8.2	2.1	214.8	251.32	89	86	
8/30/2023 11:49	28.3	83	38.3	1012	1012	8.2	2.4	210	247.99	90	87	
8/30/2023 11:50	28.3	83	38.6	1012	1012	7.6	2.3	210	244.4	93	88	
8/30/2023 11:51	28.3	83	38.6	1012	1012	7.6	2.1	211.9	241.2	92	88	
8/30/2023 11:52	28.6	83.5	37.3	1013	1013	7.6	2.2	212.4	237.85	94	89	
8/30/2023 11:53	28.6	83.5	37.3	1012	1012	7.6	2.1	218.1	234.45	96	90	
8/30/2023 11:54	28.6	83.5	36.9	1012	1012	6.8	2.1	221.4	231.06	97	91	
8/30/2023 11:55	28.6	83.5	36.9	1013	1013	6.8	2	222.4	227.67	98	91	
8/30/2023 11:56	28.5	83.3	38	1012	1012	6.8	2	226.9	225.17	96	92	
8/30/2023 11:57	28.5	83.3	38	1012	1012	6.8	2.1	232.3	223.81	94	92	
8/30/2023 11:58	28.4	83.1	37.9	1012	1012	6.8	2.1	244.6	223.37	96	92	
8/30/2023 11:59	28.4	83.1	37.9	1012	1012	6.8	2.1	253.8	224.2	94	93	
8/30/2023 12:00	28.6	83.5	38.2	1012	1012	6.8	2.2	256	225.49	95	93	0.005117
8/30/2023 12:01	28.6	83.5	38.2	1012	1012	6.4	2.2	262.7	227.71	93	93	
8/30/2023 12:02	28.5	83.3	39.1	1012	1012	6.4	2.2	259.6	230.46	91	93	
8/30/2023 12:03	28.5	83.3	39.5	1012	1012	6.4	2.2	259.7	233.45	92	94	
8/30/2023 12:04	28.5	83.3	39	1012	1012	6.4	2.4	261.6	236.89	95	94	
8/30/2023 12:05	28.4	83.1	38.9	1012	1012	6.4	2.4	262.3	240.38	97	94	
8/30/2023 12:06	28.4	83.1	39.3	1012	1012	6	2.5	265.9	243.98	95	94	
8/30/2023 12:07	28.4	83.1	39.4	1012	1012	6	2.3	265.6	247.53	94	94	
8/30/2023 12:08	28.6	83.5	38.8	1012	1012	6	2.5	264.5	250.62	95	94	
8/30/2023 12:09	28.6	83.5	38.6	1012	1012	6	2.5	265.9	253.59	95	94	
8/30/2023 12:10	28.6	83.5	38.4	1012	1012	6	2.6	265.3	256.45	98	94	
8/30/2023 12:11	28.8	83.8	38.1	1012	1012	6	2.7	264.8	258.97	97	94	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 12:12	28.8	83.8	38.1	1012	1012	6	2.8	267.3	261.31	97	94	
8/30/2023 12:13	28.8	83.8	38.3	1012	1012	6	2.8	267.6	262.84	95	94	
8/30/2023 12:14	28.7	83.6	38.9	1012	1012	7.1	3	268.8	263.84	96	95	
8/30/2023 12:15	28.8	83.9	38	1012	1012	7.1	3	265.8	264.49	97	95	
8/30/2023 12:16	28.8	83.9	38	1012	1012	7.1	3.1	265.5	264.68	98	95	
8/30/2023 12:17	28.8	83.8	38	1012	1012	7.1	3	266	265.11	99	96	
8/30/2023 12:18	28.8	83.8	37.9	1012	1012	7.1	3.1	266.2	265.54	99	96	
8/30/2023 12:19	28.9	84	38.2	1012	1012	7.1	3.1	266.4	265.86	98	96	
8/30/2023 12:20	28.9	84	38.5	1012	1012	7.1	3.1	267.8	266.23	98	96	
8/30/2023 12:21	28.9	84	38.5	1012	1012	7.1	3.2	270.1	266.51	98	96	
8/30/2023 12:22	28.7	83.7	38.6	1012	1012	7.2	3.3	270.2	266.81	98	97	
8/30/2023 12:23	28.6	83.4	38.8	1012	1012	7.2	3.4	272	267.31	99	97	
8/30/2023 12:24	28.4	83.1	38.9	1012	1012	7.2	3.3	272.4	267.75	100	97	
8/30/2023 12:25	28.6	83.4	37.7	1012	1012	7.2	3.2	271.4	268.15	103	98	
8/30/2023 12:26	28.8	83.8	37.5	1012	1012	7.2	3.2	271.8	268.62	104	98	
8/30/2023 12:27	29	84.2	36.8	1012	1012	7.2	3.2	272.7	268.98	103	99	
8/30/2023 12:28	29.1	84.3	36.3	1012	1012	7.2	3.2	273	269.34	105	99	
8/30/2023 12:29	29.1	84.3	36.3	1012	1012	7.2	3.3	272.8	269.61	106	100	
8/30/2023 12:30	28.9	84	36.1	1012	1012	8.8	3.6	271.1	269.96	108	101	
8/30/2023 12:31	28.7	83.7	35.8	1012	1012	8.8	3.4	272.5	270.43	110	101	
8/30/2023 12:32	28.8	83.8	34.9	1012	1012	8.8	3.3	270.2	270.71	114	102	
8/30/2023 12:33	29	84.2	33.2	1012	1012	8.8	3.5	270.8	271.01	116	104	
8/30/2023 12:34	29.1	84.4	32.8	1012	1012	8.8	3.4	271.7	271.37	117	105	
8/30/2023 12:35	29.3	84.7	32.4	1012	1012	8.8	3.5	270.9	271.57	120	106	
8/30/2023 12:36	29.4	84.9	30.6	1012	1012	8.8	3.6	269.6	271.54	122	108	
8/30/2023 12:37	29.4	84.9	30.7	1012	1012	8.8	3.5	269.8	271.51	122	109	
8/30/2023 12:38	29.7	85.4	30.9	1012	1012	8.8	3.3	271.6	271.49	118	111	
8/30/2023 12:39	29.7	85.5	31	1012	1012	7.9	3.1	271.9	271.45	118	112	
8/30/2023 12:40	29.9	85.9	30.6	1012	1012	7.9	2.8	263.2	270.91	122	113	
8/30/2023 12:41	30	86.1	29.3	1012	1012	7.9	2.7	260.9	270.18	122	114	
8/30/2023 12:42	30	86	29.7	1012	1012	7.9	2.6	256.1	269.07	122	116	
8/30/2023 12:43	30.1	86.1	29.1	1012	1012	7.9	2.6	251.5	267.64	123	117	
8/30/2023 12:44	30	86	29.9	1012	1012	7.3	2.6	253.1	266.33	122	118	
8/30/2023 12:45	30.2	86.4	29.7	1012	1012	8.6	2.4	250.8	264.97	123	119	
8/30/2023 12:46	30.2	86.4	29.7	1012	1012	8.6	2.5	251.6	263.58	121	120	
8/30/2023 12:47	30	86	30.1	1012	1012	8.6	2.7	248.2	262.11	123	120	
8/30/2023 12:48	29.9	85.8	29.7	1012	1012	8.6	2.8	250.2	260.74	125	121	
8/30/2023 12:49	29.9	85.8	28.7	1012	1012	8.6	2.8	251.9	259.42	127	122	
8/30/2023 12:50	29.8	85.6	28.8	1012	1012	8.6	3	263	258.89	128	122	
8/30/2023 12:51	29.8	85.6	28.7	1012	1012	8.9	3.3	265.2	258.6	128	122	
8/30/2023 12:52	29.7	85.4	28.8	1012	1012	8.9	3.5	267.3	258.43	127	123	
8/30/2023 12:53	29.5	85.1	29.7	1012	1012	9.6	3.8	266.1	258.07	128	123	
8/30/2023 12:54	29.3	84.8	29.3	1012	1012	9.6	4.1	266.6	257.71	129	124	
8/30/2023 12:55	29.2	84.6	29.8	1012	1012	9.6	4.2	265.5	257.87	131	125	
8/30/2023 12:56	29.3	84.8	28.6	1012	1012	9.6	4.2	266.1	258.21	135	126	
8/30/2023 12:57	29.4	85	28.6	1012	1012	9.6	4.3	266.2	258.89	135	127	
8/30/2023 12:58	29.7	85.5	28.9	1012	1012	9.6	4.1	265.8	259.84	132	127	
8/30/2023 12:59	29.9	85.9	28.6	1012	1012	9.6	3.8	262.8	260.49	134	128	
8/30/2023 13:00	30.3	86.6	27.9	1012	1012	9.6	3.5	258.7	261.01	134	129	0.009405
8/30/2023 13:01	30.3	86.6	27.5	1012	1012	9.6	3.4	250.3	260.93	136	130	
8/30/2023 13:02	30.3	86.6	27.5	1012	1012	8.7	3.2	239.2	260.33	138	131	
8/30/2023 13:03	30.1	86.2	27.3	1012	1012	8.5	2.9	231.3	259.07	140	132	
8/30/2023 13:04	30.1	86.2	27.3	1012	1012	8.5	2.8	217.9	256.8	139	132	
8/30/2023 13:05	30.1	86.2	27.5	1012	1012	8.3	2.6	208.3	253.15	139	133	
8/30/2023 13:06	30.1	86.2	27.5	1012	1012	8.3	2.5	200.3	248.83	139	134	
8/30/2023 13:07	30.4	86.7	27.1	1012	1012	8.3	2.8	198.7	244.25	140	135	
8/30/2023 13:08	30.4	86.7	26.7	1012	1012	8.3	2.8	194.8	239.5	139	136	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperat ure (°C)	Air Temperat ure (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 13:09	30.3	86.6	27.2	1011	1011	8.3	3	198.5	234.96	140	136	
8/30/2023 13:10	30.6	87.1	26.4	1011	1011	10.5	2.8	199	230.53	140	137	
8/30/2023 13:11	30.6	87.1	26.4	1011	1011	10.5	2.8	202.9	226.31	141	137	
8/30/2023 13:12	30.6	87.1	26.4	1012	1012	10.5	2.8	204.5	222.2	143	138	
8/30/2023 13:13	30.5	86.9	26.7	1011	1011	10.5	2.8	206.1	218.22	143	139	
8/30/2023 13:14	30.5	86.9	26.9	1012	1012	10.5	2.7	205.7	214.41	146	139	
8/30/2023 13:15	30.6	87	26.6	1012	1012	10.5	2.6	206.5	210.93	148	140	
8/30/2023 13:16	30.6	87	26.6	1012	1012	10.5	2.4	204	207.85	147	141	
8/30/2023 13:17	30.7	87.2	26	1012	1012	10.5	2.4	204.6	205.54	149	142	
8/30/2023 13:18	30.7	87.2	26.4	1012	1012	10.5	2.3	207.5	203.95	148	142	
8/30/2023 13:19	30.8	87.4	26.2	1011	1011	7.5	2.3	207.3	203.25	149	143	
8/30/2023 13:20	31.1	87.9	25.6	1011	1011	7.3	2.2	205.3	203.05	150	144	
8/30/2023 13:21	31.3	88.3	24.9	1011	1011	7.3	2.3	205.6	203.4	155	145	
8/30/2023 13:22	31.3	88.3	24.9	1011	1011	7.1	2.2	206.8	203.94	154	146	
8/30/2023 13:23	31.3	88.3	24.9	1011	1011	7.1	2.3	211.7	205.07	154	147	
8/30/2023 13:24	31.4	88.5	24.3	1011	1011	7.1	2.3	214.3	206.12	154	148	
8/30/2023 13:25	31.3	88.4	24.1	1011	1011	7.1	2.3	221.7	207.63	154	149	
8/30/2023 13:26	31.3	88.4	24.5	1011	1011	7.1	2.3	227.8	209.29	155	149	
8/30/2023 13:27	31.3	88.4	24.2	1011	1011	7.1	2.2	226.3	210.75	155	150	
8/30/2023 13:28	31.3	88.4	24.3	1011	1011	7.1	2.2	232.3	212.49	154	151	
8/30/2023 13:29	31.4	88.6	24.1	1011	1011	7.1	2.1	234.6	214.42	153	151	
8/30/2023 13:30	31.6	88.9	24.1	1011	1011	11.1	2.1	235.4	216.35	153	152	
8/30/2023 13:31	31.6	88.9	23.3	1011	1011	11.1	2.2	232.9	218.27	154	152	
8/30/2023 13:32	31.6	88.9	23	1011	1011	11.1	2.1	228.3	219.85	155	153	
8/30/2023 13:33	31.7	89.1	23.3	1011	1011	11.1	2	229.2	221.3	155	153	
8/30/2023 13:34	31.8	89.2	22.8	1011	1011	11.1	2	228.8	222.73	157	154	
8/30/2023 13:35	31.6	88.9	23.5	1011	1011	11.1	1.9	224.3	224	158	154	
8/30/2023 13:36	31.7	89.1	23	1011	1011	11.1	2	224.2	225.24	158	154	
8/30/2023 13:37	31.6	88.9	23.7	1011	1011	11.1	2.2	224	226.39	159	155	
8/30/2023 13:38	31.5	88.7	23.8	1011	1011	11.1	2.5	213.8	226.53	159	155	
8/30/2023 13:39	31.4	88.5	24	1011	1011	9.1	2.4	214.1	226.51	161	156	
8/30/2023 13:40	31.4	88.5	23.5	1011	1011	9.1	2.4	217.7	226.25	164	156	
8/30/2023 13:41	31.4	88.5	23.8	1011	1011	9.1	2.5	219.9	225.72	161	157	
8/30/2023 13:42	31.4	88.6	23.6	1011	1011	9.1	2.8	221.8	225.42	161	157	
8/30/2023 13:43	31.5	88.7	23.7	1011	1011	9.1	2.9	221.1	224.67	158	157	
8/30/2023 13:44	31.6	88.9	24.4	1011	1011	9.1	3.1	224.8	224.02	152	157	
8/30/2023 13:45	31.7	89.1	23.9	1011	1011	9.1	3	225.8	223.38	150	157	
8/30/2023 13:46	31.7	89.1	23.9	1011	1011	9.1	2.8	227.3	223.01	152	157	
8/30/2023 13:47	31.8	89.3	23.8	1011	1011	9.1	2.5	236.8	223.57	152	157	
8/30/2023 13:48	32	89.6	23.7	1011	1011	8	2.4	240.1	224.3	151	156	
8/30/2023 13:49	32.2	90	23.9	1011	1011	8	2.5	241.9	225.17	150	156	
8/30/2023 13:50	32.4	90.3	23.8	1011	1011	8	2.5	245.4	226.58	149	155	
8/30/2023 13:51	32.5	90.6	23.9	1011	1011	8	2.3	244.6	227.94	148	155	
8/30/2023 13:52	32.5	90.5	23.8	1011	1011	8	2.3	242.4	229.17	149	154	
8/30/2023 13:53	32.4	90.3	24.2	1011	1011	7.1	2.3	244.2	231.19	150	153	
8/30/2023 13:54	32.4	90.3	24.1	1011	1011	10.3	2.3	241.2	233	149	153	
8/30/2023 13:55	32.3	90.1	24.2	1011	1011	10.3	2.5	241.7	234.6	147	151	
8/30/2023 13:56	32.2	89.9	24.3	1011	1011	10.3	2.7	244.5	236.24	149	151	
8/30/2023 13:57	31.9	89.4	24.3	1011	1011	10.3	3.4	250.9	238.18	149	150	
8/30/2023 13:58	31.8	89.3	24.3	1011	1011	10.9	3.8	251.7	240.22	149	149	
8/30/2023 13:59	31.7	89	24.3	1011	1011	10.9	3.8	253.1	242.11	148	149	
8/30/2023 14:00	31.9	89.4	24	1011	1011	10.9	4.1	255.1	244.06	146	149	0.01531
8/30/2023 14:01	31.9	89.4	24	1011	1011	10.9	4	258.2	246.12	148	148	
8/30/2023 14:02	32	89.6	23.6	1011	1011	10.9	4.3	257.7	247.51	148	148	
8/30/2023 14:03	31.9	89.4	23.7	1011	1011	10.9	4.4	258.4	248.73	148	148	
8/30/2023 14:04	32	89.5	23.7	1011	1011	10.9	4.3	257.9	249.8	148	148	
8/30/2023 14:05	32.1	89.8	23.4	1011	1011	10.9	4.1	256	250.51	147	148	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperat ure (°C)	Air Temperat ure (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 14:06	32.1	89.8	23.6	1011	1011	10.9	3.8	253.2	251.08	148	148	
8/30/2023 14:07	32.1	89.8	23.4	1011	1011	10.3	3.3	248.4	251.48	147	148	
8/30/2023 14:08	32.3	90.1	23.1	1011	1011	10.3	3.4	247.2	251.68	147	147	
8/30/2023 14:09	32.2	89.9	23.6	1011	1011	10.3	3.4	240.5	251.63	145	147	
8/30/2023 14:10	32.1	89.7	24	1011	1011	10.5	3.4	238.5	251.42	144	147	
8/30/2023 14:11	32.3	90.1	23.9	1011	1011	10.5	3.4	239.1	251.06	142	146	
8/30/2023 14:12	32.4	90.3	24.5	1011	1011	10.5	3.4	238.3	250.22	142	146	
8/30/2023 14:13	32.5	90.4	24.8	1011	1011	10.5	3.6	241.3	249.53	140	145	
8/30/2023 14:14	32.4	90.3	25.4	1011	1011	10.5	3.7	244.6	248.96	137	145	
8/30/2023 14:15	32.5	90.5	25.3	1011	1011	10.5	3.6	247.6	248.46	136	144	
8/30/2023 14:16	32.5	90.5	25.7	1011	1011	11.9	3.8	253.5	248.15	136	143	
8/30/2023 14:17	32.5	90.4	25.7	1011	1011	11.9	3.8	254.3	247.92	136	142	
8/30/2023 14:18	32.4	90.3	26	1011	1011	12.2	3.8	255	247.69	135	142	
8/30/2023 14:19	32.5	90.4	25.8	1011	1011	12.2	3.9	259	247.77	133	141	
8/30/2023 14:20	32.5	90.4	25.8	1010	1010	12.2	3.7	254	247.63	136	140	
8/30/2023 14:21	32.5	90.4	26.2	1010	1010	12.2	3.8	248.8	247.34	136	139	
8/30/2023 14:22	32.4	90.3	26.3	1011	1011	12.2	3.7	241.5	246.88	134	138	
8/30/2023 14:23	32.4	90.3	26.5	1010	1010	12.2	3.7	236.8	246.19	135	137	
8/30/2023 14:24	32.5	90.4	26.6	1010	1010	12.2	3.8	233.6	245.73	133	137	
8/30/2023 14:25	32.5	90.5	26.7	1010	1010	12.2	3.8	230.4	245.19	134	136	
8/30/2023 14:26	32.7	90.8	26.6	1010	1010	12.2	3.6	224.8	244.23	131	135	
8/30/2023 14:27	32.8	91.1	26.6	1010	1010	11.6	3.3	227.7	243.53	132	134	
8/30/2023 14:28	33	91.3	26.6	1010	1010	11.6	3.1	226.9	242.57	131	134	
8/30/2023 14:29	33.3	91.9	26.2	1010	1010	11.6	3.1	232.9	241.79	131	133	
8/30/2023 14:30	33.4	92.1	26	1010	1010	11.6	2.9	239.8	241.27	131	133	
8/30/2023 14:31	33.3	92	26.7	1010	1010	11.6	3.1	247.6	240.87	130	133	
8/30/2023 14:32	33.1	91.5	27.1	1010	1010	9.5	3.1	255	240.92	129	132	
8/30/2023 14:33	32.9	91.3	27.4	1010	1010	10.6	3.2	257.7	241.1	127	132	
8/30/2023 14:34	32.8	91.1	27.6	1010	1010	10.6	3.2	260.9	241.23	129	131	
8/30/2023 14:35	32.5	90.6	28.3	1010	1010	10.6	3.5	262.2	241.77	128	131	
8/30/2023 14:36	32.4	90.4	28.2	1010	1010	10.6	3.7	270.5	243.22	128	130	
8/30/2023 14:37	32.6	90.7	27.3	1010	1010	10.6	3.7	269.4	245.08	127	130	
8/30/2023 14:38	32.8	91	27.6	1010	1010	10.6	4	270.9	247.35	125	129	
8/30/2023 14:39	32.7	90.9	27.3	1010	1010	10.6	4.2	273.1	249.99	124	129	
8/30/2023 14:40	32.5	90.6	27.6	1010	1010	10.6	4.2	277.6	253.13	124	128	
8/30/2023 14:41	32.4	90.4	27.9	1010	1010	10.6	4.2	280.5	256.85	124	128	
8/30/2023 14:42	32.5	90.6	27.4	1010	1010	10.8	4.2	283	260.53	124	127	
8/30/2023 14:43	32.4	90.4	27.5	1010	1010	10.8	4.2	285.5	264.44	124	127	
8/30/2023 14:44	32.5	90.6	27.6	1010	1010	10.6	4	287.8	268.1	122	126	
8/30/2023 14:45	32.4	90.4	27.7	1010	1010	10.6	4.3	282.4	270.94	123	125	
8/30/2023 14:46	32.6	90.8	27.3	1010	1010	10.6	4.5	283	273.3	123	125	
8/30/2023 14:47	32.8	91.1	26.9	1010	1010	10.6	4.6	284.2	275.25	124	125	
8/30/2023 14:48	32.6	90.8	27.2	1010	1010	10.6	4.7	284.2	277.01	122	124	
8/30/2023 14:49	32.5	90.6	27.5	1010	1010	10.6	4.7	283.6	278.53	123	124	
8/30/2023 14:50	32.4	90.3	27.6	1010	1010	11.1	4.8	282.3	279.87	122	123	
8/30/2023 14:51	32.4	90.4	27.8	1010	1010	11.1	4.7	283.5	280.73	122	123	
8/30/2023 14:52	32.7	90.9	27.2	1010	1010	11.1	4.8	283.4	281.67	122	123	
8/30/2023 14:53	32.8	91.1	27.2	1010	1010	11.1	5.1	282.8	282.46	121	122	
8/30/2023 14:54	32.6	90.8	27	1010	1010	11.1	5.1	283.4	283.15	122	122	
8/30/2023 14:55	32.4	90.4	27.4	1010	1010	11.1	5.2	281.9	283.43	123	122	
8/30/2023 14:56	32.6	90.8	27	1010	1010	11.1	5.1	281.7	283.51	122	122	
8/30/2023 14:57	32.7	90.9	26.8	1010	1010	11.1	4.9	281.6	283.42	123	122	
8/30/2023 14:58	32.9	91.3	26.4	1010	1010	11.1	4.8	282.2	283.2	122	122	
8/30/2023 14:59	32.9	91.3	26.4	1010	1010	12.3	4.9	283.4	282.91	122	122	
8/30/2023 15:00	32.9	91.3	26.3	1010	1010	12.3	5	282.6	282.92	121	122	0.02227
8/30/2023 15:01	32.9	91.3	26.3	1010	1010	12.3	4.9	282.3	282.87	122	122	
8/30/2023 15:02	32.9	91.3	26	1010	1010	12.3	4.8	282.9	282.79	122	122	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/30/2023 15:03	32.9	91.2	26	1010	1010	12.3	4.6	284.5	282.81	123	122	
8/30/2023 15:04	32.9	91.3	25.6	1010	1010	12.3	4.5	285.8	282.95	123	122	
8/30/2023 15:05	32.7	90.9	26	1010	1010	12.3	4.7	285.5	283.17	122	122	
8/30/2023 15:06	32.7	90.9	25.8	1010	1010	12.3	4.9	285	283.27	123	122	
8/30/2023 15:07	32.7	90.9	25.9	1010	1010	12.3	5.1	285.6	283.41	122	122	
8/30/2023 15:08	32.7	90.8	25.7	1010	1010	11.7	4.9	285.5	283.59	121	122	
8/30/2023 15:09	32.7	90.9	25.7	1010	1010	12	5	284.8	283.69	120	122	
8/30/2023 15:10	32.6	90.7	26.2	1010	1010	12	5.2	285.5	283.93	118	121	
8/30/2023 15:11	32.6	90.8	26.1	1010	1010	12	5.2	286.3	284.23	120	121	
8/30/2023 15:12	32.8	91	25.3	1010	1010	12	5.2	284.5	284.43	120	121	
8/30/2023 15:13	32.7	90.9	25	1010	1010	12	5.1	286	284.68	120	121	
8/30/2023 15:14	32.8	91.1	24.9	1010	1010	12	5.2	285.3	284.81	118	121	
8/30/2023 15:15	32.7	90.9	24.8	1010	1010	12	5.1	284.5	284.93	118	120	
8/30/2023 15:16	32.7	90.8	25.2	1010	1010	12	4.9	282.9	284.97	116	120	
8/30/2023 15:17	32.6	90.8	25.7	1010	1010	12	4.8	282.5	284.95	113	119	
8/30/2023 15:18	32.8	91.1	28.1	1010	1010	11.8	4.7	281.7	284.76	102	118	
8/30/2023 15:19	32.6	90.6	31.1	1010	1010	11.8	4.5	279	284.31	99	116	
8/30/2023 15:20	32.4	90.4	32.1	1010	1010	11.8	4.5	275	283.61	98	115	
8/30/2023 15:21	32.4	90.3	32.4	1010	1010	11.8	4.3	275.5	282.97	97	113	
8/30/2023 15:22	32.3	90.2	32.5	1010	1010	11.8	4.3	271.6	282.04	98	111	
8/30/2023 15:23	32.2	90	32.6	1010	1010	11.8	4.2	268.5	280.91	96	110	
8/30/2023 15:24	32.1	89.9	32.9	1010	1010	11.8	4.1	265.6	279.63	97	108	
8/30/2023 15:25	32.1	89.7	32.7	1010	1010	11.8	4	264	278.19	97	107	
8/30/2023 15:26	32.2	89.9	32.7	1010	1010	11.8	3.9	261.9	276.57	98	105	
8/30/2023 15:27	32.3	90.1	32.3	1010	1010	9.8	3.7	259.4	274.89	99	104	
8/30/2023 15:28	32.3	90.1	32.2	1010	1010	9.8	3.6	259.4	273.12	98	102	
8/30/2023 15:29	32.3	90.2	32	1010	1010	9.8	3.4	255.7	271.15	98	101	
8/30/2023 15:30	32.4	90.2	31.8	1010	1010	9.8	3.4	250.4	268.87	98	100	
8/30/2023 15:31	32.3	90.1	31.6	1010	1010	9.8	3.5	244.3	266.3	98	99	
8/30/2023 15:32	32.2	89.9	31.9	1010	1010	9.8	3.4	238.6	263.37	97	98	
8/30/2023 15:33	32.2	89.9	31.8	1010	1010	9.8	3.3	236.7	260.37	96	97	
8/30/2023 15:34	32.3	90.1	31.6	1010	1010	11.6	3.3	237.3	257.59	96	97	
8/30/2023 15:35	32.2	89.9	31.7	1010	1010	11.6	3.3	237.9	255.12	96	97	
8/30/2023 15:36	32.2	89.9	31.6	1010	1010	11.6	3.3	239.8	252.74	97	97	
8/30/2023 15:37	32.3	90.1	30.3	1010	1010	11.6	3.6	240.4	250.66	96	97	
8/30/2023 15:38	32.2	89.9	30.2	1010	1010	11.6	3.7	242.6	248.93	96	97	
8/30/2023 15:39	32.2	89.9	29.9	1010	1010	11.6	3.8	246.2	247.64	96	97	
8/30/2023 15:40	32	89.5	30.7	1010	1010	11.6	3.9	251	246.77	95	96	
8/30/2023 15:41	22.9	73.2	55.7	1009	1009	4.6	1.4	332.7	251.49			

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 7:00			
8/30/2023 7:14			
8/30/2023 7:15			
8/30/2023 7:16	42	42	
8/30/2023 7:17	45	43	
8/30/2023 7:18	45	44	
8/30/2023 7:19	44	44	
8/30/2023 7:20	45	44	
8/30/2023 7:21	44	44	
8/30/2023 7:22	45	44	
8/30/2023 7:23	44	44	
8/30/2023 7:24	44	44	
8/30/2023 7:25	44	44	
8/30/2023 7:26	44	44	
8/30/2023 7:27	43	44	
8/30/2023 7:28	44	44	
8/30/2023 7:29	44	44	
8/30/2023 7:30	44	44	
8/30/2023 7:31	45	44	
8/30/2023 7:32	44	44	
8/30/2023 7:33	44	44	
8/30/2023 7:34	45	44	
8/30/2023 7:35	46	44	
8/30/2023 7:36	46	44	
8/30/2023 7:37	50	44	
8/30/2023 7:38	51	45	
8/30/2023 7:39	52	45	
8/30/2023 7:40	49	46	
8/30/2023 7:41	48	46	
8/30/2023 7:42	50	46	
8/30/2023 7:43	50	47	
8/30/2023 7:44	50	47	
8/30/2023 7:45	51	48	
8/30/2023 7:46	47	48	
8/30/2023 7:47	46	48	
8/30/2023 7:48	47	48	
8/30/2023 7:49	74	50	
8/30/2023 7:50	52	50	
8/30/2023 7:51	47	50	
8/30/2023 7:52	46	50	
8/30/2023 7:53	47	50	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 7:54	46	50	0.0019091
8/30/2023 7:55	46	49	
8/30/2023 7:56	45	49	
8/30/2023 7:57	44	49	
8/30/2023 7:58	45	48	
8/30/2023 7:59	44	48	
8/30/2023 8:00	44	48	
8/30/2023 8:01	43	47	
8/30/2023 8:02	42	47	
8/30/2023 8:03	42	47	
8/30/2023 8:04	43	45	
8/30/2023 8:05	43	44	
8/30/2023 8:06	42	44	
8/30/2023 8:07	42	43	
8/30/2023 8:08	41	43	
8/30/2023 8:09	41	43	
8/30/2023 8:10	39	42	
8/30/2023 8:11	40	42	
8/30/2023 8:12	41	42	
8/30/2023 8:13	41	41	
8/30/2023 8:14	41	41	
8/30/2023 8:15	42	41	
8/30/2023 8:16	42	41	
8/30/2023 8:17	42	41	
8/30/2023 8:18	44	41	
8/30/2023 8:19	43	41	
8/30/2023 8:20	43	41	
8/30/2023 8:21	43	41	
8/30/2023 8:22	42	41	
8/30/2023 8:23	42	41	
8/30/2023 8:24	42	41	
8/30/2023 8:25	42	42	
8/30/2023 8:26	41	42	
8/30/2023 8:27	42	42	
8/30/2023 8:28	41	42	
8/30/2023 8:29	43	42	
8/30/2023 8:30	49	42	
8/30/2023 8:31	46	43	
8/30/2023 8:32	46	43	
8/30/2023 8:33	45	43	
8/30/2023 8:34	47	43	
8/30/2023 8:35	46	43	
8/30/2023 8:36	46	44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:37	47	44	
8/30/2023 8:38	49	44	
8/30/2023 8:39	47	45	
8/30/2023 8:40	42	45	
8/30/2023 8:41	41	45	
8/30/2023 8:42	40	45	
8/30/2023 8:43	39	44	
8/30/2023 8:44	40	44	
8/30/2023 8:45	39	44	
8/30/2023 8:46	40	43	
8/30/2023 8:47	40	43	
8/30/2023 8:48	38	42	
8/30/2023 8:49	38	42	
8/30/2023 8:50	38	41	
8/30/2023 8:51	39	41	
8/30/2023 8:52	39	40	
8/30/2023 8:53	38	39	
8/30/2023 8:54	38	39	
8/30/2023 8:55	38	39	
8/30/2023 8:56	38	38	
8/30/2023 8:57	38	38	
8/30/2023 8:58	37	38	
8/30/2023 8:59	39	38	
8/30/2023 9:00	38	38	0.0044545
8/30/2023 9:01	38	38	
8/30/2023 9:02	40	38	
8/30/2023 9:03	41	38	
8/30/2023 9:04	41	38	
8/30/2023 9:05	41	38	
8/30/2023 9:06	39	38	
8/30/2023 9:07	40	38	
8/30/2023 9:08	39	39	
8/30/2023 9:09	39	39	
8/30/2023 9:10	39	39	
8/30/2023 9:11	40	39	
8/30/2023 9:12	41	39	
8/30/2023 9:13	40	39	
8/30/2023 9:14	40	39	
8/30/2023 9:15	40	39	
8/30/2023 9:16	40	40	
8/30/2023 9:17	38	39	
8/30/2023 9:18	39	39	
8/30/2023 9:19	39	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:20	39	39	
8/30/2023 9:21	39	39	
8/30/2023 9:22	41	39	
8/30/2023 9:23	42	39	
8/30/2023 9:24	39	39	
8/30/2023 9:25	40	39	
8/30/2023 9:26	40	39	
8/30/2023 9:27	41	39	
8/30/2023 9:28	40	39	
8/30/2023 9:29	41	39	
8/30/2023 9:30	42	40	
8/30/2023 9:31	43	40	
8/30/2023 9:32	43	40	
8/30/2023 9:33	44	40	
8/30/2023 9:34	44	41	
8/30/2023 9:35	51	42	
8/30/2023 9:36	44	42	
8/30/2023 9:37	43	42	
8/30/2023 9:38	43	42	
8/30/2023 9:39	43	42	
8/30/2023 9:40	43	43	
8/30/2023 9:41	42	43	
8/30/2023 9:42	43	43	
8/30/2023 9:43	43	43	
8/30/2023 9:44	43	43	
8/30/2023 9:45	44	43	
8/30/2023 9:46	43	43	
8/30/2023 9:47	43	43	
8/30/2023 9:48	43	43	
8/30/2023 9:49	41	43	
8/30/2023 9:50	42	42	
8/30/2023 9:51	42	42	
8/30/2023 9:52	42	42	
8/30/2023 9:53	42	42	
8/30/2023 9:54	42	42	
8/30/2023 9:55	41	42	
8/30/2023 9:56	43	42	
8/30/2023 9:57	44	42	
8/30/2023 9:58	43	42	
8/30/2023 9:59	44	42	
8/30/2023 10:00	44	42	0.0070308
8/30/2023 10:01	44	42	
8/30/2023 10:02	44	42	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:03	45	42	
8/30/2023 10:04	44	43	
8/30/2023 10:05	44	43	
8/30/2023 10:06	43	43	
8/30/2023 10:07	43	43	
8/30/2023 10:08	44	43	
8/30/2023 10:09	44	43	
8/30/2023 10:10	44	43	
8/30/2023 10:11	46	44	
8/30/2023 10:12	47	44	
8/30/2023 10:13	49	44	
8/30/2023 10:14	49	44	
8/30/2023 10:15	48	45	
8/30/2023 10:16	48	45	
8/30/2023 10:17	48	45	
8/30/2023 10:18	48	45	
8/30/2023 10:19	50	46	
8/30/2023 10:20	50	46	
8/30/2023 10:21	49	47	
8/30/2023 10:22	50	47	
8/30/2023 10:23	49	47	
8/30/2023 10:24	50	48	
8/30/2023 10:25	49	48	
8/30/2023 10:26	50	48	
8/30/2023 10:27	51	49	
8/30/2023 10:28	51	49	
8/30/2023 10:29	50	49	
8/30/2023 10:30	50	49	
8/30/2023 10:31	50	49	
8/30/2023 10:32	50	49	
8/30/2023 10:33	49	49	
8/30/2023 10:34	51	49	
8/30/2023 10:35	54	50	
8/30/2023 10:36	52	50	
8/30/2023 10:37	53	50	
8/30/2023 10:38	56	51	
8/30/2023 10:39	53	51	
8/30/2023 10:40	54	51	
8/30/2023 10:41	54	51	
8/30/2023 10:42	54	52	
8/30/2023 10:43	55	52	
8/30/2023 10:44	56	52	
8/30/2023 10:45	54	53	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:46	55	53	0.0097523
8/30/2023 10:47	57	53	
8/30/2023 10:48	58	54	
8/30/2023 10:49	57	54	
8/30/2023 10:50	57	55	
8/30/2023 10:51	57	55	
8/30/2023 10:52	58	55	
8/30/2023 10:53	59	55	
8/30/2023 10:54	60	56	
8/30/2023 10:55	62	56	
8/30/2023 10:56	62	57	
8/30/2023 10:57	61	57	
8/30/2023 10:58	63	58	
8/30/2023 10:59	63	58	
8/30/2023 11:00	63	59	
8/30/2023 11:01	62	59	
8/30/2023 11:02	59	60	
8/30/2023 11:03	57	60	
8/30/2023 11:04	55	59	
8/30/2023 11:05	55	59	
8/30/2023 11:06	55	59	
8/30/2023 11:07	55	59	
8/30/2023 11:08	55	59	
8/30/2023 11:09	54	58	
8/30/2023 11:10	61	58	
8/30/2023 11:11	58	58	
8/30/2023 11:12	56	58	
8/30/2023 11:13	55	57	
8/30/2023 11:14	53	56	
8/30/2023 11:15	52	56	
8/30/2023 11:16	51	55	
8/30/2023 11:17	53	55	
8/30/2023 11:18	51	54	
8/30/2023 11:19	56	54	
8/30/2023 11:20	53	54	
8/30/2023 11:21	50	54	
8/30/2023 11:22	52	54	
8/30/2023 11:23	51	53	
8/30/2023 11:24	53	53	
8/30/2023 11:25	52	53	
8/30/2023 11:26	53	52	
8/30/2023 11:27	54	52	
8/30/2023 11:28	56	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:29	58	53	
8/30/2023 11:30	57	53	
8/30/2023 11:31	60	53	
8/30/2023 11:32	61	54	
8/30/2023 11:33	63	55	
8/30/2023 11:34	65	55	
8/30/2023 11:35	65	56	
8/30/2023 11:36	69	57	
8/30/2023 11:37	74	59	
8/30/2023 11:38	78	61	
8/30/2023 11:39	74	62	
8/30/2023 11:40	72	63	
8/30/2023 11:41	78	65	
8/30/2023 11:42	81	67	
8/30/2023 11:43	79	68	
8/30/2023 11:44	80	70	
8/30/2023 11:45	81	72	
8/30/2023 11:46	82	73	
8/30/2023 11:47	84	75	
8/30/2023 11:48	85	76	
8/30/2023 11:49	86	77	
8/30/2023 11:50	86	79	
8/30/2023 11:51	88	80	
8/30/2023 11:52	89	81	
8/30/2023 11:53	92	82	
8/30/2023 11:54	91	83	
8/30/2023 11:55	92	84	
8/30/2023 11:56	92	85	
8/30/2023 11:57	92	86	
8/30/2023 11:58	92	87	
8/30/2023 11:59	93	88	
8/30/2023 12:00	91	89	0.012828
8/30/2023 12:01	91	89	
8/30/2023 12:02	91	90	
8/30/2023 12:03	92	90	
8/30/2023 12:04	92	90	
8/30/2023 12:05	92	91	
8/30/2023 12:06	92	91	
8/30/2023 12:07	91	91	
8/30/2023 12:08	91	91	
8/30/2023 12:09	91	91	
8/30/2023 12:10	91	91	
8/30/2023 12:11	92	91	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:12	92	91	
8/30/2023 12:13	91	91	
8/30/2023 12:14	91	91	
8/30/2023 12:15	91	91	
8/30/2023 12:16	93	91	
8/30/2023 12:17	94	91	
8/30/2023 12:18	94	91	
8/30/2023 12:19	94	92	
8/30/2023 12:20	93	92	
8/30/2023 12:21	93	92	
8/30/2023 12:22	93	92	
8/30/2023 12:23	94	92	
8/30/2023 12:24	96	92	
8/30/2023 12:25	96	93	
8/30/2023 12:26	98	93	
8/30/2023 12:27	99	94	
8/30/2023 12:28	100	94	
8/30/2023 12:29	101	95	
8/30/2023 12:30	102	96	
8/30/2023 12:31	104	96	
8/30/2023 12:32	108	97	
8/30/2023 12:33	109	98	
8/30/2023 12:34	111	99	
8/30/2023 12:35	112	101	
8/30/2023 12:36	114	102	
8/30/2023 12:37	113	103	
8/30/2023 12:38	112	105	
8/30/2023 12:39	115	106	
8/30/2023 12:40	114	107	
8/30/2023 12:41	115	108	
8/30/2023 12:42	115	109	
8/30/2023 12:43	117	110	
8/30/2023 12:44	115	111	
8/30/2023 12:45	134	113	
8/30/2023 12:46	115	114	
8/30/2023 12:47	116	115	
8/30/2023 12:48	119	115	
8/30/2023 12:49	120	116	
8/30/2023 12:50	121	117	
8/30/2023 12:51	122	117	
8/30/2023 12:52	121	118	
8/30/2023 12:53	122	118	
8/30/2023 12:54	122	119	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:55	123	119	0.016693
8/30/2023 12:56	125	120	
8/30/2023 12:57	126	121	
8/30/2023 12:58	127	121	
8/30/2023 12:59	127	122	
8/30/2023 13:00	127	122	
8/30/2023 13:01	127	123	
8/30/2023 13:02	128	123	
8/30/2023 13:03	128	124	
8/30/2023 13:04	128	124	
8/30/2023 13:05	129	125	
8/30/2023 13:06	130	126	
8/30/2023 13:07	131	126	
8/30/2023 13:08	132	127	
8/30/2023 13:09	132	128	
8/30/2023 13:10	134	128	
8/30/2023 13:11	134	129	
8/30/2023 13:12	135	129	
8/30/2023 13:13	137	130	
8/30/2023 13:14	138	131	
8/30/2023 13:15	143	132	
8/30/2023 13:16	143	133	
8/30/2023 13:17	143	134	
8/30/2023 13:18	143	135	
8/30/2023 13:19	143	136	
8/30/2023 13:20	144	137	
8/30/2023 13:21	148	138	
8/30/2023 13:22	148	139	
8/30/2023 13:23	149	140	
8/30/2023 13:24	150	142	
8/30/2023 13:25	149	143	
8/30/2023 13:26	150	144	
8/30/2023 13:27	149	145	
8/30/2023 13:28	150	146	
8/30/2023 13:29	150	146	
8/30/2023 13:30	151	147	
8/30/2023 13:31	151	147	
8/30/2023 13:32	152	148	
8/30/2023 13:33	152	149	
8/30/2023 13:34	152	149	
8/30/2023 13:35	154	150	
8/30/2023 13:36	155	150	
8/30/2023 13:37	155	151	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:38	157	151	
8/30/2023 13:39	160	152	
8/30/2023 13:40	159	153	
8/30/2023 13:41	160	153	
8/30/2023 13:42	161	154	
8/30/2023 13:43	160	155	
8/30/2023 13:44	158	155	
8/30/2023 13:45	156	156	
8/30/2023 13:46	155	156	
8/30/2023 13:47	154	156	
8/30/2023 13:48	153	156	
8/30/2023 13:49	151	156	
8/30/2023 13:50	150	156	
8/30/2023 13:51	150	155	
8/30/2023 13:52	148	155	
8/30/2023 13:53	150	155	
8/30/2023 13:54	151	154	
8/30/2023 13:55	149	153	
8/30/2023 13:56	148	152	
8/30/2023 13:57	147	152	
8/30/2023 13:58	146	151	
8/30/2023 13:59	146	150	
8/30/2023 14:00	144	149	0.021742
8/30/2023 14:01	144	148	
8/30/2023 14:02	144	148	
8/30/2023 14:03	146	147	
8/30/2023 14:04	145	147	
8/30/2023 14:05	146	146	
8/30/2023 14:06	146	146	
8/30/2023 14:07	146	146	
8/30/2023 14:08	145	146	
8/30/2023 14:09	144	145	
8/30/2023 14:10	144	145	
8/30/2023 14:11	139	144	
8/30/2023 14:12	139	144	
8/30/2023 14:13	137	143	
8/30/2023 14:14	135	142	
8/30/2023 14:15	134	142	
8/30/2023 14:16	134	141	
8/30/2023 14:17	132	140	
8/30/2023 14:18	132	139	
8/30/2023 14:19	132	139	
8/30/2023 14:20	132	138	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:21	131	137	
8/30/2023 14:22	131	136	
8/30/2023 14:23	131	135	
8/30/2023 14:24	130	134	
8/30/2023 14:25	130	133	
8/30/2023 14:26	130	132	
8/30/2023 14:27	130	132	
8/30/2023 14:28	128	131	
8/30/2023 14:29	128	131	
8/30/2023 14:30	127	130	
8/30/2023 14:31	126	130	
8/30/2023 14:32	126	129	
8/30/2023 14:33	124	129	
8/30/2023 14:34	125	128	
8/30/2023 14:35	124	128	
8/30/2023 14:36	122	127	
8/30/2023 14:37	123	126	
8/30/2023 14:38	123	126	
8/30/2023 14:39	122	125	
8/30/2023 14:40	122	125	
8/30/2023 14:41	122	124	
8/30/2023 14:42	121	124	
8/30/2023 14:43	123	123	
8/30/2023 14:44	122	123	
8/30/2023 14:45	121	123	
8/30/2023 14:46	122	122	
8/30/2023 14:47	122	122	
8/30/2023 14:48	125	122	
8/30/2023 14:49	123	122	
8/30/2023 14:50	123	122	
8/30/2023 14:51	122	122	
8/30/2023 14:52	122	122	
8/30/2023 14:53	124	122	
8/30/2023 14:54	122	122	
8/30/2023 14:55	143	123	
8/30/2023 14:56	125	124	
8/30/2023 14:57	122	124	
8/30/2023 14:58	122	124	
8/30/2023 14:59	122	124	
8/30/2023 15:00	122	124	0.027755
8/30/2023 15:01	122	124	
8/30/2023 15:02	123	124	
8/30/2023 15:03	123	124	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 15:04	123	124	
8/30/2023 15:05	123	124	
8/30/2023 15:06	124	124	
8/30/2023 15:07	122	124	
8/30/2023 15:08	122	124	
8/30/2023 15:09	121	123	
8/30/2023 15:10	119	122	
8/30/2023 15:11	119	121	
8/30/2023 15:12	120	121	
8/30/2023 15:13	120	121	
8/30/2023 15:14	119	121	
8/30/2023 15:15	119	121	
8/30/2023 15:16	118	121	
8/30/2023 15:17	116	120	
Min	37		
Max	161		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 7:00			
8/30/2023 7:22			
8/30/2023 7:23	37	37	
8/30/2023 7:24	42	39	
8/30/2023 7:25	42	40	
8/30/2023 7:26	44	41	
8/30/2023 7:27	43	41	
8/30/2023 7:28	43	41	
8/30/2023 7:29	43	42	
8/30/2023 7:30	44	42	
8/30/2023 7:31	43	42	
8/30/2023 7:32	43	42	
8/30/2023 7:33	43	42	
8/30/2023 7:34	46	42	
8/30/2023 7:35	47	43	
8/30/2023 7:36	46	43	
8/30/2023 7:37	45	43	
8/30/2023 7:38	47	44	
8/30/2023 7:39	49	44	
8/30/2023 7:40	50	45	
8/30/2023 7:41	51	45	
8/30/2023 7:42	49	45	
8/30/2023 7:43	49	46	
8/30/2023 7:44	49	46	
8/30/2023 7:45	51	47	
8/30/2023 7:46	46	47	
8/30/2023 7:47	45	47	
8/30/2023 7:48	52	48	
8/30/2023 7:49	47	48	
8/30/2023 7:50	52	48	
8/30/2023 7:51	58	49	
8/30/2023 7:52	52	49	
8/30/2023 7:53	50	50	
8/30/2023 7:54	48	49	
8/30/2023 7:55	48	49	
8/30/2023 7:56	63	50	
8/30/2023 7:57	127	55	
8/30/2023 7:58	102	59	
8/30/2023 7:59	47	59	
8/30/2023 8:00	45	58	0.0015405
8/30/2023 8:01	43	58	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:02	44	58	
8/30/2023 8:03	45	58	
8/30/2023 8:04	43	57	
8/30/2023 8:05	42	57	
8/30/2023 8:06	45	56	
8/30/2023 8:07	46	55	
8/30/2023 8:08	45	55	
8/30/2023 8:09	45	55	
8/30/2023 8:10	44	55	
8/30/2023 8:11	41	53	
8/30/2023 8:12	40	47	
8/30/2023 8:13	42	43	
8/30/2023 8:14	41	43	
8/30/2023 8:15	42	43	
8/30/2023 8:16	41	43	
8/30/2023 8:17	43	43	
8/30/2023 8:18	148	49	
8/30/2023 8:19	87	52	
8/30/2023 8:20	41	52	
8/30/2023 8:21	42	52	
8/30/2023 8:22	64	53	
8/30/2023 8:23	43	53	
8/30/2023 8:24	43	53	
8/30/2023 8:25	43	53	
8/30/2023 8:26	43	53	
8/30/2023 8:27	43	53	
8/30/2023 8:28	42	53	
8/30/2023 8:29	42	53	
8/30/2023 8:30	39	53	
8/30/2023 8:31	40	53	
8/30/2023 8:32	42	53	
8/30/2023 8:33	44	46	
8/30/2023 8:34	44	43	
8/30/2023 8:35	43	43	
8/30/2023 8:36	46	44	
8/30/2023 8:37	45	42	
8/30/2023 8:38	42	42	
8/30/2023 8:39	42	42	
8/30/2023 8:40	40	42	
8/30/2023 8:41	40	42	
8/30/2023 8:42	39	42	
8/30/2023 8:43	39	41	
8/30/2023 8:44	39	41	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:45	39	41	0.0041953
8/30/2023 8:46	40	41	
8/30/2023 8:47	40	41	
8/30/2023 8:48	39	41	
8/30/2023 8:49	40	40	
8/30/2023 8:50	40	40	
8/30/2023 8:51	42	40	
8/30/2023 8:52	43	40	
8/30/2023 8:53	43	40	
8/30/2023 8:54	43	40	
8/30/2023 8:55	41	40	
8/30/2023 8:56	39	40	
8/30/2023 8:57	39	40	
8/30/2023 8:58	40	40	
8/30/2023 8:59	39	40	
8/30/2023 9:00	40	40	
8/30/2023 9:01	42	40	
8/30/2023 9:02	43	40	
8/30/2023 9:03	42	41	
8/30/2023 9:04	42	41	
8/30/2023 9:05	42	41	
8/30/2023 9:06	41	41	
8/30/2023 9:07	40	41	
8/30/2023 9:08	41	40	
8/30/2023 9:09	42	40	
8/30/2023 9:10	41	40	
8/30/2023 9:11	40	40	
8/30/2023 9:12	40	41	
8/30/2023 9:13	43	41	
8/30/2023 9:14	44	41	
8/30/2023 9:15	43	41	
8/30/2023 9:16	43	41	
8/30/2023 9:17	41	41	
8/30/2023 9:18	40	41	
8/30/2023 9:19	41	41	
8/30/2023 9:20	40	41	
8/30/2023 9:21	40	41	
8/30/2023 9:22	41	41	
8/30/2023 9:23	41	41	
8/30/2023 9:24	41	41	
8/30/2023 9:25	40	41	
8/30/2023 9:26	41	41	
8/30/2023 9:27	41	41	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:28	40	41	
8/30/2023 9:29	41	40	
8/30/2023 9:30	42	40	
8/30/2023 9:31	45	41	
8/30/2023 9:32	47	41	
8/30/2023 9:33	43	41	
8/30/2023 9:34	43	41	
8/30/2023 9:35	44	42	
8/30/2023 9:36	44	42	
8/30/2023 9:37	43	42	
8/30/2023 9:38	44	42	
8/30/2023 9:39	44	42	
8/30/2023 9:40	45	43	
8/30/2023 9:41	43	43	
8/30/2023 9:42	45	43	
8/30/2023 9:43	45	43	
8/30/2023 9:44	46	44	
8/30/2023 9:45	44	44	
8/30/2023 9:46	43	44	
8/30/2023 9:47	75	46	
8/30/2023 9:48	102	50	
8/30/2023 9:49	159	57	
8/30/2023 9:50	66	59	
8/30/2023 9:51	48	59	
8/30/2023 9:52	42	59	
8/30/2023 9:53	46	59	
8/30/2023 9:54	44	59	
8/30/2023 9:55	46	59	
8/30/2023 9:56	45	59	
8/30/2023 9:57	45	59	
8/30/2023 9:58	45	59	
8/30/2023 9:59	45	59	
8/30/2023 10:00	46	59	0.0069135
8/30/2023 10:01	45	59	
8/30/2023 10:02	45	57	
8/30/2023 10:03	48	54	
8/30/2023 10:04	46	46	
8/30/2023 10:05	46	45	
8/30/2023 10:06	52	45	
8/30/2023 10:07	49	46	
8/30/2023 10:08	47	46	
8/30/2023 10:09	47	46	
8/30/2023 10:10	47	46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:11	49	46	
8/30/2023 10:12	50	47	
8/30/2023 10:13	48	47	
8/30/2023 10:14	48	47	
8/30/2023 10:15	49	47	
8/30/2023 10:16	50	48	
8/30/2023 10:17	49	48	
8/30/2023 10:18	50	48	
8/30/2023 10:19	52	48	
8/30/2023 10:20	51	49	
8/30/2023 10:21	51	49	
8/30/2023 10:22	51	49	
8/30/2023 10:23	52	49	
8/30/2023 10:24	54	50	
8/30/2023 10:25	54	50	
8/30/2023 10:26	57	51	
8/30/2023 10:27	51	51	
8/30/2023 10:28	53	51	
8/30/2023 10:29	53	51	
8/30/2023 10:30	54	52	
8/30/2023 10:31	55	52	
8/30/2023 10:32	55	52	
8/30/2023 10:33	53	53	
8/30/2023 10:34	54	53	
8/30/2023 10:35	55	53	
8/30/2023 10:36	56	53	
8/30/2023 10:37	55	54	
8/30/2023 10:38	55	54	
8/30/2023 10:39	56	54	
8/30/2023 10:40	55	54	
8/30/2023 10:41	55	54	
8/30/2023 10:42	56	54	
8/30/2023 10:43	58	55	
8/30/2023 10:44	57	55	
8/30/2023 10:45	57	55	
8/30/2023 10:46	58	55	
8/30/2023 10:47	59	55	
8/30/2023 10:48	61	56	
8/30/2023 10:49	59	56	
8/30/2023 10:50	60	57	
8/30/2023 10:51	61	57	
8/30/2023 10:52	62	57	
8/30/2023 10:53	64	58	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:54	63	59	
8/30/2023 10:55	64	59	
8/30/2023 10:56	64	60	
8/30/2023 10:57	65	60	
8/30/2023 10:58	66	61	
8/30/2023 10:59	66	61	
8/30/2023 11:00	68	62	0.0098685
8/30/2023 11:01	65	63	
8/30/2023 11:02	65	63	
8/30/2023 11:03	63	63	
8/30/2023 11:04	62	63	
8/30/2023 11:05	83	65	
8/30/2023 11:06	130	70	
8/30/2023 11:07	125	74	
8/30/2023 11:08	60	73	
8/30/2023 11:09	61	73	
8/30/2023 11:10	61	73	
8/30/2023 11:11	61	73	
8/30/2023 11:12	58	72	
8/30/2023 11:13	78	73	
8/30/2023 11:14	69	73	
8/30/2023 11:15	60	73	
8/30/2023 11:16	58	72	
8/30/2023 11:17	58	72	
8/30/2023 11:18	57	72	
8/30/2023 11:19	56	71	
8/30/2023 11:20	59	70	
8/30/2023 11:21	58	65	
8/30/2023 11:22	56	60	
8/30/2023 11:23	60	60	
8/30/2023 11:24	57	60	
8/30/2023 11:25	58	60	
8/30/2023 11:26	56	59	
8/30/2023 11:27	60	60	
8/30/2023 11:28	65	59	
8/30/2023 11:29	61	58	
8/30/2023 11:30	64	58	
8/30/2023 11:31	66	59	
8/30/2023 11:32	66	59	
8/30/2023 11:33	63	60	
8/30/2023 11:34	63	60	
8/30/2023 11:35	83	62	
8/30/2023 11:36	73	63	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:37	70	64	0.013251
8/30/2023 11:38	74	65	
8/30/2023 11:39	75	66	
8/30/2023 11:40	77	67	
8/30/2023 11:41	79	69	
8/30/2023 11:42	82	70	
8/30/2023 11:43	84	72	
8/30/2023 11:44	90	73	
8/30/2023 11:45	90	75	
8/30/2023 11:46	90	77	
8/30/2023 11:47	90	78	
8/30/2023 11:48	92	80	
8/30/2023 11:49	105	83	
8/30/2023 11:50	96	84	
8/30/2023 11:51	97	86	
8/30/2023 11:52	97	87	
8/30/2023 11:53	97	89	
8/30/2023 11:54	97	90	
8/30/2023 11:55	96	92	
8/30/2023 11:56	96	93	
8/30/2023 11:57	98	94	
8/30/2023 11:58	96	95	
8/30/2023 11:59	97	95	
8/30/2023 12:00	95	95	
8/30/2023 12:01	95	96	
8/30/2023 12:02			
8/30/2023 12:03			
8/30/2023 12:04	95	96	
8/30/2023 12:05	98	96	
8/30/2023 12:06	97	96	
8/30/2023 12:07	99	96	
8/30/2023 12:08	97	96	
8/30/2023 12:09	96	96	
8/30/2023 12:10	97	96	
8/30/2023 12:11	96	96	
8/30/2023 12:12	95	96	
8/30/2023 12:13	94	96	
8/30/2023 12:14	94	96	
8/30/2023 12:15	95	96	
8/30/2023 12:16	99	96	
8/30/2023 12:17	100	96	
8/30/2023 12:18	98	96	
8/30/2023 12:19	102	97	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:20	98	97	
8/30/2023 12:21	102	97	
8/30/2023 12:22	100	97	
8/30/2023 12:23	99	97	
8/30/2023 12:24	98	97	
8/30/2023 12:25	102	98	
8/30/2023 12:26	105	98	
8/30/2023 12:27	104	99	
8/30/2023 12:28	108	100	
8/30/2023 12:29	109	101	
8/30/2023 12:30	109	102	
8/30/2023 12:31	112	103	
8/30/2023 12:32	113	103	
8/30/2023 12:33	116	105	
8/30/2023 12:34	117	106	
8/30/2023 12:35	118	107	
8/30/2023 12:36	117	108	
8/30/2023 12:37	118	109	
8/30/2023 12:38	117	110	
8/30/2023 12:39	115	112	
8/30/2023 12:40	116	112	
8/30/2023 12:41	118	113	
8/30/2023 12:42	123	115	
8/30/2023 12:43	122	116	
8/30/2023 12:44	121	116	
8/30/2023 12:45	122	117	
8/30/2023 12:46	124	118	
8/30/2023 12:47	123	119	
8/30/2023 12:48	120	119	
8/30/2023 12:49	164	122	
8/30/2023 12:50	132	123	
8/30/2023 12:51	124	123	
8/30/2023 12:52	125	124	
8/30/2023 12:53	124	124	
8/30/2023 12:54	130	125	
8/30/2023 12:55	128	126	
8/30/2023 12:56	125	127	
8/30/2023 12:57	127	127	
8/30/2023 12:58	126	127	
8/30/2023 12:59	130	128	
8/30/2023 13:00	171	131	0.012143
8/30/2023 13:01	137	132	
8/30/2023 13:02	128	132	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:03	129	133	
8/30/2023 13:04	129	131	
8/30/2023 13:05	131	130	
8/30/2023 13:06	130	131	
8/30/2023 13:07	130	131	
8/30/2023 13:08	130	132	
8/30/2023 13:09	131	132	
8/30/2023 13:10	133	132	
8/30/2023 13:11	135	133	
8/30/2023 13:12	135	133	
8/30/2023 13:13	138	134	
8/30/2023 13:14	138	135	
8/30/2023 13:15	141	133	
8/30/2023 13:16	140	133	
8/30/2023 13:17	141	134	
8/30/2023 13:18	142	134	
8/30/2023 13:19	142	135	
8/30/2023 13:20	141	136	
8/30/2023 13:21	142	137	
8/30/2023 13:22	144	138	
8/30/2023 13:23	152	139	
8/30/2023 13:24	144	140	
8/30/2023 13:25	143	141	
8/30/2023 13:26	144	141	
8/30/2023 13:27	144	142	
8/30/2023 13:28	144	142	
8/30/2023 13:29	144	143	
8/30/2023 13:30	145	143	
8/30/2023 13:31	146	143	
8/30/2023 13:32	147	144	
8/30/2023 13:33	147	144	
8/30/2023 13:34	146	144	
8/30/2023 13:35	148	145	
8/30/2023 13:36	148	145	
8/30/2023 13:37	147	145	
8/30/2023 13:38	149	145	
8/30/2023 13:39	148	146	
8/30/2023 13:40	148	146	
8/30/2023 13:41	147	146	
8/30/2023 13:42	148	146	
8/30/2023 13:43	151	147	
8/30/2023 13:44	149	147	
8/30/2023 13:45	147	147	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:46	147	147	0.013542
8/30/2023 13:47	147	147	
8/30/2023 13:48	144	147	
8/30/2023 13:49	142	147	
8/30/2023 13:50	142	146	
8/30/2023 13:51	164	148	
8/30/2023 13:52	143	147	
8/30/2023 13:53	144	147	
8/30/2023 13:54	141	146	
8/30/2023 13:55	142	146	
8/30/2023 13:56	143	146	
8/30/2023 13:57	142	145	
8/30/2023 13:58	141	145	
8/30/2023 13:59	142	144	
8/30/2023 14:00	140	144	
8/30/2023 14:01	139	143	
8/30/2023 14:02	142	143	
8/30/2023 14:03	145	143	
8/30/2023 14:04	140	143	
8/30/2023 14:05	141	143	
8/30/2023 14:06	140	141	
8/30/2023 14:07	138	141	
8/30/2023 14:08	137	140	
8/30/2023 14:09	136	140	
8/30/2023 14:10	136	140	
8/30/2023 14:11	134	139	
8/30/2023 14:12	135	139	
8/30/2023 14:13	134	138	
8/30/2023 14:14	133	138	
8/30/2023 14:15	132	137	
8/30/2023 14:16	132	137	
8/30/2023 14:17	131	136	
8/30/2023 14:18	132	135	
8/30/2023 14:19	132	134	
8/30/2023 14:20	130	134	
8/30/2023 14:21	133	133	
8/30/2023 14:22	130	133	
8/30/2023 14:23	130	132	
8/30/2023 14:24	130	132	
8/30/2023 14:25	129	131	
8/30/2023 14:26	128	131	
8/30/2023 14:27	130	131	
8/30/2023 14:28	129	130	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:29	128	130	
8/30/2023 14:30	127	130	
8/30/2023 14:31	129	129	
8/30/2023 14:32	126	129	
8/30/2023 14:33	126	129	
8/30/2023 14:34	126	128	
8/30/2023 14:35	125	128	
8/30/2023 14:36	123	127	
8/30/2023 14:37	124	127	
8/30/2023 14:38	125	127	
8/30/2023 14:39	123	126	
8/30/2023 14:40	123	126	
8/30/2023 14:41	124	125	
8/30/2023 14:42	121	125	
8/30/2023 14:43	120	124	
8/30/2023 14:44	140	125	
8/30/2023 14:45	146	126	
8/30/2023 14:46	128	126	
8/30/2023 14:47	123	126	
8/30/2023 14:48	123	126	
8/30/2023 14:49	121	125	
8/30/2023 14:50	125	125	
8/30/2023 14:51	124	126	
8/30/2023 14:52	121	125	
8/30/2023 14:53	123	125	
8/30/2023 14:54	154	127	
8/30/2023 14:55	132	128	
8/30/2023 14:56	123	128	
8/30/2023 14:57	123	128	
8/30/2023 14:58	124	128	
8/30/2023 14:59	122	127	
8/30/2023 15:00	120	125	0.016762
8/30/2023 15:01	132	126	
8/30/2023 15:02	148	127	
8/30/2023 15:03	124	127	
8/30/2023 15:04	123	127	
8/30/2023 15:05	144	129	
8/30/2023 15:06	131	129	
8/30/2023 15:07	124	129	
8/30/2023 15:08	121	129	
8/30/2023 15:09	118	127	
8/30/2023 15:10	118	126	
8/30/2023 15:11	120	126	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 15:12	119	125	
8/30/2023 15:13	123	125	
8/30/2023 15:14	128	126	
8/30/2023 15:15	119	126	
8/30/2023 15:16	117	125	
8/30/2023 15:17	115	122	
8/30/2023 15:18	131	123	
Min	37		
Max	171		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:00			
8/30/2023 8:04			
8/30/2023 8:05	34	34	
8/30/2023 8:06	34	34	
8/30/2023 8:07	33	33	
8/30/2023 8:08	33	33	
8/30/2023 8:09	34	33	
8/30/2023 8:10	34	33	
8/30/2023 8:11	35	33	
8/30/2023 8:16			
8/30/2023 8:18	33	33	
8/30/2023 8:19	34	33	
8/30/2023 8:20	33	33	
8/30/2023 8:21	37	34	
8/30/2023 8:22	34	34	
8/30/2023 8:23	36	34	
8/30/2023 8:24	35	34	
8/30/2023 8:25	34	34	
8/30/2023 8:26	33	34	
8/30/2023 8:27	33	34	
8/30/2023 8:28	33	34	
8/30/2023 8:29	34	34	
8/30/2023 8:30	47	35	
8/30/2023 8:31	53	36	
8/30/2023 8:32	56	37	
8/30/2023 8:33	62	39	
8/30/2023 8:34	65	41	
8/30/2023 8:35	46	42	
8/30/2023 8:36	34	42	
8/30/2023 8:37	33	42	
8/30/2023 8:38	34	42	
8/30/2023 8:39	34	42	
8/30/2023 8:40	36	42	
8/30/2023 8:41	33	42	
8/30/2023 8:42	34	42	
8/30/2023 8:43	34	42	
8/30/2023 8:44	34	42	
8/30/2023 8:45	34	41	
8/30/2023 8:46	35	40	
8/30/2023 8:47	33	38	
8/30/2023 8:48	34	36	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:49	32	34	
8/30/2023 8:50	30	33	
8/30/2023 8:51	30	33	
8/30/2023 8:52	27	32	
8/30/2023 8:53	26	32	
8/30/2023 8:54	27	31	
8/30/2023 8:55	28	31	
8/30/2023 8:56	28	31	
8/30/2023 8:57	28	30	
8/30/2023 8:58	30	30	
8/30/2023 8:59	29	30	
8/30/2023 9:00	29	29	0.0012857
8/30/2023 9:01	28	29	
8/30/2023 9:02	27	28	
8/30/2023 9:03	28	28	
8/30/2023 9:04	28	28	
8/30/2023 9:05	31	28	
8/30/2023 9:06	31	28	
8/30/2023 9:07	33	28	
8/30/2023 9:08	29	28	
8/30/2023 9:09	31	29	
8/30/2023 9:10	32	29	
8/30/2023 9:11	29	29	
8/30/2023 9:12	30	29	
8/30/2023 9:13	30	29	
8/30/2023 9:14	29	29	
8/30/2023 9:15	29	29	
8/30/2023 9:16	30	29	
8/30/2023 9:17	27	29	
8/30/2023 9:18	27	29	
8/30/2023 9:19	27	29	
8/30/2023 9:20	28	29	
8/30/2023 9:21	27	29	
8/30/2023 9:22	27	28	
8/30/2023 9:23	27	28	
8/30/2023 9:24	27	28	
8/30/2023 9:25	28	28	
8/30/2023 9:26	28	28	
8/30/2023 9:27	28	27	
8/30/2023 9:28	28	27	
8/30/2023 9:29	31	27	
8/30/2023 9:30	29	27	
8/30/2023 9:31	29	27	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:32	29	28	0.0019732
8/30/2023 9:33	29	28	
8/30/2023 9:38	28	28	
8/30/2023 9:39	30	28	
8/30/2023 9:40	31	29	
8/30/2023 9:41	31	29	
8/30/2023 9:42	31	29	
8/30/2023 9:43	31	29	
8/30/2023 9:44	32	30	
8/30/2023 9:45	31	30	
8/30/2023 9:46	32	30	
8/30/2023 9:47	31	30	
8/30/2023 9:48	32	30	
8/30/2023 9:49	31	30	
8/30/2023 9:50	31	30	
8/30/2023 9:51	31	30	
8/30/2023 9:52	30	30	
8/30/2023 9:53	30	31	
8/30/2023 9:54	33	31	
8/30/2023 9:55	33	31	
8/30/2023 9:56	32	31	
8/30/2023 9:57	31	31	
8/30/2023 9:58	31	31	
8/30/2023 9:59	31	31	
8/30/2023 10:00	30	31	
8/30/2023 10:01	32	31	
8/30/2023 10:02	32	31	
8/30/2023 10:03	31	31	
8/30/2023 10:04	31	31	
8/30/2023 10:05	32	31	
8/30/2023 10:06	32	31	
8/30/2023 10:07	32	31	
8/30/2023 10:08	32	31	
8/30/2023 10:09	33	31	
8/30/2023 10:10	32	31	
8/30/2023 10:11	33	31	
8/30/2023 10:12	34	31	
8/30/2023 10:13	35	32	
8/30/2023 10:14	35	32	
8/30/2023 10:15	35	32	
8/30/2023 10:16	36	33	
8/30/2023 10:17	36	33	
8/30/2023 10:18	36	33	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:19	36	33	
8/30/2023 10:20	36	34	
8/30/2023 10:21	36	34	
8/30/2023 10:22	36	34	
8/30/2023 10:23	36	35	
8/30/2023 10:24	37	35	
8/30/2023 10:25	37	35	
8/30/2023 10:26	36	35	
8/30/2023 10:27	37	36	
8/30/2023 10:28	38	36	
8/30/2023 10:29	37	36	
8/30/2023 10:30	37	36	
8/30/2023 10:31	38	36	
8/30/2023 10:32	39	36	
8/30/2023 10:33	39	37	
8/30/2023 10:34	39	37	
8/30/2023 10:35	39	37	
8/30/2023 10:36	40	37	
8/30/2023 10:37	40	37	
8/30/2023 10:38	40	38	
8/30/2023 10:39	41	38	
8/30/2023 10:40	41	38	
8/30/2023 10:41	41	39	
8/30/2023 10:42	41	39	
8/30/2023 10:43	42	39	
8/30/2023 10:44	42	39	
8/30/2023 10:45	43	40	
8/30/2023 10:46	42	40	
8/30/2023 10:47	43	40	
8/30/2023 10:48	44	41	
8/30/2023 10:49	47	41	
8/30/2023 10:50	49	42	
8/30/2023 10:51	46	42	
8/30/2023 10:52	45	43	
8/30/2023 10:53	46	43	
8/30/2023 10:54	48	44	
8/30/2023 10:55	48	44	
8/30/2023 10:56	49	45	
8/30/2023 10:57	49	45	
8/30/2023 10:58	49	46	
8/30/2023 10:59	49	46	
8/30/2023 11:00	49	46	0.0025488
8/30/2023 11:01	46	47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:02	48	47	
8/30/2023 11:03	48	47	
8/30/2023 11:04	48	47	
8/30/2023 11:05	45	47	
8/30/2023 11:06	48	47	
8/30/2023 11:07	44	47	
8/30/2023 11:08	44	47	
8/30/2023 11:09	44	47	
8/30/2023 11:10	43	46	
8/30/2023 11:11	43	46	
8/30/2023 11:12	44	46	
8/30/2023 11:13	41	45	
8/30/2023 11:14	39	44	
8/30/2023 11:15	42	44	
8/30/2023 11:16	41	44	
8/30/2023 11:17	42	43	
8/30/2023 11:18	45	43	
8/30/2023 11:19	49	43	
8/30/2023 11:20	47	43	
8/30/2023 11:21	50	43	
8/30/2023 11:22	49	44	
8/30/2023 11:23	43	44	
8/30/2023 11:24	40	43	
8/30/2023 11:25	42	43	
8/30/2023 11:26	56	44	
8/30/2023 11:27	51	45	
8/30/2023 11:28	54	46	
8/30/2023 11:29	56	47	
8/30/2023 11:30	54	47	
8/30/2023 11:31	53	48	
8/30/2023 11:32	63	50	
8/30/2023 11:33	58	51	
8/30/2023 11:34	58	51	
8/30/2023 11:35	62	52	
8/30/2023 11:36	65	53	
8/30/2023 11:37	70	55	
8/30/2023 11:38	66	56	
8/30/2023 11:39	71	58	
8/30/2023 11:40	67	60	
8/30/2023 11:41	63	60	
8/30/2023 11:42	67	61	
8/30/2023 11:43	67	62	
8/30/2023 11:44	72	63	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:45	71	64	0.0043074
8/30/2023 11:46	69	65	
8/30/2023 11:47	72	66	
8/30/2023 11:48	71	67	
8/30/2023 11:49	72	68	
8/30/2023 11:50	76	69	
8/30/2023 11:51	78	70	
8/30/2023 11:52	77	70	
8/30/2023 11:53	80	71	
8/30/2023 11:54	80	72	
8/30/2023 11:55	86	73	
8/30/2023 11:56	82	74	
8/30/2023 11:57	82	75	
8/30/2023 11:58	77	76	
8/30/2023 11:59	79	76	
8/30/2023 12:00	77	77	
8/30/2023 12:01	82	78	
8/30/2023 12:02	79	78	
8/30/2023 12:03	79	79	
8/30/2023 12:04	79	79	
8/30/2023 12:05	81	79	
8/30/2023 12:06	82	80	
8/30/2023 12:07	79	80	
8/30/2023 12:08	78	80	
8/30/2023 12:09	78	80	
8/30/2023 12:10	79	79	
8/30/2023 12:11	82	79	
8/30/2023 12:12	81	79	
8/30/2023 12:13	78	79	
8/30/2023 12:14	80	79	
8/30/2023 12:15	81	79	
8/30/2023 12:16	81	79	
8/30/2023 12:17	80	79	
8/30/2023 12:18	81	80	
8/30/2023 12:19	81	80	
8/30/2023 12:20	80	80	
8/30/2023 12:21	80	79	
8/30/2023 12:22	79	79	
8/30/2023 12:23	81	80	
8/30/2023 12:24	80	80	
8/30/2023 12:25	84	80	
8/30/2023 12:26	87	80	
8/30/2023 12:27	85	81	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:28	87	81	
8/30/2023 12:29	89	82	
8/30/2023 12:30	90	83	
8/30/2023 12:31	91	83	
8/30/2023 12:32	98	84	
8/30/2023 12:33	100	86	
8/30/2023 12:34	100	87	
8/30/2023 12:35	100	88	
8/30/2023 12:36	100	90	
8/30/2023 12:37	103	91	
8/30/2023 12:38	101	93	
8/30/2023 12:39	101	94	
8/30/2023 12:40	103	95	
8/30/2023 12:41	102	96	
8/30/2023 12:42	105	98	
8/30/2023 12:43	104	99	
8/30/2023 12:44	104	100	
8/30/2023 12:45	102	100	
8/30/2023 12:46	101	101	
8/30/2023 12:47	104	102	
8/30/2023 12:48	105	102	
8/30/2023 12:49	106	102	
8/30/2023 12:50	106	103	
8/30/2023 12:51	106	103	
8/30/2023 12:52	106	103	
8/30/2023 12:53	107	104	
8/30/2023 12:54	107	104	
8/30/2023 12:55	107	104	
8/30/2023 12:56	110	105	
8/30/2023 12:57	109	105	
8/30/2023 12:58	108	105	
8/30/2023 12:59	109	106	
8/30/2023 13:00	108	106	0.0072726
8/30/2023 13:01	107	107	
8/30/2023 13:02	109	107	
8/30/2023 13:03	110	107	
8/30/2023 13:04	111	108	
8/30/2023 13:05	113	108	
8/30/2023 13:06	111	108	
8/30/2023 13:07	112	109	
8/30/2023 13:08	113	109	
8/30/2023 13:09	114	110	
8/30/2023 13:10	116	110	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:11	117	111	
8/30/2023 13:12	116	111	
8/30/2023 13:13	118	112	
8/30/2023 13:14	121	113	
8/30/2023 13:15	123	114	
8/30/2023 13:16	122	115	
8/30/2023 13:17	125	116	
8/30/2023 13:18	124	117	
8/30/2023 13:19	125	118	
8/30/2023 13:20	128	119	
8/30/2023 13:21	126	120	
8/30/2023 13:22	130	121	
8/30/2023 13:23	129	122	
8/30/2023 13:24	129	123	
8/30/2023 13:25	129	124	
8/30/2023 13:26	128	124	
8/30/2023 13:27	128	125	
8/30/2023 13:28	129	126	
8/30/2023 13:29	128	126	
8/30/2023 13:30	128	127	
8/30/2023 13:31	129	127	
8/30/2023 13:32	130	128	
8/30/2023 13:33	131	128	
8/30/2023 13:34	131	128	
8/30/2023 13:35	133	129	
8/30/2023 13:36	131	129	
8/30/2023 13:37	134	129	
8/30/2023 13:38	129	129	
8/30/2023 13:39	130	129	
8/30/2023 13:40	132	130	
8/30/2023 13:41	131	130	
8/30/2023 13:42	132	130	
8/30/2023 13:43	131	130	
8/30/2023 13:44	129	130	
8/30/2023 13:45	123	130	
8/30/2023 13:46	125	130	
8/30/2023 13:47	123	129	
8/30/2023 13:48	124	129	
8/30/2023 13:49	124	128	
8/30/2023 13:50	133	128	
8/30/2023 13:51	118	127	
8/30/2023 13:52	124	127	
8/30/2023 13:53	125	126	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:54	126	126	0.011549
8/30/2023 13:55	121	125	
8/30/2023 13:56	125	125	
8/30/2023 13:57	122	124	
8/30/2023 13:58	122	124	
8/30/2023 13:59	119	123	
8/30/2023 14:00	119	123	
8/30/2023 14:01	121	123	
8/30/2023 14:02	122	123	
8/30/2023 14:03	120	122	
8/30/2023 14:04	119	122	
8/30/2023 14:05	118	121	
8/30/2023 14:06	119	121	
8/30/2023 14:07	123	121	
8/30/2023 14:08	118	120	
8/30/2023 14:09	120	120	
8/30/2023 14:10	119	120	
8/30/2023 14:11	118	119	
8/30/2023 14:12	116	119	
8/30/2023 14:13	115	119	
8/30/2023 14:14	116	118	
8/30/2023 14:15	113	118	
8/30/2023 14:16	112	117	
8/30/2023 14:17	111	117	
8/30/2023 14:18	111	116	
8/30/2023 14:19	110	115	
8/30/2023 14:20	109	115	
8/30/2023 14:21	109	114	
8/30/2023 14:22	109	113	
8/30/2023 14:23	109	113	
8/30/2023 14:24	109	112	
8/30/2023 14:25	108	111	
8/30/2023 14:26	108	111	
8/30/2023 14:27	108	110	
8/30/2023 14:28	109	110	
8/30/2023 14:29	106	109	
8/30/2023 14:30	106	108	
8/30/2023 14:31	105	108	
8/30/2023 14:32	103	107	
8/30/2023 14:33	102	107	
8/30/2023 14:34	101	106	
8/30/2023 14:35	102	106	
8/30/2023 14:36	101	105	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:37	101	105	
8/30/2023 14:38	101	104	
8/30/2023 14:39	99	104	
8/30/2023 14:40	99	103	
8/30/2023 14:41	99	102	
8/30/2023 14:42	99	102	
8/30/2023 14:43	99	101	
8/30/2023 14:44	99	101	
8/30/2023 14:45	100	100	
8/30/2023 14:46	103	100	
8/30/2023 14:47	105	100	
8/30/2023 14:48	99	100	
8/30/2023 14:49	99	100	
8/30/2023 14:50	100	100	
8/30/2023 14:51	99	100	
8/30/2023 14:52	98	99	
8/30/2023 14:53	98	99	
8/30/2023 14:54	99	99	
8/30/2023 14:55	100	99	
8/30/2023 14:56	100	99	
8/30/2023 14:57	102	100	
8/30/2023 14:58	99	100	
8/30/2023 14:59	98	99	
8/30/2023 15:00	102	100	0.01673
8/30/2023 15:01	99	99	
8/30/2023 15:02	100	99	
8/30/2023 15:03	101	99	
8/30/2023 15:04	105	100	
8/30/2023 15:05	99	99	
8/30/2023 15:06	99	99	
8/30/2023 15:07	98	99	
8/30/2023 15:08	97	99	
8/30/2023 15:09	102	100	
8/30/2023 15:10	96	99	
8/30/2023 15:11	96	99	
8/30/2023 15:12	96	99	
8/30/2023 15:13	96	98	
8/30/2023 15:14	95	98	
8/30/2023 15:15	93	98	
8/30/2023 15:16	92	97	
8/30/2023 15:17	90	97	
8/30/2023 15:18	91	96	
8/30/2023 15:19	85	95	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 15:20	83	93	
8/30/2023 15:21	79	92	
8/30/2023 15:22	78	91	
8/30/2023 15:23	78	90	
8/30/2023 15:24	78	88	
8/30/2023 15:25	78	87	
8/30/2023 15:26	78	86	
8/30/2023 15:27	79	84	
Min	26		
Max	134		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 7:00			
8/30/2023 7:37			
8/30/2023 7:39			
8/30/2023 7:40			
8/30/2023 7:41	49	49	
8/30/2023 7:42			
8/30/2023 7:44	51	50	
8/30/2023 7:45	57	52	
8/30/2023 7:46	55	53	
8/30/2023 7:47	54	53	
8/30/2023 7:48	57	53	
8/30/2023 7:49	54	53	
8/30/2023 7:50	50	53	
8/30/2023 7:51	46	52	
8/30/2023 7:52	44	51	
8/30/2023 7:53	45	51	
8/30/2023 7:54	46	50	
8/30/2023 7:55	47	50	
8/30/2023 7:56	46	50	
8/30/2023 7:57	46	49	
8/30/2023 7:58	47	49	
8/30/2023 7:59	46	49	
8/30/2023 8:00	48	48	0.00011765
8/30/2023 8:01	47	48	
8/30/2023 8:02	46	47	
8/30/2023 8:03	47	47	
8/30/2023 8:04	47	46	
8/30/2023 8:05	46	46	
8/30/2023 8:06	45	46	
8/30/2023 8:07	47	46	
8/30/2023 8:08	49	46	
8/30/2023 8:09	49	46	
8/30/2023 8:10	49	47	
8/30/2023 8:11	48	47	
8/30/2023 8:12	48	47	
8/30/2023 8:13	50	47	
8/30/2023 8:14	50	47	
8/30/2023 8:15	50	47	
8/30/2023 8:16	50	48	
8/30/2023 8:17	50	48	
8/30/2023 8:18	51	48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:19	53	49	
8/30/2023 8:20	52	49	
8/30/2023 8:21	50	49	
8/30/2023 8:22	52	50	
8/30/2023 8:23	56	50	
8/30/2023 8:24	55	50	
8/30/2023 8:25	59	51	
8/30/2023 8:26	62	52	
8/30/2023 8:27	70	54	
8/30/2023 8:28	69	55	
8/30/2023 8:29	66	56	
8/30/2023 8:30	65	57	
8/30/2023 8:31	66	58	
8/30/2023 8:32	70	59	
8/30/2023 8:33	85	62	
8/30/2023 8:34	77	63	
8/30/2023 8:35	81	65	
8/30/2023 8:36	85	67	
8/30/2023 8:37	83	69	
8/30/2023 8:38	72	71	
8/30/2023 8:39	67	71	
8/30/2023 8:40	66	72	
8/30/2023 8:41	66	72	
8/30/2023 8:42	66	72	
8/30/2023 8:43	66	72	
8/30/2023 8:44	60	71	
8/30/2023 8:45	59	71	
8/30/2023 8:46	59	70	
8/30/2023 8:47	57	69	
8/30/2023 8:48	52	67	
8/30/2023 8:49	46	65	
8/30/2023 8:50	44	63	
8/30/2023 8:51	43	60	
8/30/2023 8:52	44	57	
8/30/2023 8:53	42	55	
8/30/2023 8:54	42	54	
8/30/2023 8:55	42	52	
8/30/2023 8:56	41	50	
8/30/2023 8:57	41	49	
8/30/2023 8:58	42	47	
8/30/2023 8:59	40	46	
8/30/2023 9:00	39	44	0.0026338
8/30/2023 9:01	40	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:02	40	42	
8/30/2023 9:03	40	41	
8/30/2023 9:04	40	41	
8/30/2023 9:05	41	41	
8/30/2023 9:06	41	41	
8/30/2023 9:07	41	40	
8/30/2023 9:08	42	40	
8/30/2023 9:09	42	40	
8/30/2023 9:10	42	40	
8/30/2023 9:11	43	40	
8/30/2023 9:12	44	41	
8/30/2023 9:13	45	41	
8/30/2023 9:14	45	41	
8/30/2023 9:15	46	42	
8/30/2023 9:16	48	42	
8/30/2023 9:17	52	43	
8/30/2023 9:18	45	43	
8/30/2023 9:19	44	44	
8/30/2023 9:20	44	44	
8/30/2023 9:21	48	44	
8/30/2023 9:22	48	45	
8/30/2023 9:23	42	45	
8/30/2023 9:24	44	45	
8/30/2023 9:25	43	45	
8/30/2023 9:26	43	45	
8/30/2023 9:27	43	45	
8/30/2023 9:28	44	45	
8/30/2023 9:29	44	45	
8/30/2023 9:30	44	45	
8/30/2023 9:31			
8/30/2023 9:32	46	44	
8/30/2023 9:33	45	44	
8/30/2023 9:34	45	44	
8/30/2023 9:35	46	44	
8/30/2023 9:36	48	44	
8/30/2023 9:37	48	44	
8/30/2023 9:38	49	45	
8/30/2023 9:39	48	45	
8/30/2023 9:40	52	46	
8/30/2023 9:41	51	46	
8/30/2023 9:42	50	47	
8/30/2023 9:43	50	47	
8/30/2023 9:44	51	48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:45	49	48	0.0055837
8/30/2023 9:46	50	48	
8/30/2023 9:47	50	48	
8/30/2023 9:48	52	49	
8/30/2023 9:49	56	50	
8/30/2023 9:50	57	50	
8/30/2023 9:51	53	51	
8/30/2023 9:52	52	51	
8/30/2023 9:53	51	51	
8/30/2023 9:54	52	51	
8/30/2023 9:55	50	51	
8/30/2023 9:56	51	51	
8/30/2023 9:57	51	51	
8/30/2023 9:58	51	51	
8/30/2023 9:59	49	51	
8/30/2023 10:00	48	51	
8/30/2023 10:01	48	51	
8/30/2023 10:02	48	51	
8/30/2023 10:03	47	50	
8/30/2023 10:04	49	50	
8/30/2023 10:05	49	49	
8/30/2023 10:06	50	49	
8/30/2023 10:07	51	49	
8/30/2023 10:08	52	49	
8/30/2023 10:09	55	49	
8/30/2023 10:10	57	50	
8/30/2023 10:11	69	51	
8/30/2023 10:12	63	52	
8/30/2023 10:13	60	53	
8/30/2023 10:14	66	54	
8/30/2023 10:15	60	54	
8/30/2023 10:16	59	55	
8/30/2023 10:17	55	56	
8/30/2023 10:18	53	56	
8/30/2023 10:19	54	56	
8/30/2023 10:20	53	57	
8/30/2023 10:21	54	57	
8/30/2023 10:22	54	57	
8/30/2023 10:23	54	57	
8/30/2023 10:24	54	57	
8/30/2023 10:25	55	57	
8/30/2023 10:26	55	56	
8/30/2023 10:27	55	56	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:28	56	55	
8/30/2023 10:29	57	55	
8/30/2023 10:30	58	55	
8/30/2023 10:31	57	54	
8/30/2023 10:32	58	55	
8/30/2023 10:33	59	55	
8/30/2023 10:34	58	55	
8/30/2023 10:35	59	56	
8/30/2023 10:36	59	56	
8/30/2023 10:37	58	56	
8/30/2023 10:38	59	57	
8/30/2023 10:39	59	57	
8/30/2023 10:40	59	57	
8/30/2023 10:41	60	58	
8/30/2023 10:42	61	58	
8/30/2023 10:43	60	58	
8/30/2023 10:44	62	59	
8/30/2023 10:45	61	59	
8/30/2023 10:46	62	59	
8/30/2023 10:47	62	59	
8/30/2023 10:48	64	60	
8/30/2023 10:49	63	60	
8/30/2023 10:50	64	60	
8/30/2023 10:51	64	61	
8/30/2023 10:52	64	61	
8/30/2023 10:53	66	62	
8/30/2023 10:54	66	62	
8/30/2023 10:55	67	63	
8/30/2023 10:56	66	63	
8/30/2023 10:57	67	63	
8/30/2023 10:58	68	64	
8/30/2023 10:59	68	64	
8/30/2023 11:00	67	65	0.0087086
8/30/2023 11:01	66	65	
8/30/2023 11:02	68	65	
8/30/2023 11:03	66	66	
8/30/2023 11:04	64	66	
8/30/2023 11:05	67	66	
8/30/2023 11:06	68	66	
8/30/2023 11:07	65	66	
8/30/2023 11:08	61	66	
8/30/2023 11:09	65	66	
8/30/2023 11:10	65	66	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:11	58	65	
8/30/2023 11:12	57	64	
8/30/2023 11:13	60	64	
8/30/2023 11:14	58	63	
8/30/2023 11:15	61	63	
8/30/2023 11:16	63	63	
8/30/2023 11:17	61	62	
8/30/2023 11:18	60	62	
8/30/2023 11:19	60	61	
8/30/2023 11:20	69	62	
8/30/2023 11:21	67	62	
8/30/2023 11:22	70	62	
8/30/2023 11:23	70	62	
8/30/2023 11:24	69	63	
8/30/2023 11:25	64	63	
8/30/2023 11:26	65	63	
8/30/2023 11:27	68	64	
8/30/2023 11:28	69	64	
8/30/2023 11:29	71	65	
8/30/2023 11:30	77	66	
8/30/2023 11:31	78	67	
8/30/2023 11:32	81	69	
8/30/2023 11:33	82	70	
8/30/2023 11:34	84	72	
8/30/2023 11:35	83	73	
8/30/2023 11:36	91	74	
8/30/2023 11:37	92	76	
8/30/2023 11:38	87	77	
8/30/2023 11:39	92	78	
8/30/2023 11:40	97	81	
8/30/2023 11:41	94	83	
8/30/2023 11:42	95	84	
8/30/2023 11:43	96	86	
8/30/2023 11:44	98	88	
8/30/2023 11:45	96	89	
8/30/2023 11:46	95	90	
8/30/2023 11:47	98	92	
8/30/2023 11:48	95	92	
8/30/2023 11:49	95	93	
8/30/2023 11:50	95	94	
8/30/2023 11:51	95	94	
8/30/2023 11:52	100	95	
8/30/2023 11:53	101	96	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:54	100	96	0.01225
8/30/2023 11:55	99	96	
8/30/2023 11:56	101	97	
8/30/2023 11:57	103	97	
8/30/2023 11:58	102	98	
8/30/2023 11:59	100	98	
8/30/2023 12:00	100	98	
8/30/2023 12:01	95	98	
8/30/2023 12:02	100	98	
8/30/2023 12:03	105	99	
8/30/2023 12:04	105	100	
8/30/2023 12:05	105	100	
8/30/2023 12:06	102	101	
8/30/2023 12:07	108	101	
8/30/2023 12:08	105	102	
8/30/2023 12:09	105	102	
8/30/2023 12:10	107	102	
8/30/2023 12:11	106	103	
8/30/2023 12:12	103	103	
8/30/2023 12:13	103	103	
8/30/2023 12:14	105	103	
8/30/2023 12:15	104	103	
8/30/2023 12:16	108	104	
8/30/2023 12:17	106	105	
8/30/2023 12:18	107	105	
8/30/2023 12:19	109	105	
8/30/2023 12:20	108	105	
8/30/2023 12:21	112	106	
8/30/2023 12:22	111	106	
8/30/2023 12:23	110	106	
8/30/2023 12:24	105	106	
8/30/2023 12:25	105	106	
8/30/2023 12:26	108	106	
8/30/2023 12:27	108	107	
8/30/2023 12:28	109	107	
8/30/2023 12:29	109	107	
8/30/2023 12:30	109	108	
8/30/2023 12:31	111	108	
8/30/2023 12:32	117	109	
8/30/2023 12:33	120	110	
8/30/2023 12:34	120	110	
8/30/2023 12:35	126	112	
8/30/2023 12:36	128	113	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:37	128	114	0.016689
8/30/2023 12:38	131	115	
8/30/2023 12:39	130	117	
8/30/2023 12:40	129	118	
8/30/2023 12:41	133	120	
8/30/2023 12:42	133	122	
8/30/2023 12:43	134	123	
8/30/2023 12:44	136	125	
8/30/2023 12:45	132	127	
8/30/2023 12:46	136	128	
8/30/2023 12:47	135	130	
8/30/2023 12:48	136	131	
8/30/2023 12:49	136	132	
8/30/2023 12:50	140	133	
8/30/2023 12:51	139	133	
8/30/2023 12:52	140	134	
8/30/2023 12:53	140	135	
8/30/2023 12:54	141	136	
8/30/2023 12:55	144	137	
8/30/2023 12:56	145	137	
8/30/2023 12:57	144	138	
8/30/2023 12:58	144	139	
8/30/2023 12:59	144	139	
8/30/2023 13:00	145	140	
8/30/2023 13:01	148	141	
8/30/2023 13:02	148	142	
8/30/2023 13:03	149	143	
8/30/2023 13:04	151	144	
8/30/2023 13:05	150	144	
8/30/2023 13:06	151	145	
8/30/2023 13:07	152	146	
8/30/2023 13:08	152	147	
8/30/2023 13:09	150	147	
8/30/2023 13:10	152	148	
8/30/2023 13:11	154	148	
8/30/2023 13:12	155	149	
8/30/2023 13:13	159	150	
8/30/2023 13:14	159	151	
8/30/2023 13:15	163	152	
8/30/2023 13:16	163	153	
8/30/2023 13:17	164	154	
8/30/2023 13:18	162	155	
8/30/2023 13:19	164	156	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:20	166	157	
8/30/2023 13:21	167	158	
8/30/2023 13:22	169	159	
8/30/2023 13:23	172	161	
8/30/2023 13:24	169	162	
8/30/2023 13:25	167	163	
8/30/2023 13:26	170	164	
8/30/2023 13:27	167	165	
8/30/2023 13:28	169	166	
8/30/2023 13:29	169	166	
8/30/2023 13:30	168	167	
8/30/2023 13:31	169	167	
8/30/2023 13:32	168	167	
8/30/2023 13:33	169	168	
8/30/2023 13:34	168	168	
8/30/2023 13:35	169	168	
8/30/2023 13:36	172	169	
8/30/2023 13:37	170	169	
8/30/2023 13:38	169	168	
8/30/2023 13:39	166	168	
8/30/2023 13:40	170	168	
8/30/2023 13:41	165	168	
8/30/2023 13:42	171	168	
8/30/2023 13:43	186	169	
8/30/2023 13:44	173	170	
8/30/2023 13:45	171	170	
8/30/2023 13:46	170	170	
8/30/2023 13:47	166	170	
8/30/2023 13:48	166	170	
8/30/2023 13:49	158	169	
8/30/2023 13:50	160	168	
8/30/2023 13:51	156	167	
8/30/2023 13:52	155	166	
8/30/2023 13:53	154	165	
8/30/2023 13:54	153	164	
8/30/2023 13:55	158	164	
8/30/2023 13:56	154	163	
8/30/2023 13:57	152	162	
8/30/2023 13:58	155	160	
8/30/2023 13:59	159	159	
8/30/2023 14:00	157	158	0.022448
8/30/2023 14:01	161	157	
8/30/2023 14:02	157	157	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:03	161	156	
8/30/2023 14:04	158	156	
8/30/2023 14:05	159	156	
8/30/2023 14:06	159	156	
8/30/2023 14:07	156	156	
8/30/2023 14:08	160	157	
8/30/2023 14:09	158	157	
8/30/2023 14:10	154	157	
8/30/2023 14:11	155	157	
8/30/2023 14:12	154	157	
8/30/2023 14:13	153	157	
8/30/2023 14:14	152	156	
8/30/2023 14:15	149	156	
8/30/2023 14:16	150	155	
8/30/2023 14:17	149	155	
8/30/2023 14:18	149	154	
8/30/2023 14:19	148	153	
8/30/2023 14:20	147	152	
8/30/2023 14:21	147	152	
8/30/2023 14:22	148	151	
8/30/2023 14:23	149	150	
8/30/2023 14:24	147	150	
8/30/2023 14:25	147	149	
8/30/2023 14:26	146	149	
8/30/2023 14:27	147	148	
8/30/2023 14:28	145	148	
8/30/2023 14:29	146	147	
8/30/2023 14:30	145	147	
8/30/2023 14:31	145	147	
8/30/2023 14:32	143	146	
8/30/2023 14:33	143	146	
8/30/2023 14:34	142	145	
8/30/2023 14:35	142	145	
8/30/2023 14:36	141	145	
8/30/2023 14:37	139	144	
8/30/2023 14:38	140	143	
8/30/2023 14:39	139	143	
8/30/2023 14:40	138	142	
8/30/2023 14:41	138	142	
8/30/2023 14:42	138	141	
8/30/2023 14:43	136	141	
8/30/2023 14:44	135	140	
8/30/2023 14:45	142	140	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:46	139	139	0.029217
8/30/2023 14:47	138	139	
8/30/2023 14:48	137	138	
8/30/2023 14:49	137	138	
8/30/2023 14:50	137	138	
8/30/2023 14:51	137	138	
8/30/2023 14:52	138	137	
8/30/2023 14:53	136	137	
8/30/2023 14:54	137	137	
8/30/2023 14:55	137	137	
8/30/2023 14:56	137	137	
8/30/2023 14:57	137	137	
8/30/2023 14:58	140	137	
8/30/2023 14:59	139	137	
8/30/2023 15:00	140	137	
8/30/2023 15:01	138	137	
8/30/2023 15:02	142	137	
8/30/2023 15:03	139	138	
8/30/2023 15:04	138	138	
8/30/2023 15:05	139	138	
8/30/2023 15:06	137	138	
8/30/2023 15:07	136	138	
8/30/2023 15:08	138	138	
8/30/2023 15:09	135	138	
8/30/2023 15:10	134	137	
8/30/2023 15:11	134	137	
8/30/2023 15:12	133	137	
8/30/2023 15:13	133	137	
8/30/2023 15:14	134	136	
8/30/2023 15:15	133	136	
8/30/2023 15:16	129	135	
8/30/2023 15:17	128	134	
8/30/2023 15:18	127	133	
8/30/2023 15:19	115	132	
8/30/2023 15:20	113	130	
8/30/2023 15:21	110	128	
8/30/2023 15:22	110	127	
8/30/2023 15:23	111	125	
8/30/2023 15:24	111	123	
8/30/2023 15:25	112	122	
8/30/2023 15:26	111	120	
8/30/2023 15:27	112	119	
8/30/2023 15:28	112	117	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 15:29	112	116	
8/30/2023 15:30	111	114	
8/30/2023 15:31	112	113	
Min	39		
Max	186		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 7:00			
8/30/2023 7:50			
8/30/2023 7:52	45	45	
8/30/2023 7:53	46	45	
8/30/2023 7:54	47	46	
8/30/2023 7:55	48	46	
8/30/2023 7:56	49	47	
8/30/2023 7:57	49	47	
8/30/2023 7:58	49	47	
8/30/2023 7:59	49	47	
8/30/2023 8:00	49	47	0
8/30/2023 8:01	49	48	
8/30/2023 8:02	48	48	
8/30/2023 8:03	48	48	
8/30/2023 8:04	49	48	
8/30/2023 8:05	48	48	
8/30/2023 8:06	47	48	
8/30/2023 8:07	47	48	
8/30/2023 8:08	47	48	
8/30/2023 8:09	48	48	
8/30/2023 8:10	46	48	
8/30/2023 8:11	47	48	
8/30/2023 8:12	47	47	
8/30/2023 8:13	47	47	
8/30/2023 8:14	47	47	
8/30/2023 8:15	46	47	
8/30/2023 8:16	45	47	
8/30/2023 8:17	44	46	
8/30/2023 8:18	44	46	
8/30/2023 8:19	45	46	
8/30/2023 8:20	45	46	
8/30/2023 8:21	45	46	
8/30/2023 8:22	47	46	
8/30/2023 8:23	49	46	
8/30/2023 8:24	64	47	
8/30/2023 8:25	108	51	
8/30/2023 8:26	144	57	
8/30/2023 8:27	147	64	
8/30/2023 8:28	144	70	
8/30/2023 8:29	135	76	
8/30/2023 8:30	99	80	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 8:31	105	84	0.002275
8/30/2023 8:32	92	87	
8/30/2023 8:33	88	90	
8/30/2023 8:34	93	93	
8/30/2023 8:35	87	96	
8/30/2023 8:36	80	98	
8/30/2023 8:37	82	101	
8/30/2023 8:38	74	102	
8/30/2023 8:39	70	103	
8/30/2023 8:40	68	100	
8/30/2023 8:41	64	95	
8/30/2023 8:42	61	89	
8/30/2023 8:43	63	84	
8/30/2023 8:44	61	79	
8/30/2023 8:45	56	76	
8/30/2023 8:46	55	72	
8/30/2023 8:47	48	70	
8/30/2023 8:48	49	67	
8/30/2023 8:49	48	64	
8/30/2023 8:50	47	61	
8/30/2023 8:51	46	59	
8/30/2023 8:52	45	57	
8/30/2023 8:53	44	55	
8/30/2023 8:54	43	53	
8/30/2023 8:55	43	51	
8/30/2023 8:56	42	50	
8/30/2023 8:57	41	48	
8/30/2023 8:58	41	47	
8/30/2023 8:59	42	46	
8/30/2023 9:00	42	45	
8/30/2023 9:01	42	44	
8/30/2023 9:02	43	43	
8/30/2023 9:03	43	43	
8/30/2023 9:04	43	43	
8/30/2023 9:05	43	42	
8/30/2023 9:06	42	42	
8/30/2023 9:07	42	42	
8/30/2023 9:08	44	42	
8/30/2023 9:09	44	42	
8/30/2023 9:10	45	42	
8/30/2023 9:11	45	42	
8/30/2023 9:12	47	43	
8/30/2023 9:13	45	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:14	47	43	
8/30/2023 9:15	47	44	
8/30/2023 9:16	47	44	
8/30/2023 9:17	47	44	
8/30/2023 9:18	45	44	
8/30/2023 9:19	42	44	
8/30/2023 9:20	43	44	
8/30/2023 9:21	43	44	
8/30/2023 9:22	45	45	
8/30/2023 9:23	43	45	
8/30/2023 9:24	44	45	
8/30/2023 9:25	43	44	
8/30/2023 9:26	44	44	
8/30/2023 9:27	45	44	
8/30/2023 9:28	47	44	
8/30/2023 9:29	47	44	
8/30/2023 9:30	48	44	
8/30/2023 9:31	50	45	
8/30/2023 9:32	49	45	
8/30/2023 9:33	49	45	
8/30/2023 9:34	52	46	
8/30/2023 9:35	52	46	
8/30/2023 9:36	50	47	
8/30/2023 9:37	50	47	
8/30/2023 9:38	50	48	
8/30/2023 9:39	49	48	
8/30/2023 9:40	55	49	
8/30/2023 9:41	51	49	
8/30/2023 9:42	50	49	
8/30/2023 9:43	50	50	
8/30/2023 9:44	49	50	
8/30/2023 9:45	54	50	
8/30/2023 9:46	52	50	
8/30/2023 9:47	55	51	
8/30/2023 9:48	55	51	
8/30/2023 9:49	57	51	
8/30/2023 9:50	55	52	
8/30/2023 9:51	53	52	
8/30/2023 9:52	52	52	
8/30/2023 9:53	50	52	
8/30/2023 9:54	50	52	
8/30/2023 9:55	51	52	
8/30/2023 9:56	50	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 9:57	49	52	0.0053611
8/30/2023 9:58	49	52	
8/30/2023 9:59	48	52	
8/30/2023 10:00	48	51	
8/30/2023 10:01	49	51	
8/30/2023 10:02	50	51	
8/30/2023 10:03	49	50	
8/30/2023 10:04	50	50	
8/30/2023 10:05	51	49	
8/30/2023 10:06	51	49	
8/30/2023 10:07	51	49	
8/30/2023 10:08	52	49	
8/30/2023 10:09	53	50	
8/30/2023 10:10	53	50	
8/30/2023 10:11	56	50	
8/30/2023 10:12	55	51	
8/30/2023 10:13	58	51	
8/30/2023 10:14	58	52	
8/30/2023 10:15	55	52	
8/30/2023 10:16	53	53	
8/30/2023 10:17	54	53	
8/30/2023 10:18	54	53	
8/30/2023 10:19	54	53	
8/30/2023 10:20	54	54	
8/30/2023 10:21	53	54	
8/30/2023 10:22	54	54	
8/30/2023 10:23	53	54	
8/30/2023 10:24	53	54	
8/30/2023 10:25	54	54	
8/30/2023 10:26	55	54	
8/30/2023 10:27	55	54	
8/30/2023 10:28	56	54	
8/30/2023 10:29	57	54	
8/30/2023 10:30	57	54	
8/30/2023 10:31	57	54	
8/30/2023 10:32	57	54	
8/30/2023 10:33	58	55	
8/30/2023 10:34	58	55	
8/30/2023 10:35	58	55	
8/30/2023 10:36	58	56	
8/30/2023 10:37	59	56	
8/30/2023 10:38	58	56	
8/30/2023 10:39	58	57	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 10:40	59	57	
8/30/2023 10:41	60	57	
8/30/2023 10:42	60	58	
8/30/2023 10:43	60	58	
8/30/2023 10:44	62	58	
8/30/2023 10:45	61	58	
8/30/2023 10:46	61	59	
8/30/2023 10:47	62	59	
8/30/2023 10:48	62	59	
8/30/2023 10:49	63	60	
8/30/2023 10:50	63	60	
8/30/2023 10:51	64	60	
8/30/2023 10:52	64	61	
8/30/2023 10:53	64	61	
8/30/2023 10:54	65	62	
8/30/2023 10:55	66	62	
8/30/2023 10:56	66	62	
8/30/2023 10:57	67	63	
8/30/2023 10:58	67	63	
8/30/2023 10:59	66	64	
8/30/2023 11:00	65	64	0.00855
8/30/2023 11:01	65	64	
8/30/2023 11:02	63	64	
8/30/2023 11:03	63	64	
8/30/2023 11:04	63	64	
8/30/2023 11:05	66	64	
8/30/2023 11:06	62	64	
8/30/2023 11:07	59	64	
8/30/2023 11:08	85	65	
8/30/2023 11:09	64	65	
8/30/2023 11:10	56	65	
8/30/2023 11:11	54	64	
8/30/2023 11:12	55	63	
8/30/2023 11:13	56	62	
8/30/2023 11:14	57	62	
8/30/2023 11:15	58	61	
8/30/2023 11:16	56	61	
8/30/2023 11:17	56	60	
8/30/2023 11:18	60	60	
8/30/2023 11:19	64	60	
8/30/2023 11:20	66	60	
8/30/2023 11:21	61	60	
8/30/2023 11:22	63	60	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 11:23	63	59	
8/30/2023 11:24	65	59	
8/30/2023 11:25	62	59	
8/30/2023 11:26	63	60	
8/30/2023 11:27	64	60	
8/30/2023 11:28	67	61	
8/30/2023 11:29	73	62	
8/30/2023 11:30	72	63	
8/30/2023 11:31	74	64	
8/30/2023 11:32	78	66	
8/30/2023 11:33	81	67	
8/30/2023 11:34	80	68	
8/30/2023 11:35	109	71	
8/30/2023 11:36	92	73	
8/30/2023 11:37	83	75	
8/30/2023 11:38	120	78	
8/30/2023 11:39	130	83	
8/30/2023 11:40	95	85	
8/30/2023 11:41	91	87	
8/30/2023 11:42	93	89	
8/30/2023 11:43	93	90	
8/30/2023 11:44	92	92	
8/30/2023 11:45	91	93	
8/30/2023 11:46	92	94	
8/30/2023 11:47	92	95	
8/30/2023 11:48	92	96	
8/30/2023 11:49	90	97	
8/30/2023 11:50	89	95	
8/30/2023 11:51	92	95	
8/30/2023 11:52	93	96	
8/30/2023 11:53	95	94	
8/30/2023 11:54	96	92	
8/30/2023 11:55	95	92	
8/30/2023 11:56	96	92	
8/30/2023 11:57	95	92	
8/30/2023 11:58	94	92	
8/30/2023 11:59	93	93	
8/30/2023 12:00	93	93	0.012097
8/30/2023 12:01	91	93	
8/30/2023 12:02	91	93	
8/30/2023 12:03	92	93	
8/30/2023 12:04	94	93	
8/30/2023 12:05	94	93	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:06	94	93	
8/30/2023 12:07	93	93	
8/30/2023 12:08	96	93	
8/30/2023 12:09	95	93	
8/30/2023 12:10	97	93	
8/30/2023 12:11	96	93	
8/30/2023 12:12	96	93	
8/30/2023 12:13	98	94	
8/30/2023 12:14	101	94	
8/30/2023 12:15	99	95	
8/30/2023 12:16	98	95	
8/30/2023 12:17	101	96	
8/30/2023 12:18	102	96	
8/30/2023 12:19	103	97	
8/30/2023 12:20	102	98	
8/30/2023 12:21	103	98	
8/30/2023 12:22	101	99	
8/30/2023 12:23	100	99	
8/30/2023 12:24	99	99	
8/30/2023 12:25	102	100	
8/30/2023 12:26	103	100	
8/30/2023 12:27	103	101	
8/30/2023 12:28	103	101	
8/30/2023 12:29	103	101	
8/30/2023 12:30	105	101	
8/30/2023 12:31	108	102	
8/30/2023 12:32	115	103	
8/30/2023 12:33	116	104	
8/30/2023 12:34	115	105	
8/30/2023 12:35	122	106	
8/30/2023 12:36	124	107	
8/30/2023 12:37	126	109	
8/30/2023 12:38	125	111	
8/30/2023 12:39	126	113	
8/30/2023 12:40	126	114	
8/30/2023 12:41	127	116	
8/30/2023 12:42	128	117	
8/30/2023 12:43	128	119	
8/30/2023 12:44	129	121	
8/30/2023 12:45	129	122	
8/30/2023 12:46	129	124	
8/30/2023 12:47	128	125	
8/30/2023 12:48	130	126	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 12:49	133	127	0.016453
8/30/2023 12:50	135	128	
8/30/2023 12:51	134	128	
8/30/2023 12:52	134	129	
8/30/2023 12:53	138	130	
8/30/2023 12:54	140	131	
8/30/2023 12:55	140	132	
8/30/2023 12:56	140	133	
8/30/2023 12:57	147	134	
8/30/2023 12:58	164	136	
8/30/2023 12:59	171	139	
8/30/2023 13:00	141	140	
8/30/2023 13:01	141	141	
8/30/2023 13:02	142	142	
8/30/2023 13:03	142	142	
8/30/2023 13:04	144	143	
8/30/2023 13:05	144	144	
8/30/2023 13:06	145	144	
8/30/2023 13:07	145	145	
8/30/2023 13:08	145	146	
8/30/2023 13:09	147	146	
8/30/2023 13:10	170	148	
8/30/2023 13:11	147	149	
8/30/2023 13:12	147	149	
8/30/2023 13:13	151	148	
8/30/2023 13:14	153	146	
8/30/2023 13:15	158	148	
8/30/2023 13:16	156	149	
8/30/2023 13:17	157	150	
8/30/2023 13:18	157	151	
8/30/2023 13:19	158	152	
8/30/2023 13:20	159	153	
8/30/2023 13:21	164	154	
8/30/2023 13:22	169	155	
8/30/2023 13:23	167	157	
8/30/2023 13:24	167	158	
8/30/2023 13:25	166	158	
8/30/2023 13:26	166	159	
8/30/2023 13:27	168	161	
8/30/2023 13:28	167	162	
8/30/2023 13:29	167	163	
8/30/2023 13:30	163	163	
8/30/2023 13:31	164	163	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 13:32	164	164	
8/30/2023 13:33	164	164	
8/30/2023 13:34	165	165	
8/30/2023 13:35	167	165	
8/30/2023 13:36	169	166	
8/30/2023 13:37	169	166	
8/30/2023 13:38	169	166	
8/30/2023 13:39	166	166	
8/30/2023 13:40	167	166	
8/30/2023 13:41	168	166	
8/30/2023 13:42	170	166	
8/30/2023 13:43	187	167	
8/30/2023 13:44	177	168	
8/30/2023 13:45	188	170	
8/30/2023 13:46	169	170	
8/30/2023 13:47	168	170	
8/30/2023 13:48	163	170	
8/30/2023 13:49	155	170	
8/30/2023 13:50	153	169	
8/30/2023 13:51	152	168	
8/30/2023 13:52	154	167	
8/30/2023 13:53	152	165	
8/30/2023 13:54	151	164	
8/30/2023 13:55	150	163	
8/30/2023 13:56	153	162	
8/30/2023 13:57	149	161	
8/30/2023 13:58	153	159	
8/30/2023 13:59	151	157	
8/30/2023 14:00	156	155	0.022095
8/30/2023 14:01	149	153	
8/30/2023 14:02	150	152	
8/30/2023 14:03	151	151	
8/30/2023 14:04	153	151	
8/30/2023 14:05	154	151	
8/30/2023 14:06	155	152	
8/30/2023 14:07	152	151	
8/30/2023 14:08	155	152	
8/30/2023 14:09	156	152	
8/30/2023 14:10	147	152	
8/30/2023 14:11	150	152	
8/30/2023 14:12	149	152	
8/30/2023 14:13	143	151	
8/30/2023 14:14	141	150	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:15	140	149	
8/30/2023 14:16	141	149	
8/30/2023 14:17	140	148	
8/30/2023 14:18	139	147	
8/30/2023 14:19	138	146	
8/30/2023 14:20	139	145	
8/30/2023 14:21	139	144	
8/30/2023 14:22	139	143	
8/30/2023 14:23	139	142	
8/30/2023 14:24	138	141	
8/30/2023 14:25	139	140	
8/30/2023 14:26	137	140	
8/30/2023 14:27	137	139	
8/30/2023 14:28	136	138	
8/30/2023 14:29	141	138	
8/30/2023 14:30	136	138	
8/30/2023 14:31	135	138	
8/30/2023 14:32	134	137	
8/30/2023 14:33	134	137	
8/30/2023 14:34	132	137	
8/30/2023 14:35	133	136	
8/30/2023 14:36	135	136	
8/30/2023 14:37	131	135	
8/30/2023 14:38	130	135	
8/30/2023 14:39	129	134	
8/30/2023 14:40	131	134	
8/30/2023 14:41	129	133	
8/30/2023 14:42	128	132	
8/30/2023 14:43	127	132	
8/30/2023 14:44	127	131	
8/30/2023 14:45	126	130	
8/30/2023 14:46	129	130	
8/30/2023 14:47	134	130	
8/30/2023 14:48	127	129	
8/30/2023 14:49	128	129	
8/30/2023 14:50	127	129	
8/30/2023 14:51	126	128	
8/30/2023 14:52	129	128	
8/30/2023 14:53	124	128	
8/30/2023 14:54	125	127	
8/30/2023 14:55	126	127	
8/30/2023 14:56	125	127	
8/30/2023 14:57	127	127	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/30/2023 14:58	126	127	0.0287
8/30/2023 14:59	126	127	
8/30/2023 15:00	127	127	
8/30/2023 15:01	125	126	
8/30/2023 15:02	126	126	
8/30/2023 15:03	126	126	
8/30/2023 15:04	147	127	
8/30/2023 15:05	137	128	
8/30/2023 15:06	128	128	
8/30/2023 15:07	127	128	
8/30/2023 15:08	126	128	
8/30/2023 15:09	123	128	
8/30/2023 15:10	124	128	
8/30/2023 15:11	122	127	
8/30/2023 15:12	121	127	
8/30/2023 15:13	121	127	
8/30/2023 15:14	113	126	
8/30/2023 15:15	116	125	
8/30/2023 15:16	116	124	
8/30/2023 15:17	112	123	
8/30/2023 15:18	103	122	
8/30/2023 15:19	101	119	
8/30/2023 15:20	102	117	
8/30/2023 15:21	99	115	
8/30/2023 15:22	101	113	
8/30/2023 15:23	100	111	
8/30/2023 15:24	101	110	
8/30/2023 15:25	103	108	
8/30/2023 15:26	101	107	
8/30/2023 15:27	107	106	
8/30/2023 15:28	106	105	
8/30/2023 15:29	108	105	
8/30/2023 15:30	102	104	
8/30/2023 15:31	102	103	
8/30/2023 15:32	99	102	
8/30/2023 15:33	101	102	
8/30/2023 15:34	99	102	
Min	41		
Max	188		

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 6:59												
8/31/2023 7:00	20.7	69.3	62.9	1009	1009	4.6	1.8	338.3	338.3			
8/31/2023 7:01	19.3	66.7	67.2	1009	1009	4.6	2	335.7	337	46	46	
8/31/2023 7:02	18.4	65.1	70	1009	1009	4.6	1.9	333.2	335.73	50	48	
8/31/2023 7:03	17.7	63.9	72.2	1009	1009	4.6	2.1	333.3	335.13	51	49	
8/31/2023 7:04	17.3	63.2	73.9	1009	1009	4.6	2.1	337.5	335.6	51	49	
8/31/2023 7:05	17	62.7	75.5	1009	1009	4.6	2	338.2	336.03	52	50	
8/31/2023 7:06	16.8	62.3	76.8	1009	1009	4.6	2	340.1	336.61	52	50	
8/31/2023 7:07	16.7	62.1	78	1009	1009	4.6	2	336.2	336.56	51	50	
8/31/2023 7:08	16.6	61.8	79.1	1009	1009	4.4	2.1	339.6	336.9	51	50	
8/31/2023 7:09	16.5	61.7	80.1	1009	1009	4.4	2	340.2	337.23	50	50	
8/31/2023 7:10	16.4	61.5	80.8	1009	1009	4.4	1.9	340.1	337.49	51	50	
8/31/2023 7:11	16.3	61.4	81.2	1009	1009	3.8	1.9	341.3	337.81	51	50	
8/31/2023 7:12	16.3	61.4	81.8	1009	1009	4.1	1.8	345.7	338.42	52	50	
8/31/2023 7:13	16.2	61.2	81.9	1009	1009	4.1	1.7	352.5	339.42	53	50	
8/31/2023 7:14	16.2	61.2	82.1	1009	1009	4.1	1.7	356.6	340.57	54	51	
8/31/2023 7:15	16.2	61.1	82.5	1009	1009	4.1	1.6	359.1	341.95	52	51	
8/31/2023 7:16	16.2	61.1	82.7	1009	1009	4.1	1.6	9.1	320.18	53	51	
8/31/2023 7:17	16.1	61	82.9	1009	1009	4.1	1.6	12.1	298.77	51	51	
8/31/2023 7:18	16.1	60.9	83.1	1009	1009	4.1	1.6	15	277.55	53	51	
8/31/2023 7:19	16.1	60.9	83.3	1009	1009	4.1	1.8	16.5	256.15	62	52	
8/31/2023 7:20	16	60.8	83.4	1009	1009	4.1	1.8	16.8	234.73	60	53	
8/31/2023 7:21	16	60.8	83.5	1009	1009	4.1	1.7	16.9	213.18	57	53	
8/31/2023 7:22	16.1	60.9	83.6	1009	1009	4.1	1.7	17.3	191.92	133	58	
8/31/2023 7:23	16.1	61	83.4	1009	1009	4.1	1.7	20.2	170.63	92	61	
8/31/2023 7:24	16.1	60.9	83.5	1009	1009	4.1	1.8	33.5	150.18	75	63	
8/31/2023 7:25	16.1	61	83.4	1009	1009	4.1	1.8	39.7	130.15	60	63	
8/31/2023 7:26	16.1	61	83.5	1009	1009	4.1	1.8	43.6	110.31	73	65	
8/31/2023 7:27	16.1	61	83.3	1009	1009	4.1	1.8	48.1	90.47	72	66	
8/31/2023 7:28	16.1	61	83.3	1009	1009	3.8	1.7	55.2	70.65	68	67	
8/31/2023 7:29	16.1	61	83.1	1009	1009	3.8	1.7	55.7	50.59	53	67	
8/31/2023 7:30	16.1	61	83.3	1009	1009	3.8	1.8	51.2	30.06	54	67	
8/31/2023 7:31	16	60.8	83.3	1009	1009	3.8	1.9	45.6	32.49	54	67	
8/31/2023 7:32	16.1	61	83.4	1009	1009	3.8	1.9	39.3	34.31	55	68	
8/31/2023 7:33	16.1	61	83	1009	1009	3	1.6	32.3	35.46	56	68	
8/31/2023 7:34	16.1	61	83.2	1009	1009	3	1.5	29.6	36.33	64	68	
8/31/2023 7:35	16.1	61	83.2	1009	1009	3	1.5	23.9	36.81	71	69	
8/31/2023 7:36	16.1	61	83.1	1009	1009	2.8	1.5	16.8	36.8	53	68	
8/31/2023 7:37	16.1	61	83.4	1009	1009	2.8	1.4	11.4	36.41	53	63	
8/31/2023 7:38	16.1	61	83.3	1009	1009	2.8	1.3	13.2	35.94	53	60	
8/31/2023 7:39	16.1	61	83.3	1009	1009	2.7	1.2	14.9	34.7	53	59	
8/31/2023 7:40	16.1	61	83.3	1009	1009	2.7	1	14.8	33.04	53	59	
8/31/2023 7:41	16.2	61.2	83.3	1009	1009	2.7	0.9	15.8	31.19	53	57	
8/31/2023 7:42	16.2	61.1	83	1009	1009	2.7	0.9	0	27.98	53	56	
8/31/2023 7:43	16.3	61.3	82.9	1009	1009	1.9	0.7	0	24.3	53	55	
8/31/2023 7:44	16.3	61.3	82.6	1009	1009	3.1	0.7	0	20.59	55	55	
8/31/2023 7:45	16.3	61.3	82.3	1009	1009	3.1	0.8	0	17.17	54	55	
8/31/2023 7:46	16.4	61.5	82	1009	1009	4.8	0.8	307.1	34.61	52	55	
8/31/2023 7:47	16.4	61.6	82	1009	1009	4.8	1	304.9	52.31	51	55	
8/31/2023 7:48	16.5	61.7	82	1009	1009	4.8	1.1	302.5	70.33	49	54	
8/31/2023 7:49	16.5	61.7	82	1009	1009	6.1	1.3	306.2	88.77	48	53	
8/31/2023 7:50	16.5	61.6	82	1009	1009	6.1	1.6	306.5	107.61	48	52	
8/31/2023 7:51	16.4	61.5	82.2	1009	1009	6.1	1.9	309.3	127.11	47	51	
8/31/2023 7:52	16.4	61.5	82.7	1009	1009	6.1	2.3	307.9	146.87	47	51	
8/31/2023 7:53	16.4	61.5	83	1009	1009	6.1	2.4	307.7	166.51	48	50	
8/31/2023 7:54	16.4	61.6	82.9	1009	1009	6.1	2.3	309.2	186.13	47	50	
8/31/2023 7:55	16.5	61.6	82.6	1009	1009	6.1	2.3	311.3	205.89	47	50	
8/31/2023 7:56	16.5	61.7	82.5	1009	1009	6.1	2.4	316.4	225.93	46	49	
8/31/2023 7:57	16.5	61.7	82.1	1009	1009	6.1	2.5	321	247.33	48	49	
8/31/2023 7:58	16.5	61.7	82.4	1009	1009	6	2.6	327.9	269.19	48	49	
8/31/2023 7:59	16.5	61.7	82.4	1009	1009	6	2.4	336.7	291.64	47	48	
8/31/2023 8:00	16.5	61.8	82	1009	1009	5.1	2.3	340.1	314.31	49	48	0.0033559
8/31/2023 8:01	16.5	61.7	82.2	1009	1009	5.1	2.2	347	316.97	48	47	
8/31/2023 8:02	16.6	61.9	81.8	1009	1009	5.1	2.2	354.2	320.26	49	47	
8/31/2023 8:03	16.7	62.1	81.5	1009	1009	5.1	2.3	358.2	323.97	48	47	
8/31/2023 8:04	16.8	62.2	81.3	1009	1009	5.1	2.3	355.4	327.25	47	47	
8/31/2023 8:05	16.8	62.3	81.1	1009	1009	5.1	2.2	352.2	330.3	47	47	
8/31/2023 8:06	16.9	62.4	80.7	1009	1009	4.7	2.2	348.5	332.91	47	47	
8/31/2023 8:07	16.9	62.5	80.5	1009	1009	5	2.1	341.6	335.16	48	47	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 8:08	16.9	62.5	80.7	1009	1009	7	2.3	338.5	337.21	49	47	
8/31/2023 8:09	17	62.6	80.3	1009	1009	7	2.3	336.7	339.05	48	47	
8/31/2023 8:10	17	62.7	79.8	1009	1009	7	2.3	337.1	340.77	49	47	
8/31/2023 8:11	17	62.6	80	1009	1009	7	2.4	338.3	342.23	49	48	
8/31/2023 8:12	17	62.6	79.9	1009	1009	8	2.6	338.2	343.37	51	48	
8/31/2023 8:13	16.9	62.4	79.8	1009	1009	8	2.7	340.8	344.23	53	48	
8/31/2023 8:14	16.9	62.4	80.2	1009	1009	8	2.8	343.1	344.66	50	48	
8/31/2023 8:15	16.8	62.2	80	1009	1009	8	3	348.4	345.21	47	48	
8/31/2023 8:16	16.8	62.2	80.6	1009	1009	8	3.1	352	345.55	47	48	
8/31/2023 8:17	16.8	62.2	80.1	1009	1009	8	3.2	354.2	345.55	48	48	
8/31/2023 8:18	16.9	62.4	80.2	1009	1009	8	3.2	358.1	345.54	48	48	
8/31/2023 8:19	16.9	62.4	80.2	1009	1009	8	3.4	359.4	345.81	49	48	
8/31/2023 8:20	17	62.6	79.9	1009	1009	8	3.3	0.1	322.33	50	48	
8/31/2023 8:21	16.9	62.5	79.6	1009	1009	6.2	3.3	6	299.5	50	49	
8/31/2023 8:22	17	62.7	79.7	1009	1009	6.2	3.3	9.8	277.38	53	49	
8/31/2023 8:23	17.1	62.8	79.1	1009	1009	6.6	3.4	11.5	255.58	53	49	
8/31/2023 8:24	17.1	62.8	79	1009	1009	6.6	3.2	13.2	234.01	54	50	
8/31/2023 8:25	17.2	63	79.7	1009	1009	6.6	3.1	13.4	212.43	52	50	
8/31/2023 8:26	17.3	63.2	78.3	1009	1009	6.6	3	15.6	190.92	50	50	
8/31/2023 8:27	17.3	63.2	78.3	1009	1009	6.6	2.9	16.8	169.49	50	50	
8/31/2023 8:28	17.4	63.4	78	1009	1009	6.6	2.8	16.7	147.89	50	50	
8/31/2023 8:29	17.3	63.2	78.5	1009	1009	6.6	2.8	16.3	126.1	50	50	
8/31/2023 8:30	17.4	63.4	79.1	1009	1009	6.6	2.6	15	103.87	49	50	
8/31/2023 8:31	17.4	63.4	78.2	1009	1009	6.6	2.6	10	81.07	49	50	
8/31/2023 8:32	17.4	63.3	78.3	1009	1009	6	2.5	10.5	58.16	49	50	
8/31/2023 8:33	17.3	63.1	78.1	1009	1009	6	2.7	13.7	35.2	57	51	
8/31/2023 8:34	17.3	63.1	78.7	1009	1009	6	2.8	17.9	12.43	52	51	
8/31/2023 8:35	17.4	63.4	78.4	1009	1009	6	2.9	18.8	13.68	64	52	
8/31/2023 8:36	17.4	63.3	77.6	1009	1009	6	3	18.9	14.54	49	52	
8/31/2023 8:37	17.3	63.1	78.1	1009	1009	6	3.2	22	15.35	51	51	
8/31/2023 8:38	17.3	63.1	78.3	1009	1009	6	3.2	25.6	16.29	49	51	
8/31/2023 8:39	17.3	63.1	79	1009	1009	6	3.3	28.9	17.34	54	51	
8/31/2023 8:40	17.3	63.1	78.7	1009	1009	5.8	3.4	33.6	18.69	53	51	
8/31/2023 8:41	17.2	62.9	79	1009	1009	5.8	3.4	34.3	19.93	49	51	
8/31/2023 8:42	17.2	62.9	79.5	1009	1009	5.5	3.2	30.2	20.83	49	51	
8/31/2023 8:43	17.3	63.2	79.1	1009	1009	5.5	3.1	22.8	21.23	49	51	
8/31/2023 8:44	17.4	63.3	78.9	1009	1009	5.3	3	19.9	21.47	50	51	
8/31/2023 8:45	17.4	63.3	78.8	1009	1009	5.3	2.7	20.6	21.85	50	51	
8/31/2023 8:46	17.5	63.5	78.6	1009	1009	5.3	2.6	17.2	22.33	50	51	
8/31/2023 8:47	17.6	63.7	78.5	1009	1009	4.9	2.4	13.4	22.52	51	51	
8/31/2023 8:48	17.7	63.9	77.4	1009	1009	4.9	2.5	3.8	21.86	52	51	
8/31/2023 8:49	17.7	63.9	77.8	1009	1009	6.2	2.4	355.2	44.35	53	51	
8/31/2023 8:50	17.8	64	77.6	1009	1009	6.2	2.5	345.9	66.15	53	50	
8/31/2023 8:51	17.9	64.2	77.5	1009	1009	6.2	2.4	346.4	87.99	54	51	
8/31/2023 8:52	18	64.4	77.2	1009	1009	6.2	2.4	347.4	109.68	54	51	
8/31/2023 8:53	18.1	64.6	77	1009	1009	6.2	2.3	343	130.84	51	51	
8/31/2023 8:54	18.2	64.8	77	1009	1009	6.7	2.4	334.7	151.23	50	51	
8/31/2023 8:55	18.3	65	76.9	1009	1009	6.7	2.4	330.6	171.03	50	51	
8/31/2023 8:56	18.3	65	77.1	1009	1009	6.7	2.3	328.9	190.67	51	51	
8/31/2023 8:57	18.3	65	76.2	1009	1009	6.7	2.2	328.4	210.55	49	51	
8/31/2023 8:58	18.3	64.9	76.9	1009	1009	6.7	2	327.4	230.85	50	51	
8/31/2023 8:59	18.3	64.9	77.6	1009	1009	6.7	1.8	318.1	250.73	49	51	
8/31/2023 9:00	18.3	64.9	77.4	1009	1009	6.7	1.4	310.8	270.08	50	51	0.0067196
8/31/2023 9:01	18.2	64.7	78.1	1009	1009	6.7	1.3	306.4	289.36	49	51	
8/31/2023 9:02	18.3	64.9	78.7	1009	1009	6.7	1.2	307.5	308.97	49	50	
8/31/2023 9:03	18.4	65.1	78.3	1009	1009	3.3	1.2	0	308.71	50	50	
8/31/2023 9:04	18.4	65.1	77.9	1009	1009	3.3	1.1	0	285.03	50	50	
8/31/2023 9:05	18.6	65.4	77.8	1009	1009	3.3	0.9	0	261.97	49	50	
8/31/2023 9:06	18.6	65.4	77.3	1009	1009	3.2	0.8	0	238.88	50	50	
8/31/2023 9:07	18.5	65.2	77.6	1009	1009	3.2	0.9	0	215.72	49	49	
8/31/2023 9:08	18.5	65.2	77.3	1009	1009	3.2	0.9	0	192.85	49	49	
8/31/2023 9:09	18.4	65.1	76.9	1009	1009	3.2	1	0	170.54	50	49	
8/31/2023 9:10	18.3	65	77.2	1009	1009	3.2	1.1	0	148.5	51	49	
8/31/2023 9:11	18.3	64.9	77.1	1009	1009	2.9	1.2	0	126.57	50	49	
8/31/2023 9:12	18.2	64.8	77.5	1009	1009	2.9	1	0	104.68	50	49	
8/31/2023 9:13	18.3	65	77.7	1009	1009	2.9	1.1	0	82.85	50	49	
8/31/2023 9:14	18.5	65.2	77.1	1009	1009	2.9	1.2	0	61.65	52	49	
8/31/2023 9:15	18.6	65.4	76.5	1009	1009	3.9	1.3	321.7	62.37	50	49	
8/31/2023 9:16	18.4	65.2	76.2	1009	1009	3.9	1.4	319.5	63.25	49	49	
8/31/2023 9:17	18.5	65.4	76.4	1009	1009	3.9	1.4	320.1	64.09	49	49	
8/31/2023 9:18	18.6	65.4	76.3	1009	1009	3.9	1.4	317.1	85.23	49	49	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 9:19	18.7	65.6	75.7	1009	1009	3.9	1.3	324	106.83	49	49	
8/31/2023 9:20	18.8	65.8	75.1	1009	1009	3.9	1.3	334.1	129.1	49	49	
8/31/2023 9:21	18.9	66	75.1	1009	1009	3.9	1.3	333.5	151.33	55	50	
8/31/2023 9:22	19.1	66.3	74.3	1009	1009	3.9	1.3	0	151.33	50	50	
8/31/2023 9:23	19	66.1	73.8	1009	1009	3.9	1.3	0	151.33	49	50	
8/31/2023 9:24	18.8	65.9	74.4	1009	1009	3.2	1.3	0	151.33	49	50	
8/31/2023 9:25	18.8	65.8	75.1	1009	1009	4.3	1.1	0	151.33	49	49	
8/31/2023 9:26	18.9	65.9	75.4	1009	1009	6.1	1.3	338	173.87	48	49	
8/31/2023 9:27	18.9	66.1	75.3	1009	1009	6.1	1.3	341.8	196.65	47	49	
8/31/2023 9:28	19	66.2	74.2	1009	1009	6.1	1.4	331.8	218.77	48	49	
8/31/2023 9:29	18.7	65.7	75.3	1009	1009	6.1	1.8	325.8	240.49	48	49	
8/31/2023 9:30	18.7	65.7	75.8	1009	1009	6.1	2	328.2	240.93	47	49	
8/31/2023 9:31	18.6	65.5	76.2	1009	1009	6.1	2.1	332.4	241.79	46	48	
8/31/2023 9:32	18.7	65.7	76.4	1009	1009	6.1	2	331.1	242.52	47	48	
8/31/2023 9:33	18.8	65.9	76	1009	1009	6.1	2	326.8	243.17	47	48	
8/31/2023 9:34	18.8	65.9	75.7	1009	1009	6.1	2.2	324.2	243.18	48	48	
8/31/2023 9:35	18.9	66.1	76	1009	1009	5.4	2.2	322.3	242.39	49	48	
8/31/2023 9:36	19.1	66.3	75.7	1009	1009	5.4	2.2	318.6	241.4	47	47	
8/31/2023 9:37	19.2	66.5	74.7	1009	1009	5.5	2.1	318.6	262.64	48	47	
8/31/2023 9:38	19.2	66.5	74.4	1009	1009	5.5	1.9	298.6	282.55	47	47	
8/31/2023 9:39	19.2	66.5	74.5	1009	1009	5.5	1.8	291.2	301.96	47	47	
8/31/2023 9:40	19.2	66.5	74.5	1009	1009	5.5	1.8	283.9	320.89	52	47	
8/31/2023 9:41	19.2	66.5	74.7	1009	1009	5.5	1.9	284.3	317.31	49	47	
8/31/2023 9:42	19.4	66.9	74.2	1009	1009	5.5	1.8	286.5	313.62	49	47	
8/31/2023 9:43	19.5	67.1	73.6	1009	1009	5.5	1.7	289.4	310.79	48	47	
8/31/2023 9:44	19.3	66.8	72.8	1009	1009	5.5	1.7	293.3	308.63	47	47	
8/31/2023 9:45	19.2	66.5	73.9	1009	1009	5.5	1.6	292.9	306.27	46	47	
8/31/2023 9:46	19.2	66.5	74.3	1009	1009	5.5	1.5	290.1	303.45	47	47	
8/31/2023 9:47	19.1	66.3	74.7	1009	1009	5	1.5	287.7	300.56	48	47	
8/31/2023 9:48	19.1	66.4	74.7	1009	1009	5	1.5	306.5	299.21	49	48	
8/31/2023 9:49	19.1	66.4	74.4	1009	1009	5	1.5	310.2	298.27	47	48	
8/31/2023 9:50	19.1	66.3	74.5	1009	1009	5	1.4	312.7	297.63	46	47	
8/31/2023 9:51	19.1	66.5	74.3	1009	1009	5	1.4	305	296.73	47	47	
8/31/2023 9:52	19.4	66.8	74.2	1009	1009	5	1.5	301.2	295.57	47	47	
8/31/2023 9:53	19.5	67	73.2	1009	1009	4.6	1.4	291.4	295.09	47	47	
8/31/2023 9:54	19.4	67	72.8	1009	1009	4.6	1.5	288.7	294.92	48	47	
8/31/2023 9:55	19.4	66.8	73.3	1009	1009	4.6	1.5	288.6	295.23	47	47	
8/31/2023 9:56	19.5	67	73.4	1009	1009	4.6	1.4	293.7	295.86	48	47	
8/31/2023 9:57	19.5	67	73.1	1009	1009	4.6	1.4	288.9	296.02	48	47	
8/31/2023 9:58	19.6	67.2	73	1009	1009	4.6	1.3	283.2	295.61	48	47	
8/31/2023 9:59	19.7	67.4	72.1	1009	1009	6.1	1.6	294.1	295.66	50	47	
8/31/2023 10:00	19.8	67.6	71.8	1009	1009	6.1	1.6	308.1	296.67	50	47	0.0099409
8/31/2023 10:01	19.8	67.6	71	1009	1009	8.3	1.9	311.7	298.11	50	48	
8/31/2023 10:02	19.7	67.4	71.5	1009	1009	8.3	2	313.1	299.81	48	48	
8/31/2023 10:03	19.7	67.4	71.9	1009	1009	8.3	2	316.3	300.46	49	48	
8/31/2023 10:04	19.7	67.4	71.2	1009	1009	8.3	2.4	318.4	301.01	49	48	
8/31/2023 10:05	19.5	67	71.9	1009	1009	8.3	2.8	319.4	301.45	48	48	
8/31/2023 10:06	19.6	67.2	72.3	1009	1009	8.3	2.9	320.6	302.49	48	48	
8/31/2023 10:07	19.6	67.2	71	1009	1009	8.3	3.3	322.7	303.93	48	48	
8/31/2023 10:08	19.5	67	71.2	1009	1009	8.3	3.2	323	306.03	48	48	
8/31/2023 10:09	19.4	66.9	71.3	1009	1009	8.3	3.3	320.6	308.16	50	48	
8/31/2023 10:10	19.3	66.7	70.8	1009	1009	7	3.2	320.8	310.31	50	48	
8/31/2023 10:11	19.2	66.6	71	1009	1009	7	3.3	322.3	312.21	50	48	
8/31/2023 10:12	19.4	66.9	70.7	1009	1009	7	3.3	321.7	314.4	50	49	
8/31/2023 10:13	19.5	67	69.4	1009	1009	6.9	3	321	316.92	49	49	
8/31/2023 10:14	19.4	66.9	69.1	1009	1009	6.6	2.9	320.7	318.69	49	49	
8/31/2023 10:15	19.3	66.8	69.7	1009	1009	6.6	3	321.2	319.57	52	49	
8/31/2023 10:16	19.3	66.7	69.5	1009	1009	6.6	2.9	322.3	320.27	51	49	
8/31/2023 10:17	19.3	66.7	69.2	1009	1009	6.6	3.1	334.2	321.68	51	49	
8/31/2023 10:18	19.6	67.2	68.9	1009	1009	6.8	2.9	336.9	323.05	51	49	
8/31/2023 10:19	19.9	67.8	67.7	1009	1009	6.7	2.8	337.2	324.31	51	49	
8/31/2023 10:20	19.9	67.8	66.8	1009	1009	6.7	2.8	333.6	325.25	52	50	
8/31/2023 10:21	19.9	67.9	67.2	1009	1009	6.7	2.7	333.9	326.14	52	50	
8/31/2023 10:22	20	68	66.7	1009	1009	6.7	2.6	333.4	326.85	53	50	
8/31/2023 10:23	19.9	67.8	66.8	1009	1009	6.7	2.6	327.5	327.15	52	50	
8/31/2023 10:24	20	67.9	66.5	1009	1009	8	2.5	326.4	327.54	53	51	
8/31/2023 10:25	19.8	67.7	67.2	1009	1009	8	2.6	320.7	327.53	53	51	
8/31/2023 10:26	19.9	67.8	67.1	1009	1009	8	2.4	314.6	327.02	53	51	
8/31/2023 10:27	20.1	68.1	66.1	1009	1009	8	2	302.3	325.73	54	51	
8/31/2023 10:28	20.2	68.3	65.3	1009	1009	8	2.1	295.8	324.05	56	52	
8/31/2023 10:29	20.3	68.5	64.4	1009	1009	8	2.1	293	322.2	58	52	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 10:30	20.3	68.5	64.4	1009	1009	8	2.2	292.2	320.27	57	53	
8/31/2023 10:31	20.3	68.5	63.7	1009	1009	8	2.2	290.5	318.15	55	53	
8/31/2023 10:32	20.3	68.5	63.7	1009	1009	8	2.1	301.7	315.98	55	53	
8/31/2023 10:33	20.3	68.5	63.6	1009	1009	7.4	2	305.9	313.91	55	53	
8/31/2023 10:34	20.6	69	62.7	1009	1009	7.4	1.8	295.7	311.15	55	54	
8/31/2023 10:35	20.6	69	62.9	1009	1009	7.4	1.7	264.9	306.57	55	54	
8/31/2023 10:36	20.8	69.4	62.1	1009	1009	7.4	1.8	227.3	299.46	56	54	
8/31/2023 10:37	20.8	69.4	62.1	1009	1009	7.4	1.7	0	277.23	55	54	
8/31/2023 10:38	20.9	69.6	61.7	1009	1009	5.7	1.6	0	255.4	55	55	
8/31/2023 10:39	20.8	69.4	61.8	1009	1009	5.7	1.7	0	233.64	55	55	
8/31/2023 10:40	20.6	69.2	62.6	1009	1009	5.7	1.8	0	212.26	54	55	
8/31/2023 10:41	20.8	69.4	62.1	1009	1009	6	1.9	0	191.29	54	55	
8/31/2023 10:42	20.8	69.5	62.1	1009	1009	6	1.9	0	171.13	53	55	
8/31/2023 10:43	20.8	69.5	62.4	1009	1009	6	1.9	0	151.41	54	55	
8/31/2023 10:44	20.9	69.7	62.1	1009	1009	6	1.9	0	131.88	55	54	
8/31/2023 10:45	20.8	69.5	62.3	1009	1009	6	1.8	0	112.4	55	54	
8/31/2023 10:46	20.9	69.5	62.3	1009	1009	6.3	2	0	93.03	56	54	
8/31/2023 10:47	21.1	70	62	1009	1009	6.3	1.9	0	72.92	57	54	
8/31/2023 10:48	21.4	70.4	61.2	1009	1009	6.3	1.8	238.5	68.43	55	54	
8/31/2023 10:49	21.5	70.7	60.7	1009	1009	6.3	1.8	222.8	63.57	54	54	
8/31/2023 10:50	21.7	71	60.6	1009	1009	6.3	1.7	213.2	60.12	55	54	
8/31/2023 10:51	21.8	71.2	60.1	1009	1009	6.3	1.6	205.5	58.67	55	54	
8/31/2023 10:52	21.8	71.3	59.3	1009	1009	6.3	1.6	205.2	72.35	55	54	
8/31/2023 10:53	22	71.5	58.9	1009	1009	6.3	1.6	207.3	86.17	53	54	
8/31/2023 10:54	22	71.7	58.6	1009	1009	6.5	1.6	207	99.97	52	54	
8/31/2023 10:55	21.8	71.3	59.3	1009	1009	7.9	1.8	206.4	113.73	52	54	
8/31/2023 10:56	21.6	70.9	59.8	1009	1009	7.9	1.8	206.1	127.47	53	54	
8/31/2023 10:57	21.4	70.6	59.9	1009	1009	7.9	1.9	207.1	141.27	53	54	
8/31/2023 10:58	21.3	70.4	60.6	1009	1009	7.9	2	225.6	156.31	53	54	
8/31/2023 10:59	21	69.9	61.4	1009	1009	7.9	2.2	233.4	171.87	52	54	
8/31/2023 11:00	21.1	70.1	60.9	1009	1009	7.9	2.2	236.6	187.65	52	53	0.013135
8/31/2023 11:01	21.2	70.2	60.2	1009	1009	7.9	2.3	233.4	203.21	52	53	
8/31/2023 11:02	21.1	70	61.5	1009	1009	7.9	2.4	236.2	218.95	50	53	
8/31/2023 11:03	21.1	70	61.7	1009	1009	7.9	2.4	241.3	219.14	50	52	
8/31/2023 11:04	21.3	70.4	61.3	1009	1009	7.2	2.3	251.1	221.03	49	52	
8/31/2023 11:05	21.5	70.6	60.4	1009	1009	7.8	2.3	251.1	223.55	50	52	
8/31/2023 11:06	21.4	70.5	60.9	1009	1009	7.8	2.4	258.1	227.06	50	51	
8/31/2023 11:07	21.2	70.2	61.7	1009	1009	7.8	2.3	260.5	230.75	51	51	
8/31/2023 11:08	21.1	70.1	62.2	1009	1009	7.8	2.2	267.7	234.77	49	51	
8/31/2023 11:09	21.4	70.4	61.7	1009	1009	7.8	2.2	269.1	238.91	49	51	
8/31/2023 11:10	21.6	70.8	60.7	1009	1009	7.8	2	270.5	243.19	49	50	
8/31/2023 11:11	21.5	70.6	60.9	1009	1009	7.8	2.1	260.8	246.83	50	50	
8/31/2023 11:12	21.4	70.5	61.7	1009	1009	7.8	2	257.9	250.22	50	50	
8/31/2023 11:13	21.4	70.6	61.4	1009	1009	7.8	2.1	247.5	251.68	50	50	
8/31/2023 11:14	21.3	70.4	61.3	1009	1009	7.8	2	243.3	252.34	52	50	
8/31/2023 11:15	21.2	70.2	62.5	1009	1009	7.8	1.9	229.8	251.89	53	50	
8/31/2023 11:16	21.4	70.6	61.7	1009	1009	6.3	1.9	221	251.06	51	50	
8/31/2023 11:17	21.5	70.8	61.1	1009	1009	6.3	1.9	220.5	250.01	50	50	
8/31/2023 11:18	21.4	70.6	61.5	1009	1009	6.3	2	221.6	248.7	50	50	
8/31/2023 11:19	21.5	70.6	61.2	1009	1009	6.1	1.9	228	247.16	51	50	
8/31/2023 11:20	21.6	71	61.1	1009	1009	6.1	1.8	229	245.69	51	50	
8/31/2023 11:21	21.8	71.3	60	1009	1009	6.1	1.8	229.6	243.79	54	50	
8/31/2023 11:22	21.9	71.5	59.8	1009	1009	6.1	1.7	231.1	241.83	52	50	
8/31/2023 11:23	22.1	71.7	59.7	1009	1009	6.1	1.7	231.3	239.4	50	50	
8/31/2023 11:24	21.9	71.5	60.4	1009	1009	6.1	1.9	230.5	236.83	50	50	
8/31/2023 11:25	21.9	71.3	60.5	1009	1009	5.9	1.8	222.7	233.64	51	51	
8/31/2023 11:26	22	71.7	60.2	1009	1009	7.6	1.8	221.5	231.02	52	51	
8/31/2023 11:27	22.2	72	59.7	1009	1009	7.7	1.9	230.5	229.19	50	51	
8/31/2023 11:28	22	71.7	60.5	1009	1009	7.7	2	233.3	228.25	49	51	
8/31/2023 11:29	22	71.6	61.2	1009	1009	7.7	2	243.3	228.25	50	50	
8/31/2023 11:30	21.9	71.5	61.1	1009	1009	7.7	2.1	256	229.99	50	50	
8/31/2023 11:31	21.8	71.2	61.2	1009	1009	7.7	2.3	256.7	232.37	50	50	
8/31/2023 11:32	21.6	70.9	62.2	1009	1009	7.7	2.4	271.4	235.77	51	50	
8/31/2023 11:33	21.3	70.4	63.6	1009	1009	7.7	2.3	282.3	239.81	52	50	
8/31/2023 11:34	21.3	70.4	63.8	1009	1009	7.7	2.4	291.6	244.05	52	50	
8/31/2023 11:35	21.5	70.7	63.7	1009	1009	7.7	2.2	296.7	248.57	52	51	
8/31/2023 11:36	21.8	71.2	62.2	1009	1009	6.9	2.3	301.3	253.35	53	50	
8/31/2023 11:37	21.9	71.5	61.3	1009	1009	9.5	2.6	305.1	258.28	51	50	
8/31/2023 11:38	21.9	71.4	60.9	1009	1009	9.5	2.7	304.5	263.16	52	51	
8/31/2023 11:39	21.6	70.9	61.9	1009	1009	9.5	2.6	305.8	268.18	55	51	
8/31/2023 11:40	21.4	70.6	62.3	1009	1009	9.5	2.6	310.6	274.04	55	51	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 11:41	21.4	70.6	61.9	1009	1009	9.5	2.6	313.6	280.18	54	51	
8/31/2023 11:42	21.4	70.6	62.4	1009	1009	9.5	2.8	316.4	285.91	55	52	
8/31/2023 11:43	21.6	70.8	61.5	1009	1009	9.5	2.7	313	291.22	55	52	
8/31/2023 11:44	21.6	70.9	61.3	1009	1009	9.5	3	303.2	295.21	55	52	
8/31/2023 11:45	21.6	70.9	61.8	1009	1009	9.5	2.9	298.4	298.04	54	53	
8/31/2023 11:46	21.7	71.1	60.7	1009	1009	8.2	2.8	298	300.79	54	53	
8/31/2023 11:47	21.8	71.3	60.9	1009	1009	8.2	2.7	294.9	302.36	52	53	
8/31/2023 11:48	22	71.5	60.4	1009	1009	8.2	2.9	296.9	303.33	49	53	
8/31/2023 11:49	22	71.6	60.6	1009	1009	8.2	3	299.8	303.88	50	53	
8/31/2023 11:50	22.2	72	59.1	1009	1009	8.2	2.9	295.4	303.79	51	53	
8/31/2023 11:51	22.2	71.9	58.4	1009	1009	8.2	2.8	289	302.97	50	52	
8/31/2023 11:52	22.1	71.8	58.8	1009	1009	8.2	2.7	292	302.1	52	52	
8/31/2023 11:53	22	71.6	58.6	1009	1009	9.1	2.9	303.2	302.01	51	52	
8/31/2023 11:54	22	71.7	58.6	1009	1009	9.1	2.9	305.8	302.01	52	52	
8/31/2023 11:55	22	71.7	57.5	1009	1009	9.1	2.7	304.7	301.62	52	52	
8/31/2023 11:56	22	71.6	58.1	1009	1009	9.1	2.7	306.4	301.14	53	52	
8/31/2023 11:57	21.9	71.5	58.6	1009	1009	9.1	2.5	304.2	300.33	52	52	
8/31/2023 11:58	21.7	71.1	59.2	1009	1009	9.1	2.6	306	299.86	52	51	
8/31/2023 11:59	21.5	70.7	60.2	1008	1008	9.1	2.7	309.8	300.3	52	51	
8/31/2023 12:00	21.6	70.9	60.5	1008	1008	9.1	2.6	315.5	301.44	51	51	0.016368
8/31/2023 12:01	21.7	71.1	59.6	1009	1009	9.1	2.7	319.5	302.87	52	51	
8/31/2023 12:02	21.8	71.3	58.3	1008	1008	7.3	2.6	320.2	304.56	53	51	
8/31/2023 12:03	21.6	70.8	59.3	1008	1008	7.3	2.7	328.5	306.67	54	51	
8/31/2023 12:04	21.6	70.9	59.3	1008	1008	8	2.7	328.2	308.56	54	52	
8/31/2023 12:05	21.7	71.1	58.8	1008	1008	8	2.8	327.4	310.69	54	52	
8/31/2023 12:06	21.7	71.1	58.2	1009	1009	8.3	3.1	327.1	313.23	55	52	
8/31/2023 12:07	21.6	70.9	58.9	1008	1008	8.3	3.1	324.1	315.37	53	52	
8/31/2023 12:08	21.6	70.9	59.4	1008	1008	8.3	3.1	321.5	316.59	53	52	
8/31/2023 12:09	21.8	71.3	59.2	1008	1008	8.4	3.3	317.8	317.39	52	52	
8/31/2023 12:10	22	71.5	59	1008	1008	8.4	3.4	311.8	317.87	51	52	
8/31/2023 12:11	21.9	71.5	58.3	1009	1009	8.4	3.2	309.6	318.08	53	52	
8/31/2023 12:12	21.9	71.5	58.6	1008	1008	8.9	3	303.7	318.05	53	52	
8/31/2023 12:13	22	71.7	58.3	1008	1008	8.9	3	292.8	317.17	52	52	
8/31/2023 12:14	22	71.7	58.3	1008	1008	9.3	3.1	289	315.78	51	52	
8/31/2023 12:15	22.2	72	57.7	1008	1008	9.3	2.7	283.8	313.67	51	52	
8/31/2023 12:16	22.2	72	57.5	1008	1008	9.3	2.5	278.4	310.93	52	52	
8/31/2023 12:17	22.3	72.2	57.2	1008	1008	9.3	2.6	270.5	307.61	51	52	
8/31/2023 12:18	22.4	72.3	57.7	1008	1008	12.6	2.7	262.4	303.21	49	52	
8/31/2023 12:19	22.3	72.2	58	1008	1008	12.6	2.8	268.1	299.2	49	51	
8/31/2023 12:20	22.5	72.4	57.7	1008	1008	12.6	2.9	275.1	295.71	48	51	
8/31/2023 12:21	22.6	72.6	57.6	1008	1008	12.6	2.9	276.9	292.37	50	51	
8/31/2023 12:22	22.6	72.7	57.8	1008	1008	12.6	2.9	279.7	289.41	48	50	
8/31/2023 12:23	22.6	72.6	59.1	1008	1008	12.6	2.9	283.5	286.87	45	50	
8/31/2023 12:24	22.5	72.6	59.8	1008	1008	12.6	3.2	284.8	284.67	43	49	
8/31/2023 12:25	22.4	72.4	61	1008	1008	12.6	3.4	286.1	282.96	40	49	
8/31/2023 12:26	22.3	72.2	61.7	1008	1008	12.6	3.3	286.7	281.43	39	48	
8/31/2023 12:27	22.2	72	62.2	1008	1008	11.1	3.1	292.7	280.7	39	47	
8/31/2023 12:28	21.9	71.5	62.2	1008	1008	11.1	3.3	284.9	280.17	39	46	
8/31/2023 12:29	21.8	71.3	62.6	1008	1008	11.1	3.2	277.6	279.41	41	45	
8/31/2023 12:30	21.8	71.2	62.4	1008	1008	11.1	3.3	274.7	278.81	41	44	
8/31/2023 12:31	21.7	71.1	62.8	1008	1008	11.1	3.3	273.9	278.51	40	44	
8/31/2023 12:32	21.6	70.9	62.2	1008	1008	11.1	3.2	263.7	278.05	43	43	
8/31/2023 12:33	22	71.7	61.3	1008	1008	10.9	3	259.3	277.85	44	43	
8/31/2023 12:34	22.1	71.8	59.7	1008	1008	10.9	2.8	250.5	276.67	44	42	
8/31/2023 12:35	22.2	71.9	60.3	1008	1008	10.9	2.8	252.2	275.15	43	42	
8/31/2023 12:36	22	71.7	61.6	1008	1008	10.9	3	248.6	273.26	41	42	
8/31/2023 12:37	22.2	71.9	61.2	1008	1008	10.9	2.9	259.5	271.91	42	41	
8/31/2023 12:38	22.2	72	59.5	1008	1008	10.9	3	269.1	270.95	42	41	
8/31/2023 12:39	21.8	71.3	60.9	1008	1008	10.9	3.3	282.4	270.79	40	41	
8/31/2023 12:40	21.8	71.3	62	1008	1008	10.9	3.3	287.1	270.86	40	41	
8/31/2023 12:41	22.1	71.9	60.7	1008	1008	10.9	3.3	292.5	271.25	40	41	
8/31/2023 12:42	22.1	71.9	60.1	1008	1008	10	3.6	291.5	271.17	41	41	
8/31/2023 12:43	22.4	72.2	59.3	1008	1008	10	3.6	294.9	271.83	41	41	
8/31/2023 12:44	22.5	72.4	58.6	1008	1008	10	3.8	298.1	273.2	41	41	
8/31/2023 12:45	22.3	72.2	59.6	1008	1008	10	3.6	300.6	274.93	42	41	
8/31/2023 12:46	22.2	72	60.5	1008	1008	10	3.5	296.4	276.43	42	41	
8/31/2023 12:47	22.2	72	60.3	1008	1008	13.2	3.6	291	278.25	43	41	
8/31/2023 12:48	22.3	72.2	60.1	1008	1008	13.2	3.3	284	279.89	42	41	
8/31/2023 12:49	22.6	72.8	58.5	1008	1008	13.2	3.3	283.1	282.07	42	41	
8/31/2023 12:50	22.7	72.8	58.6	1008	1008	13.2	3.3	286.3	284.34	43	41	
8/31/2023 12:51	22.4	72.4	58.5	1008	1008	13.2	3.6	297.4	287.59	43	41	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 12:52	22	71.6	60.4	1008	1008	13.2	3.7	299.1	290.23	42	41	
8/31/2023 12:53	22	71.6	60.5	1008	1008	13.2	3.9	298.8	292.21	42	41	
8/31/2023 12:54	21.8	71.2	61	1008	1008	13.2	4	304.2	293.67	44	41	
8/31/2023 12:55	21.8	71.3	61.1	1008	1008	13.2	4	304.5	294.83	44	42	
8/31/2023 12:56	21.8	71.2	61.8	1008	1008	11.6	4	302.5	295.49	42	42	
8/31/2023 12:57	21.8	71.3	61.8	1008	1008	11.6	4.1	300.2	296.07	43	42	
8/31/2023 12:58	21.8	71.3	62.1	1008	1008	11.6	4.2	299.8	296.4	45	42	
8/31/2023 12:59	21.7	71.1	62.7	1008	1008	11.3	4.2	295.6	296.23	45	42	
8/31/2023 13:00	21.6	70.9	63.3	1008	1008	11.3	4.1	288.4	295.42	41	42	0.019576
8/31/2023 13:01	21.4	70.6	63.9	1008	1008	11.3	4.1	272.1	293.8	42	42	
8/31/2023 13:02	21.4	70.6	63.5	1008	1008	11.3	3.9	266.2	292.15	41	42	
8/31/2023 13:03	21.6	70.9	63.3	1008	1008	11.3	3.7	261.3	290.63	41	42	
8/31/2023 13:04	21.7	71	63.3	1008	1008	11.3	3.7	258.6	289	42	42	
8/31/2023 13:05	21.7	71	62.5	1008	1008	12	3.5	258.4	287.14	41	42	
8/31/2023 13:06	21.6	70.8	62.9	1008	1008	11.6	3.6	259.3	284.6	42	42	
8/31/2023 13:07	21.5	70.6	63.9	1008	1008	11.6	3.7	259.3	281.95	42	42	
8/31/2023 13:08	21.8	71.2	62.6	1008	1008	11.6	3.6	261	279.43	42	42	
8/31/2023 13:09	22.2	71.9	60.6	1008	1008	11.6	3.6	261.8	276.6	42	42	
8/31/2023 13:10	22	71.6	61.3	1008	1008	11.6	3.2	265.9	274.03	42	42	
8/31/2023 13:11	22	71.5	61.7	1008	1008	11.6	3.2	264	271.46	40	42	
8/31/2023 13:12	22	71.5	61.9	1008	1008	11.6	3.2	263.1	268.99	41	41	
8/31/2023 13:13	22.2	71.9	60.7	1008	1008	11.6	3.4	265	266.67	41	41	
8/31/2023 13:14	22.1	71.7	61.4	1008	1008	11.6	3.5	267.6	264.8	40	41	
8/31/2023 13:15	22.1	71.8	61	1008	1008	10.9	3.5	266.2	263.32	40	41	
8/31/2023 13:16	22.2	71.9	61.4	1008	1008	10.9	3.3	268	263.05	40	41	
8/31/2023 13:17	22.3	72.1	60.9	1008	1008	10.9	3.3	270.4	263.33	39	41	
8/31/2023 13:18	22.4	72.2	60.2	1008	1008	10.9	3.3	271.8	264.03	40	40	
8/31/2023 13:19	22.5	72.4	59.9	1008	1008	10.9	3.4	273.9	265.05	39	40	
8/31/2023 13:20	22.6	72.6	59.1	1008	1008	10.8	3.4	281.1	266.56	40	40	
8/31/2023 13:21	22.6	72.7	59.3	1008	1008	12.5	3.4	282.4	268.1	40	40	
8/31/2023 13:22	22.6	72.6	59.9	1008	1008	12.5	3.3	287.6	269.99	41	40	
8/31/2023 13:23	22.8	73.1	58.4	1008	1008	12.5	3.3	292.6	272.09	40	40	
8/31/2023 13:24	22.5	72.6	58.7	1008	1008	12.5	3.3	305.1	274.98	40	40	
8/31/2023 13:25	22.1	71.8	60.5	1008	1008	12.5	3.7	308	277.79	41	40	
8/31/2023 13:26	22	71.6	60.9	1008	1008	12.5	3.8	307.9	280.71	41	40	
8/31/2023 13:27	22.1	71.8	61.1	1008	1008	12.5	4	310	283.84	41	40	
8/31/2023 13:28	22.4	72.3	59.6	1008	1008	12.5	3.9	313.6	287.08	41	40	
8/31/2023 13:29	22.6	72.8	58.3	1008	1008	12.5	4	313.9	290.17	42	40	
8/31/2023 13:30	22.5	72.6	58.7	1008	1008	10.7	4.2	317.6	293.59	42	40	
8/31/2023 13:31	22.3	72.2	59.6	1008	1008	10.7	4.4	316.3	296.81	42	40	
8/31/2023 13:32	22.2	72	59.7	1008	1008	10.7	4.5	315.7	299.83	42	40	
8/31/2023 13:33	22.3	72.1	59.5	1008	1008	10.7	4.2	312.9	302.57	41	40	
8/31/2023 13:34	22.5	72.6	58.8	1008	1008	9	3.9	309.2	304.93	41	41	
8/31/2023 13:35	22.6	72.7	58.4	1008	1008	9	3.7	308.4	306.75	42	41	
8/31/2023 13:36	22.9	73.3	57	1008	1008	10.8	3.5	306.7	308.37	42	41	
8/31/2023 13:37	22.9	73.3	56.7	1008	1008	10.8	3.6	301.1	309.27	43	41	
8/31/2023 13:38	22.9	73.3	57	1008	1008	10.8	3.4	299.2	309.71	43	41	
8/31/2023 13:39	22.8	73.1	57.6	1008	1008	10.8	3.2	287.9	308.56	42	41	
8/31/2023 13:40	22.9	73.3	56.5	1008	1008	10.8	3	282	306.83	42	41	
8/31/2023 13:41	22.8	73.1	57.1	1008	1008	10.8	3	276.8	304.75	42	41	
8/31/2023 13:42	22.7	72.9	57.8	1008	1008	10.8	3	274	302.35	42	41	
8/31/2023 13:43	22.8	73.1	57.7	1008	1008	10.8	3	274.5	299.75	41	41	
8/31/2023 13:44	22.8	73.1	57.8	1008	1008	10.8	3	270.8	296.87	42	41	
8/31/2023 13:45												
8/31/2023 13:46									287.82			
8/31/2023 13:46	23.1	73.6	57.1	1008	1008	8.1	2.9	210.3				
8/31/2023 13:47	23	73.3	57.1	1008	1008	9	3.5	239.5	282.38	42	41	
8/31/2023 13:48	22.8	73.1	58	1008	1008	9	4	236.1	276.89	42	42	
8/31/2023 13:49	22.7	72.9	59.2	1008	1008	9.9	3.8	237.3	271.76	43	42	
8/31/2023 13:50	22.4	72.4	60.1	1008	1008	10.7	3.9	247.1	267.38	41	42	
8/31/2023 13:51	22.5	72.6	60.1	1008	1008	10.7	3.7	246.3	263.06	41	42	
8/31/2023 13:52	23	73.4	57.3	1008	1008	10.7	3.7	258.2	260	41	41	
8/31/2023 13:53	23.1	73.6	57.1	1008	1008	10.8	3.7	258.7	257.11	42	41	
8/31/2023 13:54	23	73.4	58	1008	1008	10.8	3.8	256.2	254.84	41	41	
8/31/2023 13:55	22.8	73.1	59.4	1008	1008	10.8	3.9	255.1	252.92	40	41	
8/31/2023 13:56	22.6	72.7	60.2	1008	1008	13	4.1	257.3	251.53	40	41	
8/31/2023 13:57	22.8	73.1	59	1008	1008	13	4	262.3	250.69	40	41	
8/31/2023 13:58	23.2	73.7	57.7	1008	1008	13	4	263.7	249.92	40	41	
8/31/2023 13:59	23.5	74.4	56.5	1008	1008	13	3.8	266	249.58	40	41	
8/31/2023 14:00	23.4	74.1	56.9	1008	1008	13	4	275.1	251.28	40	40	0.021247
8/31/2023 14:01	23.2	73.8	58.1	1008	1008	13	4.3	278.4	255.82	41	40	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 14:02	23.1	73.6	58.6	1008	1008	13	4.2	278.8	258.44	40	40	
8/31/2023 14:03	23.3	74	57.2	1008	1008	13	4	282.8	261.55	41	40	
8/31/2023 14:04	23.3	73.9	57.4	1008	1008	13	4	290.7	265.11	41	40	
8/31/2023 14:05	23.3	74	57	1008	1008	9.7	3.8	296	268.37	41	40	
8/31/2023 14:06	23.4	74.1	56.9	1008	1008	9.8	3.9	300.2	271.97	40	40	
8/31/2023 14:07	23.4	74.2	56	1008	1008	9.8	4.1	304.7	275.07	41	40	
8/31/2023 14:08	23.5	74.3	55.9	1008	1008	9.8	4.2	302.6	277.99	40	40	
8/31/2023 14:09	23.6	74.5	55	1008	1008	9.8	3.9	301.6	281.02	42	40	
8/31/2023 14:10	23.7	74.7	55.1	1008	1008	9.8	3.6	300.1	284.02	42	40	
8/31/2023 14:11	23.8	74.8	54.6	1008	1008	9.8	3.7	307.2	287.35	42	40	
8/31/2023 14:12	23.6	74.5	55	1008	1008	9.8	3.7	312.7	290.71	41	40	
8/31/2023 14:13	23.6	74.5	54.9	1008	1008	9.8	3.7	317	294.26	41	40	
8/31/2023 14:14	23.4	74.1	55.3	1008	1008	11.9	4	323.7	298.11	41	40	
8/31/2023 14:15	23.2	73.7	56.3	1008	1008	11.9	4.2	324.3	301.39	40	40	
8/31/2023 14:16	23	73.5	56.6	1008	1008	13.8	4	327.2	304.64	39	40	
8/31/2023 14:17	22.9	73.2	57.2	1008	1008	13.8	4.3	332.3	308.21	39	40	
8/31/2023 14:18	22.7	72.9	57.5	1008	1008	13.8	4.7	335.8	311.74	39	40	
8/31/2023 14:19	22.5	72.6	57.9	1008	1008	13.8	5	337.2	314.84	41	40	
8/31/2023 14:20	22.3	72.1	59.1	1008	1008	13.8	5.3	338.6	317.68	45	40	
8/31/2023 14:21	22.4	72.3	58.4	1008	1008	13.8	5.4	338.6	320.24	39	40	
8/31/2023 14:22	22.5	72.4	58.3	1008	1008	13.8	5.6	336.1	322.33	39	40	
8/31/2023 14:23	22.3	72.1	58.6	1008	1008	13.8	5.6	334.8	324.48	38	40	
8/31/2023 14:24	22.1	71.8	59.5	1008	1008	13.8	5.8	335.2	326.72	37	40	
8/31/2023 14:25	21.9	71.5	60	1008	1008	12.7	5.9	335.1	329.05	38	39	
8/31/2023 14:26	21.9	71.4	60	1008	1008	12.7	6	333.2	330.79	37	39	
8/31/2023 14:27	21.6	70.9	61.2	1008	1008	12.7	5.9	331	332.01	37	39	
8/31/2023 14:28	21.9	71.4	60.5	1008	1008	12.7	6	330.8	332.93	38	39	
8/31/2023 14:29	22.1	71.8	59.4	1008	1008	12.7	6	330.7	333.39	37	38	
8/31/2023 14:30	22.1	71.9	59.8	1008	1008	12.7	5.7	330.5	333.81	39	38	
8/31/2023 14:31	22	71.6	59.5	1008	1008	12.7	5.7	330.1	334	37	38	
8/31/2023 14:32	21.8	71.3	60.4	1008	1008	12.7	5.9	332.4	334.01	38	38	
8/31/2023 14:33	21.6	70.9	61.3	1008	1008	12.7	5.7	333.9	333.88	40	38	
8/31/2023 14:34	21.9	71.5	60.1	1008	1008	12.7	5.6	333.2	333.61	40	38	
8/31/2023 14:35	22.2	71.9	59.5	1008	1008	12.5	5.3	332.2	333.19	38	38	
8/31/2023 14:36	22.4	72.3	59.2	1008	1008	12.9	5.1	332.3	332.77	39	38	
8/31/2023 14:37	22.4	72.4	58.5	1008	1008	12.9	5	327.2	332.17	39	38	
8/31/2023 14:38	22.4	72.4	58.8	1008	1008	12.9	4.8	326.9	331.65	37	38	
8/31/2023 14:39	22.2	72	59.5	1008	1008	12.9	5	328.7	331.21	38	38	
8/31/2023 14:40	22.3	72.2	59.4	1008	1008	12.9	4.9	329.9	330.87	38	38	
8/31/2023 14:41	22.1	71.8	59.8	1008	1008	11.5	4.5	326.4	330.41	38	38	
8/31/2023 14:42	22.1	71.9	59.9	1008	1008	11.5	4.3	325.6	330.05	38	38	
8/31/2023 14:43	22.3	72.2	58.7	1008	1008	11.5	4.5	326.1	329.74	38	38	
8/31/2023 14:44	22	71.6	60.6	1008	1008	11.5	4.6	326.9	329.49	39	38	
8/31/2023 14:45	22.1	71.8	59.6	1008	1008	10.8	4.7	329.1	329.39	40	38	
8/31/2023 14:46	21.8	71.3	61.1	1008	1008	10.8	4.8	334.9	329.71	41	38	
8/31/2023 14:47	21.8	71.3	61	1008	1008	12.1	4.8	336.5	329.99	40	38	
8/31/2023 14:48	21.6	70.9	61.9	1008	1008	12.1	5	336.6	330.17	42	39	
8/31/2023 14:49	21.6	70.9	62.1	1008	1008	12.1	5	335.7	330.33	42	39	
8/31/2023 14:50	21.5	70.7	62.5	1008	1008	12.1	5.1	332.1	330.33	42	39	
8/31/2023 14:51	21.5	70.7	62.4	1008	1008	12.1	5.3	330.9	330.23	42	39	
8/31/2023 14:52	21.4	70.6	62.9	1008	1008	12.1	5.3	330.3	330.44	41	39	
8/31/2023 14:53	21.4	70.4	62.8	1008	1008	12.1	5.3	332.7	330.83	43	40	
8/31/2023 14:54	21.3	70.4	62.8	1008	1008	12.1	5.4	332.4	331.07	43	40	
8/31/2023 14:55	21.4	70.6	62.7	1008	1008	12.1	5.4	330.8	331.13	42	40	
8/31/2023 14:56	21.4	70.6	62.4	1008	1008	11.6	5.3	330.6	331.41	42	41	
8/31/2023 14:57	21.3	70.4	63.3	1008	1008	11.6	5.2	329	331.64	42	41	
8/31/2023 14:58	21.2	70.2	62.6	1008	1008	14.3	5.3	329.4	331.86	44	41	
8/31/2023 14:59	21	69.9	63.6	1008	1008	14.3	5.8	331.7	332.18	45	42	
8/31/2023 15:00	20.8	69.4	64.1	1008	1008	13.7	6.2	334.5	332.54	52	42	0.019039
8/31/2023 15:01	20.6	69.2	64.7	1008	1008	13.7	6.2	336.4	332.64	51	43	
8/31/2023 15:02	20.8	69.5	64.7	1008	1008	13.7	6.1	334.9	332.53	48	44	
8/31/2023 15:03	20.9	69.7	63.4	1008	1008	13.7	6.2	335.2	332.44	48	44	
8/31/2023 15:04	20.8	69.5	64.2	1008	1008	13.7	6.1	335.4	332.42	47	44	
8/31/2023 15:05	20.8	69.5	64	1008	1008	13.7	6.4	335.7	332.66	49	45	
8/31/2023 15:06	20.6	69.2	64.7	1008	1008	13.7	6.5	337.8	333.12	48	45	
8/31/2023 15:07	20.3	68.6	65.9	1008	1008	13.7	6.6	338.3	333.65	50	46	
8/31/2023 15:08	20.3	68.6	66	1008	1008	13.7	6.3	339	334.07	50	46	
8/31/2023 15:09	20.4	68.6	66.3	1008	1008	14.5	5.5	332	334.05	49	47	
8/31/2023 15:10	20.4	68.7	66.8	1008	1008	14.5	5.4	329.7	333.97	49	47	
8/31/2023 15:11	20.7	69.2	66.1	1008	1008	14.5	5.3	329.9	333.93	49	48	
8/31/2023 15:12	21	69.8	64.3	1008	1008	14.5	5.3	328.5	333.89	50	48	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
8/31/2023 15:13	21	69.8	64.4	1008	1008	14.5	5.3	325.7	333.65	49		48
8/31/2023 15:14	20.9	69.6	64.8	1008	1008	14.5	5.2	323.8	333.12	49		49
8/31/2023 15:15	20.9	69.6	65.1	1008	1008	11.3	4.8	323.1	332.36	50		49
8/31/2023 15:16	20.6	69.1	64.6	1009	1009	5.7	2	221	324.67			
					Min	1.9			12.43	37		
					Max	14.5			345.81	133		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:00			
8/31/2023 7:07			
8/31/2023 7:09	47	47	
8/31/2023 7:10	56	51	
8/31/2023 7:11	56	53	
8/31/2023 7:12	58	54	
8/31/2023 7:13	57	54	
8/31/2023 7:14	55	54	
8/31/2023 7:15	55	54	
8/31/2023 7:16	53	54	
8/31/2023 7:17	54	54	
8/31/2023 7:18	61	55	
8/31/2023 7:19	60	55	
8/31/2023 7:20	84	58	
8/31/2023 7:21	62	58	
8/31/2023 7:22	59	58	
8/31/2023 7:23	57	58	
8/31/2023 7:24	58	59	
8/31/2023 7:25	58	59	
8/31/2023 7:26	56	59	
8/31/2023 7:27	58	59	
8/31/2023 7:28	57	59	
8/31/2023 7:29	56	59	
8/31/2023 7:30	57	59	
8/31/2023 7:31	56	59	
8/31/2023 7:32	57	59	
8/31/2023 7:33	56	59	
8/31/2023 7:34	56	59	
8/31/2023 7:35	55	57	
8/31/2023 7:36	56	56	
8/31/2023 7:37	55	56	
8/31/2023 7:38	55	56	
8/31/2023 7:39	55	56	
8/31/2023 7:40	56	56	
8/31/2023 7:41	57	56	
8/31/2023 7:42	57	56	
8/31/2023 7:43	57	56	
8/31/2023 7:44	57	56	
8/31/2023 7:45	56	56	
8/31/2023 7:46	54	55	
8/31/2023 7:47	53	55	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:48	52	55	0.0028039
8/31/2023 7:49	50	55	
8/31/2023 7:50	50	54	
8/31/2023 7:51	50	54	
8/31/2023 7:52	49	53	
8/31/2023 7:53	49	53	
8/31/2023 7:54	50	53	
8/31/2023 7:55	49	52	
8/31/2023 7:56	49	52	
8/31/2023 7:57	48	51	
8/31/2023 7:58	48	50	
8/31/2023 7:59	49	50	
8/31/2023 8:00	50	50	
8/31/2023 8:01	49	49	
8/31/2023 8:02	50	49	
8/31/2023 8:03	51	49	
8/31/2023 8:04	50	49	
8/31/2023 8:05	50	49	
8/31/2023 8:06	49	49	
8/31/2023 8:07	50	49	
8/31/2023 8:08	50	49	
8/31/2023 8:09	51	49	
8/31/2023 8:10	50	49	
8/31/2023 8:11	51	49	
8/31/2023 8:12	53	50	
8/31/2023 8:13	53	50	
8/31/2023 8:14	50	50	
8/31/2023 8:15	49	50	
8/31/2023 8:16	50	50	
8/31/2023 8:17	49	50	
8/31/2023 8:18	49	50	
8/31/2023 8:19	51	50	
8/31/2023 8:20	51	50	
8/31/2023 8:21	52	50	
8/31/2023 8:22	52	50	
8/31/2023 8:23	54	51	
8/31/2023 8:24	54	51	
8/31/2023 8:25	53	51	
8/31/2023 8:26	52	51	
8/31/2023 8:27	51	51	
8/31/2023 8:28	51	51	
8/31/2023 8:29	50	51	
8/31/2023 8:30	52	51	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:31	50	51	0.0059686
8/31/2023 8:32	51	51	
8/31/2023 8:33	52	51	
8/31/2023 8:34	51	51	
8/31/2023 8:35	50	51	
8/31/2023 8:36	49	51	
8/31/2023 8:37	51	51	
8/31/2023 8:38	52	51	
8/31/2023 8:39	50	51	
8/31/2023 8:40	51	50	
8/31/2023 8:41	53	50	
8/31/2023 8:42	51	50	
8/31/2023 8:43	51	50	
8/31/2023 8:44	50	50	
8/31/2023 8:45	51	50	
8/31/2023 8:46	51	50	
8/31/2023 8:47	51	50	
8/31/2023 8:48	53	51	
8/31/2023 8:49	54	51	
8/31/2023 8:50	56	51	
8/31/2023 8:51	56	52	
8/31/2023 8:52	55	52	
8/31/2023 8:53	53	52	
8/31/2023 8:54	53	52	
8/31/2023 8:55	52	52	
8/31/2023 8:56	50	52	
8/31/2023 8:57	49	52	
8/31/2023 8:58	49	52	
8/31/2023 8:59	50	52	
8/31/2023 9:00	50	52	
8/31/2023 9:01	49	52	
8/31/2023 9:02	49	51	
8/31/2023 9:03	49	51	
8/31/2023 9:04	49	51	
8/31/2023 9:05	49	50	
8/31/2023 9:06	49	50	
8/31/2023 9:07	49	49	
8/31/2023 9:08	49	49	
8/31/2023 9:09	48	49	
8/31/2023 9:10	49	49	
8/31/2023 9:11	47	48	
8/31/2023 9:12	48	48	
8/31/2023 9:13	59	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:14	48	49	
8/31/2023 9:15	48	49	
8/31/2023 9:16	47	49	
8/31/2023 9:17	48	49	
8/31/2023 9:18	50	49	
8/31/2023 9:19	48	49	
8/31/2023 9:20	48	49	
8/31/2023 9:21	48	48	
8/31/2023 9:22	46	48	
8/31/2023 9:23	47	48	
8/31/2023 9:24	46	48	
8/31/2023 9:25	47	48	
8/31/2023 9:26	45	48	
8/31/2023 9:27	47	48	
8/31/2023 9:28	45	47	
8/31/2023 9:29	45	47	
8/31/2023 9:30	45	46	
8/31/2023 9:31	44	46	
8/31/2023 9:32	44	46	
8/31/2023 9:33	44	45	
8/31/2023 9:34	47	45	
8/31/2023 9:35	46	45	
8/31/2023 9:36	46	45	
8/31/2023 9:37	47	45	
8/31/2023 9:38	46	45	
8/31/2023 9:39	46	45	
8/31/2023 9:40	46	45	
8/31/2023 9:41	48	45	
8/31/2023 9:42	48	45	
8/31/2023 9:43	47	45	
8/31/2023 9:44	45	45	
8/31/2023 9:45	45	45	
8/31/2023 9:46	45	46	
8/31/2023 9:47	44	46	
8/31/2023 9:48	44	46	
8/31/2023 9:49	45	45	
8/31/2023 9:50	46	45	
8/31/2023 9:51	46	45	
8/31/2023 9:52	45	45	
8/31/2023 9:53	44	45	
8/31/2023 9:54	46	45	
8/31/2023 9:55	45	45	
8/31/2023 9:56	46	45	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:57	46	45	0.0091124
8/31/2023 9:58	47	45	
8/31/2023 9:59	48	45	
8/31/2023 10:00	49	45	0.0091124
8/31/2023 10:01	47	45	
8/31/2023 10:02	48	46	
8/31/2023 10:03	48	46	0.0091124
8/31/2023 10:04	47	46	
8/31/2023 10:05	47	46	
8/31/2023 10:06	46	46	0.0091124
8/31/2023 10:07	47	46	
8/31/2023 10:08	48	47	
8/31/2023 10:09	48	47	0.0091124
8/31/2023 10:10	48	47	
8/31/2023 10:11	47	47	
8/31/2023 10:12	49	47	0.0091124
8/31/2023 10:13	48	47	
8/31/2023 10:14	49	47	
8/31/2023 10:15	52	47	0.0091124
8/31/2023 10:16	49	48	
8/31/2023 10:17	50	48	
8/31/2023 10:18	49	48	0.0091124
8/31/2023 10:19	53	48	
8/31/2023 10:20	52	49	
8/31/2023 10:21	49	49	0.0091124
8/31/2023 10:22	50	49	
8/31/2023 10:23	50	49	
8/31/2023 10:24	50	49	0.0091124
8/31/2023 10:25	50	49	
8/31/2023 10:26	51	50	
8/31/2023 10:27	51	50	0.0091124
8/31/2023 10:28	53	50	
8/31/2023 10:29	53	50	
8/31/2023 10:30	54	50	0.0091124
8/31/2023 10:31	54	51	
8/31/2023 10:32	53	51	
8/31/2023 10:33	53	51	0.0091124
8/31/2023 10:34	53	51	
8/31/2023 10:35	53	51	
8/31/2023 10:36	53	52	0.0091124
8/31/2023 10:37	52	52	
8/31/2023 10:38	52	52	
8/31/2023 10:39	52	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:40	51	52	0.012197
8/31/2023 10:41	54	52	
8/31/2023 10:42	54	52	
8/31/2023 10:43	53	52	
8/31/2023 10:44	53	52	
8/31/2023 10:45	53	52	
8/31/2023 10:46	53	52	
8/31/2023 10:47	53	52	
8/31/2023 10:48	52	52	
8/31/2023 10:49	51	52	
8/31/2023 10:50	51	52	
8/31/2023 10:51	51	52	
8/31/2023 10:52	52	52	
8/31/2023 10:53	52	52	
8/31/2023 10:54	51	52	
8/31/2023 10:55	51	52	
8/31/2023 10:56	50	52	
8/31/2023 10:57	52	51	
8/31/2023 10:58	51	51	
8/31/2023 10:59	50	51	
8/31/2023 11:00	50	51	
8/31/2023 11:01	49	51	
8/31/2023 11:02	49	50	
8/31/2023 11:03	47	50	
8/31/2023 11:04	47	50	
8/31/2023 11:05	48	50	
8/31/2023 11:06	48	49	
8/31/2023 11:07	49	49	
8/31/2023 11:08	48	49	
8/31/2023 11:09	48	49	
8/31/2023 11:10	48	48	
8/31/2023 11:11	47	48	
8/31/2023 11:12	48	48	
8/31/2023 11:13	48	48	
8/31/2023 11:14	48	48	
8/31/2023 11:15	49	48	
8/31/2023 11:16	51	48	
8/31/2023 11:17	50	48	
8/31/2023 11:18	48	48	
8/31/2023 11:19	48	48	
8/31/2023 11:20	48	48	
8/31/2023 11:21	48	48	
8/31/2023 11:22	48	48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:23	48	48	
8/31/2023 11:24	48	48	
8/31/2023 11:25	47	48	
8/31/2023 11:26	48	48	
8/31/2023 11:27	48	48	
8/31/2023 11:28	47	48	
8/31/2023 11:29	47	48	
8/31/2023 11:30	47	48	
8/31/2023 11:31	46	47	
8/31/2023 11:32	48	47	
8/31/2023 11:33	48	47	
8/31/2023 11:34	49	47	
8/31/2023 11:35	51	47	
8/31/2023 11:36	50	48	
8/31/2023 11:37	50	48	
8/31/2023 11:38	50	48	
8/31/2023 11:39	50	48	
8/31/2023 11:40	52	48	
8/31/2023 11:41	53	49	
8/31/2023 11:42	52	49	
8/31/2023 11:43	52	49	
8/31/2023 11:44	50	49	
8/31/2023 11:45	50	50	
8/31/2023 11:46	50	50	
8/31/2023 11:47	48	50	
8/31/2023 11:48	47	50	
8/31/2023 11:49	47	50	
8/31/2023 11:50	46	49	
8/31/2023 11:51	48	49	
8/31/2023 11:52	49	49	
8/31/2023 11:53	49	49	
8/31/2023 11:54	49	49	
8/31/2023 11:55	49	49	
8/31/2023 11:56	48	48	
8/31/2023 11:57	48	48	
8/31/2023 11:58	49	48	
8/31/2023 11:59	48	48	
8/31/2023 12:00	48	48	0.015317
8/31/2023 12:01	48	48	
8/31/2023 12:02	51	48	
8/31/2023 12:03	49	48	
8/31/2023 12:04	51	48	
8/31/2023 12:05	51	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:06	51	49	
8/31/2023 12:07	50	49	
8/31/2023 12:08	51	49	
8/31/2023 12:09	49	49	
8/31/2023 12:10	49	49	
8/31/2023 12:11	50	49	
8/31/2023 12:12	50	49	
8/31/2023 12:13	49	49	
8/31/2023 12:14	49	49	
8/31/2023 12:15	47	49	
8/31/2023 12:16	48	49	
8/31/2023 12:17	48	49	
8/31/2023 12:18	47	49	
8/31/2023 12:19	46	49	
8/31/2023 12:20	45	48	
8/31/2023 12:21	45	48	
8/31/2023 12:22	45	47	
8/31/2023 12:23	44	47	
8/31/2023 12:24	43	47	
8/31/2023 12:25	42	46	
8/31/2023 12:26	38	45	
8/31/2023 12:27	37	44	
8/31/2023 12:28	37	44	
8/31/2023 12:29	37	43	
8/31/2023 12:30	38	42	
8/31/2023 12:31	38	42	
8/31/2023 12:32	39	41	
8/31/2023 12:33	40	40	
8/31/2023 12:34	40	40	
8/31/2023 12:35	40	40	
8/31/2023 12:36	42	40	
8/31/2023 12:37	40	39	
8/31/2023 12:38	39	39	
8/31/2023 12:39	39	39	
8/31/2023 12:40	38	38	
8/31/2023 12:41	38	38	
8/31/2023 12:42	38	38	
8/31/2023 12:43	38	38	
8/31/2023 12:44	38	39	
8/31/2023 12:45	39	39	
8/31/2023 12:46	39	39	
8/31/2023 12:47	40	39	
8/31/2023 12:48	40	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:49	53	40	0.018387
8/31/2023 12:50	40	40	
8/31/2023 12:51	40	39	
8/31/2023 12:52	40	39	
8/31/2023 12:53	41	40	
8/31/2023 12:54	40	40	
8/31/2023 12:55	41	40	
8/31/2023 12:56	41	40	
8/31/2023 12:57	41	40	
8/31/2023 12:58	42	41	
8/31/2023 12:59	44	41	
8/31/2023 13:00	42	41	
8/31/2023 13:01	41	41	
8/31/2023 13:02	42	41	
8/31/2023 13:03	40	41	
8/31/2023 13:04	40	41	
8/31/2023 13:05	40	41	
8/31/2023 13:06	40	41	
8/31/2023 13:07	40	41	
8/31/2023 13:08	40	40	
8/31/2023 13:09	40	40	
8/31/2023 13:10	39	40	
8/31/2023 13:11	39	40	
8/31/2023 13:12	39	40	
8/31/2023 13:13	39	40	
8/31/2023 13:14	38	39	
8/31/2023 13:15	38	39	
8/31/2023 13:16	38	39	
8/31/2023 13:17	37	39	
8/31/2023 13:18	37	38	
8/31/2023 13:19	37	38	
8/31/2023 13:20	39	38	
8/31/2023 13:21	50	39	
8/31/2023 13:22	38	39	
8/31/2023 13:23	39	39	
8/31/2023 13:24	69	41	
8/31/2023 13:25	54	42	
8/31/2023 13:26	43	42	
8/31/2023 13:27	43	42	
8/31/2023 13:28	41	42	
8/31/2023 13:29	40	42	
8/31/2023 13:30	40	43	
8/31/2023 13:31	39	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:32	40	43	
8/31/2023 13:33	39	43	
8/31/2023 13:34	39	43	
8/31/2023 13:35	39	43	
8/31/2023 13:36	40	42	
8/31/2023 13:37	40	43	
8/31/2023 13:38	40	43	
8/31/2023 13:39	39	41	
8/31/2023 13:40	39	40	
8/31/2023 13:41	39	39	
8/31/2023 13:42	39	39	
8/31/2023 13:43	39	39	
8/31/2023 13:44	39	39	
8/31/2023 13:45	38	39	
8/31/2023 13:46	39	39	
8/31/2023 13:47	39	39	
8/31/2023 13:48	38	39	
8/31/2023 13:49	39	39	
8/31/2023 13:50	38	39	
8/31/2023 13:51	39	38	
8/31/2023 13:52	39	38	
8/31/2023 13:53	39	38	
8/31/2023 13:54	39	38	
8/31/2023 13:55	39	38	
8/31/2023 13:56	39	38	
8/31/2023 13:57	38	38	
8/31/2023 13:58	38	38	
8/31/2023 13:59	38	38	
8/31/2023 14:00	37	38	0.021315
8/31/2023 14:01	38	38	
8/31/2023 14:02	38	38	
8/31/2023 14:03	38	38	
8/31/2023 14:04	39	38	
8/31/2023 14:05	38	38	
8/31/2023 14:06	40	38	
8/31/2023 14:07	40	38	
8/31/2023 14:08	39	38	
8/31/2023 14:09	40	38	
8/31/2023 14:10	39	38	
8/31/2023 14:11	40	38	
8/31/2023 14:12	39	38	
8/31/2023 14:13	51	39	
8/31/2023 14:14	40	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:15	38	39	
8/31/2023 14:16	38	39	
8/31/2023 14:17	37	39	
8/31/2023 14:18	39	39	
8/31/2023 14:19	39	39	
8/31/2023 14:20	41	40	
8/31/2023 14:21	42	40	
8/31/2023 14:22	38	40	
8/31/2023 14:23	38	39	
8/31/2023 14:24	36	39	
8/31/2023 14:25	36	39	
8/31/2023 14:26	36	39	
8/31/2023 14:27	36	39	
8/31/2023 14:28	41	38	
8/31/2023 14:29	38	38	
8/31/2023 14:30	36	38	
8/31/2023 14:31	37	38	
8/31/2023 14:32	39	38	
8/31/2023 14:33	38	38	
8/31/2023 14:34	38	38	
8/31/2023 14:35	37	37	
8/31/2023 14:36	36	37	
8/31/2023 14:37	35	37	
8/31/2023 14:38	36	37	
8/31/2023 14:39	36	37	
8/31/2023 14:40	36	37	
8/31/2023 14:41	36	37	
8/31/2023 14:42	36	37	
8/31/2023 14:43	38	36	
8/31/2023 14:44	39	36	
8/31/2023 14:45	37	36	
8/31/2023 14:46	38	37	
8/31/2023 14:47	39	37	
8/31/2023 14:48	39	37	
8/31/2023 14:49	40	37	
8/31/2023 14:50	40	37	
8/31/2023 14:51	40	37	
8/31/2023 14:52	41	38	
8/31/2023 14:53	40	38	
8/31/2023 14:54	41	38	
8/31/2023 14:55	41	39	
8/31/2023 14:56	41	39	
8/31/2023 14:57	41	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:58	43	40	0.024136
8/31/2023 14:59	47	40	
8/31/2023 15:00	51	41	
8/31/2023 15:01	52	42	
8/31/2023 15:02	52	43	
8/31/2023 15:03	51	44	
8/31/2023 15:04	57	45	
8/31/2023 15:05	49	45	
8/31/2023 15:06	48	46	
8/31/2023 15:07	48	46	
8/31/2023 15:08	48	47	
8/31/2023 15:09	49	47	
8/31/2023 15:10	49	48	
8/31/2023 15:11	51	49	
8/31/2023 15:12	50	49	
8/31/2023 15:13	64	51	
8/31/2023 15:14	67	52	
8/31/2023 15:15	63	53	
8/31/2023 15:16	57	53	
8/31/2023 15:17	60	54	
8/31/2023 15:18	55	54	
8/31/2023 15:19	48	53	
8/31/2023 15:20	49	53	
8/31/2023 15:21	49	53	
8/31/2023 15:22	48	53	
Min	35		
Max	84		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:00			
8/31/2023 7:13			
8/31/2023 7:15			
8/31/2023 7:17	51	51	
8/31/2023 7:18	55	53	
8/31/2023 7:19	57	54	
8/31/2023 7:20	56	54	
8/31/2023 7:21	54	54	
8/31/2023 7:22	54	54	
8/31/2023 7:23	56	54	
8/31/2023 7:24	54	54	
8/31/2023 7:25	56	54	
8/31/2023 7:26	55	54	
8/31/2023 7:27	54	54	
8/31/2023 7:28	53	54	
8/31/2023 7:29	52	54	
8/31/2023 7:30	53	54	
8/31/2023 7:31	53	54	
8/31/2023 7:32	51	54	
8/31/2023 7:33	52	54	
8/31/2023 7:34	50	53	
8/31/2023 7:35	51	53	
8/31/2023 7:36	51	53	
8/31/2023 7:37	50	52	
8/31/2023 7:38	52	52	
8/31/2023 7:39	51	52	
8/31/2023 7:40	51	51	
8/31/2023 7:41	52	51	
8/31/2023 7:42	52	51	
8/31/2023 7:43	52	51	
8/31/2023 7:44	52	51	
8/31/2023 7:45	52	51	
8/31/2023 7:46	52	51	
8/31/2023 7:47	53	51	
8/31/2023 7:48	49	51	
8/31/2023 7:49	48	51	
8/31/2023 7:50	46	50	
8/31/2023 7:51	46	50	
8/31/2023 7:52	47	50	
8/31/2023 7:53	47	50	
8/31/2023 7:54	47	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:55	46	49	0.0020465
8/31/2023 7:56	47	49	
8/31/2023 7:57	47	48	
8/31/2023 7:58	45	48	
8/31/2023 7:59	47	47	
8/31/2023 8:00	48	47	
8/31/2023 8:01	48	47	
8/31/2023 8:02	50	47	
8/31/2023 8:03	50	47	
8/31/2023 8:04	47	47	
8/31/2023 8:05	50	47	
8/31/2023 8:06	51	47	
8/31/2023 8:07	50	48	
8/31/2023 8:08	49	48	
8/31/2023 8:09	50	48	
8/31/2023 8:10	48	48	
8/31/2023 8:11	49	48	
8/31/2023 8:12	49	48	
8/31/2023 8:13	49	49	
8/31/2023 8:14	48	49	
8/31/2023 8:15	48	49	
8/31/2023 8:16	47	49	
8/31/2023 8:17	48	48	
8/31/2023 8:18	51	48	
8/31/2023 8:19	49	49	
8/31/2023 8:20	50	49	
8/31/2023 8:21	51	49	
8/31/2023 8:22	50	49	
8/31/2023 8:23	50	49	
8/31/2023 8:24	48	49	
8/31/2023 8:25	50	49	
8/31/2023 8:26	53	49	
8/31/2023 8:27	49	49	
8/31/2023 8:28	49	49	
8/31/2023 8:29	49	49	
8/31/2023 8:30	50	49	
8/31/2023 8:31	49	49	
8/31/2023 8:32	49	49	
8/31/2023 8:33	50	49	
8/31/2023 8:34	49	49	
8/31/2023 8:35	51	49	
8/31/2023 8:36	49	49	
8/31/2023 8:37	49	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:38	50	49	0.0048649
8/31/2023 8:39	51	49	
8/31/2023 8:40	51	49	
8/31/2023 8:41	50	49	
8/31/2023 8:42	49	49	
8/31/2023 8:43	48	49	
8/31/2023 8:44	48	49	
8/31/2023 8:45	48	49	
8/31/2023 8:46	49	49	
8/31/2023 8:47	50	49	
8/31/2023 8:48	51	49	
8/31/2023 8:49	52	49	
8/31/2023 8:50	53	49	
8/31/2023 8:51	52	50	
8/31/2023 8:52	52	50	
8/31/2023 8:53	51	50	
8/31/2023 8:54	51	50	
8/31/2023 8:55	49	50	
8/31/2023 8:56	47	50	
8/31/2023 8:57	47	49	
8/31/2023 8:58	47	49	
8/31/2023 8:59	47	49	
8/31/2023 9:00	47	49	
8/31/2023 9:01	46	49	
8/31/2023 9:02	47	49	
8/31/2023 9:03	47	49	
8/31/2023 9:04	47	48	
8/31/2023 9:05	48	48	
8/31/2023 9:06	48	48	
8/31/2023 9:07	46	47	
8/31/2023 9:08	49	47	
8/31/2023 9:09	47	47	
8/31/2023 9:10	46	47	
8/31/2023 9:11	46	47	
8/31/2023 9:12	46	46	
8/31/2023 9:13	48	47	
8/31/2023 9:14	47	47	
8/31/2023 9:15	47	47	
8/31/2023 9:16	47	47	
8/31/2023 9:17	47	47	
8/31/2023 9:18	48	47	
8/31/2023 9:19	48	47	
8/31/2023 9:20	48	47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:21	48	47	
8/31/2023 9:22	49	47	
8/31/2023 9:23	48	47	
8/31/2023 9:24	49	47	
8/31/2023 9:25	46	47	
8/31/2023 9:26	46	47	
8/31/2023 9:27	56	48	
8/31/2023 9:28	47	48	
8/31/2023 9:29	45	47	
8/31/2023 9:30	45	47	
8/31/2023 9:31	49	47	
8/31/2023 9:32	47	47	
8/31/2023 9:33	52	48	
8/31/2023 9:34	54	48	
8/31/2023 9:35	47	48	
8/31/2023 9:36	46	48	
8/31/2023 9:37	46	48	
8/31/2023 9:38	46	48	
8/31/2023 9:39	45	47	
8/31/2023 9:40	46	47	
8/31/2023 9:41	45	47	
8/31/2023 9:42	46	47	
8/31/2023 9:43	47	47	
8/31/2023 9:44	46	47	
8/31/2023 9:45	61	48	
8/31/2023 9:46	45	47	
8/31/2023 9:47	45	47	
8/31/2023 9:48	46	47	
8/31/2023 9:49	46	46	
8/31/2023 9:50	48	46	
8/31/2023 9:51	49	47	
8/31/2023 9:52	46	47	
8/31/2023 9:53	47	47	
8/31/2023 9:54	46	47	
8/31/2023 9:55	48	47	
8/31/2023 9:56	49	47	
8/31/2023 9:57	48	47	
8/31/2023 9:58	49	47	
8/31/2023 9:59	48	48	
8/31/2023 10:00	49	47	0.0078433
8/31/2023 10:01	50	47	
8/31/2023 10:02	48	47	
8/31/2023 10:03	49	48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:04	50	48	
8/31/2023 10:05	49	48	
8/31/2023 10:06	50	48	
8/31/2023 10:07	47	48	
8/31/2023 10:08	49	48	
8/31/2023 10:09	49	48	
8/31/2023 10:10	50	48	
8/31/2023 10:11	51	49	
8/31/2023 10:12	51	49	
8/31/2023 10:13	49	49	
8/31/2023 10:14	50	49	
8/31/2023 10:15	49	49	
8/31/2023 10:16	50	49	
8/31/2023 10:17	53	49	
8/31/2023 10:18	52	49	
8/31/2023 10:19	50	49	
8/31/2023 10:20	50	50	
8/31/2023 10:21	51	50	
8/31/2023 10:22	52	50	
8/31/2023 10:23	51	50	
8/31/2023 10:24	52	50	
8/31/2023 10:25	52	50	
8/31/2023 10:26	54	51	
8/31/2023 10:27	53	51	
8/31/2023 10:28	53	51	
8/31/2023 10:29	55	51	
8/31/2023 10:30	55	52	
8/31/2023 10:31	55	52	
8/31/2023 10:32	54	52	
8/31/2023 10:33	54	52	
8/31/2023 10:34	55	53	
8/31/2023 10:35	54	53	
8/31/2023 10:36	57	53	
8/31/2023 10:37	56	54	
8/31/2023 10:38	57	54	
8/31/2023 10:39	57	54	
8/31/2023 10:40	55	54	
8/31/2023 10:41	57	55	
8/31/2023 10:42	59	55	
8/31/2023 10:43	58	55	
8/31/2023 10:44	56	55	
8/31/2023 10:45	57	56	
8/31/2023 10:46	56	56	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:47	53	56	0.010895
8/31/2023 10:48	53	56	
8/31/2023 10:49	54	55	
8/31/2023 10:50	53	55	
8/31/2023 10:51	55	55	
8/31/2023 10:52	54	55	
8/31/2023 10:53	55	55	
8/31/2023 10:54	53	55	
8/31/2023 10:55	52	55	
8/31/2023 10:56	53	54	
8/31/2023 10:57	53	54	
8/31/2023 10:58	53	54	
8/31/2023 10:59	52	53	
8/31/2023 11:00	52	53	
8/31/2023 11:01	51	53	
8/31/2023 11:02	50	52	
8/31/2023 11:03	49	52	
8/31/2023 11:04	50	52	
8/31/2023 11:05	49	52	
8/31/2023 11:06	49	51	
8/31/2023 11:07	51	51	
8/31/2023 11:08	51	51	
8/31/2023 11:09	50	51	
8/31/2023 11:10	50	50	
8/31/2023 11:11	51	50	
8/31/2023 11:12	50	50	
8/31/2023 11:13	50	50	
8/31/2023 11:14	51	50	
8/31/2023 11:15	50	50	
8/31/2023 11:16	50	50	
8/31/2023 11:17	50	50	
8/31/2023 11:18	50	50	
8/31/2023 11:19	50	50	
8/31/2023 11:20	51	50	
8/31/2023 11:21	50	50	
8/31/2023 11:22	49	50	
8/31/2023 11:23	49	50	
8/31/2023 11:24	49	50	
8/31/2023 11:25	49	49	
8/31/2023 11:26	50	49	
8/31/2023 11:27	50	49	
8/31/2023 11:28	49	49	
8/31/2023 11:29	51	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:30	61	50	
8/31/2023 11:31	53	50	
8/31/2023 11:32	54	51	
8/31/2023 11:33	53	51	
8/31/2023 11:34	54	51	
8/31/2023 11:35	53	51	
8/31/2023 11:36	53	51	
8/31/2023 11:37	52	52	
8/31/2023 11:38	52	52	
8/31/2023 11:39	56	52	
8/31/2023 11:40	58	53	
8/31/2023 11:41	55	53	
8/31/2023 11:42	55	53	
8/31/2023 11:43	57	54	
8/31/2023 11:44	53	54	
8/31/2023 11:45	52	54	
8/31/2023 11:46	50	53	
8/31/2023 11:47	50	53	
8/31/2023 11:48	51	53	
8/31/2023 11:49	51	53	
8/31/2023 11:50	52	53	
8/31/2023 11:51	51	53	
8/31/2023 11:52	53	53	
8/31/2023 11:53	53	53	
8/31/2023 11:54	55	53	
8/31/2023 11:55	52	52	
8/31/2023 11:56	51	52	
8/31/2023 11:57	52	52	
8/31/2023 11:58	52	51	
8/31/2023 11:59	51	51	
8/31/2023 12:00	52	51	0.014056
8/31/2023 12:01	53	51	
8/31/2023 12:02	53	52	
8/31/2023 12:03	52	52	
8/31/2023 12:04	62	52	
8/31/2023 12:05	57	53	
8/31/2023 12:06	55	53	
8/31/2023 12:07	56	53	
8/31/2023 12:08	53	53	
8/31/2023 12:09	52	53	
8/31/2023 12:10	63	54	
8/31/2023 12:11	52	54	
8/31/2023 12:12	55	54	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:13	51	54	
8/31/2023 12:14	51	54	
8/31/2023 12:15	52	54	
8/31/2023 12:16	53	54	
8/31/2023 12:17	54	54	
8/31/2023 12:18	52	54	
8/31/2023 12:19	51	53	
8/31/2023 12:20	51	53	
8/31/2023 12:21	49	53	
8/31/2023 12:22	50	52	
8/31/2023 12:23	47	52	
8/31/2023 12:24	53	52	
8/31/2023 12:25	46	51	
8/31/2023 12:26	47	50	
8/31/2023 12:27	46	50	
8/31/2023 12:28	42	49	
8/31/2023 12:29	44	49	
8/31/2023 12:30	42	48	
8/31/2023 12:31	42	47	
8/31/2023 12:32	42	46	
8/31/2023 12:33	42	46	
8/31/2023 12:34	44	45	
8/31/2023 12:35	43	45	
8/31/2023 12:36	43	44	
8/31/2023 12:37	44	44	
8/31/2023 12:38	45	44	
8/31/2023 12:39	45	43	
8/31/2023 12:40	44	43	
8/31/2023 12:41	42	43	
8/31/2023 12:42	44	43	
8/31/2023 12:43	45	43	
8/31/2023 12:44	43	43	
8/31/2023 12:45	43	43	
8/31/2023 12:46	42	43	
8/31/2023 12:47	42	43	
8/31/2023 12:48	43	43	
8/31/2023 12:49	43	43	
8/31/2023 12:50	46	43	
8/31/2023 12:51	43	43	
8/31/2023 12:52	46	43	
8/31/2023 12:53	43	43	
8/31/2023 12:54	44	43	
8/31/2023 12:55	43	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:56	43	43	0.017233
8/31/2023 12:57	43	43	
8/31/2023 12:58	43	43	
8/31/2023 12:59	44	43	
8/31/2023 13:00	44	43	
8/31/2023 13:01	45	43	
8/31/2023 13:02	44	43	
8/31/2023 13:03	44	43	
8/31/2023 13:04	44	43	
8/31/2023 13:05	42	43	
8/31/2023 13:06	43	43	
8/31/2023 13:08			
8/31/2023 13:09			
8/31/2023 13:10			
8/31/2023 13:11	42	43	
8/31/2023 13:12	44	43	
8/31/2023 13:13	43	43	
8/31/2023 13:14	43	43	
8/31/2023 13:15	43	43	
8/31/2023 13:16	42	43	
8/31/2023 13:17	41	42	
8/31/2023 13:18	42	42	
8/31/2023 13:19	41	42	
8/31/2023 13:20	42	42	
8/31/2023 13:21	42	42	
8/31/2023 13:22	40	42	
8/31/2023 13:23	41	42	
8/31/2023 13:24	48	42	
8/31/2023 13:25	45	42	
8/31/2023 13:26	43	42	
8/31/2023 13:27	42	42	
8/31/2023 13:28	42	42	
8/31/2023 13:29	43	42	
8/31/2023 13:30	42	42	
8/31/2023 13:31	43	42	
8/31/2023 13:32	43	42	
8/31/2023 13:33	43	42	
8/31/2023 13:34	42	42	
8/31/2023 13:35	42	42	
8/31/2023 13:36	48	43	
8/31/2023 13:37	53	44	
8/31/2023 13:38	43	44	
8/31/2023 13:39	43	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:40	42	43	0.015669
8/31/2023 13:41	43	43	
8/31/2023 13:42	43	43	
8/31/2023 13:43	42	43	
8/31/2023 13:44	44	43	
8/31/2023 13:45	43	43	
8/31/2023 13:46	42	43	
8/31/2023 13:47	42	43	
8/31/2023 13:48	42	43	
8/31/2023 13:49	42	43	
8/31/2023 13:50	43	43	
8/31/2023 13:51	43	43	
8/31/2023 13:52	43	42	
8/31/2023 13:53	42	42	
8/31/2023 13:54	42	42	
8/31/2023 13:55	42	42	
8/31/2023 13:56	42	42	
8/31/2023 13:57	41	42	
8/31/2023 13:58	41	42	
8/31/2023 13:59	43	42	
8/31/2023 14:00	45	42	
8/31/2023 14:01	46	42	
8/31/2023 14:02	56	43	
8/31/2023 14:03	50	44	
8/31/2023 14:04	46	44	
8/31/2023 14:05	54	45	
8/31/2023 14:06	50	45	
8/31/2023 14:07	48	45	
8/31/2023 14:08	43	45	
8/31/2023 14:09	44	46	
8/31/2023 14:10	46	46	
8/31/2023 14:11	70	48	
8/31/2023 14:12	55	49	
8/31/2023 14:13	65	50	
8/31/2023 14:14	48	51	
8/31/2023 14:15	44	51	
8/31/2023 14:16	56	51	
8/31/2023 14:17	44	50	
8/31/2023 14:18	44	50	
8/31/2023 14:19	43	50	
8/31/2023 14:20	43	49	
8/31/2023 14:21	48	49	
8/31/2023 14:22	48	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:23	43	49	
8/31/2023 14:24	54	50	
8/31/2023 14:25	46	50	
8/31/2023 14:26	55	49	
8/31/2023 14:27	44	48	
8/31/2023 14:28	71	48	
8/31/2023 14:29	51	48	
8/31/2023 14:30	44	48	
8/31/2023 14:31	40	47	
8/31/2023 14:32	40	47	
8/31/2023 14:33	42	47	
8/31/2023 14:34	41	47	
8/31/2023 14:35	76	49	
8/31/2023 14:36	43	49	
8/31/2023 14:37	40	48	
8/31/2023 14:38	40	48	
8/31/2023 14:39	41	47	
8/31/2023 14:40	39	47	
8/31/2023 14:41	40	46	
8/31/2023 14:42	40	45	
8/31/2023 14:43	40	43	
8/31/2023 14:44	45	43	
8/31/2023 14:45	42	43	
8/31/2023 14:46	46	43	
8/31/2023 14:47	51	44	
8/31/2023 14:48	51	45	
8/31/2023 14:49	46	45	
8/31/2023 14:50	43	43	
8/31/2023 14:51	45	43	
8/31/2023 14:52	45	43	
8/31/2023 14:53	45	43	
8/31/2023 14:54	50	44	
8/31/2023 14:55	57	45	
8/31/2023 14:56	46	46	
8/31/2023 14:57	47	46	
8/31/2023 14:58	68	48	
8/31/2023 14:59	51	48	
8/31/2023 15:00	47	49	0.014648
8/31/2023 15:01	47	49	
8/31/2023 15:02	48	49	
8/31/2023 15:03	50	49	
8/31/2023 15:04	50	49	
8/31/2023 15:05	49	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 15:06	52	50	
8/31/2023 15:07	52	50	
8/31/2023 15:08	54	51	
8/31/2023 15:09	53	51	
8/31/2023 15:10	56	51	
8/31/2023 15:11	54	51	
8/31/2023 15:12	53	52	
8/31/2023 15:13	52	51	
8/31/2023 15:14	63	52	
8/31/2023 15:15	53	52	
8/31/2023 15:16	53	52	
8/31/2023 15:17	51	53	
8/31/2023 15:18	51	53	
8/31/2023 15:19	75	54	
8/31/2023 15:20	56	55	
8/31/2023 15:21	50	55	
8/31/2023 15:22	49	54	
8/31/2023 15:23	50	54	
8/31/2023 15:24	50	54	
8/31/2023 15:25	49	53	
8/31/2023 15:26	48	53	
Min	39		
Max	76		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:00			
8/31/2023 7:24			
8/31/2023 7:25			
8/31/2023 7:26	46	46	
8/31/2023 7:27	45	45	
8/31/2023 7:28	45	45	
8/31/2023 7:29	45	45	
8/31/2023 7:30	45	45	
8/31/2023 7:31	45	45	
8/31/2023 7:32	45	45	
8/31/2023 7:33	44	45	
8/31/2023 7:34	42	44	
8/31/2023 7:35	43	44	
8/31/2023 7:36	42	44	
8/31/2023 7:37	43	44	
8/31/2023 7:38	42	44	
8/31/2023 7:39	43	43	
8/31/2023 7:40	43	43	
8/31/2023 7:44			
8/31/2023 7:45			
8/31/2023 7:46	42	42	
8/31/2023 7:47	40	42	
8/31/2023 7:48	39	41	
8/31/2023 7:49	38	41	
8/31/2023 7:50	40	41	
8/31/2023 7:51	40	41	
8/31/2023 7:52	37	40	
8/31/2023 7:53	36	39	
8/31/2023 7:54	37	39	
8/31/2023 7:55	38	38	
8/31/2023 7:56	38	38	
8/31/2023 7:57	37	38	
8/31/2023 7:58	38	38	
8/31/2023 7:59	38	38	
8/31/2023 8:00	39	38	0
8/31/2023 8:01	39	38	
8/31/2023 8:02	38	38	
8/31/2023 8:03	39	38	
8/31/2023 8:04	38	38	
8/31/2023 8:05	40	38	
8/31/2023 8:06	39	38	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:07	39	38	
8/31/2023 8:12			
8/31/2023 8:13	31	38	
8/31/2023 8:14	38	38	
8/31/2023 8:15	38	37	
8/31/2023 8:16	37	37	
8/31/2023 8:17	37	37	
8/31/2023 8:18	39	37	
8/31/2023 8:19	39	37	
8/31/2023 8:20	40	37	
8/31/2023 8:21	40	37	
8/31/2023 8:22	40	37	
8/31/2023 8:23	39	38	
8/31/2023 8:24	40	38	
8/31/2023 8:25	39	38	
8/31/2023 8:26	39	38	
8/31/2023 8:27	39	38	
8/31/2023 8:28	39	38	
8/31/2023 8:29	39	38	
8/31/2023 8:30	38	38	
8/31/2023 8:31	38	39	
8/31/2023 8:32	39	39	
8/31/2023 8:33	39	39	
8/31/2023 8:34	39	39	
8/31/2023 8:35	38	39	
8/31/2023 8:36	39	38	
8/31/2023 8:37	38	38	
8/31/2023 8:38	38	38	
8/31/2023 8:39	38	38	
8/31/2023 8:40	39	38	
8/31/2023 8:41	40	38	
8/31/2023 8:42	39	38	
8/31/2023 8:43	38	38	
8/31/2023 8:44	40	38	
8/31/2023 8:45	39	38	
8/31/2023 8:46	39	38	
8/31/2023 8:47	39	38	
8/31/2023 8:48	40	38	
8/31/2023 8:49	41	39	
8/31/2023 8:50	41	39	
8/31/2023 8:51	42	39	
8/31/2023 8:52	42	39	
8/31/2023 8:53	41	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:54	41	40	0.00084545
8/31/2023 8:55	39	40	
8/31/2023 8:56	39	40	
8/31/2023 8:57	37	39	
8/31/2023 8:58	38	39	
8/31/2023 8:59	38	39	
8/31/2023 9:00	38	39	
8/31/2023 9:01	38	39	
8/31/2023 9:02	40	39	
8/31/2023 9:03	39	39	
8/31/2023 9:04	39	39	
8/31/2023 9:05	38	39	
8/31/2023 9:06	38	39	
8/31/2023 9:07	38	38	
8/31/2023 9:08	39	38	
8/31/2023 9:09	38	38	
8/31/2023 9:10	38	38	
8/31/2023 9:11	39	38	
8/31/2023 9:12	40	38	
8/31/2023 9:13	39	38	
8/31/2023 9:14	39	38	
8/31/2023 9:15	40	38	
8/31/2023 9:16	41	39	
8/31/2023 9:17	39	38	
8/31/2023 9:18	46	39	
8/31/2023 9:19	40	39	
8/31/2023 9:20	40	39	
8/31/2023 9:21	40	39	
8/31/2023 9:22	39	39	
8/31/2023 9:23	39	39	
8/31/2023 9:24	39	39	
8/31/2023 9:25	40	40	
8/31/2023 9:26	39	40	
8/31/2023 9:27	37	39	
8/31/2023 9:28	38	39	
8/31/2023 9:29	37	39	
8/31/2023 9:30	39	39	
8/31/2023 9:31	38	39	
8/31/2023 9:32	37	39	
8/31/2023 9:33	38	38	
8/31/2023 9:34	38	38	
8/31/2023 9:35	38	38	
8/31/2023 9:36	38	38	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:37	40	38	
8/31/2023 9:38	42	38	
8/31/2023 9:39	40	38	
8/31/2023 9:40	39	38	
8/31/2023 9:41	39	38	
8/31/2023 9:42	39	38	
8/31/2023 9:43	40	38	
8/31/2023 9:44	40	39	
8/31/2023 9:45	39	39	
8/31/2023 9:46			
8/31/2023 9:47			
8/31/2023 9:48			
8/31/2023 9:49	39	39	
8/31/2023 9:50	39	39	
8/31/2023 9:51	39	39	
8/31/2023 9:52	39	39	
8/31/2023 9:53	40	39	
8/31/2023 9:54	42	39	
8/31/2023 9:55	40	39	
8/31/2023 9:56	39	39	
8/31/2023 9:57	39	39	
8/31/2023 9:58	39	39	
8/31/2023 9:59	39	39	
8/31/2023 10:00	40	39	0.0026747
8/31/2023 10:01	40	39	
8/31/2023 10:02	40	39	
8/31/2023 10:03	40	39	
8/31/2023 10:04	39	39	
8/31/2023 10:05	39	39	
8/31/2023 10:06	39	39	
8/31/2023 10:07	39	39	
8/31/2023 10:08	43	39	
8/31/2023 10:09	41	39	
8/31/2023 10:10	43	39	
8/31/2023 10:11	42	40	
8/31/2023 10:12	43	40	
8/31/2023 10:13	42	40	
8/31/2023 10:14	44	40	
8/31/2023 10:15	41	41	
8/31/2023 10:16	43	41	
8/31/2023 10:17	42	41	
8/31/2023 10:18	42	41	
8/31/2023 10:19	42	41	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:20	44	42	
8/31/2023 10:21	43	42	
8/31/2023 10:22	44	42	
8/31/2023 10:23	43	42	
8/31/2023 10:24	43	42	
8/31/2023 10:25	43	42	
8/31/2023 10:26	44	42	
8/31/2023 10:27	45	43	
8/31/2023 10:28	45	43	
8/31/2023 10:29	46	43	
8/31/2023 10:30	48	43	
8/31/2023 10:31	49	44	
8/31/2023 10:32	46	44	
8/31/2023 10:33	46	44	
8/31/2023 10:34	46	45	
8/31/2023 10:35	46	45	
8/31/2023 10:36	47	45	
8/31/2023 10:37	48	45	
8/31/2023 10:38	47	45	
8/31/2023 10:39	45	46	
8/31/2023 10:40	44	46	
8/31/2023 10:41	44	46	
8/31/2023 10:42	45	46	
8/31/2023 10:43	49	46	
8/31/2023 10:44	48	46	
8/31/2023 10:45	47	46	
8/31/2023 10:46	48	46	
8/31/2023 10:47	50	46	
8/31/2023 10:48	47	46	
8/31/2023 10:49	46	46	
8/31/2023 10:50	44	46	
8/31/2023 10:51	44	46	
8/31/2023 10:52	46	46	
8/31/2023 10:53	49	46	
8/31/2023 10:54	44	46	
8/31/2023 10:55	44	46	
8/31/2023 10:56	43	46	
8/31/2023 10:57	43	46	
8/31/2023 10:58	43	45	
8/31/2023 10:59	43	45	
8/31/2023 11:00	49	45	0.0048811
8/31/2023 11:01	43	45	
8/31/2023 11:02	43	44	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:03	41	44	
8/31/2023 11:04	40	43	
8/31/2023 11:05	40	43	
8/31/2023 11:06	40	43	
8/31/2023 11:07	40	43	
8/31/2023 11:08	40	42	
8/31/2023 11:09	41	42	
8/31/2023 11:10	40	41	
8/31/2023 11:11	41	41	
8/31/2023 11:12	41	41	
8/31/2023 11:13	40	41	
8/31/2023 11:14	40	41	
8/31/2023 11:15	40	40	
8/31/2023 11:16	40	40	
8/31/2023 11:17	41	40	
8/31/2023 11:18	42	40	
8/31/2023 11:19	42	40	
8/31/2023 11:20	41	40	
8/31/2023 11:21	43	40	
8/31/2023 11:22	45	41	
8/31/2023 11:23	42	41	
8/31/2023 11:24	42	41	
8/31/2023 11:25	40	41	
8/31/2023 11:26	41	41	
8/31/2023 11:27	40	41	
8/31/2023 11:28	40	41	
8/31/2023 11:29	39	41	
8/31/2023 11:30	38	41	
8/31/2023 11:31	38	40	
8/31/2023 11:32	39	40	
8/31/2023 11:33	40	40	
8/31/2023 11:34	40	40	
8/31/2023 11:35	40	40	
8/31/2023 11:36	41	40	
8/31/2023 11:37	41	40	
8/31/2023 11:38	41	40	
8/31/2023 11:39	41	39	
8/31/2023 11:40	44	40	
8/31/2023 11:41	43	40	
8/31/2023 11:42	45	40	
8/31/2023 11:43	44	40	
8/31/2023 11:44	44	41	
8/31/2023 11:45	43	41	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:46	42	41	0.0072915
8/31/2023 11:47	43	42	
8/31/2023 11:48	40	42	
8/31/2023 11:49	38	42	
8/31/2023 11:50	40	42	
8/31/2023 11:51	39	41	
8/31/2023 11:52	40	41	
8/31/2023 11:53	41	41	
8/31/2023 11:54	41	41	
8/31/2023 11:55	41	41	
8/31/2023 11:56	40	41	
8/31/2023 11:57	40	41	
8/31/2023 11:58	41	40	
8/31/2023 11:59	41	40	
8/31/2023 12:00	41	40	
8/31/2023 12:01	41	40	
8/31/2023 12:02	42	40	
8/31/2023 12:03	43	40	
8/31/2023 12:04	44	41	
8/31/2023 12:05	46	41	
8/31/2023 12:06	44	41	
8/31/2023 12:07	42	41	
8/31/2023 12:08	41	41	
8/31/2023 12:09	41	41	
8/31/2023 12:10	40	41	
8/31/2023 12:11	40	41	
8/31/2023 12:12	46	42	
8/31/2023 12:13	43	42	
8/31/2023 12:14	43	42	
8/31/2023 12:15	40	42	
8/31/2023 12:16	40	42	
8/31/2023 12:17	40	42	
8/31/2023 12:18	40	42	
8/31/2023 12:19	39	41	
8/31/2023 12:20	38	41	
8/31/2023 12:21	37	40	
8/31/2023 12:22	36	40	
8/31/2023 12:23	35	39	
8/31/2023 12:24	33	39	
8/31/2023 12:25	32	38	
8/31/2023 12:26	31	38	
8/31/2023 12:27	32	37	
8/31/2023 12:28	29	36	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total		
	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:29	29	35	
8/31/2023 12:30	30	34	
8/31/2023 12:31	31	34	
8/31/2023 12:32	34	33	
8/31/2023 12:33	33	33	
8/31/2023 12:34	34	32	
8/31/2023 12:35	33	32	
8/31/2023 12:36	37	32	
8/31/2023 12:37	35	32	
8/31/2023 12:38	37	32	
8/31/2023 12:39	31	32	
8/31/2023 12:40	30	32	
8/31/2023 12:41	34	32	
8/31/2023 12:42	31	32	
8/31/2023 12:43	32	32	
8/31/2023 12:44	32	32	
8/31/2023 12:45	32	33	
8/31/2023 12:46	32	33	
8/31/2023 12:47	31	32	
8/31/2023 12:48	34	33	
8/31/2023 12:49	32	32	
8/31/2023 12:50	32	32	
8/31/2023 12:51	36	32	
8/31/2023 12:52	32	32	
8/31/2023 12:53	32	32	
8/31/2023 12:54	35	32	
8/31/2023 12:55	33	32	
8/31/2023 12:56	35	32	
8/31/2023 12:57	33	32	
8/31/2023 12:58	32	32	
8/31/2023 12:59	34	33	
8/31/2023 13:00	31	32	0.0097346
8/31/2023 13:01	32	32	
8/31/2023 13:02	36	33	
8/31/2023 13:03	32	33	
8/31/2023 13:04	32	33	
8/31/2023 13:05	33	33	
8/31/2023 13:06	32	32	
8/31/2023 13:07	32	32	
8/31/2023 13:08	34	33	
8/31/2023 13:09	31	32	
8/31/2023 13:10	31	32	
8/31/2023 13:11	31	32	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:12	31	32	
8/31/2023 13:13	31	32	
8/31/2023 13:14	31	32	
8/31/2023 13:15	32	32	
8/31/2023 13:16	31	32	
8/31/2023 13:17	31	31	
8/31/2023 13:18	30	31	
8/31/2023 13:19	30	31	
8/31/2023 13:20	32	31	
8/31/2023 13:21	32	31	
8/31/2023 13:22	30	31	
8/31/2023 13:23	31	31	
8/31/2023 13:24	31	31	
8/31/2023 13:25	31	31	
8/31/2023 13:26	32	31	
8/31/2023 13:27	31	31	
8/31/2023 13:28	32	31	
8/31/2023 13:29	33	31	
8/31/2023 13:30	33	31	
8/31/2023 13:31	32	31	
8/31/2023 13:32	31	31	
8/31/2023 13:33	31	31	
8/31/2023 13:34	31	31	
8/31/2023 13:35	32	31	
8/31/2023 13:36	32	31	
8/31/2023 13:37	32	31	
8/31/2023 13:38	32	31	
8/31/2023 13:39	32	31	
8/31/2023 13:40	32	31	
8/31/2023 13:41	33	31	
8/31/2023 13:42	32	32	
8/31/2023 13:43	32	32	
8/31/2023 13:44	32	31	
8/31/2023 13:45	31	31	
8/31/2023 13:46	32	31	
8/31/2023 13:47	32	31	
8/31/2023 13:48	36	32	
8/31/2023 13:49	36	32	
8/31/2023 13:50	34	32	
8/31/2023 13:51	33	32	
8/31/2023 13:52	32	32	
8/31/2023 13:53	32	32	
8/31/2023 13:54	33	32	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:55	33	32	0.012073
8/31/2023 13:56	37	33	
8/31/2023 13:57	30	33	
8/31/2023 13:58	33	33	
8/31/2023 13:59	36	33	
8/31/2023 14:00	30	33	
8/31/2023 14:01	31	33	
8/31/2023 14:02	30	33	
8/31/2023 14:03	30	32	
8/31/2023 14:04	31	32	
8/31/2023 14:05	30	32	
8/31/2023 14:06	31	31	
8/31/2023 14:07	32	31	
8/31/2023 14:08	31	31	
8/31/2023 14:09	31	31	
8/31/2023 14:10	32	31	
8/31/2023 14:11	31	31	
8/31/2023 14:12	32	31	
8/31/2023 14:13	34	31	
8/31/2023 14:14	34	31	
8/31/2023 14:15	31	31	
8/31/2023 14:16	31	31	
8/31/2023 14:17	29	31	
8/31/2023 14:18	31	31	
8/31/2023 14:19	30	31	
8/31/2023 14:20	61	33	
8/31/2023 14:21	33	33	
8/31/2023 14:22	30	33	
8/31/2023 14:23	36	33	
8/31/2023 14:24	28	33	
8/31/2023 14:25	28	33	
8/31/2023 14:26	29	33	
8/31/2023 14:27	30	33	
8/31/2023 14:28	29	32	
8/31/2023 14:29	29	32	
8/31/2023 14:30	29	32	
8/31/2023 14:31	30	32	
8/31/2023 14:32	27	32	
8/31/2023 14:33	28	31	
8/31/2023 14:34	28	31	
8/31/2023 14:35	28	29	
8/31/2023 14:36	29	29	
8/31/2023 14:37	28	29	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:38	28	28	
8/31/2023 14:39	28	28	
8/31/2023 14:40	28	28	
8/31/2023 14:41	28	28	
8/31/2023 14:42	28	28	
8/31/2023 14:43	29	28	
8/31/2023 14:44	29	28	
8/31/2023 14:45	30	28	
8/31/2023 14:46	30	28	
8/31/2023 14:47	36	29	
8/31/2023 14:48	92	33	
8/31/2023 14:49	32	33	
8/31/2023 14:50	33	33	
8/31/2023 14:51	31	34	
8/31/2023 14:52	33	34	
8/31/2023 14:53	35	34	
8/31/2023 14:54	34	35	
8/31/2023 14:55	33	35	
8/31/2023 14:56	34	35	
8/31/2023 14:57	32	36	
8/31/2023 14:58	34	36	
8/31/2023 14:59	44	37	
8/31/2023 15:00	57	39	0.014336
8/31/2023 15:01	69	41	
8/31/2023 15:02	41	42	
8/31/2023 15:03	42	38	
8/31/2023 15:04	36	39	
8/31/2023 15:05	42	39	
8/31/2023 15:06	44	40	
8/31/2023 15:07	39	41	
8/31/2023 15:08	41	41	
8/31/2023 15:09	38	41	
8/31/2023 15:10	39	42	
8/31/2023 15:11	38	42	
8/31/2023 15:12	37	42	
8/31/2023 15:13	39	43	
8/31/2023 15:14	40	42	
8/31/2023 15:15	51	42	
8/31/2023 15:16	44	40	
8/31/2023 15:17	37	40	
8/31/2023 15:18	37	40	
8/31/2023 15:19	37	40	
8/31/2023 15:20	37	39	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total	
		$\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 15:21	37	39	
8/31/2023 15:22	37	39	
8/31/2023 15:23	38	39	
8/31/2023 15:24	38	39	
8/31/2023 15:25	38	39	
8/31/2023 15:26	37	38	
8/31/2023 15:27	37	38	
8/31/2023 15:28	45	39	
8/31/2023 15:29	38	39	
8/31/2023 15:30	38	38	
8/31/2023 15:31	42	38	
Min	27		
Max	92		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:00			
8/31/2023 7:30			
8/31/2023 7:30			
8/31/2023 7:33	57	57	
8/31/2023 7:34	55	56	
8/31/2023 7:35	54	55	
8/31/2023 7:36	52	54	
8/31/2023 7:37	51	53	
8/31/2023 7:38	51	53	
8/31/2023 7:39	50	52	
8/31/2023 7:40	49	52	
8/31/2023 7:41	48	51	
8/31/2023 7:42	49	51	
8/31/2023 7:43	50	51	
8/31/2023 7:44	50	51	
8/31/2023 7:45	50	51	
8/31/2023 7:46	50	51	
8/31/2023 7:47	51	51	
8/31/2023 7:48	47	50	
8/31/2023 7:49	45	49	
8/31/2023 7:50	46	49	
8/31/2023 7:51	46	48	
8/31/2023 7:52	45	48	
8/31/2023 7:53	45	48	
8/31/2023 7:54	44	47	
8/31/2023 7:55	45	47	
8/31/2023 7:56	46	47	
8/31/2023 7:57	47	47	
8/31/2023 7:58	46	46	
8/31/2023 7:59	48	46	
8/31/2023 8:00	48	46	0.00096296
8/31/2023 8:01	47	46	
8/31/2023 8:02	48	46	
8/31/2023 8:03	48	46	
8/31/2023 8:04	47	46	
8/31/2023 8:05	47	46	
8/31/2023 8:06	46	46	
8/31/2023 8:07	48	46	
8/31/2023 8:08	46	46	
8/31/2023 8:09	47	46	
8/31/2023 8:10	48	47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:11	48	47	
8/31/2023 8:12	46	47	
8/31/2023 8:13	49	47	
8/31/2023 8:14	49	47	
8/31/2023 8:15	47	47	
8/31/2023 8:16	46	47	
8/31/2023 8:17	46	47	
8/31/2023 8:18	48	47	
8/31/2023 8:19	48	47	
8/31/2023 8:20	48	47	
8/31/2023 8:21	50	47	
8/31/2023 8:22	49	47	
8/31/2023 8:23	49	47	
8/31/2023 8:24	48	47	
8/31/2023 8:25	48	47	
8/31/2023 8:26	50	48	
8/31/2023 8:27	48	48	
8/31/2023 8:28	51	48	
8/31/2023 8:29	47	48	
8/31/2023 8:30	47	48	
8/31/2023 8:31	48	48	
8/31/2023 8:32	47	48	
8/31/2023 8:33	49	48	
8/31/2023 8:34	51	48	
8/31/2023 8:35	47	48	
8/31/2023 8:36	48	48	
8/31/2023 8:37	50	48	
8/31/2023 8:38	49	48	
8/31/2023 8:39	48	48	
8/31/2023 8:40	49	48	
8/31/2023 8:41	49	48	
8/31/2023 8:42	48	48	
8/31/2023 8:43	48	48	
8/31/2023 8:44	48	48	
8/31/2023 8:45	50	48	
8/31/2023 8:46	48	48	
8/31/2023 8:47	48	48	
8/31/2023 8:48	49	48	
8/31/2023 8:49	50	48	
8/31/2023 8:50	51	48	
8/31/2023 8:51	52	49	
8/31/2023 8:52	53	49	
8/31/2023 8:53	52	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:54	51	49	0.0033731
8/31/2023 8:55	49	49	
8/31/2023 8:56	48	49	
8/31/2023 8:57	48	49	
8/31/2023 8:58	48	49	
8/31/2023 8:59	47	49	
8/31/2023 9:00	47	49	
8/31/2023 9:01	48	49	
8/31/2023 9:02	47	49	
8/31/2023 9:03	48	49	
8/31/2023 9:04	50	49	
8/31/2023 9:05	50	49	
8/31/2023 9:06	54	49	
8/31/2023 9:07	52	49	
8/31/2023 9:08	50	49	
8/31/2023 9:09	48	48	
8/31/2023 9:10	48	48	
8/31/2023 9:11	48	48	
8/31/2023 9:12	48	48	
8/31/2023 9:13	48	48	
8/31/2023 9:14	48	48	
8/31/2023 9:15	48	49	
8/31/2023 9:16	48	49	
8/31/2023 9:17	49	49	
8/31/2023 9:18	49	49	
8/31/2023 9:19	49	49	
8/31/2023 9:20	50	49	
8/31/2023 9:21	50	48	
8/31/2023 9:22	49	48	
8/31/2023 9:23	60	49	
8/31/2023 9:24	50	49	
8/31/2023 9:25	48	49	
8/31/2023 9:26	47	49	
8/31/2023 9:27	47	49	
8/31/2023 9:28	47	49	
8/31/2023 9:29	46	49	
8/31/2023 9:30	46	49	
8/31/2023 9:31	47	48	
8/31/2023 9:32	46	48	
8/31/2023 9:33	46	48	
8/31/2023 9:34	45	48	
8/31/2023 9:35	46	48	
8/31/2023 9:36	46	47	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:37	46	47	0.006221
8/31/2023 9:38	45	46	
8/31/2023 9:39	45	46	
8/31/2023 9:40	46	46	
8/31/2023 9:41	47	46	
8/31/2023 9:42	47	46	
8/31/2023 9:43	47	46	
8/31/2023 9:44	47	46	
8/31/2023 9:45	46	46	
8/31/2023 9:46	46	46	
8/31/2023 9:47	46	46	
8/31/2023 9:48	48	46	
8/31/2023 9:49	48	46	
8/31/2023 9:50	46	46	
8/31/2023 9:51	46	46	
8/31/2023 9:52	47	46	
8/31/2023 9:53	47	46	
8/31/2023 9:54	47	46	
8/31/2023 9:55	46	46	
8/31/2023 9:56	45	46	
8/31/2023 9:57	47	46	
8/31/2023 9:58	46	46	
8/31/2023 9:59	48	46	
8/31/2023 10:00	49	46	
8/31/2023 10:01	49	47	
8/31/2023 10:02	49	47	
8/31/2023 10:03	49	47	
8/31/2023 10:04	47	47	
8/31/2023 10:05	48	47	
8/31/2023 10:06	47	47	
8/31/2023 10:07	47	47	
8/31/2023 10:08	48	47	
8/31/2023 10:09	48	47	
8/31/2023 10:10	49	47	
8/31/2023 10:11	50	48	
8/31/2023 10:12	50	48	
8/31/2023 10:13	52	48	
8/31/2023 10:14	51	48	
8/31/2023 10:15	49	48	
8/31/2023 10:16	51	49	
8/31/2023 10:17	51	49	
8/31/2023 10:18	51	49	
8/31/2023 10:19	53	49	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:20	51	49	
8/31/2023 10:21	51	50	
8/31/2023 10:22	52	50	
8/31/2023 10:23	53	50	
8/31/2023 10:24	53	51	
8/31/2023 10:25	55	51	
8/31/2023 10:26	53	51	
8/31/2023 10:27	57	52	
8/31/2023 10:28	56	52	
8/31/2023 10:29	56	52	
8/31/2023 10:30	57	53	
8/31/2023 10:31	57	53	
8/31/2023 10:32	57	54	
8/31/2023 10:33	56	54	
8/31/2023 10:34	57	54	
8/31/2023 10:35	59	55	
8/31/2023 10:36	56	55	
8/31/2023 10:37	56	55	
8/31/2023 10:38	56	56	
8/31/2023 10:39	57	56	
8/31/2023 10:40	56	56	
8/31/2023 10:41	57	56	
8/31/2023 10:42	58	56	
8/31/2023 10:43	58	56	
8/31/2023 10:44	59	57	
8/31/2023 10:45	58	57	
8/31/2023 10:46	62	57	
8/31/2023 10:47	60	57	
8/31/2023 10:48	58	57	
8/31/2023 10:49	57	57	
8/31/2023 10:50	55	57	
8/31/2023 10:51	55	57	
8/31/2023 10:52	55	57	
8/31/2023 10:53	53	57	
8/31/2023 10:54	53	56	
8/31/2023 10:55	53	56	
8/31/2023 10:56	53	56	
8/31/2023 10:57	54	56	
8/31/2023 10:58	53	55	
8/31/2023 10:59	53	55	
8/31/2023 11:00	53	55	0.0092032
8/31/2023 11:01	53	54	
8/31/2023 11:02	52	54	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:03	52	53	
8/31/2023 11:04	51	53	
8/31/2023 11:05	50	52	
8/31/2023 11:06	51	52	
8/31/2023 11:07	52	52	
8/31/2023 11:08	54	52	
8/31/2023 11:09	52	52	
8/31/2023 11:10	52	52	
8/31/2023 11:11	51	52	
8/31/2023 11:12	51	52	
8/31/2023 11:13	52	51	
8/31/2023 11:14	51	51	
8/31/2023 11:15	53	51	
8/31/2023 11:16	54	51	
8/31/2023 11:17	52	51	
8/31/2023 11:18	52	51	
8/31/2023 11:19	52	51	
8/31/2023 11:20	53	52	
8/31/2023 11:21	54	52	
8/31/2023 11:22	53	52	
8/31/2023 11:23	53	52	
8/31/2023 11:24	55	52	
8/31/2023 11:25	54	52	
8/31/2023 11:26	53	52	
8/31/2023 11:27	52	52	
8/31/2023 11:28	52	52	
8/31/2023 11:29	52	52	
8/31/2023 11:30	51	52	
8/31/2023 11:31	51	52	
8/31/2023 11:32	52	52	
8/31/2023 11:33	52	52	
8/31/2023 11:34	53	52	
8/31/2023 11:35	54	52	
8/31/2023 11:36	54	52	
8/31/2023 11:37	54	52	
8/31/2023 11:38	52	52	
8/31/2023 11:39	55	52	
8/31/2023 11:40	56	52	
8/31/2023 11:41	57	53	
8/31/2023 11:42	58	53	
8/31/2023 11:43	57	53	
8/31/2023 11:44	60	54	
8/31/2023 11:45	56	54	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:46	60	55	0.012356
8/31/2023 11:47	56	55	
8/31/2023 11:48	55	55	
8/31/2023 11:49	52	55	
8/31/2023 11:50	52	55	
8/31/2023 11:51	53	55	
8/31/2023 11:52	53	55	
8/31/2023 11:53	56	55	
8/31/2023 11:54	55	55	
8/31/2023 11:55	55	55	
8/31/2023 11:56	56	55	
8/31/2023 11:57	55	55	
8/31/2023 11:58	54	55	
8/31/2023 11:59	54	54	
8/31/2023 12:00	56	54	
8/31/2023 12:01	55	54	
8/31/2023 12:02	55	54	
8/31/2023 12:03	56	54	
8/31/2023 12:04	58	54	
8/31/2023 12:05	58	55	
8/31/2023 12:06	58	55	
8/31/2023 12:07	60	56	
8/31/2023 12:08	56	56	
8/31/2023 12:09	55	56	
8/31/2023 12:10	54	56	
8/31/2023 12:11	55	55	
8/31/2023 12:12	54	55	
8/31/2023 12:13	56	56	
8/31/2023 12:14	55	56	
8/31/2023 12:15	54	55	
8/31/2023 12:16	54	55	
8/31/2023 12:17	54	55	
8/31/2023 12:18	55	55	
8/31/2023 12:19	70	56	
8/31/2023 12:20	55	56	
8/31/2023 12:21	56	56	
8/31/2023 12:22	53	55	
8/31/2023 12:23	50	55	
8/31/2023 12:24	48	54	
8/31/2023 12:25	47	54	
8/31/2023 12:26	44	53	
8/31/2023 12:27	45	53	
8/31/2023 12:28	43	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:29	44	51	
8/31/2023 12:30	45	50	
8/31/2023 12:31	45	50	
8/31/2023 12:32	46	49	
8/31/2023 12:33	49	49	
8/31/2023 12:34	48	47	
8/31/2023 12:35	48	47	
8/31/2023 12:36	46	46	
8/31/2023 12:37	46	46	
8/31/2023 12:38	46	46	
8/31/2023 12:39	48	46	
8/31/2023 12:40	45	45	
8/31/2023 12:41	44	45	
8/31/2023 12:42	45	45	
8/31/2023 12:43	46	46	
8/31/2023 12:44	45	46	
8/31/2023 12:45	45	46	
8/31/2023 12:46	45	46	
8/31/2023 12:47	46	46	
8/31/2023 12:48	46	45	
8/31/2023 12:49	46	45	
8/31/2023 12:50	46	45	
8/31/2023 12:51	46	45	
8/31/2023 12:52	47	45	
8/31/2023 12:53	46	45	
8/31/2023 12:54	46	45	
8/31/2023 12:55	47	45	
8/31/2023 12:56	47	45	
8/31/2023 12:57	46	46	
8/31/2023 12:58	45	45	
8/31/2023 12:59	47	46	
8/31/2023 13:00	46	46	0.01558
8/31/2023 13:01	46	46	
8/31/2023 13:02	45	46	
8/31/2023 13:03	46	46	
8/31/2023 13:04	45	46	
8/31/2023 13:05	44	45	
8/31/2023 13:06	45	45	
8/31/2023 13:07	44	45	
8/31/2023 13:08	44	45	
8/31/2023 13:09	45	45	
8/31/2023 13:10	45	45	
8/31/2023 13:11	44	45	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:12	44	45	
8/31/2023 13:13	44	44	
8/31/2023 13:14	44	44	
8/31/2023 13:15	44	44	
8/31/2023 13:16	44	44	
8/31/2023 13:17	44	44	
8/31/2023 13:18	45	44	
8/31/2023 13:19	45	44	
8/31/2023 13:20	44	44	
8/31/2023 13:21	45	44	
8/31/2023 13:22	45	44	
8/31/2023 13:23	46	44	
8/31/2023 13:24	51	44	
8/31/2023 13:25	46	45	
8/31/2023 13:26	46	45	
8/31/2023 13:27	46	45	
8/31/2023 13:28	46	45	
8/31/2023 13:29	47	45	
8/31/2023 13:30	47	45	
8/31/2023 13:31	46	45	
8/31/2023 13:32	47	46	
8/31/2023 13:33	46	46	
8/31/2023 13:34	46	46	
8/31/2023 13:35	46	46	
8/31/2023 13:36	46	46	
8/31/2023 13:37	46	46	
8/31/2023 13:38	46	46	
8/31/2023 13:39	46	46	
8/31/2023 13:40	46	46	
8/31/2023 13:41	46	46	
8/31/2023 13:42	45	46	
8/31/2023 13:43	46	46	
8/31/2023 13:44	46	46	
8/31/2023 13:45	46	46	
8/31/2023 13:46	46	46	
8/31/2023 13:47	46	45	
8/31/2023 13:48	46	45	
8/31/2023 13:49	46	45	
8/31/2023 13:50	46	45	
8/31/2023 13:51	49	46	
8/31/2023 13:52	46	46	
8/31/2023 13:53	46	46	
8/31/2023 13:54	45	46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:55	45	46	
8/31/2023 13:56	45	45	
8/31/2023 13:57	44	45	
8/31/2023 13:58	45	45	
8/31/2023 13:59	45	45	
8/31/2023 14:00	44	45	0.018721
8/31/2023 14:01	44	45	
8/31/2023 14:02	44	45	
8/31/2023 14:03	45	45	
8/31/2023 14:04	45	45	
8/31/2023 14:05	45	45	
8/31/2023 14:06	45	44	
8/31/2023 14:07	44	44	
8/31/2023 14:08	46	44	
8/31/2023 14:09	45	44	
8/31/2023 14:10	48	44	
8/31/2023 14:11	47	45	
8/31/2023 14:12	47	45	
8/31/2023 14:13	47	45	
8/31/2023 14:14	47	45	
8/31/2023 14:15	47	45	
8/31/2023 14:16	49	46	
8/31/2023 14:17	47	46	
8/31/2023 14:18	49	46	
8/31/2023 14:19	47	46	
8/31/2023 14:20	48	46	
8/31/2023 14:21	53	47	
8/31/2023 14:22	46	47	
8/31/2023 14:23	45	47	
8/31/2023 14:24	44	47	
8/31/2023 14:25	44	47	
8/31/2023 14:26	43	46	
8/31/2023 14:27	43	46	
8/31/2023 14:28	44	46	
8/31/2023 14:29	45	46	
8/31/2023 14:30	44	46	
8/31/2023 14:31	44	45	
8/31/2023 14:32	45	45	
8/31/2023 14:33	45	45	
8/31/2023 14:34	43	45	
8/31/2023 14:35	43	44	
8/31/2023 14:36	43	44	
8/31/2023 14:37	43	43	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:38	44	43	
8/31/2023 14:39	44	43	
8/31/2023 14:40	45	43	
8/31/2023 14:41	44	43	
8/31/2023 14:42	43	43	
8/31/2023 14:43	44	43	
8/31/2023 14:44	44	43	
8/31/2023 14:45	44	43	
8/31/2023 14:46	44	43	
8/31/2023 14:47	49	44	
8/31/2023 14:48	47	44	
8/31/2023 14:49	49	44	
8/31/2023 14:50	48	45	
8/31/2023 14:51	48	45	
8/31/2023 14:52	49	45	
8/31/2023 14:53	55	46	
8/31/2023 14:54	51	46	
8/31/2023 14:55	50	47	
8/31/2023 14:56	50	47	
8/31/2023 14:57	47	47	
8/31/2023 14:58	50	48	
8/31/2023 14:59	60	49	
8/31/2023 15:00	57	50	0.021797
8/31/2023 15:01	61	51	
8/31/2023 15:02	53	51	
8/31/2023 15:03	54	52	
8/31/2023 15:04	53	52	
8/31/2023 15:05	53	52	
8/31/2023 15:06	55	53	
8/31/2023 15:07	54	53	
8/31/2023 15:08	55	53	
8/31/2023 15:09	58	54	
8/31/2023 15:10	68	55	
8/31/2023 15:11	57	55	
8/31/2023 15:12	55	56	
8/31/2023 15:13	56	56	
8/31/2023 15:14	56	56	
8/31/2023 15:15	57	56	
8/31/2023 15:16	58	56	
8/31/2023 15:17	57	56	
8/31/2023 15:18	54	56	
8/31/2023 15:19	53	56	
8/31/2023 15:20	54	56	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 15:21	52	56	
8/31/2023 15:22	52	56	
8/31/2023 15:23	54	56	
8/31/2023 15:24	53	55	
8/31/2023 15:25	53	54	
8/31/2023 15:26	52	54	
8/31/2023 15:27	52	54	
8/31/2023 15:28	52	53	
8/31/2023 15:29	53	53	
8/31/2023 15:30	54	53	
8/31/2023 15:31	54	53	
8/31/2023 15:32	54	53	
8/31/2023 15:33	54	53	
8/31/2023 15:34	52	53	
8/31/2023 15:35	52	52	
Min	43		
Max	70		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 7:00			
8/31/2023 7:36			
8/31/2023 7:36			
8/31/2023 7:39	56	56	
8/31/2023 7:40	58	57	
8/31/2023 7:41	57	57	
8/31/2023 7:42	57	57	
8/31/2023 7:43	57	57	
8/31/2023 7:44	56	56	
8/31/2023 7:45	56	56	
8/31/2023 7:46	56	56	
8/31/2023 7:47	54	56	
8/31/2023 7:48	51	55	
8/31/2023 7:49	51	55	
8/31/2023 7:50	49	54	
8/31/2023 7:51	49	54	
8/31/2023 7:52	48	53	
8/31/2023 7:53	48	53	
8/31/2023 7:54	49	53	
8/31/2023 7:55	48	52	
8/31/2023 7:56	48	51	
8/31/2023 7:57	48	51	
8/31/2023 7:58	49	50	
8/31/2023 7:59	51	50	
8/31/2023 8:00	50	49	0.00057143
8/31/2023 8:01	52	49	
8/31/2023 8:02	52	49	
8/31/2023 8:03	53	49	
8/31/2023 8:04	52	49	
8/31/2023 8:05	50	49	
8/31/2023 8:06	49	49	
8/31/2023 8:07	51	50	
8/31/2023 8:08	51	50	
8/31/2023 8:09	51	50	
8/31/2023 8:10	53	50	
8/31/2023 8:11	55	51	
8/31/2023 8:12	53	51	
8/31/2023 8:13	56	51	
8/31/2023 8:14	55	52	
8/31/2023 8:15	55	52	
8/31/2023 8:16	54	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 8:17	53	52	
8/31/2023 8:18	54	52	
8/31/2023 8:19	53	52	
8/31/2023 8:20	52	53	
8/31/2023 8:21	52	53	
8/31/2023 8:22	52	53	
8/31/2023 8:23	51	53	
8/31/2023 8:24	51	53	
8/31/2023 8:25	53	53	
8/31/2023 8:26	52	53	
8/31/2023 8:27	53	53	
8/31/2023 8:28	51	52	
8/31/2023 8:29	51	52	
8/31/2023 8:30	50	52	
8/31/2023 8:31	50	51	
8/31/2023 8:32	51	51	
8/31/2023 8:33	50	51	
8/31/2023 8:34	50	51	
8/31/2023 8:35	50	51	
8/31/2023 8:36	50	51	
8/31/2023 8:37	50	50	
8/31/2023 8:38	50	50	
8/31/2023 8:39	50	50	
8/31/2023 8:40	50	50	
8/31/2023 8:41	50	50	
8/31/2023 8:42	51	50	
8/31/2023 8:43	51	50	
8/31/2023 8:44	54	50	
8/31/2023 8:45	51	50	
8/31/2023 8:46	52	50	
8/31/2023 8:47	51	50	
8/31/2023 8:48	54	50	
8/31/2023 8:49	55	51	
8/31/2023 8:50	56	51	
8/31/2023 8:51	56	52	
8/31/2023 8:52	55	52	
8/31/2023 8:53	53	52	
8/31/2023 8:54	51	52	
8/31/2023 8:55	52	52	
8/31/2023 8:56	51	52	
8/31/2023 8:57	51	52	
8/31/2023 8:58	51	52	
8/31/2023 8:59	52	52	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:00	51	52	0.0030857
8/31/2023 9:01	53	52	
8/31/2023 9:02	52	52	
8/31/2023 9:03	53	52	
8/31/2023 9:04	52	52	
8/31/2023 9:05	52	52	
8/31/2023 9:06	52	52	
8/31/2023 9:07	53	51	
8/31/2023 9:08	51	51	
8/31/2023 9:09	51	51	
8/31/2023 9:10	51	51	
8/31/2023 9:11	51	51	
8/31/2023 9:12	51	51	
8/31/2023 9:13	51	51	
8/31/2023 9:14	51	51	
8/31/2023 9:15	51	51	
8/31/2023 9:16	50	51	
8/31/2023 9:17	51	51	
8/31/2023 9:18	51	51	
8/31/2023 9:19	51	51	
8/31/2023 9:20	51	51	
8/31/2023 9:21	50	51	
8/31/2023 9:22	49	50	
8/31/2023 9:23	49	50	
8/31/2023 9:24	49	50	
8/31/2023 9:25	50	50	
8/31/2023 9:26	49	50	
8/31/2023 9:27	49	50	
8/31/2023 9:28	49	50	
8/31/2023 9:29	48	49	
8/31/2023 9:30	49	49	
8/31/2023 9:31	48	49	
8/31/2023 9:32	47	49	
8/31/2023 9:33	47	49	
8/31/2023 9:34	48	48	
8/31/2023 9:35	48	48	
8/31/2023 9:36	48	48	
8/31/2023 9:37	48	48	
8/31/2023 9:38	48	48	
8/31/2023 9:39	49	48	
8/31/2023 9:40	56	48	
8/31/2023 9:41	51	48	
8/31/2023 9:42	49	48	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 9:43	50	48	0.0060794
8/31/2023 9:44	49	49	
8/31/2023 9:45	48	48	
8/31/2023 9:46	49	49	
8/31/2023 9:47	49	49	
8/31/2023 9:48	48	49	
8/31/2023 9:49	48	49	
8/31/2023 9:50	48	49	
8/31/2023 9:51	49	49	
8/31/2023 9:52	50	49	
8/31/2023 9:53	48	49	
8/31/2023 9:54	48	49	
8/31/2023 9:55	49	48	
8/31/2023 9:56	49	48	
8/31/2023 9:57	50	48	
8/31/2023 9:58	49	48	
8/31/2023 9:59	51	48	
8/31/2023 10:00	53	49	
8/31/2023 10:01	51	49	
8/31/2023 10:02	51	49	
8/31/2023 10:03	52	49	
8/31/2023 10:04	50	49	
8/31/2023 10:05	51	50	
8/31/2023 10:06	49	50	
8/31/2023 10:07	50	50	
8/31/2023 10:08	50	50	
8/31/2023 10:09	51	50	
8/31/2023 10:10	52	50	
8/31/2023 10:11	52	50	
8/31/2023 10:12	52	50	
8/31/2023 10:13	53	51	
8/31/2023 10:14	53	51	
8/31/2023 10:15	52	51	
8/31/2023 10:16	52	51	
8/31/2023 10:17	53	51	
8/31/2023 10:18	53	51	
8/31/2023 10:19	53	51	
8/31/2023 10:20	57	52	
8/31/2023 10:21	86	54	
8/31/2023 10:22	56	55	
8/31/2023 10:23	55	55	
8/31/2023 10:24	55	55	
8/31/2023 10:25	57	55	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 10:26	57	56	0.0092262
8/31/2023 10:27	58	56	
8/31/2023 10:28	59	57	
8/31/2023 10:29	58	57	
8/31/2023 10:30	59	57	
8/31/2023 10:31	58	58	
8/31/2023 10:32	57	58	
8/31/2023 10:33	59	58	
8/31/2023 10:34	58	59	
8/31/2023 10:35	61	59	
8/31/2023 10:36	59	57	
8/31/2023 10:37	59	57	
8/31/2023 10:38	60	58	
8/31/2023 10:39	59	58	
8/31/2023 10:40	59	58	
8/31/2023 10:41	62	59	
8/31/2023 10:42	61	59	
8/31/2023 10:43	60	59	
8/31/2023 10:44	60	59	
8/31/2023 10:45	60	59	
8/31/2023 10:46	62	59	
8/31/2023 10:47	61	60	
8/31/2023 10:48	60	60	
8/31/2023 10:49	59	60	
8/31/2023 10:50	56	59	
8/31/2023 10:51	56	59	
8/31/2023 10:52	57	59	
8/31/2023 10:53	58	59	
8/31/2023 10:54	55	59	
8/31/2023 10:55	55	58	
8/31/2023 10:56	56	58	
8/31/2023 10:57	55	58	
8/31/2023 10:58	54	57	
8/31/2023 10:59	55	57	
8/31/2023 11:00	56	57	
8/31/2023 11:01	54	56	
8/31/2023 11:02	52	55	
8/31/2023 11:03	53	55	
8/31/2023 11:04	52	54	
8/31/2023 11:05	51	54	
8/31/2023 11:06	55	54	
8/31/2023 11:07	57	54	
8/31/2023 11:08	54	54	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:09	53	54	
8/31/2023 11:10	54	54	
8/31/2023 11:11	52	53	
8/31/2023 11:12	52	53	
8/31/2023 11:13	52	53	
8/31/2023 11:14	62	53	
8/31/2023 11:15	59	54	
8/31/2023 11:16	53	54	
8/31/2023 11:17	52	54	
8/31/2023 11:18	52	54	
8/31/2023 11:19	53	54	
8/31/2023 11:20	54	54	
8/31/2023 11:21	54	54	
8/31/2023 11:22	54	54	
8/31/2023 11:23	53	53	
8/31/2023 11:24	55	54	
8/31/2023 11:25	55	54	
8/31/2023 11:26	56	54	
8/31/2023 11:27	52	54	
8/31/2023 11:28	52	54	
8/31/2023 11:29	51	53	
8/31/2023 11:30	53	53	
8/31/2023 11:31	52	53	
8/31/2023 11:32	53	53	
8/31/2023 11:33	54	53	
8/31/2023 11:34	53	53	
8/31/2023 11:35	55	53	
8/31/2023 11:36	54	53	
8/31/2023 11:37	53	53	
8/31/2023 11:38	54	53	
8/31/2023 11:39	55	53	
8/31/2023 11:40	57	53	
8/31/2023 11:41	56	53	
8/31/2023 11:42	56	53	
8/31/2023 11:43	57	54	
8/31/2023 11:44	56	54	
8/31/2023 11:45	57	54	
8/31/2023 11:46	59	55	
8/31/2023 11:47	55	55	
8/31/2023 11:48	53	55	
8/31/2023 11:49	52	55	
8/31/2023 11:50	57	55	
8/31/2023 11:51	55	55	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 11:52	54	55	0.012524
8/31/2023 11:53	55	55	
8/31/2023 11:54	55	55	
8/31/2023 11:55	55	55	
8/31/2023 11:56	55	55	
8/31/2023 11:57	54	55	
8/31/2023 11:58	54	55	
8/31/2023 11:59	54	54	
8/31/2023 12:00	54	54	
8/31/2023 12:01	55	54	
8/31/2023 12:02	55	54	
8/31/2023 12:03	58	54	
8/31/2023 12:04	57	55	
8/31/2023 12:05	69	55	
8/31/2023 12:06	61	56	
8/31/2023 12:07	57	56	
8/31/2023 12:08	55	56	
8/31/2023 12:09	55	56	
8/31/2023 12:10	54	56	
8/31/2023 12:11	54	56	
8/31/2023 12:12	55	56	
8/31/2023 12:13	55	56	
8/31/2023 12:14	55	56	
8/31/2023 12:15	55	56	
8/31/2023 12:16	54	56	
8/31/2023 12:17	53	56	
8/31/2023 12:18	52	56	
8/31/2023 12:19	54	55	
8/31/2023 12:20	52	54	
8/31/2023 12:21	53	54	
8/31/2023 12:22	50	53	
8/31/2023 12:23	48	53	
8/31/2023 12:24	48	52	
8/31/2023 12:25	50	52	
8/31/2023 12:26	42	51	
8/31/2023 12:27	43	50	
8/31/2023 12:28	42	50	
8/31/2023 12:29	42	49	
8/31/2023 12:30	45	48	
8/31/2023 12:31	43	47	
8/31/2023 12:32	44	47	
8/31/2023 12:33	45	46	
8/31/2023 12:34	45	46	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 12:35	51	46	0.015834
8/31/2023 12:36	44	45	
8/31/2023 12:37	43	45	
8/31/2023 12:38	45	44	
8/31/2023 12:39	46	44	
8/31/2023 12:40	46	44	
8/31/2023 12:41	43	44	
8/31/2023 12:42	45	44	
8/31/2023 12:43	44	44	
8/31/2023 12:44	44	44	
8/31/2023 12:45	43	44	
8/31/2023 12:46	44	44	
8/31/2023 12:47	44	44	
8/31/2023 12:48	44	44	
8/31/2023 12:49	44	44	
8/31/2023 12:50	45	44	
8/31/2023 12:51	45	44	
8/31/2023 12:52	47	44	
8/31/2023 12:53	46	44	
8/31/2023 12:54	44	44	
8/31/2023 12:55	45	44	
8/31/2023 12:56	45	44	
8/31/2023 12:57	44	44	
8/31/2023 12:58	43	44	
8/31/2023 12:59	44	44	
8/31/2023 13:00	54	45	
8/31/2023 13:01	50	45	
8/31/2023 13:02	45	45	
8/31/2023 13:03	43	45	
8/31/2023 13:04	43	45	
8/31/2023 13:05	43	45	
8/31/2023 13:06	42	45	
8/31/2023 13:07	44	45	
8/31/2023 13:08	43	44	
8/31/2023 13:09	42	44	
8/31/2023 13:10	43	44	
8/31/2023 13:11	43	44	
8/31/2023 13:12	42	44	
8/31/2023 13:13	42	44	
8/31/2023 13:14	42	44	
8/31/2023 13:15	43	43	
8/31/2023 13:16	42	42	
8/31/2023 13:17	42	42	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 13:18	43	42	
8/31/2023 13:19	42	42	
8/31/2023 13:20	44	42	
8/31/2023 13:21	50	43	
8/31/2023 13:22	43	43	
8/31/2023 13:23	42	43	
8/31/2023 13:24	42	43	
8/31/2023 13:25	43	43	
8/31/2023 13:26	42	42	
8/31/2023 13:27	44	43	
8/31/2023 13:28	44	43	
8/31/2023 13:29	44	43	
8/31/2023 13:30	44	43	
8/31/2023 13:31	43	43	
8/31/2023 13:32	44	43	
8/31/2023 13:33	45	43	
8/31/2023 13:34	44	43	
8/31/2023 13:35	44	43	
8/31/2023 13:36	44	43	
8/31/2023 13:37	44	43	
8/31/2023 13:38	45	43	
8/31/2023 13:39	44	43	
8/31/2023 13:40	44	43	
8/31/2023 13:41	43	44	
8/31/2023 13:42	44	44	
8/31/2023 13:43	44	44	
8/31/2023 13:44	69	45	
8/31/2023 13:45	52	46	
8/31/2023 13:46	45	46	
8/31/2023 13:47	43	46	
8/31/2023 13:48	44	46	
8/31/2023 13:49	43	46	
8/31/2023 13:50	68	47	
8/31/2023 13:51	45	47	
8/31/2023 13:52	43	47	
8/31/2023 13:53	46	47	
8/31/2023 13:54	45	47	
8/31/2023 13:55	43	47	
8/31/2023 13:56	42	47	
8/31/2023 13:57	41	47	
8/31/2023 13:58	42	47	
8/31/2023 13:59	43	45	
8/31/2023 14:00	42	45	0.019015

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:01	42	44	
8/31/2023 14:02	41	44	
8/31/2023 14:03	42	44	
8/31/2023 14:04	42	44	
8/31/2023 14:05	42	42	
8/31/2023 14:06	41	42	
8/31/2023 14:07	46	42	
8/31/2023 14:08	45	42	
8/31/2023 14:09	44	42	
8/31/2023 14:10	45	42	
8/31/2023 14:11	45	42	
8/31/2023 14:12	50	43	
8/31/2023 14:13	45	43	
8/31/2023 14:14	45	43	
8/31/2023 14:15	46	44	
8/31/2023 14:16	44	44	
8/31/2023 14:17	45	44	
8/31/2023 14:18	42	44	
8/31/2023 14:19	43	44	
8/31/2023 14:20	44	44	
8/31/2023 14:21	47	45	
8/31/2023 14:22	44	44	
8/31/2023 14:23	41	44	
8/31/2023 14:24	41	44	
8/31/2023 14:25	39	44	
8/31/2023 14:26	41	43	
8/31/2023 14:27	41	43	
8/31/2023 14:28	40	42	
8/31/2023 14:29	46	42	
8/31/2023 14:30	42	42	
8/31/2023 14:31	41	42	
8/31/2023 14:32	41	42	
8/31/2023 14:33	42	42	
8/31/2023 14:34	42	42	
8/31/2023 14:35	41	41	
8/31/2023 14:36	42	41	
8/31/2023 14:37	41	41	
8/31/2023 14:38	41	41	
8/31/2023 14:39	40	41	
8/31/2023 14:40	40	41	
8/31/2023 14:41	40	41	
8/31/2023 14:42	41	41	
8/31/2023 14:43	50	42	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 14:44	41	41	0.021688
8/31/2023 14:45	41	41	
8/31/2023 14:46	42	41	
8/31/2023 14:47	43	41	
8/31/2023 14:48	43	41	
8/31/2023 14:49	46	42	
8/31/2023 14:50	44	42	
8/31/2023 14:51	43	42	
8/31/2023 14:52	45	42	
8/31/2023 14:53	45	42	
8/31/2023 14:54			
8/31/2023 14:55			
8/31/2023 14:56	46	43	
8/31/2023 14:57	45	44	
8/31/2023 14:58	61	45	
8/31/2023 14:59	68	47	
8/31/2023 15:00	70	49	
8/31/2023 15:01	63	50	
8/31/2023 15:02	54	51	
8/31/2023 15:03	52	52	
8/31/2023 15:04	53	53	
8/31/2023 15:05	68	54	
8/31/2023 15:06	53	55	
8/31/2023 15:07	54	56	
8/31/2023 15:08	55	57	
8/31/2023 15:09	69	57	
8/31/2023 15:10	62	58	
8/31/2023 15:11	54	58	
8/31/2023 15:12	62	59	
8/31/2023 15:13	59	59	
8/31/2023 15:14	54	58	
8/31/2023 15:15	52	57	
8/31/2023 15:16	58	57	
8/31/2023 15:17	52	57	
8/31/2023 15:18	54	57	
8/31/2023 15:19	53	57	
8/31/2023 15:20	54	56	
8/31/2023 15:21	51	56	
8/31/2023 15:22	49	55	
8/31/2023 15:23	50	55	
8/31/2023 15:24	51	54	
8/31/2023 15:25	51	53	
8/31/2023 15:26	50	53	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
8/31/2023 15:27	52	52	
8/31/2023 15:28	51	52	
8/31/2023 15:29	51	51	
8/31/2023 15:30	51	51	
8/31/2023 15:31	52	51	
8/31/2023 15:32	53	51	
8/31/2023 15:33	53	51	
8/31/2023 15:34	52	51	
8/31/2023 15:35	51	51	
8/31/2023 15:36	51	51	
8/31/2023 15:37	51	51	
8/31/2023 15:38	52	51	
8/31/2023 15:39	53	51	
8/31/2023 15:40	53	51	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Air Monitoring Station: AMS-01

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 7:00												
9/1/2023 7:11												
9/1/2023 7:11												
9/1/2023 7:12	19.3	66.7	68.9	1009	1009	5.9	1.8	212.9	212.9			
9/1/2023 7:13	18.5	65.4	71.4	1009	1009	5.9	2	197.1	205	1	1	
9/1/2023 7:14									204.33	1	1	
9/1/2023 7:14	17.9	64.3	73.7	1009	1009	7.6	2	203				
9/1/2023 7:15									205.65	1	1	
9/1/2023 7:15	17.6	63.7	75.7	1009	1009	7.6	2.1	209.6				
9/1/2023 7:15												
9/1/2023 7:16	17.3	63.1	77.7	1009	1009	7.6	2.1	209.6	206.44	1	1	
9/1/2023 7:17												
9/1/2023 7:18	17.2	63	79.9	1009	1009	5.4	1.1	152.5	197.45			
9/1/2023 7:19	16.8	62.3	80.9	1009	1009	8.3	1.8	187.6	196.04			
9/1/2023 7:20	16.6	62	81.7	1009	1009	8.3	2.3	180.4	194.09			
9/1/2023 7:21	16.4	61.6	82.6	1009	1009	8.3	2.2	176.5	192.13			
9/1/2023 7:22	16.4	61.4	83.4	1009	1009	8.3	2.1	182.8	191.2			
9/1/2023 7:23	16.3	61.3	83.9	1009	1009	8.3	2	180.6	190.24			
9/1/2023 7:24	16.2	61.1	84.2	1009	1009	8.3	2	179.2	189.32			
9/1/2023 7:25	16.1	61	84.5	1009	1009	8.3	1.9	183.9	188.9			
9/1/2023 7:26	16.1	60.9	84.9	1009	1009	8.3	2	186.5	188.73			
9/1/2023 7:27	16	60.8	85.4	1009	1009	8.3	2	185.1	186.74			
9/1/2023 7:28	16	60.8	85.7	1009	1009	7.9	2	187.4	186.05			
9/1/2023 7:29	15.9	60.7	86	1009	1009	7.9	1.9	192.6	185.31			
9/1/2023 7:30	15.9	60.6	86.4	1009	1009	8.1	1.9	201	184.69			
9/1/2023 7:31	15.9	60.6	86.7	1009	1009	8.1	1.9	196.1	183.73			
9/1/2023 7:32	15.9	60.6	86.8	1009	1009	8.1	1.9	204.4	185.11			
9/1/2023 7:33	15.9	60.6	87.1	1010	1010	8.1	1.8	206.8	188.73			
9/1/2023 7:34	15.9	60.6	87.2	1009	1009	8.1	1.8	205.8	189.94			
9/1/2023 7:35	15.9	60.6	87.3	1010	1010	8.1	1.7	206.4	191.67			
9/1/2023 7:36	15.9	60.6	87.4	1010	1010	8.1	1.6	206.9	193.7			
9/1/2023 7:37	15.9	60.6	87.4	1010	1010	9.1	1.7	205.9	195.24			
9/1/2023 7:38	15.9	60.6	87.6	1010	1010	9.1	1.7	209.9	197.19			
9/1/2023 7:39	15.9	60.6	87.7	1010	1010	9.1	2.1	199.6	198.55			
9/1/2023 7:40	15.9	60.6	87.8	1010	1010	9.1	2.1	197.5	199.46			
9/1/2023 7:41	16	60.7	87.9	1010	1010	9.1	2.2	187.3	199.51			
9/1/2023 7:42	16	60.8	87.9	1010	1010	9.1	2.4	187.6	199.68			
9/1/2023 7:43	16	60.8	88	1010	1010	9.1	2.6	185.7	199.57			
9/1/2023 7:44	16	60.8	88.3	1010	1010	9.1	2.6	184.3	199.01			
9/1/2023 7:45	16	60.8	88.4	1010	1010	9.1	2.8	187.6	198.12			
9/1/2023 7:46	16.1	60.9	88.5	1010	1010	9.1	2.7	183.7	197.29			
9/1/2023 7:47	16.1	61	88.6	1010	1010	8.3	2.6	182.8	195.85			
9/1/2023 7:48	16.1	61	88.5	1010	1010	8	2.6	192.8	194.92			
9/1/2023 7:49	16.1	61	88.7	1010	1010	8	2.7	193.4	194.09			
9/1/2023 7:50	16.1	61	88.6	1010	1010	11	2.8	193.4	193.23			
9/1/2023 7:51	16.1	61	88.9	1010	1010	11	2.6	194.1	192.37			
9/1/2023 7:52	16.1	61	89.2	1010	1010	11	2.6	191.3	191.4			
9/1/2023 7:53	16.1	61	89.1	1010	1010	11	2.8	189.6	190.05			
9/1/2023 7:54	16.1	61	89.2	1010	1010	11	2.7	186.4	189.17			
9/1/2023 7:55	16.1	61	89.4	1010	1010	11	2.8	188.1	188.54			
9/1/2023 7:56	16.1	61	89.2	1010	1010	11	2.8	187.3	188.54			
9/1/2023 7:57	16.1	61	89.3	1010	1010	11	2.7	182.1	188.17			
9/1/2023 7:58	16.1	61	89.4	1010	1010	11	2.6	181.2	187.87			
9/1/2023 7:59	16.1	61	89.5	1010	1010	9.6	2.3	181.9	187.71			
9/1/2023 8:00	16.2	61.1	89.6	1010	1010	9.6	2.3	179	187.14			
9/1/2023 8:01	16.2	61.2	89.7	1010	1010	9.6	2.4	183.2	187.11			

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 8:02	16.2	61.2	89.6	1010	1010	8	2.2	185.9	187.31			
9/1/2023 8:03	16.2	61.2	89.7	1010	1010	8	2.2	182	186.59			
9/1/2023 8:04	16.3	61.3	89.6	1010	1010	8	2.2	180.5	185.73			
9/1/2023 8:05	16.3	61.3	89.5	1010	1010	9.1	2.1	178.1	184.71			
9/1/2023 8:06	16.2	61.2	89.2	1010	1010	9.1	2.2	182.7	183.95			
9/1/2023 8:07	16.2	61.2	89.2	1010	1010	9.1	2.1	183.5	183.43			
9/1/2023 8:08	16.2	61.2	89.2	1010	1010	9.4	2.1	186.4	183.22			
9/1/2023 8:09	16.2	61.2	89.1	1009	1009	9.4	2.3	190	183.46			
9/1/2023 8:10	16.1	61	89.2	1009	1009	9.4	2.3	189.6	183.56			
9/1/2023 8:11	16.1	61	89.3	1010	1010	11	2.5	183.5	183.31			
9/1/2023 8:12	16.1	61	89.5	1010	1010	11	2.5	189.6	183.81			
9/1/2023 8:13	16.1	61	89.6	1010	1010	11	2.3	196.9	184.85			
9/1/2023 8:14	16.1	61	89.3	1010	1010	11	2.4	197.5	185.89			
9/1/2023 8:15	16.1	61	89.3	1010	1010	11	2.2	188.8	186.55			
9/1/2023 8:16	16	60.8	89.2	1010	1010	11	2.2	185.5	186.7			
9/1/2023 8:17	16	60.8	89.4	1010	1010	11	2.2	187.7	186.82			
9/1/2023 8:18	16	60.8	89.3	1010	1010	11	2.1	192.7	187.53			
9/1/2023 8:19	16	60.8	89.3	1010	1010	11	2.1	190.2	188.18			
9/1/2023 8:20	16	60.9	89	1010	1010	7.4	1.9	200.3	189.66			
9/1/2023 8:21	16	60.8	88.7	1010	1010	7.4	1.8	200.2	190.83			
9/1/2023 8:22	16	60.8	88.6	1010	1010	7.4	1.8	196.5	191.69			
9/1/2023 8:23	16	60.8	88.2	1010	1010	7.3	1.8	207.2	193.08			
9/1/2023 8:24	16	60.8	88.1	1010	1010	7.3	1.8	220.7	195.13			
9/1/2023 8:25	16	60.8	88	1010	1010	7.3	1.9	229.4	197.78			
9/1/2023 8:26	16.1	61	87.9	1010	1010	7.3	2	238.4	201.44			
9/1/2023 8:27	16.1	61	87.8	1010	1010	7.3	1.8	239	204.73			
9/1/2023 8:28	16.2	61.1	87.7	1010	1010	7.3	1.8	245.4	207.97			
9/1/2023 8:29	16.2	61.2	87.6	1010	1010	7.3	1.7	259.1	212.07			
9/1/2023 8:30	16.2	61.2	87.4	1010	1010	7.3	1.8	256.6	216.59			
9/1/2023 8:31	16.3	61.3	87.2	1010	1010	7.3	1.9	252	221.03			
9/1/2023 8:32	16.3	61.3	87.4	1010	1010	6.6	1.7	250	225.18			
9/1/2023 8:33	16.3	61.4	87.3	1010	1010	9.1	1.8	251.8	229.12			
9/1/2023 8:34	16.3	61.4	87.2	1010	1010	9.1	1.8	257.4	233.6			
9/1/2023 8:35	16.3	61.4	87.1	1010	1010	9.1	1.9	242.8	236.43			
9/1/2023 8:36	16.3	61.4	86.8	1010	1010	9.1	2	236.3	238.84			
9/1/2023 8:37	16.3	61.4	87	1010	1010	9.1	2	218.2	240.29			
9/1/2023 8:38	16.3	61.4	86.9	1010	1010	9.1	2.1	206.5	240.24			
9/1/2023 8:39	16.3	61.4	86.8	1010	1010	9.1	2.1	197	238.66			
9/1/2023 8:40	16.3	61.4	86.8	1010	1010	9.1	2.1	194.6	236.34			
9/1/2023 8:41	16.3	61.4	86.9	1010	1010	9.1	2.2	189.7	233.09			
9/1/2023 8:42	16.3	61.4	86.6	1010	1010	7.5	2.2	186.2	229.57			
9/1/2023 8:43	16.3	61.4	86.7	1010	1010	9.2	2.2	177.6	225.05			
9/1/2023 8:44	16.3	61.4	86.6	1010	1010	9.2	2.3	177.8	219.63			
9/1/2023 8:45	16.3	61.4	86.8	1010	1010	9.2	2.3	176.7	214.31			
9/1/2023 8:46	16.4	61.6	86.8	1010	1010	9.5	2.3	185.3	209.86			
9/1/2023 8:47	16.4	61.6	86.8	1010	1010	9.5	2.3	184.3	205.48			
9/1/2023 8:48	16.4	61.6	87	1010	1010	9.5	2.4	180.3	200.71			
9/1/2023 8:49	16.4	61.6	87	1010	1010	9.5	2.4	177.4	195.38			
9/1/2023 8:50	16.4	61.6	87	1010	1010	9.5	2.4	177	190.99			
9/1/2023 8:51	16.5	61.7	87	1010	1010	9.5	2.4	174.6	186.88			
9/1/2023 8:52	16.5	61.8	87.1	1010	1010	9.5	2.4	175.5	184.03			
9/1/2023 8:53	16.5	61.8	87.1	1010	1010	9.5	2.3	173.5	181.83			
9/1/2023 8:54	16.5	61.8	87.3	1010	1010	9.5	2.4	175.8	180.42			
9/1/2023 8:55	16.6	62	87.3	1010	1010	8	2.2	176.1	179.19			
9/1/2023 8:56	16.6	62	87.3	1010	1010	8	2.1	176.6	178.31			
9/1/2023 8:57	16.7	62	87.1	1010	1010	8	2	183.7	178.15			
9/1/2023 8:58	16.7	62.1	87.3	1010	1010	8	2	185.7	178.69			
9/1/2023 8:59	16.7	62.1	87	1010	1010	8	1.9	187.3	179.32			

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 9:00	16.7	62.1	86.8	1010	1010	8	1.8	184.1	179.81			
9/1/2023 9:01	16.8	62.2	86.8	1010	1010	7.5	1.7	183.3	179.68			
9/1/2023 9:02	16.8	62.2	86.7	1010	1010	7.3	1.6	185.2	179.74			
9/1/2023 9:03	16.7	62.1	86.8	1010	1010	7.3	1.7	188.7	180.3			
9/1/2023 9:04	16.8	62.2	87	1010	1010	7.3	1.7	192	181.27			
9/1/2023 9:05	16.8	62.3	86.7	1010	1010	7.3	1.9	201.4	182.9			
9/1/2023 9:06	16.8	62.3	86.6	1010	1010	7.7	1.9	203.1	184.8			
9/1/2023 9:07	16.8	62.3	86.7	1010	1010	7.7	2	205.2	186.78			
9/1/2023 9:08	16.9	62.3	86.9	1010	1010	10.3	2.1	204.4	188.84			
9/1/2023 9:09	16.9	62.4	86.5	1010	1010	10.3	2.2	208.2	191			
9/1/2023 9:10	16.9	62.5	86.7	1010	1010	10.3	2.1	209.6	193.23			
9/1/2023 9:11	16.9	62.5	86.5	1010	1010	10.3	2.3	207.6	195.3			
9/1/2023 9:12	16.9	62.4	86.6	1010	1010	10.2	2.4	199	196.32			
9/1/2023 9:13	16.8	62.3	86.8	1010	1010	10.2	2.4	193.4	196.83			
9/1/2023 9:14	16.9	62.4	86.9	1010	1010	10.2	2.5	191.9	197.14			
9/1/2023 9:15	16.9	62.4	87	1010	1010	11.7	2.7	202.6	198.37			
9/1/2023 9:16	16.7	62.1	86.6	1010	1010	11.7	2.9	205.6	199.86			
9/1/2023 9:17	16.7	62.1	86.9	1010	1010	11.7	3	207.4	201.34			
9/1/2023 9:18	16.7	62.1	87	1010	1010	11.7	2.9	206.8	202.55			
9/1/2023 9:19	16.8	62.3	86.8	1010	1010	11.7	2.9	206.9	203.54			
9/1/2023 9:20	16.8	62.3	86.6	1010	1010	11.7	3.1	210.3	204.13			
9/1/2023 9:21	16.7	62.1	86.8	1010	1010	11.7	3	216.8	205.05			
9/1/2023 9:22	16.8	62.2	87.1	1010	1010	11.7	3.1	215.9	205.76			
9/1/2023 9:23	16.8	62.3	87.2	1010	1010	11.7	2.9	217.8	206.65			
9/1/2023 9:24	16.8	62.2	87.1	1010	1010	11.1	2.8	213.2	206.99			
9/1/2023 9:25	16.8	62.3	87.2	1010	1010	11.1	2.5	209.1	206.95			
9/1/2023 9:26	16.8	62.3	87.1	1010	1010	11.1	2.7	206.8	206.9			
9/1/2023 9:27	16.7	62.1	87.1	1010	1010	11.1	2.8	207.6	207.47			
9/1/2023 9:28	16.7	62.1	87.3	1010	1010	11.5	2.9	207.8	208.43			
9/1/2023 9:29	16.8	62.2	87.6	1010	1010	9.4	2.6	206.6	209.41			
9/1/2023 9:30	16.8	62.2	87.4	1010	1010	9.4	2.6	207.8	209.76			
9/1/2023 9:31	16.8	62.3	87.7	1010	1010	9.4	2.6	208.6	209.96			
9/1/2023 9:32	16.9	62.4	87.6	1010	1010	11.6	2.8	206	209.87			
9/1/2023 9:33	16.8	62.3	87.6	1010	1010	11.6	3	204.8	209.73			
9/1/2023 9:34	16.8	62.3	87.6	1010	1010	11.6	3.1	199.5	209.24			
9/1/2023 9:35	16.8	62.3	87.6	1010	1010	11.6	2.9	196.6	208.33			
9/1/2023 9:36	16.8	62.3	87.7	1010	1010	11.6	2.8	193.9	206.8			
9/1/2023 9:37	16.9	62.5	87.5	1010	1010	11.6	2.9	189	205.01			
9/1/2023 9:38	16.9	62.3	87.7	1010	1010	11.6	2.8	188.2	203.03			
9/1/2023 9:39	16.8	62.3	87.6	1010	1010	11.6	2.8	183.6	201.06			
9/1/2023 9:40	16.8	62.3	87.4	1010	1010	11.6	2.7	182.8	199.31			
9/1/2023 9:41	16.7	62.1	87.1	1010	1010	11.1	2.8	183.1	197.73			
9/1/2023 9:42	16.6	61.9	87.1	1010	1010	11.1	2.5	185.6	196.26			
9/1/2023 9:43	16.6	61.9	87.4	1010	1010	11.1	2.5	181.4	194.5			
9/1/2023 9:44	16.7	62	87.5	1010	1010	11.1	2.4	181	192.79			
9/1/2023 9:45	16.7	62.1	87.7	1010	1010	11.1	2.3	181	191.01			
9/1/2023 9:46	16.7	62.1	87.7	1010	1010	11.1	2.3	178.3	188.99			
9/1/2023 9:47	16.8	62.2	87.3	1010	1010	11.2	2.4	173.7	186.83			
9/1/2023 9:48	16.8	62.3	87.3	1011	1011	11.2	2.4	170.9	184.57			
9/1/2023 9:49	16.8	62.2	87.2	1010	1010	11.2	2.5	173.2	182.82			
9/1/2023 9:50	16.8	62.2	87.1	1010	1010	11.2	2.5	178.1	181.59			
9/1/2023 9:51	16.8	62.2	87	1010	1010	11.2	2.5	179.8	180.65			
9/1/2023 9:52	16.8	62.3	86.9	1011	1011	10.8	2.6	191	180.78			
9/1/2023 9:53	16.8	62.2	86.9	1011	1011	10.8	2.7	205	181.9			
9/1/2023 9:54	16.8	62.3	86.7	1011	1011	10.8	2.8	209.2	183.61			
9/1/2023 9:55	16.8	62.3	86.3	1011	1011	10.8	2.7	210.9	185.48			
9/1/2023 9:56	16.8	62.2	86.1	1011	1011	10.8	2.5	216.6	187.71			
9/1/2023 9:57	16.7	62.1	86.1	1011	1011	10.8	2.7	216.4	189.77			

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 9:58	16.7	62.1	86.4	1010	1010	10.8	2.5	220.5	192.37			
9/1/2023 9:59	16.7	62.1	86.6	1011	1011	10.8	2.4	218.5	194.87			
9/1/2023 10:00	16.8	62.2	86.5	1011	1011	10.8	2.5	222.5	197.64			
9/1/2023 10:01	16.8	62.3	86.6	1011	1011	9.3	2.3	222.7	200.6			
9/1/2023 10:02	16.9	62.4	86.4	1011	1011	9.3	2.3	219.4	203.65			
9/1/2023 10:03	16.9	62.5	86.2	1011	1011	9.3	2.4	222.4	207.08			
9/1/2023 10:04	16.9	62.5	85.5	1011	1011	9.3	2.4	220.7	210.25			
9/1/2023 10:05	16.9	62.5	85.8	1011	1011	8.9	2.5	223.6	213.28			
9/1/2023 10:06	16.9	62.5	85.7	1011	1011	8.9	2.5	226.9	216.42			
9/1/2023 10:07	16.9	62.4	85.9	1011	1011	8.9	2.7	225.1	218.69			
9/1/2023 10:08	16.9	62.4	86	1011	1011	8.9	2.8	224.3	219.98			
9/1/2023 10:09	16.8	62.3	86.2	1011	1011	8.2	2.8	220.9	220.76			
9/1/2023 10:10	16.8	62.3	86.6	1011	1011	8	2.8	219.9	221.36			
9/1/2023 10:11	16.8	62.3	86.5	1011	1011	8	2.8	212.6	221.09			
9/1/2023 10:12	16.8	62.3	86.5	1011	1011	8	2.8	210.8	220.72			
9/1/2023 10:13	16.8	62.3	86.6	1011	1011	8	2.7	208.7	219.93			
9/1/2023 10:14	16.9	62.3	86.2	1011	1011	8	2.6	207.9	219.23			
9/1/2023 10:15	16.9	62.4	86.4	1011	1011	8.2	2.4	205.9	218.12			
9/1/2023 10:16	16.9	62.5	86.3	1011	1011	7.7	2.3	206.3	217.03			
9/1/2023 10:17	16.9	62.5	86.3	1011	1011	7.9	2.2	204.3	216.02			
9/1/2023 10:18	16.9	62.5	86.4	1011	1011	7.9	2.2	194.9	214.19			
9/1/2023 10:19	17	62.7	86.8	1011	1011	7.9	2.1	189.5	212.11			
9/1/2023 10:20	17.1	62.7	86.3	1011	1011	6.9	2.1	194.7	210.18			
9/1/2023 10:21	17	62.6	86.2	1011	1011	9.1	2.2	199.8	208.37			
9/1/2023 10:22	17	62.7	86.3	1011	1011	9.1	2.2	206.2	207.11			
9/1/2023 10:23	17	62.6	86.4	1011	1011	9.1	2.2	209.4	206.12			
9/1/2023 10:24	17	62.7	86.7	1011	1011	11.4	2.4	206.2	205.14			
9/1/2023 10:25	17	62.7	86.1	1011	1011	11.4	2.5	203.7	204.06			
9/1/2023 10:26	17	62.7	86	1011	1011	11.4	2.5	199.8	203.21			
9/1/2023 10:27	17	62.7	86	1011	1011	11.4	2.5	202.6	202.66			
9/1/2023 10:28	17.1	62.7	85.9	1011	1011	11.4	2.6	202.5	202.25			
9/1/2023 10:29	17.1	62.8	86.1	1011	1011	11.4	2.5	197.3	201.54			
9/1/2023 10:30	17.2	63	85.9	1011	1011	11.4	2.5	203.9	201.41			
9/1/2023 10:31	17.2	63	85.4	1011	1011	11.4	2.6	204.7	201.3			
9/1/2023 10:32	17.1	62.9	85.4	1011	1011	11.4	2.6	203.8	201.27			
9/1/2023 10:33	17.2	63	85.5	1011	1011	10.2	2.5	209.5	202.24			
9/1/2023 10:34	17.3	63.2	85.3	1011	1011	10.2	2.7	217	204.07			
9/1/2023 10:35	17.3	63.1	85.1	1011	1011	10.2	2.7	228	206.29			
9/1/2023 10:36	17.4	63.2	84.8	1011	1011	10.2	2.7	232.3	208.46			
9/1/2023 10:37	17.4	63.4	83.9	1011	1011	10.2	2.7	233.2	210.26			
9/1/2023 10:38	17.4	63.4	83.9	1011	1011	10.2	2.8	234.5	211.93			
9/1/2023 10:39	17.4	63.4	83.7	1011	1011	10.6	2.7	232.6	213.69			
9/1/2023 10:40	17.5	63.4	83.6	1011	1011	10.6	2.6	223.5	215.01			
9/1/2023 10:41	17.5	63.6	83.5	1011	1011	10.6	2.7	218.8	216.28			
9/1/2023 10:42	17.5	63.6	83.4	1011	1011	10.6	2.6	218	217.31			
9/1/2023 10:43	17.6	63.8	83.4	1011	1011	10.6	2.4	211.8	217.93			
9/1/2023 10:44	17.9	64.1	82.9	1011	1011	10.6	2.3	211.8	218.89			
9/1/2023 10:45	17.8	64.1	82	1011	1011	10.6	2.2	208.9	219.23			
9/1/2023 10:46	17.8	64.1	81.9	1011	1011	10.6	2.1	209.6	219.55			
9/1/2023 10:47	17.9	64.1	81.8	1011	1011	10.7	2.3	214.1	220.24			
9/1/2023 10:48	17.9	64.1	81.7	1011	1011	10.7	2.3	215.9	220.67			
9/1/2023 10:49	17.8	64	81.2	1011	1011	10.7	2.3	232.1	221.67			
9/1/2023 10:50	17.7	63.9	81.3	1011	1011	10.7	2.4	237.3	222.29			
9/1/2023 10:51	17.6	63.7	81.8	1011	1011	10.7	2.6	241.2	222.89			
9/1/2023 10:52	17.6	63.7	82.3	1011	1011	10.7	2.5	242.3	223.49			
9/1/2023 10:53	17.7	63.9	82.5	1011	1011	10.7	2.4	238.2	223.74			
9/1/2023 10:54	17.7	63.9	82.1	1011	1011	10.7	2.4	239.3	224.19			
9/1/2023 10:55	17.7	63.9	82	1011	1011	10.7	2.5	238.8	225.21			

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction °	Wind Direction °	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 10:56	17.6	63.7	82.4	1011	1011	10.7	2.4	235.6	226.33				
9/1/2023 10:57	17.6	63.7	82.7	1011	1011	9.9	2.3	235.3	227.48				
9/1/2023 10:58	17.7	63.9	82.6	1011	1011	8.4	2.1	234.4	228.99				
9/1/2023 10:59	17.7	63.9	82.3	1011	1011	8.7	1.9	235.4	230.56				
9/1/2023 11:00	17.7	63.9	82.2	1011	1011	9.2	1.7	216.2	231.05				
9/1/2023 11:01	17.7	63.8	82.2	1011	1011	9.2	2	203	230.61				
9/1/2023 11:02	17.6	63.7	82.6	1011	1011	9.2	1.9	205.4	230.03				
9/1/2023 11:03	17.6	63.7	83.1	1011	1011	9.2	1.9	202.4	229.13				
9/1/2023 11:04	17.6	63.7	82.9	1011	1011	9.2	1.8	180.3	225.67				
9/1/2023 11:05	17.6	63.7	82.5	1011	1011	9.2	1.8	181.7	221.97				
9/1/2023 11:06	17.6	63.7	82.5	1011	1011	9.2	1.9	180.5	217.92				
9/1/2023 11:07	17.6	63.7	82.6	1011	1011	9.2	1.8	180.7	213.81				
9/1/2023 11:08	17.6	63.8	82.1	1011	1011	9.2	2	181.1	210.01				
9/1/2023 11:09	17.7	63.9	82.4	1011	1011	8.5	1.9	181.9	206.18				
9/1/2023 11:10	17.7	63.9	82.7	1011	1011	8.5	1.8	185	202.59				
9/1/2023 11:11	17.7	63.9	82.2	1011	1011	8.5	1.9	183	199.09				
9/1/2023 11:12	17.7	63.9	82.4	1011	1011	9.8	2.1	196.7	196.51				
9/1/2023 11:13	17.7	63.9	82.4	1011	1011	9.8	2.2	205.6	194.59				
9/1/2023 11:14	17.7	63.9	82.6	1011	1011	9.8	2.2	204.1	192.51				
9/1/2023 11:15	17.8	64.1	82.7	1011	1011	9.8	2.2	204.5	191.73				
9/1/2023 11:16	17.8	64.1	82.5	1011	1011	11.4	2.5	205.2	191.87				
9/1/2023 11:17	17.8	64.1	82.8	1011	1011	11.4	2.6	204.6	191.82				
9/1/2023 11:18	17.9	64.2	83	1011	1011	11.4	2.6	206.4	192.09				
9/1/2023 11:19	18	64.3	82.9	1011	1011	11.4	2.6	203.7	193.65				
9/1/2023 11:20	18	64.5	82.6	1011	1011	11.4	2.8	202.7	195.05				
9/1/2023 11:21	18	64.5	82.2	1011	1011	11.4	3	200.1	196.35				
9/1/2023 11:22	18	64.5	82.2	1011	1011	11.4	2.9	199.6	197.61				
9/1/2023 11:23	18.1	64.7	82.5	1011	1011	11.4	2.8	197.8	198.73				
9/1/2023 11:24	18.1	64.7	81.6	1011	1011	11.4	3	198.5	199.83				
9/1/2023 11:25	18.2	64.7	81.6	1011	1011	10.9	2.8	196.6	200.61				
9/1/2023 11:26	18.2	64.7	81.1	1011	1011	10.9	2.7	199.6	201.71				
9/1/2023 11:27	18.2	64.7	81.7	1011	1011	10.9	2.9	201.2	202.01				
9/1/2023 11:28	18.2	64.8	81.6	1011	1011	10.9	3	203.9	201.9				
9/1/2023 11:29	18.2	64.8	81.4	1011	1011	10.9	2.8	204.2	201.91				
9/1/2023 11:30	18.3	65	81	1011	1011	8.7	2.5	200.7	201.65				
9/1/2023 11:31	18.4	65.2	80.6	1011	1011	8.7	2.5	195.5	201.01				
9/1/2023 11:32	18.4	65.2	80	1011	1011	9.4	2.4	194.7	200.35				
9/1/2023 11:33	18.5	65.3	80	1011	1011	9.4	2.3	198.2	199.8				
9/1/2023 11:34	18.6	65.4	79.8	1011	1011	9.4	2.4	205.1	199.89				
9/1/2023 11:35	18.5	65.4	80	1011	1011	9.4	2.5	204	199.98				
9/1/2023 11:36	18.5	65.3	80	1011	1011	9.4	2.7	206.9	200.43				
9/1/2023 11:37	18.4	65.2	80.8	1011	1011	9.4	2.7	205.7	200.84				
9/1/2023 11:38	18.4	65.2	81.4	1011	1011	9.4	2.8	205.4	201.35				
9/1/2023 11:39	18.4	65.2	81.1	1011	1011	9.4	2.8	204.6	201.75				
9/1/2023 11:40	18.5	65.3	80.8	1011	1011	9.4	2.8	206.3	202.4				
9/1/2023 11:41	18.6	65.5	80.7	1011	1011	9.7	2.9	209	203.03				
9/1/2023 11:42	18.6	65.5	79.8	1011	1011	9.7	3.1	210.8	203.67				
9/1/2023 11:43	18.5	65.4	80.4	1011	1011	9.7	3	210.7	204.12				
9/1/2023 11:44	18.6	65.5	80.7	1011	1011	9.7	2.9	209.7	204.49				
9/1/2023 11:45	18.6	65.5	79.8	1011	1011	9.7	2.8	200	204.44				
9/1/2023 11:46	18.7	65.7	79.8	1011	1011	9.7	2.7	190.8	204.13				
9/1/2023 11:47	18.7	65.7	79.9	1011	1011	9.7	2.7	187.8	203.67				
9/1/2023 11:48	18.7	65.7	80	1011	1011	11.2	2.7	188.4	203.01				
9/1/2023 11:49	18.7	65.7	80	1011	1011	11.2	3.2	180.8	201.39				
9/1/2023 11:50	18.6	65.5	80.3	1011	1011	11.2	3.2	176.5	199.56				
9/1/2023 11:51	18.6	65.5	80.2	1011	1011	11.2	3.2	169	197.03				
9/1/2023 11:52	18.5	65.3	80.3	1011	1011	11.2	3.2	162.7	194.17				
9/1/2023 11:53	18.6	65.5	80.8	1011	1011	11.2	3.1	162.9	191.33				

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 11:54	18.8	65.8	79.7	1011	1011	11.2	3	166.2	188.77			
9/1/2023 11:55	18.9	66.1	78.8	1011	1011	11.2	3	173.6	186.59			
9/1/2023 11:56	18.9	66.1	78.2	1011	1011	11.2	3.1	179.9	184.65			
9/1/2023 11:57	19	66.2	78.8	1011	1011	10.5	3.1	184.2	182.88			
9/1/2023 11:58	19.1	66.4	78.6	1011	1011	10.5	3	194.4	181.79			
9/1/2023 11:59	19.1	66.4	79	1011	1011	10.5	2.9	207.1	181.62			
9/1/2023 12:00	19.2	66.6	78.5	1011	1011	10.5	2.8	213.5	182.52			0
9/1/2023 12:01	19.3	66.8	77.7	1011	1011	10.5	2.8	220.5	184.5			
9/1/2023 12:02	19.4	67	77.4	1011	1011	10.5	3	221.5	186.75			
9/1/2023 12:03	19.4	67	77.2	1011	1011	10.5	3	220.6	188.89			
9/1/2023 12:04	19.6	67.3	77.2	1011	1011	9.2	2.8	219.1	191.45			
9/1/2023 12:05	19.7	67.4	76.5	1011	1011	9.2	2.9	215.8	194.07			
9/1/2023 12:06	19.5	67.1	76	1011	1011	9.2	3	215.9	197.19			
9/1/2023 12:07	19.5	67.1	77.1	1011	1011	9.2	3	216.4	200.77			
9/1/2023 12:08	19.6	67.3	77.2	1011	1011	8.8	2.9	219.3	204.53			
9/1/2023 12:09	19.6	67.3	76.9	1011	1011	10.1	3.1	227.4	208.61			
9/1/2023 12:10	19.5	67.2	77.1	1011	1011	10.1	3	225.5	212.07			
9/1/2023 12:11	19.6	67.2	76.5	1011	1011	10.1	3.1	229	215.35			
9/1/2023 12:12	19.5	67.1	76.9	1011	1011	10.1	3.1	228.8	218.32			
9/1/2023 12:13	19.5	67.1	76.6	1011	1011	10.2	3.3	232	220.83			
9/1/2023 12:14	19.6	67.3	76.6	1011	1011	10.2	3.2	236.9	222.81			
9/1/2023 12:15	19.7	67.5	76.1	1011	1011	10.2	3.1	236.2	224.33			
9/1/2023 12:16	19.7	67.5	76.4	1011	1011	10.2	3.1	232.9	225.15			
9/1/2023 12:17	19.7	67.5	76.5	1011	1011	10.3	3.2	224	225.32			
9/1/2023 12:18	19.7	67.5	76.2	1011	1011	10.3	3.2	215.5	224.98			
9/1/2023 12:19	19.6	67.3	76.7	1011	1011	10.3	3.3	214.3	224.66			
9/1/2023 12:20	19.7	67.5	76.9	1011	1011	10.3	3.3	207.4	224.1			
9/1/2023 12:21	19.7	67.5	77.1	1011	1011	10.3	3.3	205	223.37			
9/1/2023 12:22	19.7	67.5	77	1011	1011	10.3	3.2	198.3	222.17			
9/1/2023 12:23	19.7	67.5	76.8	1011	1011	10.3	3.3	190.2	220.23			
9/1/2023 12:24	19.7	67.5	77.6	1011	1011	10.3	3.2	188.9	217.66			
9/1/2023 12:25												
9/1/2023 12:26									218.16			
9/1/2023 12:26	19.8	67.7	77.3	1011	1011	6.7	3.2	243.8				
9/1/2023 12:27	19.6	67.3	77.3	1011	1011	6.7	1.3	189.3	215.34	4	4	
9/1/2023 12:28	19.7	67.5	77.5	1011	1011	8	1.5	200.4	213.08	3	3	
9/1/2023 12:29	19.8	67.7	77.4	1011	1011	8	1.8	210.7	211.21	2	3	
9/1/2023 12:30	19.9	67.8	77.2	1011	1011	8	1.9	206.9	209.11	1	2	
9/1/2023 12:31	19.9	67.9	76.8	1011	1011	9.4	2.3	216	207.91	2	2	
9/1/2023 12:32	20	68	76.4	1011	1011	9.4	2.4	215	207.26	1	2	
9/1/2023 12:33	19.8	67.6	76.5	1011	1011	11	2.4	216.9	207.36	1	2	
9/1/2023 12:34	19.8	67.6	76.9	1011	1011	11	2.5	213.2	207.29	1	1	
9/1/2023 12:35	19.9	67.8	76.9	1011	1011	11	2.5	214	207.76	3	2	
9/1/2023 12:36	20	68	77.2	1011	1011	11	2.8	210.2	208.13	9	2	
9/1/2023 12:37	19.9	67.8	77.2	1011	1011	11	2.9	211.5	209.07	2	2	
9/1/2023 12:38	19.9	67.8	77.2	1011	1011	11	3	216.5	210.95	2	2	
9/1/2023 12:39	19.9	67.8	77.8	1011	1011	11	3.1	234	214.17	2	2	
9/1/2023 12:40	20	68	77.2	1011	1011	11	2.9	233.4	215.45	1	2	
9/1/2023 12:41	20	68	75.3	1011	1011	12.4	3.1	236.6	214.97	1	2	
9/1/2023 12:42	19.9	67.8	75.5	1011	1011	12.4	3.3	233.9	217.95	1	2	
9/1/2023 12:43	19.9	67.8	76.5	1011	1011	12.4	3.3	236.6	220.36	1	2	
9/1/2023 12:44	19.9	67.9	75.4	1011	1011	12.4	3.2	236	222.05	1	1	
9/1/2023 12:45	19.9	67.8	74.8	1011	1011	12.4	3.2	240.1	224.26	0	1	
9/1/2023 12:46	19.9	67.8	74.7	1011	1011	12.4	3.3	240.2	225.87	0	1	
9/1/2023 12:47	19.9	67.8	74.7	1011	1011	12.4	3.5	234	227.14	0	1	
9/1/2023 12:48	19.9	67.8	74.7	1011	1011	12.4	3.4	218.9	227.27	0	1	
9/1/2023 12:49	20	68	74	1011	1011	12.4	3.4	217.9	227.59	0	1	
9/1/2023 12:50	20.2	68.4	73.8	1011	1011	10.7	3.2	211.2	227.4	0	1	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 12:51	20.4	68.7	72.8	1011	1011	15	3.1	216.5	227.82	0	0	
9/1/2023 12:52	20.4	68.8	72	1011	1011	15	3.3	220.6	228.43	0	0	
9/1/2023 12:53	20.5	68.9	72.6	1011	1011	15	3.2	226.6	229.1	0	0	
9/1/2023 12:54	20.5	68.9	71.8	1011	1011	15	3.3	232.6	229.01	0	0	
9/1/2023 12:55	20.6	69.1	71.9	1011	1011	15	3.3	232.3	228.93	0	0	
9/1/2023 12:56	20.7	69.2	71.3	1011	1011	15	3.1	233.3	228.71	0	0	
9/1/2023 12:57	20.8	69.4	71.3	1011	1011	15	3	236.2	228.87	0	0	
9/1/2023 12:58	20.8	69.4	72	1011	1011	15	3.3	231.8	228.55	0	0	
9/1/2023 12:59	20.7	69.2	72.3	1011	1011	15	3.4	229.8	228.13	0	0	
9/1/2023 13:00	20.7	69.2	72.1	1011	1011	12.8	3.5	229.1	227.4	0	0	0
9/1/2023 13:01	20.7	69.2	72.6	1011	1011	12.8	3.4	220.4	226.08	0	0	
9/1/2023 13:02	20.7	69.2	71.5	1011	1011	12.8	3.4	213.3	224.7	0	0	
9/1/2023 13:03	20.6	69.1	72.2	1011	1011	12.8	3.2	209.5	224.07	0	0	
9/1/2023 13:04	20.8	69.4	71.6	1011	1011	12.8	3.1	207.9	223.41	0	0	
9/1/2023 13:05	20.9	69.6	71.4	1011	1011	12.8	3.2	213.8	223.58	0	0	
9/1/2023 13:06	21.1	69.9	71.5	1011	1011	12.8	3.1	216.2	223.56	0	0	
9/1/2023 13:07	21	69.7	70.3	1011	1011	12.8	3.1	215.3	223.21	0	0	
9/1/2023 13:08	20.7	69.3	72	1011	1011	12.8	3	226.4	223.19	0	0	
9/1/2023 13:09	20.7	69.2	70.9	1011	1011	11.3	2.8	221.6	222.46	0	0	
9/1/2023 13:10	20.6	69	73	1011	1011	9.2	2.7	227	222.11	1	0	
9/1/2023 13:11	20.6	69	73.1	1011	1011	9.2	2.8	235.1	222.23	1	0	
9/1/2023 13:12	20.5	69	73.4	1011	1011	9.2	2.8	239	222.41	1	0	
9/1/2023 13:13	20.6	69	73.2	1011	1011	9.2	2.9	240.1	222.97	1	0	
9/1/2023 13:14	20.6	69	73.8	1011	1011	9.2	2.8	241.3	223.73	0	0	
9/1/2023 13:15	20.7	69.2	73.6	1011	1011	9.2	3	239.9	224.45	1	0	
9/1/2023 13:16	20.8	69.4	72.7	1011	1011	9.2	2.9	250.9	226.49	0	0	
9/1/2023 13:17	20.8	69.5	72.3	1011	1011	12.7	3.2	253.8	229.19	0	0	
9/1/2023 13:18	20.6	69	72.1	1011	1011	12.7	3.3	250.8	231.94	0	0	
9/1/2023 13:19	20.4	68.7	73.3	1011	1011	12.7	3.5	245.7	234.46	0	0	
9/1/2023 13:20	20.3	68.5	72.8	1011	1011	12.6	3.7	240.3	236.23	0	0	
9/1/2023 13:21	20.1	68.1	73.7	1011	1011	12.6	3.9	240.5	237.85	0	0	
9/1/2023 13:22	20	68.1	74.2	1011	1011	12.6	3.9	241.4	239.59	0	0	
9/1/2023 13:23	20.1	68.2	74	1011	1011	12.6	3.8	236.9	240.29	0	0	
9/1/2023 13:24	20.2	68.3	73.9	1011	1011	12.6	3.9	234.9	241.17	0	0	
9/1/2023 13:25	20.3	68.5	73.7	1011	1011	12.6	3.8	229.3	241.33	0	0	
9/1/2023 13:26	20.4	68.7	73.3	1011	1011	12.6	3.8	225.5	240.69	3	0	
9/1/2023 13:27	20.3	68.5	74.2	1012	1012	12.6	4	237	240.55	0	0	
9/1/2023 13:28	20.4	68.7	73.5	1011	1011	12.6	4.1	242.9	240.74	1	0	
9/1/2023 13:29	20.3	68.5	73.8	1011	1011	12.6	3.9	246.6	241.09	0	0	
9/1/2023 13:30	20.2	68.3	74.3	1011	1011	12.6	3.7	245.5	241.47	0	0	
9/1/2023 13:31	20.3	68.5	74.1	1012	1012	12.9	3.8	247.8	241.26	0	0	
9/1/2023 13:32	20.3	68.5	73.7	1011	1011	13.8	3.9	248.7	240.92	0	0	
9/1/2023 13:33	20.4	68.7	73.4	1012	1012	13.8	4	254.5	241.17	0	0	
9/1/2023 13:34	20.2	68.4	73.7	1012	1012	13.8	4	256.7	241.9	0	0	
9/1/2023 13:35	20.1	68.2	73.9	1011	1011	13.8	4.1	260.6	243.25	0	0	
9/1/2023 13:36	20	68	74.3	1011	1011	13.8	3.9	260.2	244.57	0	0	
9/1/2023 13:37	20	68	74.8	1011	1011	13.8	3.5	253.2	245.35	0	0	
9/1/2023 13:38	19.9	67.8	75.3	1011	1011	13.8	3.4	251.6	246.33	0	0	
9/1/2023 13:39	19.8	67.6	76.2	1011	1011	13.8	3.4	246	247.07	2	0	
9/1/2023 13:40	19.8	67.6	76.5	1011	1011	13.8	3.4	239.8	247.77	3	0	
9/1/2023 13:41	19.9	67.8	76.2	1011	1011	12.2	3.5	246.3	249.16	1	0	
9/1/2023 13:42	20	68	75.9	1011	1011	12.2	3.4	244.4	249.65	0	0	
9/1/2023 13:43	20.1	68.2	74.7	1012	1012	11.8	3.4	241.6	249.57	0	0	
9/1/2023 13:44	20	68	74.6	1011	1011	11.8	3.3	241.3	249.21	2	0	
9/1/2023 13:45	19.8	67.6	75.9	1011	1011	11.8	3.4	240.1	248.85	1	0	
9/1/2023 13:46	19.8	67.6	76.8	1011	1011	11.8	3.2	241.1	248.41	1	0	
9/1/2023 13:47	20	68	75.7	1011	1011	11.8	3.4	246	248.23	2	0	
9/1/2023 13:48	20.1	68.1	74.7	1011	1011	11.8	3.6	258.4	248.49	1	0	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction °	Wind Direction °	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 13:49	19.9	67.8	75.6	1012	1012	11.8	3.8	267.1	249.18		1	0	
9/1/2023 13:50	19.8	67.6	77.1	1011	1011	11.8	3.7	268.1	249.68		1	1	
9/1/2023 13:51	20	68	76.5	1012	1012	11.8	3.6	267.6	250.17		0	1	
9/1/2023 13:52	20.1	68.2	75.4	1012	1012	11.5	3.8	265.6	251		0	1	
9/1/2023 13:53	20.3	68.5	75.5	1012	1012	12.3	3.7	263.1	251.77		0	1	
9/1/2023 13:54	20.4	68.7	73.3	1012	1012	12.3	3.6	266.6	253.14		0	0	
9/1/2023 13:55	20.3	68.6	73.2	1012	1012	12.3	3.6	270.6	255.19		0	0	
9/1/2023 13:56	20.3	68.5	73.5	1012	1012	12.3	3.9	260.2	256.12		0	0	
9/1/2023 13:57	20.2	68.3	73.2	1012	1012	12.3	3.6	244.8	256.15		0	0	
9/1/2023 13:58	20.1	68.1	74.3	1012	1012	12.3	3.3	237	255.84		0	0	
9/1/2023 13:59	20.1	68.1	75.7	1012	1012	12.3	3.1	234.8	255.41		0	0	
9/1/2023 14:00	20.2	68.4	74.6	1012	1012	12.3	3.1	233.8	254.99		0	0	0
9/1/2023 14:01	20.2	68.3	74.5	1012	1012	12.3	2.8	234.5	254.55		0	0	
9/1/2023 14:02	20.4	68.7	74.7	1012	1012	10.5	2.8	236.2	253.89		1	0	
9/1/2023 14:03	20.5	68.9	74.2	1012	1012	10.5	2.6	235.8	252.39		1	0	
9/1/2023 14:04	20.8	69.4	73.3	1012	1012	10.5	2.6	235.5	250.28		1	0	
9/1/2023 14:05	20.8	69.4	72.5	1012	1012	10.9	2.5	239.2	248.35		0	0	
9/1/2023 14:06	20.6	69.1	72.3	1012	1012	10.9	2.3	246.3	246.93		1	0	
9/1/2023 14:07	20.6	69	72.6	1012	1012	10.9	2.2	243.2	245.44		0	0	
9/1/2023 14:08	20.6	69.1	72.5	1012	1012	11.1	2.4	228.5	243.13		0	0	
9/1/2023 14:09	20.6	69.1	73.1	1012	1012	11.1	2.6	238.3	241.25		0	0	
9/1/2023 14:10	20.7	69.2	72.9	1012	1012	11.1	2.8	241.1	239.28		0	0	
9/1/2023 14:11	20.8	69.4	72.5	1012	1012	11.1	2.8	245.6	238.31		1	0	
9/1/2023 14:12	20.7	69.2	71.4	1012	1012	11.1	2.8	246.4	238.41		0	0	
9/1/2023 14:13	20.5	68.8	72.8	1012	1012	13	3	242.5	238.78		0	0	
9/1/2023 14:14	20.3	68.5	73.1	1012	1012	13	3.2	250.4	239.82		0	0	
9/1/2023 14:15	20.1	68.1	74.6	1012	1012	13	3.5	260	241.57		0	0	
9/1/2023 14:16	20	67.9	74.4	1012	1012	16	3.8	261	243.33		0	0	
9/1/2023 14:17	19.8	67.6	75.1	1011	1011	16	3.9	264	245.19		0	0	
9/1/2023 14:18	19.7	67.4	76.9	1012	1012	16	3.7	261.6	246.91		0	0	
9/1/2023 14:19	19.7	67.5	76.6	1012	1012	16	3.5	261.8	248.66		0	0	
9/1/2023 14:20	19.9	67.8	75.8	1012	1012	16	3.5	254.6	249.69		0	0	
9/1/2023 14:21	19.9	67.8	75.6	1012	1012	16	3.4	253	250.13		0	0	
9/1/2023 14:22	19.9	67.8	75.2	1011	1011	16	3.3	244.5	250.22		0	0	
9/1/2023 14:23	19.9	67.8	75	1011	1011	16	3.2	232.5	250.49		2	0	
9/1/2023 14:24	19.8	67.6	75.5	1012	1012	16	2.9	224.6	249.57		1	0	
9/1/2023 14:25	19.8	67.6	76.1	1011	1011	12.9	2.8	224.9	248.49		2	0	
9/1/2023 14:26	19.8	67.6	76.2	1011	1011	12.9	2.8	217.3	246.61		1	0	
9/1/2023 14:27	19.9	67.8	76.1	1011	1011	12.9	2.9	217.8	244.7		0	0	
9/1/2023 14:28	20	68	75.2	1012	1012	12.9	3	216.4	242.96		0	0	
9/1/2023 14:29	20	68	75.1	1011	1011	12.9	3.2	224.9	241.26		0	0	
9/1/2023 14:30	20.1	68.2	73.4	1011	1011	12.9	3.2	221.7	238.71		0	0	
9/1/2023 14:31	20.3	68.5	71.9	1011	1011	12.1	3.3	222.6	236.15		0	0	
9/1/2023 14:32	20.2	68.4	71.8	1011	1011	12.1	3.2	221.2	233.29		2	0	
9/1/2023 14:33	20.2	68.4	72	1012	1012	12.6	3.4	220.5	230.55		0	0	
9/1/2023 14:34	20.1	68.1	73.5	1011	1011	12.6	3.3	210.6	227.14		0	0	
9/1/2023 14:35	20.1	68.2	73.6	1011	1011	12.6	3.3	209.2	224.11		0	0	
9/1/2023 14:36	20.2	68.4	73.4	1011	1011	12.6	3.3	207.6	221.09		0	0	
9/1/2023 14:37	20.3	68.6	72.9	1011	1011	12.6	3.5	208.8	218.71		0	0	
9/1/2023 14:38	20.4	68.8	72.7	1011	1011	12.6	3.4	204.4	216.83		0	0	
9/1/2023 14:39	20.5	68.9	71.8	1011	1011	12.6	3.4	204.5	215.49		0	0	
9/1/2023 14:40	20.4	68.8	71.6	1011	1011	12.6	3.5	206.7	214.28		0	0	
9/1/2023 14:41	20.3	68.6	73.2	1011	1011	12.6	3.3	207.8	213.65		0	0	
9/1/2023 14:42	20.4	68.8	72.5	1011	1011	10.9	3.2	208.7	213.04		0	0	
9/1/2023 14:43	20.5	68.9	71.9	1011	1011	10.9	3.3	209.9	212.61		1	0	
9/1/2023 14:44	20.4	68.7	72.7	1011	1011	10.9	3.5	213.1	211.82		1	0	
9/1/2023 14:45	20.3	68.5	73.4	1011	1011	10.9	3.6	213.6	211.28		1	0	
9/1/2023 14:46	20.2	68.3	74.1	1011	1011	10.9	3.6	208.5	210.34		1	0	

Baseline Air Monitoring
7825 San Leandro Street
Oakland, California

Timestamp	Air Temperature (°C)	Air Temperature (°F)	Relative Humidity (%)	Absolute Air Pressure (hPa)	Relative Air Pressure (hPa)	Wind Speed (max) (mph)	Wind Speed (avg) (mph)	Wind Direction (°)	Wind Direction ° AVG 15m (°)	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 14:47	20.1	68.2	74.9	1011	1011	10.9	3.6	207.1	209.4	1	0	
9/1/2023 14:48	20.1	68.2	74.5	1011	1011	10.9	3.9	205	208.37	5	0	
9/1/2023 14:49	20.2	68.4	74.4	1011	1011	10.9	3.8	201	207.73	2	0	
9/1/2023 14:50	20.4	68.7	73.6	1011	1011	10.9	4	195.8	206.83	1	0	
9/1/2023 14:51	20.4	68.7	72.6	1011	1011	11	3.9	194.1	205.93	1	0	
9/1/2023 14:52	20.3	68.6	72.6	1011	1011	11	4	193.4	204.91	0	0	
9/1/2023 14:53	20.3	68.5	72.7	1011	1011	11	3.9	187.4	203.77	0	0	
9/1/2023 14:54	20.1	68.2	73.3	1012	1012	11.4	4	195.2	203.15	1	1	
9/1/2023 14:55	20.2	68.4	73.6	1012	1012	13	3.8	196.2	202.45	1	1	
9/1/2023 14:56	20.3	68.5	73	1011	1011	13	4	193.9	201.53	1	1	
9/1/2023 14:57	20.4	68.7	72.8	1011	1011	13	3.9	191.4	200.37	1	1	
9/1/2023 14:58	20.4	68.8	72.7	1011	1011	18.6	4	190.5	199.08	2	1	
9/1/2023 14:59	20.4	68.8	72.5	1011	1011	18.6	4.2	189.7	197.52	3	1	
9/1/2023 15:00	20.5	68.9	72.6	1011	1011	18.6	4.2	188.1	195.82	1	1	0
9/1/2023 15:01	20.5	68.9	71.6	1011	1011	18.6	4.2	182.5	194.09	1	1	
9/1/2023 15:02	20.4	68.7	72.3	1011	1011	18.6	4.3	180.2	192.29	1	1	
9/1/2023 15:03	20.3	68.5	72.4	1011	1011	18.6	4.3	181.7	190.74	1	1	
9/1/2023 15:04	20.2	68.3	73.3	1011	1011	18.6	4.5	188.5	189.91	1	1	
9/1/2023 15:05	20.3	68.5	73.1	1011	1011	18.6	4.4	198.1	190.06	2	1	
9/1/2023 15:06	20.4	68.7	73.2	1011	1011	18.6	4.3	203.6	190.69	2	1	
9/1/2023 15:07	20.5	69	72.3	1011	1011	14.5	4.2	203.8	191.39	1	1	
9/1/2023 15:08	20.6	69.1	71.3	1011	1011	14.5	4	208.3	192.78	1	1	
9/1/2023 15:09	20.6	69.1	72.1	1011	1011	14.5	4.2	211.6	193.87	1	1	
9/1/2023 15:10	20.7	69.3	72.6	1011	1011	14.5	3.8	222.4	195.62	2	1	
9/1/2023 15:11	20.9	69.6	71.6	1011	1011	13.2	3.6	230.2	198.04	1	1	
9/1/2023 15:12	21	69.8	70.8	1011	1011	12.8	3.3	232.9	200.81	1	1	
9/1/2023 15:13	20.9	69.6	70.5	1011	1011	12.1	2.9	211.7	202.22	1	1	
9/1/2023 15:14	20.9	69.6	70.9	1011	1011	12.1	2.7	206.6	203.35	1	1	
9/1/2023 15:15	20.9	69.6	70.7	1011	1011	12.1	2.8	203	204.34	1	1	
9/1/2023 15:16	20.8	69.4	70.7	1011	1011	12.1	2.8	207.3	205.99	0	1	
9/1/2023 15:17	20.6	69.1	71.5	1011	1011	10	2.6	206.5	207.75	0	1	
9/1/2023 15:18	20.6	69	72	1011	1011	10	2.5	197.6	208.81	0	1	
9/1/2023 15:19	20.6	69	71.6	1011	1011	10.1	2.8	201.1	209.65	0	0	
9/1/2023 15:20	20.7	69.2	71.6	1011	1011	10.1	3	204.1	210.05	0	0	
9/1/2023 15:21	20.7	69.2	70.9	1011	1011	10.8	3.1	202.4	209.97	0	0	
9/1/2023 15:22	20.6	69.1	71.3	1011	1011	10.8	3.2	204.2	209.99	0	0	
9/1/2023 15:23	20.6	69	71.3	1011	1011	12.1	3.5	205.6	209.81	0	0	
9/1/2023 15:24	20.5	68.9	72.4	1011	1011	12.1	3.5	204.1	209.31	1	0	
						Min	5.4		178.15	1		
						Max	18.6		256.15	9		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-02

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 7:00			
9/1/2023 7:26			
9/1/2023 7:27	76	76	
9/1/2023 7:28	55	65	
9/1/2023 7:29	12	47	
9/1/2023 7:30	15	39	
9/1/2023 7:31	15	34	
9/1/2023 7:32	9	30	
9/1/2023 7:33	4	26	
9/1/2023 7:34	3	23	
9/1/2023 7:35	1	21	
9/1/2023 7:36	1	19	
9/1/2023 7:37	1	17	
9/1/2023 7:38	2	16	
9/1/2023 7:39	2	15	
9/1/2023 7:40	1	14	
9/1/2023 7:41	1	13	
9/1/2023 7:42	1	8	
9/1/2023 7:43	1	4	
9/1/2023 7:44	1	3	
9/1/2023 7:45	1	2	
9/1/2023 7:46	1	2	
9/1/2023 7:47	1	1	
9/1/2023 7:48	1	1	
9/1/2023 7:49	1	1	
9/1/2023 7:50	1	1	
9/1/2023 7:51	1	1	
9/1/2023 7:52	1	1	
9/1/2023 7:53	1	1	
9/1/2023 7:54	1	1	
9/1/2023 7:55	2	1	
9/1/2023 7:56	1	1	
9/1/2023 7:57	1	1	
9/1/2023 7:58	1	1	
9/1/2023 7:59	1	1	
9/1/2023 8:00	1	1	0
9/1/2023 8:01	1	1	
9/1/2023 8:02	1	1	
9/1/2023 8:03	1	1	
9/1/2023 8:04	1	1	
9/1/2023 8:05	1	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:06	1	1	
9/1/2023 8:07	1	1	
9/1/2023 8:08	1	1	
9/1/2023 8:09	1	1	
9/1/2023 8:10	2	1	
9/1/2023 8:11	1	1	
9/1/2023 8:12	2	1	
9/1/2023 8:13	1	1	
9/1/2023 8:14	1	1	
9/1/2023 8:15	1	1	
9/1/2023 8:16	1	1	
9/1/2023 8:17	1	1	
9/1/2023 8:18	0	1	
9/1/2023 8:19	0	1	
9/1/2023 8:20	0	0	
9/1/2023 8:21	0	0	
9/1/2023 8:22	0	0	
9/1/2023 8:23	0	0	
9/1/2023 8:24	0	0	
9/1/2023 8:25	1	0	
9/1/2023 8:26	1	0	
9/1/2023 8:27	2	0	
9/1/2023 8:28	2	0	
9/1/2023 8:29	3	0	
9/1/2023 8:30	3	0	
9/1/2023 8:31	2	1	
9/1/2023 8:32	1	1	
9/1/2023 8:33	1	1	
9/1/2023 8:34	1	1	
9/1/2023 8:35	1	1	
9/1/2023 8:36	0	1	
9/1/2023 8:37	1	1	
9/1/2023 8:38	0	1	
9/1/2023 8:39	2	1	
9/1/2023 8:40	3	1	
9/1/2023 8:41	1	1	
9/1/2023 8:42	1	1	
9/1/2023 8:43	0	1	
9/1/2023 8:44	0	1	
9/1/2023 8:45	0	0	
9/1/2023 8:46	9	1	
9/1/2023 8:47	0	1	
9/1/2023 8:48	0	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:49	0	1	
9/1/2023 8:50	1	1	
9/1/2023 8:51	1	1	
9/1/2023 8:52	0	1	
9/1/2023 8:53	0	1	
9/1/2023 8:54	0	1	
9/1/2023 8:55	1	0	
9/1/2023 8:56	0	0	
9/1/2023 8:57	0	0	
9/1/2023 8:58	0	0	
9/1/2023 8:59	0	0	
9/1/2023 9:00	0	0	1.67E-05
9/1/2023 9:01	0	0	
9/1/2023 9:02	0	0	
9/1/2023 9:03	0	0	
9/1/2023 9:04	0	0	
9/1/2023 9:05	0	0	
9/1/2023 9:06	0	0	
9/1/2023 9:07	0	0	
9/1/2023 9:08	0	0	
9/1/2023 9:09	0	0	
9/1/2023 9:10	2	0	
9/1/2023 9:11	1	0	
9/1/2023 9:12	1	0	
9/1/2023 9:13	0	0	
9/1/2023 9:14	1	0	
9/1/2023 9:15	1	0	
9/1/2023 9:16	1	0	
9/1/2023 9:17	3	0	
9/1/2023 9:18	3	0	
9/1/2023 9:19	2	1	
9/1/2023 9:20	2	1	
9/1/2023 9:21	2	1	
9/1/2023 9:22	1	1	
9/1/2023 9:23	1	1	
9/1/2023 9:24	1	1	
9/1/2023 9:25	1	1	
9/1/2023 9:26	1	1	
9/1/2023 9:27	1	1	
9/1/2023 9:28	1	1	
9/1/2023 9:29	1	1	
9/1/2023 9:30	1	1	
9/1/2023 9:31	1	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:32	1	1	0.00023535
9/1/2023 9:33	1	1	
9/1/2023 9:34	1	1	
9/1/2023 9:35	1	1	
9/1/2023 9:36	1	1	
9/1/2023 9:40			
9/1/2023 9:42	1	1	
9/1/2023 9:43	1	1	
9/1/2023 9:44	2	1	
9/1/2023 9:45	1	1	
9/1/2023 9:46	1	1	
9/1/2023 9:47	1	1	
9/1/2023 9:48	2	1	
9/1/2023 9:49	1	1	
9/1/2023 9:50	1	1	
9/1/2023 9:51	2	1	
9/1/2023 9:52	2	1	
9/1/2023 9:53	2	1	
9/1/2023 9:54	2	1	
9/1/2023 9:55	2	1	
9/1/2023 9:56	2	1	
9/1/2023 9:57	2	1	
9/1/2023 9:58	2	1	
9/1/2023 9:59	1	1	
9/1/2023 10:00	1	1	
9/1/2023 10:01	1	1	
9/1/2023 10:02	5	1	
9/1/2023 10:03	2	1	
9/1/2023 10:04	2	1	
9/1/2023 10:05	1	1	
9/1/2023 10:06	1	1	
9/1/2023 10:07	1	1	
9/1/2023 10:08	0	1	
9/1/2023 10:09	1	1	
9/1/2023 10:10	1	1	
9/1/2023 10:11	0	1	
9/1/2023 10:12	1	1	
9/1/2023 10:13	0	1	
9/1/2023 10:14	0	1	
9/1/2023 10:15	1	1	
9/1/2023 10:16	0	1	
9/1/2023 10:17	1	0	
9/1/2023 10:18	1	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:19	1	0	
9/1/2023 10:20	1	0	
9/1/2023 10:21	1	0	
9/1/2023 10:22	1	0	
9/1/2023 10:23	1	0	
9/1/2023 10:24	1	0	
9/1/2023 10:25	1	0	
9/1/2023 10:26	1	0	
9/1/2023 10:27	1	0	
9/1/2023 10:28	1	0	
9/1/2023 10:29	1	0	
9/1/2023 10:30	1	0	
9/1/2023 10:31	1	1	
9/1/2023 10:32	1	1	
9/1/2023 10:33	1	1	
9/1/2023 10:34	1	1	
9/1/2023 10:35	1	1	
9/1/2023 10:36	1	1	
9/1/2023 10:37	2	1	
9/1/2023 10:38	1	1	
9/1/2023 10:39	1	1	
9/1/2023 10:40	0	1	
9/1/2023 10:41	1	1	
9/1/2023 10:42	1	1	
9/1/2023 10:43	1	1	
9/1/2023 10:44	1	1	
9/1/2023 10:45	1	1	
9/1/2023 10:46	1	1	
9/1/2023 10:47	1	1	
9/1/2023 10:48	1	1	
9/1/2023 10:49	1	1	
9/1/2023 10:50	0	0	
9/1/2023 10:51	0	0	
9/1/2023 10:52	0	0	
9/1/2023 10:53	1	0	
9/1/2023 10:54	0	0	
9/1/2023 10:55	1	0	
9/1/2023 10:56	1	0	
9/1/2023 10:57	1	0	
9/1/2023 10:58	0	0	
9/1/2023 10:59	0	0	
9/1/2023 11:00	0	0	0.00017652
9/1/2023 11:01	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:02	0	0	
9/1/2023 11:03			
9/1/2023 11:04			
9/1/2023 11:05	0	0	
9/1/2023 11:06	0	0	
9/1/2023 11:07	0	0	
9/1/2023 11:08	0	0	
9/1/2023 11:09	0	0	
9/1/2023 11:10	0	0	
9/1/2023 11:11	0	0	
9/1/2023 11:12	0	0	
9/1/2023 11:13	0	0	
9/1/2023 11:14	0	0	
9/1/2023 11:15	0	0	
9/1/2023 11:16	0	0	
9/1/2023 11:17	0	0	
9/1/2023 11:18	0	0	
9/1/2023 11:19	0	0	
9/1/2023 11:20	0	0	
9/1/2023 11:21	0	0	
9/1/2023 11:22	0	0	
9/1/2023 11:23	1	0	
9/1/2023 11:24	1	0	
9/1/2023 11:25	1	0	
9/1/2023 11:26	0	0	
9/1/2023 11:27	0	0	
9/1/2023 11:28	0	0	
9/1/2023 11:29	0	0	
9/1/2023 11:30	1	0	
9/1/2023 11:31	0	0	
9/1/2023 11:32	0	0	
9/1/2023 11:33	0	0	
9/1/2023 11:34	0	0	
9/1/2023 11:35	0	0	
9/1/2023 11:36	0	0	
9/1/2023 11:37	0	0	
9/1/2023 11:38	1	0	
9/1/2023 11:39	1	0	
9/1/2023 11:40	1	0	
9/1/2023 11:41	2	0	
9/1/2023 11:42	1	0	
9/1/2023 11:43	1	0	
9/1/2023 11:44	1	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:45	1	0	
9/1/2023 11:46	2	0	
9/1/2023 11:47	1	0	
9/1/2023 11:48	1	0	
9/1/2023 11:49	1	0	
9/1/2023 11:50	2	1	
9/1/2023 11:51	2	1	
9/1/2023 11:52	1	1	
9/1/2023 11:53	1	1	
9/1/2023 11:54	1	1	
9/1/2023 11:55	1	1	
9/1/2023 11:56	1	1	
9/1/2023 11:57	1	1	
9/1/2023 11:58	1	1	
9/1/2023 11:59	1	1	
9/1/2023 12:00	1	1	0.00014121
9/1/2023 12:01	1	1	
9/1/2023 12:02	1	1	
9/1/2023 12:03	1	1	
9/1/2023 12:04	1	1	
9/1/2023 12:05	1	1	
9/1/2023 12:06	2	1	
9/1/2023 12:07	2	1	
9/1/2023 12:08	1	1	
9/1/2023 12:09	1	1	
9/1/2023 12:10	4	1	
9/1/2023 12:11	3	1	
9/1/2023 12:12	1	1	
9/1/2023 12:13	2	1	
9/1/2023 12:14	2	1	
9/1/2023 12:15	1	1	
9/1/2023 12:16	2	1	
9/1/2023 12:17	2	1	
9/1/2023 12:18	2	1	
9/1/2023 12:19	1	1	
9/1/2023 12:20	3	1	
9/1/2023 12:21	2	1	
9/1/2023 12:22	2	1	
9/1/2023 12:23	2	2	
9/1/2023 12:24	2	2	
9/1/2023 12:25	2	1	
9/1/2023 12:26	2	1	
9/1/2023 12:27	2	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:28	2	1	
9/1/2023 12:29	2	1	
9/1/2023 12:30	2	2	
9/1/2023 12:31	2	2	
9/1/2023 12:32	4	2	
9/1/2023 12:33	6	2	
9/1/2023 12:34	3	2	
9/1/2023 12:35	3	2	
9/1/2023 12:36	5	2	
9/1/2023 12:37	6	3	
9/1/2023 12:38	4	3	
9/1/2023 12:39	3	3	
9/1/2023 12:40	3	3	
9/1/2023 12:41	3	3	
9/1/2023 12:42	10	3	
9/1/2023 12:43	7	4	
9/1/2023 12:44	5	4	
9/1/2023 12:45	4	4	
9/1/2023 12:46	2	4	
9/1/2023 12:47	1	4	
9/1/2023 12:48	1	4	
9/1/2023 12:49	0	3	
9/1/2023 12:50	0	3	
9/1/2023 12:51	0	3	
9/1/2023 12:52	0	2	
9/1/2023 12:53	0	2	
9/1/2023 12:54	0	2	
9/1/2023 12:55	0	2	
9/1/2023 12:56	39	4	
9/1/2023 12:57	93	10	
9/1/2023 12:58	29	11	
9/1/2023 12:59	10	11	
9/1/2023 13:00	7	12	0.00012879
9/1/2023 13:01	2	12	
9/1/2023 13:02	2	12	
9/1/2023 13:03	2	12	
9/1/2023 13:04	1	12	
9/1/2023 13:05	1	12	
9/1/2023 13:06	1	12	
9/1/2023 13:07	1	12	
9/1/2023 13:08	1	12	
9/1/2023 13:09	1	12	
9/1/2023 13:10	1	12	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:11	1	10	
9/1/2023 13:12	0	4	
9/1/2023 13:13	1	2	
9/1/2023 13:14	2	1	
9/1/2023 13:15	1	1	
9/1/2023 13:16	1	1	
9/1/2023 13:17	2	1	
9/1/2023 13:18	1	1	
9/1/2023 13:19	1	1	
9/1/2023 13:20	3	1	
9/1/2023 13:21	2	1	
9/1/2023 13:22	2	1	
9/1/2023 13:23	0	1	
9/1/2023 13:24	0	1	
9/1/2023 13:25	0	1	
9/1/2023 13:26	1	1	
9/1/2023 13:27	4	1	
9/1/2023 13:28	3	1	
9/1/2023 13:29	2	1	
9/1/2023 13:30	1	1	
9/1/2023 13:31	1	1	
9/1/2023 13:32	1	1	
9/1/2023 13:36			
9/1/2023 13:37	0	1	
9/1/2023 13:38	0	1	
9/1/2023 13:39	1	1	
9/1/2023 13:40	1	1	
9/1/2023 13:41	1	1	
9/1/2023 13:42	1	1	
9/1/2023 13:43	1	0	
9/1/2023 13:44	1	0	
9/1/2023 13:45	2	0	
9/1/2023 13:46	4	1	
9/1/2023 13:47	3	1	
9/1/2023 13:48	2	1	
9/1/2023 13:49	2	1	
9/1/2023 13:50	1	1	
9/1/2023 13:51	1	1	
9/1/2023 13:52	0	1	
9/1/2023 13:53	0	1	
9/1/2023 13:54	0	1	
9/1/2023 13:55	0	1	
9/1/2023 13:56	0	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:57	0	1	0.00019712
9/1/2023 13:58	0	1	
9/1/2023 13:59	1	1	
9/1/2023 14:00	0	0	0.00019712
9/1/2023 14:01	1	0	
9/1/2023 14:02	1	0	
9/1/2023 14:03	2	0	0.00019712
9/1/2023 14:04	1	0	
9/1/2023 14:05	1	0	
9/1/2023 14:06	2	0	0.00019712
9/1/2023 14:07	2	0	
9/1/2023 14:08	1	0	
9/1/2023 14:09	0	0	0.00019712
9/1/2023 14:10	1	0	
9/1/2023 14:11	1	0	
9/1/2023 14:12	1	1	0.00019712
9/1/2023 14:13	1	1	
9/1/2023 14:14	1	1	
9/1/2023 14:15	1	1	0.00019712
9/1/2023 14:16	0	1	
9/1/2023 14:17	1	1	
9/1/2023 14:18	2	1	0.00019712
9/1/2023 14:19	6	1	
9/1/2023 14:20	5	1	
9/1/2023 14:21	4	1	0.00019712
9/1/2023 14:22	1	1	
9/1/2023 14:23	2	1	
9/1/2023 14:24	2	1	0.00019712
9/1/2023 14:25	1	1	
9/1/2023 14:26	2	2	
9/1/2023 14:27	1	2	0.00019712
9/1/2023 14:28	1	2	
9/1/2023 14:29	1	2	
9/1/2023 14:30	4	2	0.00019712
9/1/2023 14:31	0	2	
9/1/2023 14:32	0	2	
9/1/2023 14:34			0.00019712
9/1/2023 14:34			
9/1/2023 14:35			
9/1/2023 14:36	0	1	0.00019712
9/1/2023 14:37	1	1	
9/1/2023 14:38	0	1	
9/1/2023 14:39	5	1	0.00019712

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 14:40	3	1	
9/1/2023 14:41	2	1	
9/1/2023 14:42	1	1	
9/1/2023 14:43	1	1	
9/1/2023 14:44	1	1	
9/1/2023 14:45	2	1	
9/1/2023 14:46	1	1	
9/1/2023 14:47	1	1	
9/1/2023 14:48	1	1	
9/1/2023 14:49	1	1	
9/1/2023 14:50	1	1	
9/1/2023 14:51	2	1	
9/1/2023 14:52	2	1	
9/1/2023 14:53	2	1	
9/1/2023 14:54	2	1	
9/1/2023 14:55	2	1	
9/1/2023 14:56	1	1	
9/1/2023 14:57	1	1	
9/1/2023 14:58	1	1	
9/1/2023 14:59	1	1	
9/1/2023 15:00	1	1	0.00017248
9/1/2023 15:01	2	1	
9/1/2023 15:02	1	1	
9/1/2023 15:03	2	1	
9/1/2023 15:04	2	1	
9/1/2023 15:05	2	1	
9/1/2023 15:06	2	1	
9/1/2023 15:07	2	1	
9/1/2023 15:08	2	1	
9/1/2023 15:09	2	1	
9/1/2023 15:10	1	1	
9/1/2023 15:11	2	1	
9/1/2023 15:12	2	1	
9/1/2023 15:13	2	1	
9/1/2023 15:14	2	1	
9/1/2023 15:15	2	1	
9/1/2023 15:16	3	1	
9/1/2023 15:17	2	2	
9/1/2023 15:18	1	1	
9/1/2023 15:19	1	1	
9/1/2023 15:20	1	1	
9/1/2023 15:21	1	1	
9/1/2023 15:22	1	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:23	1	1	
9/1/2023 15:24	1	1	
9/1/2023 15:25	2	1	
9/1/2023 15:26	2	1	
9/1/2023 15:27	1	1	
9/1/2023 15:28	1	1	
9/1/2023 15:29	2	1	
Min	1		
Max	93		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-03

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 7:00			
9/1/2023 7:33			
9/1/2023 7:35	0	0	
9/1/2023 7:36	1	0	
9/1/2023 7:37	1	0	
9/1/2023 7:38	1	0	
9/1/2023 7:39	1	0	
9/1/2023 7:40	0	0	
9/1/2023 7:41	0	0	
9/1/2023 7:42	0	0	
9/1/2023 7:43	0	0	
9/1/2023 7:44	0	0	
9/1/2023 7:45	1	0	
9/1/2023 7:46	1	0	
9/1/2023 7:47	2	0	
9/1/2023 7:48	2	0	
9/1/2023 7:49	2	0	
9/1/2023 7:50	1	0	
9/1/2023 7:51	1	0	
9/1/2023 7:52	1	0	
9/1/2023 7:53	2	0	
9/1/2023 7:54	2	1	
9/1/2023 7:55	2	1	
9/1/2023 7:56	2	1	
9/1/2023 7:57	2	1	
9/1/2023 7:58	2	1	
9/1/2023 7:59	3	1	
9/1/2023 8:00	2	1	0
9/1/2023 8:01	2	1	
9/1/2023 8:02	2	1	
9/1/2023 8:03	2	1	
9/1/2023 8:04	2	1	
9/1/2023 8:05	2	1	
9/1/2023 8:06	2	2	
9/1/2023 8:07	3	2	
9/1/2023 8:08	2	2	
9/1/2023 8:09	2	2	
9/1/2023 8:10	2	2	
9/1/2023 8:11	2	2	
9/1/2023 8:12	2	2	
9/1/2023 8:13	4	2	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:14	4	2	
9/1/2023 8:15	4	2	
9/1/2023 8:16	23	3	
9/1/2023 8:17	14	4	
9/1/2023 8:18	16	5	
9/1/2023 8:19	3	5	
9/1/2023 8:20	2	5	
9/1/2023 8:21	2	5	
9/1/2023 8:22	3	5	
9/1/2023 8:23	2	5	
9/1/2023 8:24	3	5	
9/1/2023 8:25	4	5	
9/1/2023 8:26	4	6	
9/1/2023 8:27	5	6	
9/1/2023 8:28	6	6	
9/1/2023 8:29	5	6	
9/1/2023 8:30	6	6	
9/1/2023 8:31	5	5	
9/1/2023 8:32	7	4	
9/1/2023 8:33	6	4	
9/1/2023 8:34	3	4	
9/1/2023 8:35	2	4	
9/1/2023 8:36	2	4	
9/1/2023 8:37	2	4	
9/1/2023 8:38	2	4	
9/1/2023 8:39	2	4	
9/1/2023 8:40	2	3	
9/1/2023 8:41	2	3	
9/1/2023 8:42	2	3	
9/1/2023 8:43	2	3	
9/1/2023 8:44	2	3	
9/1/2023 8:45	2	2	
9/1/2023 8:46	2	2	
9/1/2023 8:47	2	2	
9/1/2023 8:48	1	2	
9/1/2023 8:49	1	1	
9/1/2023 8:50	2	1	
9/1/2023 8:51	2	1	
9/1/2023 8:52	2	1	
9/1/2023 8:53	2	1	
9/1/2023 8:54	2	1	
9/1/2023 8:55	2	1	
9/1/2023 8:56	2	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:57	2	1	0.000125
9/1/2023 8:58	2	1	
9/1/2023 8:59	2	1	
9/1/2023 9:00	2	1	
9/1/2023 9:01	2	1	0.000125
9/1/2023 9:02	2	1	
9/1/2023 9:03	2	1	
9/1/2023 9:04	2	2	
9/1/2023 9:05	2	2	0.000125
9/1/2023 9:06	2	2	
9/1/2023 9:07	2	2	
9/1/2023 9:08	2	2	
9/1/2023 9:09	2	2	0.000125
9/1/2023 9:10	2	2	
9/1/2023 9:11	3	2	
9/1/2023 9:12	2	2	
9/1/2023 9:13	3	2	0.000125
9/1/2023 9:14	4	2	
9/1/2023 9:15	4	2	
9/1/2023 9:16	3	2	
9/1/2023 9:17	4	2	0.000125
9/1/2023 9:18	4	2	
9/1/2023 9:19	4	2	
9/1/2023 9:20	3	2	
9/1/2023 9:21	8	3	0.000125
9/1/2023 9:22	3	3	
9/1/2023 9:23	3	3	
9/1/2023 9:24	3	3	
9/1/2023 9:25	3	3	0.000125
9/1/2023 9:26	3	3	
9/1/2023 9:27	2	3	
9/1/2023 9:28	3	3	
9/1/2023 9:29	3	3	0.000125
9/1/2023 9:30	3	3	
9/1/2023 9:31	2	3	
9/1/2023 9:32	2	3	
9/1/2023 9:33	3	3	0.000125
9/1/2023 9:34	3	3	
9/1/2023 9:35	3	3	
9/1/2023 9:36	4	2	
9/1/2023 9:37	3	2	0.000125
9/1/2023 9:38	3	2	
9/1/2023 9:39	3	2	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:40	3	2	
9/1/2023 9:41	3	2	
9/1/2023 9:42	3	2	
9/1/2023 9:43	3	2	
9/1/2023 9:44	3	2	
9/1/2023 9:45	3	2	
9/1/2023 9:46	3	3	
9/1/2023 9:47	3	3	
9/1/2023 9:48	3	3	
9/1/2023 9:49	4	3	
9/1/2023 9:50	4	3	
9/1/2023 9:51	4	3	
9/1/2023 9:52	10	3	
9/1/2023 9:53	5	3	
9/1/2023 9:54	4	3	
9/1/2023 9:55	4	3	
9/1/2023 9:56	4	4	
9/1/2023 9:57	4	4	
9/1/2023 9:58	4	4	
9/1/2023 9:59	4	4	
9/1/2023 10:00	26	5	0.000417
9/1/2023 10:01	26	7	
9/1/2023 10:02	12	7	
9/1/2023 10:03	11	8	
9/1/2023 10:04	4	8	
9/1/2023 10:05	18	9	
9/1/2023 10:06	13	9	
9/1/2023 10:07	3	9	
9/1/2023 10:08	3	9	
9/1/2023 10:09	3	9	
9/1/2023 10:10	3	9	
9/1/2023 10:11	3	9	
9/1/2023 10:12	3	9	
9/1/2023 10:13	3	9	
9/1/2023 10:14	3	8	
9/1/2023 10:15	3	7	
9/1/2023 10:16	4	5	
9/1/2023 10:17	3	5	
9/1/2023 10:18	3	4	
9/1/2023 10:19	3	4	
9/1/2023 10:20	22	5	
9/1/2023 10:21	27	5	
9/1/2023 10:22	29	7	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:23	33	9	
9/1/2023 10:24	11	10	
9/1/2023 10:25	4	10	
9/1/2023 10:26	3	10	
9/1/2023 10:27	3	10	
9/1/2023 10:28	3	10	
9/1/2023 10:29	3	10	
9/1/2023 10:30	3	10	
9/1/2023 10:31	3	10	
9/1/2023 10:32	3	10	
9/1/2023 10:33	2	10	
9/1/2023 10:34	3	10	
9/1/2023 10:35	3	8	
9/1/2023 10:36	3	7	
9/1/2023 10:37	3	5	
9/1/2023 10:38	10	4	
9/1/2023 10:39	5	3	
9/1/2023 10:40	3	3	
9/1/2023 10:41	4	3	
9/1/2023 10:42	3	3	
9/1/2023 10:43	3	3	
9/1/2023 10:44	3	3	
9/1/2023 10:45	3	3	
9/1/2023 10:46	3	3	
9/1/2023 10:47	3	3	
9/1/2023 10:48	3	3	
9/1/2023 10:49	3	3	
9/1/2023 10:50	3	3	
9/1/2023 10:51	3	3	
9/1/2023 10:52	4	3	
9/1/2023 10:53	4	3	
9/1/2023 10:54	3	3	
9/1/2023 10:55	3	3	
9/1/2023 10:56	4	3	
9/1/2023 10:57	3	3	
9/1/2023 10:58	3	3	
9/1/2023 10:59	3	3	
9/1/2023 11:00	3	3	0.00072083
9/1/2023 11:01	3	3	
9/1/2023 11:02	4	3	
9/1/2023 11:03	3	3	
9/1/2023 11:04	3	3	
9/1/2023 11:05	3	3	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:06	3	3	
9/1/2023 11:07	3	3	
9/1/2023 11:08	3	3	
9/1/2023 11:09	3	3	
9/1/2023 11:10	3	3	
9/1/2023 11:11	3	3	
9/1/2023 11:12	3	3	
9/1/2023 11:13	3	3	
9/1/2023 11:14	3	3	
9/1/2023 11:15	3	3	
9/1/2023 11:16	3	3	
9/1/2023 11:17	3	3	
9/1/2023 11:18	3	3	
9/1/2023 11:19	3	3	
9/1/2023 11:20	3	3	
9/1/2023 11:21	3	3	
9/1/2023 11:22	3	3	
9/1/2023 11:23	3	3	
9/1/2023 11:24	3	3	
9/1/2023 11:25	3	3	
9/1/2023 11:26	3	3	
9/1/2023 11:27	3	3	
9/1/2023 11:28	3	3	
9/1/2023 11:29	3	3	
9/1/2023 11:30	3	3	
9/1/2023 11:31	3	3	
9/1/2023 11:32	3	3	
9/1/2023 11:33	3	3	
9/1/2023 11:34	3	3	
9/1/2023 11:35	3	3	
9/1/2023 11:36	4	3	
9/1/2023 11:37	3	3	
9/1/2023 11:38	3	3	
9/1/2023 11:39	4	3	
9/1/2023 11:40	4	3	
9/1/2023 11:41	3	3	
9/1/2023 11:42	4	3	
9/1/2023 11:43	5	3	
9/1/2023 11:44	5	3	
9/1/2023 11:45	4	3	
9/1/2023 11:46	4	3	
9/1/2023 11:47	4	3	
9/1/2023 11:48	5	3	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:49	5	4	
9/1/2023 11:50	6	4	
9/1/2023 11:51	5	4	
9/1/2023 11:52	5	4	
9/1/2023 11:53	5	4	
9/1/2023 11:54	11	5	
9/1/2023 11:55	26	6	
9/1/2023 11:56	5	6	
9/1/2023 11:57	5	6	
9/1/2023 11:58	6	6	
9/1/2023 11:59	4	6	
9/1/2023 12:00	4	6	0.00097667
9/1/2023 12:01	4	6	
9/1/2023 12:02	5	6	
9/1/2023 12:03	10	7	
9/1/2023 12:04	5	7	
9/1/2023 12:05	6	7	
9/1/2023 12:06	5	7	
9/1/2023 12:07	5	7	
9/1/2023 12:08	5	7	
9/1/2023 12:09	5	6	
9/1/2023 12:10	5	5	
9/1/2023 12:11	5	5	
9/1/2023 12:12	5	5	
9/1/2023 12:13	5	5	
9/1/2023 12:14	5	5	
9/1/2023 12:15	6	5	
9/1/2023 12:16	6	5	
9/1/2023 12:17	5	5	
9/1/2023 12:18	6	5	
9/1/2023 12:19	5	5	
9/1/2023 12:20	5	5	
9/1/2023 12:21	5	5	
9/1/2023 12:22	9	5	
9/1/2023 12:23	6	5	
9/1/2023 12:24	6	5	
9/1/2023 12:25	6	5	
9/1/2023 12:26	5	5	
9/1/2023 12:27	5	5	
9/1/2023 12:28	6	5	
9/1/2023 12:29	6	5	
9/1/2023 12:30	7	5	
9/1/2023 12:31	6	5	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:32	7	6	0.0011109
9/1/2023 12:37			
9/1/2023 12:38	6	6	
9/1/2023 12:39	7	6	
9/1/2023 12:40	6	6	
9/1/2023 12:41	7	6	
9/1/2023 12:42	6	6	
9/1/2023 12:43	8	6	
9/1/2023 12:44	8	6	
9/1/2023 12:45	6	6	
9/1/2023 12:46	5	6	
9/1/2023 12:47	6	6	
9/1/2023 12:48	5	6	
9/1/2023 12:49	28	8	
9/1/2023 12:50	15	8	
9/1/2023 12:51	6	8	
9/1/2023 12:52	6	8	
9/1/2023 12:53	11	8	
9/1/2023 12:54	31	10	
9/1/2023 12:55	16	10	
9/1/2023 12:56	7	10	
9/1/2023 12:57	10	11	
9/1/2023 12:58	25	12	
9/1/2023 12:59	9	12	
9/1/2023 13:00	8	12	
9/1/2023 13:01	16	13	
9/1/2023 13:02	6	13	
9/1/2023 13:03	5	13	
9/1/2023 13:04	6	11	
9/1/2023 13:05	6	11	
9/1/2023 13:06	5	11	
9/1/2023 13:07	6	11	
9/1/2023 13:08	6	10	
9/1/2023 13:09	6	9	
9/1/2023 13:10	7	8	
9/1/2023 13:11	7	8	
9/1/2023 13:12	7	8	
9/1/2023 13:13	6	7	
9/1/2023 13:14	22	7	
9/1/2023 13:15	8	7	
9/1/2023 13:16	12	7	
9/1/2023 13:17	8	7	
9/1/2023 13:18	9	8	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:19	12	8	
9/1/2023 13:20	10	8	
9/1/2023 13:21	8	8	
9/1/2023 13:22	5	8	
9/1/2023 13:23	8	9	
9/1/2023 13:24	10	9	
9/1/2023 13:25	14	9	
9/1/2023 13:26	8	9	
9/1/2023 13:27	9	9	
9/1/2023 13:28	9	10	
9/1/2023 13:29	7	9	
9/1/2023 13:30	7	9	
9/1/2023 13:31	8	8	
9/1/2023 13:32	7	8	
9/1/2023 13:33	10	8	
9/1/2023 13:34	9	8	
9/1/2023 13:35	7	8	
9/1/2023 13:36	8	8	
9/1/2023 13:37	9	8	
9/1/2023 13:38	6	8	
9/1/2023 13:39	9	8	
9/1/2023 13:40	8	8	
9/1/2023 13:41	7	8	
9/1/2023 13:42	6	7	
9/1/2023 13:43	6	7	
9/1/2023 13:44	28	9	
9/1/2023 13:45	8	9	
9/1/2023 13:46	7	9	
9/1/2023 13:47	7	9	
9/1/2023 13:48	7	8	
9/1/2023 13:49	8	8	
9/1/2023 13:50	5	8	
9/1/2023 13:51	6	8	
9/1/2023 13:52	5	8	
9/1/2023 13:53	24	9	
9/1/2023 13:54	7	9	
9/1/2023 13:55	5	9	
9/1/2023 13:56	6	9	
9/1/2023 13:57	6	9	
9/1/2023 13:58	9	9	
9/1/2023 13:59	15	8	
9/1/2023 14:00	22	9	0.0011117
9/1/2023 14:01	9	9	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total (µg/m³)	Mass Conc. Total µg/m³ AVG 15m (µg/m³)	Total TWA mg/m³ AVG 8h (mg/m³)
9/1/2023 14:02	6	9	
9/1/2023 14:03	6	9	
9/1/2023 14:04	6	9	
9/1/2023 14:05	7	9	
9/1/2023 14:06	7	9	
9/1/2023 14:07	7	9	
9/1/2023 14:08	6	8	
9/1/2023 14:09	12	8	
9/1/2023 14:10	6	8	
9/1/2023 14:11	5	8	
9/1/2023 14:12	5	8	
9/1/2023 14:13	5	8	
9/1/2023 14:14	10	7	
9/1/2023 14:15	7	6	
9/1/2023 14:16	5	6	
9/1/2023 14:17	9	6	
9/1/2023 14:18	13	7	
9/1/2023 14:19	6	7	
9/1/2023 14:20	6	7	
9/1/2023 14:21	6	7	
9/1/2023 14:22	5	7	
9/1/2023 14:23	8	7	
9/1/2023 14:24	19	7	
9/1/2023 14:25	6	7	
9/1/2023 14:26	5	7	
9/1/2023 14:27	12	8	
9/1/2023 14:28	7	8	
9/1/2023 14:29	6	8	
9/1/2023 14:30	7	8	
9/1/2023 14:31	7	8	
9/1/2023 14:32	6	7	
9/1/2023 14:33	8	7	
9/1/2023 14:34	5	7	
9/1/2023 14:35	5	7	
9/1/2023 14:36	5	7	
9/1/2023 14:37	7	7	
9/1/2023 14:38	6	7	
9/1/2023 14:39	6	6	
9/1/2023 14:40	7	6	
9/1/2023 14:41	6	6	
9/1/2023 14:42	5	6	
9/1/2023 14:43	7	6	
9/1/2023 14:44	7	6	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 14:45	8	6	
9/1/2023 14:46	11	6	
9/1/2023 14:47	7	6	
9/1/2023 14:48	7	6	
9/1/2023 14:49	9	6	
9/1/2023 14:50	9	7	
9/1/2023 14:51	11	7	
9/1/2023 14:52	7	7	
9/1/2023 14:53	7	7	
9/1/2023 14:54	6	7	
9/1/2023 14:55	8	7	
9/1/2023 14:56	10	7	
9/1/2023 14:57	8	8	
9/1/2023 14:58	7	8	
9/1/2023 14:59	9	8	
9/1/2023 15:00	7	8	0.0012415
9/1/2023 15:01	14	8	
9/1/2023 15:02	9	8	
9/1/2023 15:03	18	9	
9/1/2023 15:04	14	9	
9/1/2023 15:05	19	10	
9/1/2023 15:06	15	10	
9/1/2023 15:07	7	10	
9/1/2023 15:08	7	10	
9/1/2023 15:09	7	10	
9/1/2023 15:10	7	10	
9/1/2023 15:11	7	10	
9/1/2023 15:12	6	10	
9/1/2023 15:13	7	10	
9/1/2023 15:14	7	10	
9/1/2023 15:15	8	10	
9/1/2023 15:16	7	9	
9/1/2023 15:17	7	9	
9/1/2023 15:18	6	8	
9/1/2023 15:19	8	8	
9/1/2023 15:20	12	7	
9/1/2023 15:21	13	7	
9/1/2023 15:22	6	7	
9/1/2023 15:23	6	7	
9/1/2023 15:24	6	7	
9/1/2023 15:25	7	7	
9/1/2023 15:26	7	7	
9/1/2023 15:27	6	7	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:28	6	7	
9/1/2023 15:29	6	7	
9/1/2023 15:30	6	7	
9/1/2023 15:31	6	7	
9/1/2023 15:32	7	7	
9/1/2023 15:33	6	7	
9/1/2023 15:34	7	7	
9/1/2023 15:35	7	6	
9/1/2023 15:36	9	6	
9/1/2023 15:37	7	6	
9/1/2023 15:38	8	6	
9/1/2023 15:39	7	6	
Min	1		
Max	33		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-04

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 7:00			
9/1/2023 7:43			
9/1/2023 7:44			
9/1/2023 7:45	1	1	
9/1/2023 7:46	1	1	
9/1/2023 7:47	2	1	
9/1/2023 7:48	1	1	
9/1/2023 7:49	2	1	
9/1/2023 7:50	1	1	
9/1/2023 7:51	1	1	
9/1/2023 7:52	2	1	
9/1/2023 7:53	1	1	
9/1/2023 7:54	1	1	
9/1/2023 7:55	2	1	
9/1/2023 7:56	2	1	
9/1/2023 7:57	2	1	
9/1/2023 7:58	2	1	
9/1/2023 7:59	2	1	
9/1/2023 8:00	2	1	0
9/1/2023 8:01	3	1	
9/1/2023 8:02	2	1	
9/1/2023 8:03	2	1	
9/1/2023 8:04	2	1	
9/1/2023 8:05	2	1	
9/1/2023 8:06	1	1	
9/1/2023 8:07	2	1	
9/1/2023 8:08	1	1	
9/1/2023 8:09	1	1	
9/1/2023 8:10	1	1	
9/1/2023 8:11	2	1	
9/1/2023 8:12	3	1	
9/1/2023 8:13	2	1	
9/1/2023 8:14	1	1	
9/1/2023 8:15	1	1	
9/1/2023 8:16	1	1	
9/1/2023 8:17	1	1	
9/1/2023 8:18	1	1	
9/1/2023 8:19	1	1	
9/1/2023 8:20	1	1	
9/1/2023 8:21	1	1	
9/1/2023 8:22	0	1	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:23	1	1	
9/1/2023 8:24	1	1	
9/1/2023 8:25	0	1	
9/1/2023 8:26	1	1	
9/1/2023 8:27	2	1	
9/1/2023 8:28	2	1	
9/1/2023 8:29	3	1	
9/1/2023 8:30	1	1	
9/1/2023 8:31	1	1	
9/1/2023 8:32	0	1	
9/1/2023 8:33	0	1	
9/1/2023 8:34	0	0	
9/1/2023 8:35	0	0	
9/1/2023 8:36	0	0	
9/1/2023 8:37	0	0	
9/1/2023 8:38	0	0	
9/1/2023 8:39	1	0	
9/1/2023 8:40	0	0	
9/1/2023 8:41	0	0	
9/1/2023 8:42	0	0	
9/1/2023 8:43	0	0	
9/1/2023 8:44	0	0	
9/1/2023 8:45	0	0	
9/1/2023 8:46	0	0	
9/1/2023 8:47	0	0	
9/1/2023 8:48	0	0	
9/1/2023 8:49	0	0	
9/1/2023 8:50	0	0	
9/1/2023 8:51	0	0	
9/1/2023 8:52	0	0	
9/1/2023 8:53	0	0	
9/1/2023 8:54	0	0	
9/1/2023 8:55	0	0	
9/1/2023 8:56	0	0	
9/1/2023 8:57	0	0	
9/1/2023 8:58	0	0	
9/1/2023 8:59	0	0	
9/1/2023 9:00	0	0	0
9/1/2023 9:01	0	0	
9/1/2023 9:02	1	0	
9/1/2023 9:03	0	0	
9/1/2023 9:04	0	0	
9/1/2023 9:05	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:06	0	0	
9/1/2023 9:07	0	0	
9/1/2023 9:08	0	0	
9/1/2023 9:09	0	0	
9/1/2023 9:10	0	0	
9/1/2023 9:11	0	0	
9/1/2023 9:12	0	0	
9/1/2023 9:13	0	0	
9/1/2023 9:14	0	0	
9/1/2023 9:15	0	0	
9/1/2023 9:16	0	0	
9/1/2023 9:17	0	0	
9/1/2023 9:18	1	0	
9/1/2023 9:19	2	0	
9/1/2023 9:20	0	0	
9/1/2023 9:21	0	0	
9/1/2023 9:22	0	0	
9/1/2023 9:23	0	0	
9/1/2023 9:24	0	0	
9/1/2023 9:25	0	0	
9/1/2023 9:26	0	0	
9/1/2023 9:27	0	0	
9/1/2023 9:28	0	0	
9/1/2023 9:29	0	0	
9/1/2023 9:30	0	0	
9/1/2023 9:31	0	0	
9/1/2023 9:32	0	0	
9/1/2023 9:33	0	0	
9/1/2023 9:34	0	0	
9/1/2023 9:35	0	0	
9/1/2023 9:36	0	0	
9/1/2023 9:37	0	0	
9/1/2023 9:38	0	0	
9/1/2023 9:39	0	0	
9/1/2023 9:40	0	0	
9/1/2023 9:41	0	0	
9/1/2023 9:42	0	0	
9/1/2023 9:43	0	0	
9/1/2023 9:44	0	0	
9/1/2023 9:45	0	0	
9/1/2023 9:46	0	0	
9/1/2023 9:47	0	0	
9/1/2023 9:48	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:49	0	0	0
9/1/2023 9:50	1	0	
9/1/2023 9:51	0	0	
9/1/2023 9:52	0	0	
9/1/2023 9:53	0	0	
9/1/2023 9:54	0	0	
9/1/2023 9:55	0	0	
9/1/2023 9:56	0	0	
9/1/2023 9:57	0	0	
9/1/2023 9:58	0	0	
9/1/2023 9:59	0	0	
9/1/2023 10:00	0	0	
9/1/2023 10:01	0	0	
9/1/2023 10:02	3	0	
9/1/2023 10:03	1	0	
9/1/2023 10:04	0	0	
9/1/2023 10:05	0	0	
9/1/2023 10:06	0	0	
9/1/2023 10:07	0	0	
9/1/2023 10:08	0	0	
9/1/2023 10:09	0	0	
9/1/2023 10:10	0	0	
9/1/2023 10:11	0	0	
9/1/2023 10:12	0	0	
9/1/2023 10:13	0	0	
9/1/2023 10:14	0	0	
9/1/2023 10:15	0	0	
9/1/2023 10:16	0	0	
9/1/2023 10:17	0	0	
9/1/2023 10:18	0	0	
9/1/2023 10:19	0	0	
9/1/2023 10:20	0	0	
9/1/2023 10:21	0	0	
9/1/2023 10:22	0	0	
9/1/2023 10:23	0	0	
9/1/2023 10:24	1	0	
9/1/2023 10:25	0	0	
9/1/2023 10:26	0	0	
9/1/2023 10:27	0	0	
9/1/2023 10:28	0	0	
9/1/2023 10:29	0	0	
9/1/2023 10:30	0	0	
9/1/2023 10:31	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:32	0	0	0
9/1/2023 10:33	0	0	
9/1/2023 10:34	0	0	
9/1/2023 10:35	0	0	
9/1/2023 10:36	0	0	
9/1/2023 10:37	0	0	
9/1/2023 10:38	0	0	
9/1/2023 10:39	0	0	
9/1/2023 10:40	0	0	
9/1/2023 10:41	34	2	
9/1/2023 10:42			
9/1/2023 10:44	1	2	
9/1/2023 10:45	0	2	
9/1/2023 10:46	0	2	
9/1/2023 10:47	0	2	
9/1/2023 10:48	0	2	
9/1/2023 10:49	0	2	
9/1/2023 10:50	0	2	
9/1/2023 10:51	0	2	
9/1/2023 10:52	0	2	
9/1/2023 10:53	2	2	
9/1/2023 10:54	0	2	
9/1/2023 10:55	0	2	
9/1/2023 10:56	0	0	
9/1/2023 10:57	0	0	
9/1/2023 10:58	0	0	
9/1/2023 10:59	0	0	
9/1/2023 11:00	0	0	
9/1/2023 11:01	0	0	
9/1/2023 11:02	0	0	
9/1/2023 11:03	0	0	
9/1/2023 11:04	0	0	
9/1/2023 11:05	0	0	
9/1/2023 11:06	0	0	
9/1/2023 11:07	0	0	
9/1/2023 11:08	2	0	
9/1/2023 11:09	0	0	
9/1/2023 11:10	0	0	
9/1/2023 11:11	0	0	
9/1/2023 11:12	0	0	
9/1/2023 11:13	0	0	
9/1/2023 11:14	0	0	
9/1/2023 11:15	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:16	1	0	
9/1/2023 11:17	0	0	
9/1/2023 11:18	0	0	
9/1/2023 11:19	3	0	
9/1/2023 11:20	0	0	
9/1/2023 11:21	0	0	
9/1/2023 11:22	0	0	
9/1/2023 11:23	0	0	
9/1/2023 11:24	0	0	
9/1/2023 11:25	0	0	
9/1/2023 11:26	0	0	
9/1/2023 11:27	0	0	
9/1/2023 11:28	0	0	
9/1/2023 11:29	0	0	
9/1/2023 11:30	0	0	
9/1/2023 11:31	0	0	
9/1/2023 11:32	0	0	
9/1/2023 11:33	0	0	
9/1/2023 11:34	0	0	
9/1/2023 11:35	0	0	
9/1/2023 11:36	0	0	
9/1/2023 11:37	0	0	
9/1/2023 11:38	0	0	
9/1/2023 11:39	0	0	
9/1/2023 11:40	0	0	
9/1/2023 11:41	0	0	
9/1/2023 11:42	0	0	
9/1/2023 11:43	0	0	
9/1/2023 11:44	0	0	
9/1/2023 11:45	0	0	
9/1/2023 11:46	0	0	
9/1/2023 11:47	0	0	
9/1/2023 11:48	0	0	
9/1/2023 11:49	0	0	
9/1/2023 11:50	0	0	
9/1/2023 11:51	0	0	
9/1/2023 11:52	0	0	
9/1/2023 11:53	0	0	
9/1/2023 11:54	0	0	
9/1/2023 11:55	0	0	
9/1/2023 11:56	0	0	
9/1/2023 11:57	0	0	
9/1/2023 11:58	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:59	0	0	0
9/1/2023 12:00	0	0	
9/1/2023 12:01	0	0	
9/1/2023 12:02	0	0	0
9/1/2023 12:03	1	0	
9/1/2023 12:04	0	0	
9/1/2023 12:05	0	0	0
9/1/2023 12:06	0	0	
9/1/2023 12:07	0	0	
9/1/2023 12:08	0	0	0
9/1/2023 12:09	0	0	
9/1/2023 12:10	0	0	
9/1/2023 12:11	1	0	0
9/1/2023 12:12	0	0	
9/1/2023 12:13	0	0	
9/1/2023 12:14	0	0	0
9/1/2023 12:15	0	0	
9/1/2023 12:16	3	0	
9/1/2023 12:17	1	0	0
9/1/2023 12:18	0	0	
9/1/2023 12:19	0	0	
9/1/2023 12:20	0	0	0
9/1/2023 12:21	0	0	
9/1/2023 12:22	0	0	
9/1/2023 12:23	0	0	0
9/1/2023 12:24	0	0	
9/1/2023 12:25	0	0	
9/1/2023 12:26	0	0	0
9/1/2023 12:27	0	0	
9/1/2023 12:28	0	0	
9/1/2023 12:29	0	0	0
9/1/2023 12:30	0	0	
9/1/2023 12:31	0	0	
9/1/2023 12:32	2	0	0
9/1/2023 12:33	0	0	
9/1/2023 12:34	0	0	
9/1/2023 12:35	1	0	0
9/1/2023 12:36	0	0	
9/1/2023 12:37	1	0	
9/1/2023 12:38	0	0	0
9/1/2023 12:39	0	0	
9/1/2023 12:40	0	0	
9/1/2023 12:41	0	0	0

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:42	0	0	
9/1/2023 12:43	1	0	
9/1/2023 12:44	0	0	
9/1/2023 12:45	0	0	
9/1/2023 12:46	0	0	
9/1/2023 12:47	0	0	
9/1/2023 12:48	0	0	
9/1/2023 12:49	0	0	
9/1/2023 12:50	0	0	
9/1/2023 12:51	0	0	
9/1/2023 12:52	0	0	
9/1/2023 12:53	4	0	
9/1/2023 12:54	0	0	
9/1/2023 12:55	6	0	
9/1/2023 12:56	0	0	
9/1/2023 12:57	0	0	
9/1/2023 12:58	0	0	
9/1/2023 12:59	0	0	
9/1/2023 13:00	0	0	0
9/1/2023 13:01	0	0	
9/1/2023 13:02	0	0	
9/1/2023 13:03	0	0	
9/1/2023 13:04	0	0	
9/1/2023 13:05	1	0	
9/1/2023 13:06	3	0	
9/1/2023 13:07	0	0	
9/1/2023 13:08	0	0	
9/1/2023 13:09	0	0	
9/1/2023 13:10	0	0	
9/1/2023 13:11	1	0	
9/1/2023 13:12	0	0	
9/1/2023 13:13	0	0	
9/1/2023 13:14	0	0	
9/1/2023 13:15	2	0	
9/1/2023 13:16	2	0	
9/1/2023 13:17	6	1	
9/1/2023 13:18	0	1	
9/1/2023 13:19	0	1	
9/1/2023 13:20	0	0	
9/1/2023 13:21	0	0	
9/1/2023 13:22	0	0	
9/1/2023 13:23	0	0	
9/1/2023 13:24	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:25	0	0	
9/1/2023 13:26	0	0	
9/1/2023 13:27	0	0	
9/1/2023 13:28	6	1	
9/1/2023 13:29	4	1	
9/1/2023 13:30	0	1	
9/1/2023 13:31	0	1	
9/1/2023 13:32	0	0	
9/1/2023 13:33	0	0	
9/1/2023 13:34	1	0	
9/1/2023 13:35	0	0	
9/1/2023 13:36	0	0	
9/1/2023 13:37	0	0	
9/1/2023 13:38	0	0	
9/1/2023 13:39	0	0	
9/1/2023 13:40	0	0	
9/1/2023 13:41	2	0	
9/1/2023 13:42	0	0	
9/1/2023 13:43	1	0	
9/1/2023 13:44	0	0	
9/1/2023 13:45	0	0	
9/1/2023 13:46	0	0	
9/1/2023 13:47	3	0	
9/1/2023 13:48	0	0	
9/1/2023 13:49	0	0	
9/1/2023 13:50	0	0	
9/1/2023 13:51	0	0	
9/1/2023 13:52	0	0	
9/1/2023 13:53	3	0	
9/1/2023 13:54	1	0	
9/1/2023 13:55	0	0	
9/1/2023 13:56	0	0	
9/1/2023 13:57	0	0	
9/1/2023 13:58	0	0	
9/1/2023 13:59	0	0	
9/1/2023 14:00	0	0	0
9/1/2023 14:01	0	0	
9/1/2023 14:02	0	0	
9/1/2023 14:03	0	0	
9/1/2023 14:04	0	0	
9/1/2023 14:05	0	0	
9/1/2023 14:06	0	0	
9/1/2023 14:07	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 14:08	0	0	
9/1/2023 14:09	0	0	
9/1/2023 14:10	0	0	
9/1/2023 14:11	0	0	
9/1/2023 14:12	0	0	
9/1/2023 14:13	1	0	
9/1/2023 14:14	0	0	
9/1/2023 14:15	0	0	
9/1/2023 14:16	0	0	
9/1/2023 14:17	0	0	
9/1/2023 14:18	0	0	
9/1/2023 14:19	0	0	
9/1/2023 14:20	0	0	
9/1/2023 14:21	0	0	
9/1/2023 14:22	0	0	
9/1/2023 14:23	0	0	
9/1/2023 14:24	0	0	
9/1/2023 14:25	0	0	
9/1/2023 14:26	0	0	
9/1/2023 14:27	0	0	
9/1/2023 14:28	0	0	
9/1/2023 14:29	0	0	
9/1/2023 14:30	0	0	
9/1/2023 14:31	0	0	
9/1/2023 14:32	0	0	
9/1/2023 14:33	0	0	
9/1/2023 14:34	0	0	
9/1/2023 14:35	0	0	
9/1/2023 14:36	0	0	
9/1/2023 14:37	0	0	
9/1/2023 14:38	0	0	
9/1/2023 14:39	0	0	
9/1/2023 14:40	0	0	
9/1/2023 14:41	0	0	
9/1/2023 14:42	0	0	
9/1/2023 14:43	0	0	
9/1/2023 14:44	0	0	
9/1/2023 14:45	0	0	
9/1/2023 14:46	0	0	
9/1/2023 14:47	0	0	
9/1/2023 14:48	0	0	
9/1/2023 14:49	0	0	
9/1/2023 14:50	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 14:51	0	0	
9/1/2023 14:52	0	0	
9/1/2023 14:53	0	0	
9/1/2023 14:54	0	0	
9/1/2023 14:55	0	0	
9/1/2023 14:56	0	0	
9/1/2023 14:57	0	0	
9/1/2023 14:58	0	0	
9/1/2023 14:59	0	0	
9/1/2023 15:00			0
9/1/2023 15:01	0	0	
9/1/2023 15:02	0	0	
9/1/2023 15:03	0	0	
9/1/2023 15:04	0	0	
9/1/2023 15:05	0	0	
9/1/2023 15:06	0	0	
9/1/2023 15:07	0	0	
9/1/2023 15:08	0	0	
9/1/2023 15:09	0	0	
9/1/2023 15:10	0	0	
9/1/2023 15:11	0	0	
9/1/2023 15:12	0	0	
9/1/2023 15:13	0	0	
9/1/2023 15:14	0	0	
9/1/2023 15:15	0	0	
9/1/2023 15:16	0	0	
9/1/2023 15:17	0	0	
9/1/2023 15:18	0	0	
9/1/2023 15:19	0	0	
9/1/2023 15:20	0	0	
9/1/2023 15:21	0	0	
9/1/2023 15:22	0	0	
9/1/2023 15:23	0	0	
9/1/2023 15:24	0	0	
9/1/2023 15:25	0	0	
9/1/2023 15:26	0	0	
9/1/2023 15:27	0	0	
9/1/2023 15:28	0	0	
9/1/2023 15:29	0	0	
9/1/2023 15:30	0	0	
9/1/2023 15:31	0	0	
9/1/2023 15:32	0	0	
9/1/2023 15:33	0	0	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:34	0	0	
9/1/2023 15:35	0	0	
9/1/2023 15:36	0	0	
9/1/2023 15:37	0	0	
9/1/2023 15:38	0	0	
9/1/2023 15:39	0	0	
9/1/2023 15:40	0	0	
9/1/2023 15:41	0	0	
9/1/2023 15:42	0	0	
9/1/2023 15:43	0	0	
9/1/2023 15:44	0	0	
Min	1		
Max	34		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-05

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 7:00			
9/1/2023 7:50			
9/1/2023 7:50			
9/1/2023 7:53	2	2	
9/1/2023 7:54	3	2	
9/1/2023 7:55	6	3	
9/1/2023 7:56	3	3	
9/1/2023 7:57	3	3	
9/1/2023 7:58	3	3	
9/1/2023 7:59	3	3	
9/1/2023 8:00	3	3	0
9/1/2023 8:01	3	3	
9/1/2023 8:02	3	3	
9/1/2023 8:03	3	3	
9/1/2023 8:04	3	3	
9/1/2023 8:05	3	3	
9/1/2023 8:06	3	3	
9/1/2023 8:07	3	3	
9/1/2023 8:08	3	3	
9/1/2023 8:09	3	3	
9/1/2023 8:10	3	3	
9/1/2023 8:11	3	3	
9/1/2023 8:12	3	3	
9/1/2023 8:13	2	2	
9/1/2023 8:14	2	2	
9/1/2023 8:15	3	2	
9/1/2023 8:16	2	2	
9/1/2023 8:17	2	2	
9/1/2023 8:18	2	2	
9/1/2023 8:19	2	2	
9/1/2023 8:20	2	2	
9/1/2023 8:21	2	2	
9/1/2023 8:22	2	2	
9/1/2023 8:23	2	2	
9/1/2023 8:24	2	2	
9/1/2023 8:25	2	2	
9/1/2023 8:26	2	2	
9/1/2023 8:27	2	2	
9/1/2023 8:28	2	2	
9/1/2023 8:29	3	2	
9/1/2023 8:30	3	2	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:31	3	2	0
9/1/2023 8:32	3	2	
9/1/2023 8:33	3	2	
9/1/2023 8:34	3	2	
9/1/2023 8:35	3	2	
9/1/2023 8:36	2	2	
9/1/2023 8:37	3	2	
9/1/2023 8:38	3	2	
9/1/2023 8:39	2	2	
9/1/2023 8:40	2	2	
9/1/2023 8:41	3	2	
9/1/2023 8:42	3	2	
9/1/2023 8:43	3	2	
9/1/2023 8:44	3	2	
9/1/2023 8:45	3	2	
9/1/2023 8:46	3	2	
9/1/2023 8:47	4	2	
9/1/2023 8:48	4	2	
9/1/2023 8:49	3	2	
9/1/2023 8:50	3	2	
9/1/2023 8:51	3	3	
9/1/2023 8:52	4	3	
9/1/2023 8:53	3	3	
9/1/2023 8:54	5	3	
9/1/2023 8:55	5	3	
9/1/2023 8:56	4	3	
9/1/2023 8:57	3	3	
9/1/2023 8:58	3	3	
9/1/2023 8:59	4	3	
9/1/2023 9:00	7	3	
9/1/2023 9:01	4	3	
9/1/2023 9:02	3	3	
9/1/2023 9:03	3	3	
9/1/2023 9:04	3	3	
9/1/2023 9:05	3	3	
9/1/2023 9:06	3	3	
9/1/2023 9:07	4	3	
9/1/2023 9:08	4	3	
9/1/2023 9:09	4	3	
9/1/2023 9:10	4	3	
9/1/2023 9:11	4	3	
9/1/2023 9:12	4	3	
9/1/2023 9:13	4	3	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:14	5	3	
9/1/2023 9:15	5	3	
9/1/2023 9:16	4	3	
9/1/2023 9:17	5	3	
9/1/2023 9:18	5	4	
9/1/2023 9:19	6	4	
9/1/2023 9:20	5	4	
9/1/2023 9:21	5	4	
9/1/2023 9:22	6	4	
9/1/2023 9:23	6	4	
9/1/2023 9:24	5	4	
9/1/2023 9:25	4	4	
9/1/2023 9:26	5	4	
9/1/2023 9:27	4	4	
9/1/2023 9:28	4	4	
9/1/2023 9:29	4	4	
9/1/2023 9:30	4	4	
9/1/2023 9:31	6	4	
9/1/2023 9:32	6	5	
9/1/2023 9:33	6	5	
9/1/2023 9:34	5	5	
9/1/2023 9:35	6	5	
9/1/2023 9:36	6	5	
9/1/2023 9:37	6	5	
9/1/2023 9:38	5	5	
9/1/2023 9:39	7	5	
9/1/2023 9:40	5	5	
9/1/2023 9:41	4	5	
9/1/2023 9:42	4	5	
9/1/2023 9:43	4	5	
9/1/2023 9:44	4	5	
9/1/2023 9:45	4	5	
9/1/2023 9:46	4	5	
9/1/2023 9:47	4	4	
9/1/2023 9:48	5	4	
9/1/2023 9:49	4	4	
9/1/2023 9:50	4	4	
9/1/2023 9:51	7	4	
9/1/2023 9:52	4	4	
9/1/2023 9:53	5	4	
9/1/2023 9:54	5	4	
9/1/2023 9:55	5	4	
9/1/2023 9:56	5	4	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:57	4	4	0.000317
9/1/2023 9:58	4	4	
9/1/2023 9:59	5	4	
9/1/2023 10:00	4	4	
9/1/2023 10:01	5	4	
9/1/2023 10:02	5	4	
9/1/2023 10:03	4	4	
9/1/2023 10:04	4	4	
9/1/2023 10:05	4	4	
9/1/2023 10:06	4	4	
9/1/2023 10:07	4	4	
9/1/2023 10:08	5	4	
9/1/2023 10:09	4	4	
9/1/2023 10:10	4	4	
9/1/2023 10:11	4	4	
9/1/2023 10:12	4	4	
9/1/2023 10:13	4	4	
9/1/2023 10:14	5	4	
9/1/2023 10:15	5	4	
9/1/2023 10:16	4	4	
9/1/2023 10:17	5	4	
9/1/2023 10:18	5	4	
9/1/2023 10:19	5	4	
9/1/2023 10:20	4	4	
9/1/2023 10:21	5	4	
9/1/2023 10:22	6	4	
9/1/2023 10:23	5	4	
9/1/2023 10:24	5	4	
9/1/2023 10:25	6	4	
9/1/2023 10:26	6	4	
9/1/2023 10:27	7	5	
9/1/2023 10:28	6	5	
9/1/2023 10:29	5	5	
9/1/2023 10:30	5	5	
9/1/2023 10:31	6	5	
9/1/2023 10:32	6	5	
9/1/2023 10:33	5	5	
9/1/2023 10:34	5	5	
9/1/2023 10:35	6	5	
9/1/2023 10:36	5	5	
9/1/2023 10:37	4	5	
9/1/2023 10:38	3	5	
9/1/2023 10:39	4	5	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:40	4	5	
9/1/2023 10:41	3	4	
9/1/2023 10:42	4	4	
9/1/2023 10:43	4	4	
9/1/2023 10:44	4	4	
9/1/2023 10:45	4	4	
9/1/2023 10:46	3	4	
9/1/2023 10:47	4	4	
9/1/2023 10:48	4	4	
9/1/2023 10:49	4	4	
9/1/2023 10:50	4	3	
9/1/2023 10:51	4	3	
9/1/2023 10:52	7	4	
9/1/2023 10:53	5	4	
9/1/2023 10:54	4	4	
9/1/2023 10:55	4	4	
9/1/2023 10:56	5	4	
9/1/2023 10:57	4	4	
9/1/2023 10:58	5	4	
9/1/2023 10:59	5	4	
9/1/2023 11:00	4	4	0.00059167
9/1/2023 11:01	3	4	
9/1/2023 11:02	3	4	
9/1/2023 11:03	4	4	
9/1/2023 11:04	4	4	
9/1/2023 11:05	3	4	
9/1/2023 11:06	3	4	
9/1/2023 11:07	4	4	
9/1/2023 11:08	4	3	
9/1/2023 11:09	4	3	
9/1/2023 11:10	4	3	
9/1/2023 11:11	4	3	
9/1/2023 11:12	3	3	
9/1/2023 11:13	4	3	
9/1/2023 11:14	4	3	
9/1/2023 11:15	4	3	
9/1/2023 11:16	4	3	
9/1/2023 11:17	4	3	
9/1/2023 11:18	4	3	
9/1/2023 11:19	4	3	
9/1/2023 11:20	4	3	
9/1/2023 11:21	4	3	
9/1/2023 11:22	5	4	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:23	5	4	
9/1/2023 11:24	4	4	
9/1/2023 11:25	4	4	
9/1/2023 11:26	4	4	
9/1/2023 11:27	4	4	
9/1/2023 11:28	4	4	
9/1/2023 11:29	4	4	
9/1/2023 11:30	4	4	
9/1/2023 11:31	5	4	
9/1/2023 11:32	4	4	
9/1/2023 11:33	4	4	
9/1/2023 11:34	4	4	
9/1/2023 11:35	4	4	
9/1/2023 11:36	4	4	
9/1/2023 11:37	5	4	
9/1/2023 11:38	5	4	
9/1/2023 11:39	6	4	
9/1/2023 11:40	6	4	
9/1/2023 11:41	6	4	
9/1/2023 11:42	7	4	
9/1/2023 11:43	7	5	
9/1/2023 11:44	5	5	
9/1/2023 11:45	9	5	
9/1/2023 11:46	5	5	
9/1/2023 11:47	5	5	
9/1/2023 11:48	6	5	
9/1/2023 11:49	5	5	
9/1/2023 11:50	6	5	
9/1/2023 11:51	5	5	
9/1/2023 11:52	5	5	
9/1/2023 11:53	5	5	
9/1/2023 11:54	4	5	
9/1/2023 11:55	5	5	
9/1/2023 11:56	5	5	
9/1/2023 11:57	5	5	
9/1/2023 11:58	6	5	
9/1/2023 11:59	5	5	
9/1/2023 12:00	5	5	0.00087333
9/1/2023 12:01	8	5	
9/1/2023 12:02	5	5	
9/1/2023 12:03	5	5	
9/1/2023 12:04	6	5	
9/1/2023 12:05	5	5	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:06	6	5	
9/1/2023 12:07	6	5	
9/1/2023 12:08	6	5	
9/1/2023 12:09	6	5	
9/1/2023 12:10	6	5	
9/1/2023 12:11	6	5	
9/1/2023 12:12	6	5	
9/1/2023 12:13	6	5	
9/1/2023 12:14	6	5	
9/1/2023 12:15	6	5	
9/1/2023 12:16	6	5	
9/1/2023 12:17	6	5	
9/1/2023 12:18	6	5	
9/1/2023 12:19	6	5	
9/1/2023 12:20	6	6	
9/1/2023 12:21	6	6	
9/1/2023 12:22	7	6	
9/1/2023 12:23	8	6	
9/1/2023 12:24	7	6	
9/1/2023 12:25	7	6	
9/1/2023 12:26	7	6	
9/1/2023 12:27	7	6	
9/1/2023 12:28	7	6	
9/1/2023 12:29	7	6	
9/1/2023 12:30	7	6	
9/1/2023 12:31	8	6	
9/1/2023 12:32	7	6	
9/1/2023 12:33	9	7	
9/1/2023 12:34	8	7	
9/1/2023 12:35	7	7	
9/1/2023 12:36	29	8	
9/1/2023 12:40			
9/1/2023 12:45			
9/1/2023 12:50			
9/1/2023 12:55			
9/1/2023 13:00			
9/1/2023 13:05			
9/1/2023 13:10			
9/1/2023 13:15			
9/1/2023 13:20			
9/1/2023 13:25			
9/1/2023 13:30			
9/1/2023 13:35			

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:40			
9/1/2023 13:45			
9/1/2023 13:50			
9/1/2023 13:55			
9/1/2023 14:00			0.0011815
9/1/2023 14:05			
9/1/2023 14:10			
9/1/2023 14:15			
9/1/2023 14:20			
9/1/2023 14:25			
9/1/2023 14:30			
9/1/2023 14:35			
9/1/2023 14:40			
9/1/2023 14:42			
9/1/2023 14:42			
9/1/2023 14:45			
9/1/2023 14:48			
9/1/2023 14:50	6	6	
9/1/2023 14:51	11	8	
9/1/2023 14:52	9	8	
9/1/2023 14:53	6	8	
9/1/2023 14:54	5	7	
9/1/2023 14:55	5	7	
9/1/2023 14:56	6	6	
9/1/2023 14:57	6	6	
9/1/2023 14:58	6	6	
9/1/2023 14:59	6	6	
9/1/2023 15:00	6	6	0.0010127
9/1/2023 15:01	11	6	
9/1/2023 15:02	6	6	
9/1/2023 15:03	7	6	
9/1/2023 15:04	6	6	
9/1/2023 15:05	6	6	
9/1/2023 15:06	6	6	
9/1/2023 15:07	7	6	
9/1/2023 15:08	5	6	
9/1/2023 15:09	6	6	
9/1/2023 15:10	6	6	
9/1/2023 15:11	6	6	
9/1/2023 15:12	6	6	
9/1/2023 15:13	6	6	
9/1/2023 15:14	6	6	
9/1/2023 15:15	7	6	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:16	8	6	
9/1/2023 15:17	6	6	
9/1/2023 15:18	7	6	
9/1/2023 15:19	7	6	
9/1/2023 15:20	6	6	
9/1/2023 15:21	6	6	
9/1/2023 15:22	7	6	
9/1/2023 15:23	6	6	
9/1/2023 15:24	7	6	
9/1/2023 15:25	7	6	
9/1/2023 15:26	7	6	
9/1/2023 15:27	6	6	
9/1/2023 15:28	6	6	
9/1/2023 15:29	6	6	
9/1/2023 15:30	6	6	
9/1/2023 15:31	7	6	
9/1/2023 15:32	8	6	
9/1/2023 15:33	8	6	
9/1/2023 15:34	8	6	
9/1/2023 15:35	7	6	
9/1/2023 15:36	7	6	
9/1/2023 15:37	7	6	
9/1/2023 15:38	8	7	
9/1/2023 15:39	7	7	
9/1/2023 15:40	8	7	
9/1/2023 15:41	8	7	
9/1/2023 15:42	8	7	
9/1/2023 15:43	8	7	
9/1/2023 15:44	7	7	
9/1/2023 15:45	7	7	
9/1/2023 15:46	8	7	
9/1/2023 15:47	7	7	
9/1/2023 15:48	8	7	
9/1/2023 15:49	11	7	
9/1/2023 15:50	8	7	
9/1/2023 15:51	8	7	
9/1/2023 15:52	8	7	
Min	2		
Max	29		

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Air Monitoring Station: AMS-06

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 7:00			
9/1/2023 7:57			
9/1/2023 7:57			
9/1/2023 7:59	3	3	
9/1/2023 8:00	4	3	0
9/1/2023 8:01	3	3	
9/1/2023 8:02	3	3	
9/1/2023 8:03	3	3	
9/1/2023 8:04	4	3	
9/1/2023 8:05	3	3	
9/1/2023 8:10			
9/1/2023 8:11	2	3	
9/1/2023 8:12	2	3	
9/1/2023 8:13	2	2	
9/1/2023 8:14	2	2	
9/1/2023 8:15	2	2	
9/1/2023 8:16	2	2	
9/1/2023 8:17	2	2	
9/1/2023 8:18	2	2	
9/1/2023 8:19	2	2	
9/1/2023 8:20	1	1	
9/1/2023 8:21	1	1	
9/1/2023 8:22	2	1	
9/1/2023 8:23	2	1	
9/1/2023 8:24	2	1	
9/1/2023 8:25	2	1	
9/1/2023 8:26	2	1	
9/1/2023 8:27	2	1	
9/1/2023 8:28	2	1	
9/1/2023 8:29	2	1	
9/1/2023 8:30	2	1	
9/1/2023 8:31	3	1	
9/1/2023 8:32	2	1	
9/1/2023 8:33	2	1	
9/1/2023 8:34	2	1	
9/1/2023 8:35	2	2	
9/1/2023 8:36	6	2	
9/1/2023 8:37	5	2	
9/1/2023 8:38	2	2	
9/1/2023 8:39	2	2	
9/1/2023 8:40	2	2	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 8:41	2	2	0
9/1/2023 8:42	4	2	
9/1/2023 8:43	2	2	
9/1/2023 8:44	2	2	
9/1/2023 8:45	2	2	
9/1/2023 8:46	4	2	
9/1/2023 8:47	4	2	
9/1/2023 8:48	3	2	
9/1/2023 8:49	3	3	
9/1/2023 8:50	4	3	
9/1/2023 8:51	4	3	
9/1/2023 8:52	4	2	
9/1/2023 8:53	4	3	
9/1/2023 8:54	3	3	
9/1/2023 8:55	3	3	
9/1/2023 8:56	5	3	
9/1/2023 8:57	3	3	
9/1/2023 8:58	4	3	
9/1/2023 8:59	4	3	
9/1/2023 9:00	4	3	
9/1/2023 9:01	4	3	
9/1/2023 9:02	3	3	
9/1/2023 9:03	7	3	
9/1/2023 9:04	4	4	
9/1/2023 9:05	6	4	
9/1/2023 9:06	7	4	
9/1/2023 9:07	7	4	
9/1/2023 9:08	4	4	
9/1/2023 9:09	4	4	
9/1/2023 9:10	5	4	
9/1/2023 9:11	4	4	
9/1/2023 9:12	4	4	
9/1/2023 9:13	5	4	
9/1/2023 9:14	4	4	
9/1/2023 9:15	4	4	
9/1/2023 9:16	5	4	
9/1/2023 9:17	12	5	
9/1/2023 9:18	8	5	
9/1/2023 9:19	7	5	
9/1/2023 9:20	5	5	
9/1/2023 9:21	6	5	
9/1/2023 9:22	7	5	
9/1/2023 9:23	9	5	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 9:24	6	6	
9/1/2023 9:25	4	6	
9/1/2023 9:26	4	6	
9/1/2023 9:27	4	6	
9/1/2023 9:28	4	5	
9/1/2023 9:29	4	5	
9/1/2023 9:30	4	5	
9/1/2023 9:31	5	5	
9/1/2023 9:32	7	5	
9/1/2023 9:33	7	5	
9/1/2023 9:34	6	5	
9/1/2023 9:35	6	5	
9/1/2023 9:36	6	5	
9/1/2023 9:37	7	5	
9/1/2023 9:38	5	5	
9/1/2023 9:39	5	5	
9/1/2023 9:40	6	5	
9/1/2023 9:41	4	5	
9/1/2023 9:42	5	5	
9/1/2023 9:43	6	5	
9/1/2023 9:44	5	5	
9/1/2023 9:45	4	5	
9/1/2023 9:46	5	5	
9/1/2023 9:47	4	5	
9/1/2023 9:48	4	5	
9/1/2023 9:49	5	5	
9/1/2023 9:50	5	5	
9/1/2023 9:51	4	4	
9/1/2023 9:52	4	4	
9/1/2023 9:53	4	4	
9/1/2023 9:54	4	4	
9/1/2023 9:55	4	4	
9/1/2023 9:56	5	4	
9/1/2023 9:57	4	4	
9/1/2023 9:58	4	4	
9/1/2023 9:59	4	4	
9/1/2023 10:00	5	4	0.00023889
9/1/2023 10:01	6	4	
9/1/2023 10:02	6	4	
9/1/2023 10:03	4	4	
9/1/2023 10:04	4	4	
9/1/2023 10:05	4	4	
9/1/2023 10:06	4	4	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:07	4	4	
9/1/2023 10:08	4	4	
9/1/2023 10:09	4	4	
9/1/2023 10:10	4	4	
9/1/2023 10:11	3	4	
9/1/2023 10:12	3	4	
9/1/2023 10:13	5	4	
9/1/2023 10:14	5	4	
9/1/2023 10:15	4	4	
9/1/2023 10:16	4	4	
9/1/2023 10:17	4	4	
9/1/2023 10:18	5	4	
9/1/2023 10:19	5	4	
9/1/2023 10:20	5	4	
9/1/2023 10:21	5	4	
9/1/2023 10:22	5	4	
9/1/2023 10:23	5	4	
9/1/2023 10:24	6	4	
9/1/2023 10:25	7	4	
9/1/2023 10:26	7	5	
9/1/2023 10:27	6	5	
9/1/2023 10:28	5	5	
9/1/2023 10:29	6	5	
9/1/2023 10:30	6	5	
9/1/2023 10:31	8	5	
9/1/2023 10:32	9	6	
9/1/2023 10:33	6	6	
9/1/2023 10:34	6	6	
9/1/2023 10:35	5	6	
9/1/2023 10:36	4	6	
9/1/2023 10:37	3	5	
9/1/2023 10:38	3	5	
9/1/2023 10:39	3	5	
9/1/2023 10:40	3	5	
9/1/2023 10:41	3	5	
9/1/2023 10:42	4	4	
9/1/2023 10:43	5	4	
9/1/2023 10:44	4	4	
9/1/2023 10:45	3	4	
9/1/2023 10:46	3	4	
9/1/2023 10:47	4	3	
9/1/2023 10:48	3	3	
9/1/2023 10:49	3	3	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 10:50	3	3	0.00049583
9/1/2023 10:51	3	3	
9/1/2023 10:52	5	3	
9/1/2023 10:53	4	3	
9/1/2023 10:54	4	3	
9/1/2023 10:55	5	3	
9/1/2023 10:56	6	3	
9/1/2023 10:57	4	3	
9/1/2023 10:58	5	3	
9/1/2023 10:59	4	3	
9/1/2023 11:00	3	3	
9/1/2023 11:01	3	3	
9/1/2023 11:02	4	3	
9/1/2023 11:03	6	4	
9/1/2023 11:04	3	4	
9/1/2023 11:05	3	4	
9/1/2023 11:06	3	4	
9/1/2023 11:07	3	4	
9/1/2023 11:08	5	4	
9/1/2023 11:09	5	4	
9/1/2023 11:10	3	4	
9/1/2023 11:11	3	3	
9/1/2023 11:12	3	3	
9/1/2023 11:13	4	3	
9/1/2023 11:14	4	3	
9/1/2023 11:15	4	3	
9/1/2023 11:16	4	3	
9/1/2023 11:17	3	3	
9/1/2023 11:18	4	3	
9/1/2023 11:19	4	3	
9/1/2023 11:20	4	3	
9/1/2023 11:21	6	3	
9/1/2023 11:22	6	4	
9/1/2023 11:23	4	4	
9/1/2023 11:24	4	4	
9/1/2023 11:25	4	4	
9/1/2023 11:26	4	4	
9/1/2023 11:27	4	4	
9/1/2023 11:28	4	4	
9/1/2023 11:29	4	4	
9/1/2023 11:30	6	4	
9/1/2023 11:31	6	4	
9/1/2023 11:32	4	4	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 11:33	4	4	0.00079667
9/1/2023 11:34	4	4	
9/1/2023 11:35	4	4	
9/1/2023 11:36	4	4	
9/1/2023 11:37	5	4	
9/1/2023 11:38	5	4	
9/1/2023 11:39	6	4	
9/1/2023 11:40	8	4	
9/1/2023 11:41	7	5	
9/1/2023 11:42	7	5	
9/1/2023 11:43	11	5	
9/1/2023 11:44	9	6	
9/1/2023 11:45	7	6	
9/1/2023 11:46	5	6	
9/1/2023 11:47	5	6	
9/1/2023 11:48	7	6	
9/1/2023 11:49	6	6	
9/1/2023 11:50	7	6	
9/1/2023 11:51	6	6	
9/1/2023 11:52	5	6	
9/1/2023 11:53	5	6	
9/1/2023 11:54	5	6	
9/1/2023 11:55	7	6	
9/1/2023 11:56	7	6	
9/1/2023 11:57	5	6	
9/1/2023 11:58	6	6	
9/1/2023 11:59	6	5	
9/1/2023 12:00	13	6	
9/1/2023 12:01	6	6	
9/1/2023 12:02	5	6	
9/1/2023 12:03	5	6	
9/1/2023 12:04	6	6	
9/1/2023 12:05	5	6	
9/1/2023 12:06	6	6	
9/1/2023 12:07	6	6	
9/1/2023 12:08	6	6	
9/1/2023 12:09	7	6	
9/1/2023 12:10	6	6	
9/1/2023 12:11	7	6	
9/1/2023 12:12	7	6	
9/1/2023 12:13	7	6	
9/1/2023 12:14	6	6	
9/1/2023 12:15	6	6	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:16	7	6	
9/1/2023 12:17	7	6	
9/1/2023 12:18	9	6	
9/1/2023 12:19	7	6	
9/1/2023 12:20	6	6	
9/1/2023 12:21	7	6	
9/1/2023 12:22	9	6	
9/1/2023 12:23	10	7	
9/1/2023 12:24	8	7	
9/1/2023 12:25	8	7	
9/1/2023 12:26	7	7	
9/1/2023 12:27	7	7	
9/1/2023 12:28	7	7	
9/1/2023 12:29	7	7	
9/1/2023 12:30	7	7	
9/1/2023 12:31	10	7	
9/1/2023 12:32	10	7	
9/1/2023 12:33	7	7	
9/1/2023 12:34	8	7	
9/1/2023 12:35	8	8	
9/1/2023 12:36	14	8	
9/1/2023 12:37	8	8	
9/1/2023 12:38	7	8	
9/1/2023 12:39	8	8	
9/1/2023 12:40	7	8	
9/1/2023 12:41	7	8	
9/1/2023 12:42	7	8	
9/1/2023 12:43	7	8	
9/1/2023 12:44	7	8	
9/1/2023 12:45	6	8	
9/1/2023 12:46	7	7	
9/1/2023 12:47	13	8	
9/1/2023 12:48	7	8	
9/1/2023 12:49	6	7	
9/1/2023 12:50	5	7	
9/1/2023 12:51	7	7	
9/1/2023 12:52	6	7	
9/1/2023 12:53	6	7	
9/1/2023 12:54	6	6	
9/1/2023 12:55	6	6	
9/1/2023 12:56	16	7	
9/1/2023 12:57	16	8	
9/1/2023 12:58	19	8	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 12:59	7	8	0.0011306
9/1/2023 13:00	6	8	
9/1/2023 13:01	9	9	
9/1/2023 13:02	6	8	
9/1/2023 13:03	6	8	
9/1/2023 13:04	5	8	
9/1/2023 13:05	5	8	
9/1/2023 13:06	5	8	
9/1/2023 13:07	5	8	
9/1/2023 13:08	6	8	
9/1/2023 13:09	6	8	
9/1/2023 13:10	5	8	
9/1/2023 13:11	5	7	
9/1/2023 13:12	6	6	
9/1/2023 13:13	5	5	
9/1/2023 13:14	5	5	
9/1/2023 13:15	5	5	
9/1/2023 13:16	5	5	
9/1/2023 13:17	6	5	
9/1/2023 13:18	5	5	
9/1/2023 13:19	5	5	
9/1/2023 13:20	10	5	
9/1/2023 13:21	6	5	
9/1/2023 13:22	9	5	
9/1/2023 13:23	6	5	
9/1/2023 13:24	6	5	
9/1/2023 13:25	5	5	
9/1/2023 13:26	6	6	
9/1/2023 13:27	6	6	
9/1/2023 13:28	6	6	
9/1/2023 13:29	7	6	
9/1/2023 13:30	6	6	
9/1/2023 13:31	6	6	
9/1/2023 13:32	8	6	
9/1/2023 13:33	7	6	
9/1/2023 13:34	6	6	
9/1/2023 13:35	6	6	
9/1/2023 13:36	7	6	
9/1/2023 13:37	7	6	
9/1/2023 13:38	11	6	
9/1/2023 13:39	7	6	
9/1/2023 13:40	9	7	
9/1/2023 13:41	7	7	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 13:42	6	7	
9/1/2023 13:43	6	7	
9/1/2023 13:44	7	7	
9/1/2023 13:45	6	7	
9/1/2023 13:46	6	7	
9/1/2023 13:47	6	6	
9/1/2023 13:48	6	6	
9/1/2023 13:49	6	6	
9/1/2023 13:50	6	6	
9/1/2023 13:51	5	6	
9/1/2023 13:52	6	6	
9/1/2023 13:53	6	6	
9/1/2023 13:54	6	6	
9/1/2023 13:55	5	6	
9/1/2023 13:56	5	5	
9/1/2023 13:57	5	5	
9/1/2023 13:58	5	5	
9/1/2023 13:59	5	5	
9/1/2023 14:00	5	5	0.0015143
9/1/2023 14:01	5	5	
9/1/2023 14:02	6	5	
9/1/2023 14:03	6	5	
9/1/2023 14:04	7	5	
9/1/2023 14:05	6	5	
9/1/2023 14:06	6	5	
9/1/2023 14:07	5	5	
9/1/2023 14:08	6	5	
9/1/2023 14:09	6	5	
9/1/2023 14:10	6	5	
9/1/2023 14:11	6	5	
9/1/2023 14:12	6	5	
9/1/2023 14:13	8	5	
9/1/2023 14:14	7	6	
9/1/2023 14:15	6	6	
9/1/2023 14:16	6	6	
9/1/2023 14:17	7	6	
9/1/2023 14:18	6	6	
9/1/2023 14:19	6	6	
9/1/2023 14:20	12	6	
9/1/2023 14:21	22	7	
9/1/2023 14:22	9	7	
9/1/2023 14:23	10	8	
9/1/2023 14:24	7	8	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 14:25	7	8	
9/1/2023 14:26	6	8	
9/1/2023 14:27	5	8	
9/1/2023 14:28	6	8	
9/1/2023 14:29	5	8	
9/1/2023 14:30	5	7	
9/1/2023 14:31	8	8	
9/1/2023 14:32	7	8	
9/1/2023 14:33	6	8	
9/1/2023 14:34	6	8	
9/1/2023 14:35	6	7	
9/1/2023 14:36	6	6	
9/1/2023 14:37	7	6	
9/1/2023 14:38	6	6	
9/1/2023 14:39	6	6	
9/1/2023 14:40	8	6	
9/1/2023 14:41	6	6	
9/1/2023 14:42	6	6	
9/1/2023 14:43	6	6	
9/1/2023 14:44	6	6	
9/1/2023 14:45	7	6	
9/1/2023 14:46	7	6	
9/1/2023 14:47	8	6	
9/1/2023 14:48	8	6	
9/1/2023 14:49	8	6	
9/1/2023 14:50	14	7	
9/1/2023 14:51	25	8	
9/1/2023 14:52	7	8	
9/1/2023 14:53	7	8	
9/1/2023 14:54	6	8	
9/1/2023 14:55	7	8	
9/1/2023 14:56	7	8	
9/1/2023 14:57	7	8	
9/1/2023 14:58	9	8	
9/1/2023 14:59	8	9	
9/1/2023 15:00	7	9	0.0019062
9/1/2023 15:01	7	9	
9/1/2023 15:02	8	9	
9/1/2023 15:03	7	8	
9/1/2023 15:04	7	8	
9/1/2023 15:05	8	8	
9/1/2023 15:06	8	7	
9/1/2023 15:07	11	7	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:08	7	7	
9/1/2023 15:09	7	7	
9/1/2023 15:10	7	7	
9/1/2023 15:11	7	7	
9/1/2023 15:12	7	7	
9/1/2023 15:13	7	7	
9/1/2023 15:14	7	7	
9/1/2023 15:15	15	8	
9/1/2023 15:16	15	8	
9/1/2023 15:17	8	8	
9/1/2023 15:18	8	8	
9/1/2023 15:19	7	8	
9/1/2023 15:20	7	8	
9/1/2023 15:21	14	8	
9/1/2023 15:22	8	8	
9/1/2023 15:23	8	8	
9/1/2023 15:24	7	8	
9/1/2023 15:25	8	8	
9/1/2023 15:26	7	8	
9/1/2023 15:27	7	8	
9/1/2023 15:28	7	8	
9/1/2023 15:29	6	8	
9/1/2023 15:30	7	8	
9/1/2023 15:31	8	7	
9/1/2023 15:32	9	7	
9/1/2023 15:33	8	7	
9/1/2023 15:34	8	7	
9/1/2023 15:35	7	7	
9/1/2023 15:36	8	7	
9/1/2023 15:37	8	7	
9/1/2023 15:38	8	7	
9/1/2023 15:39	8	7	
9/1/2023 15:40	8	7	
9/1/2023 15:41	8	7	
9/1/2023 15:42	8	7	
9/1/2023 15:43	8	7	
9/1/2023 15:44	8	7	
9/1/2023 15:45	14	8	
9/1/2023 15:46	11	8	
9/1/2023 15:47	7	8	
9/1/2023 15:48	7	8	
9/1/2023 15:49	8	8	
9/1/2023 15:50	8	8	

Baseline Air Monitoring

7825 San Leandro Street

Oakland, California

Timestamp	Mass Conc. Total ($\mu\text{g}/\text{m}^3$)	Mass Conc. Total $\mu\text{g}/\text{m}^3$ AVG 15m ($\mu\text{g}/\text{m}^3$)	Total TWA mg/m^3 AVG 8h (mg/m^3)
9/1/2023 15:51	8	8	
9/1/2023 15:52	8	8	
9/1/2023 15:53	9	8	
9/1/2023 15:54	8	8	
9/1/2023 15:55	8	8	
9/1/2023 15:56	8	8	
9/1/2023 15:57	8	8	
9/1/2023 15:58	8	8	
9/1/2023 15:59	8	8	
Min	1		
Max	25		

Baseline Ambient Air Monitoring Report
7825 San Leandro Street, Oakland, California

ATTACHMENT B

Lead in Ambient Air Analytical Results



Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number: 491365
Report Level: II
Report Date: 09/01/2023

Analytical Report *prepared for:*

Harold Rush
Roux Associates
555 12th Street
Suite 250
Oakland, CA 94607

Project: 1793.0029 - AB&I Foundry

Authorized for release by:

John Goyette, Service Center Manager
(510) 204-2233 Ext 13112
john.goyette@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105

Sample Summary

Harold Rush
Roux Associates
555 12th Street
Suite 250
Oakland, CA 94607

Lab Job #: 491365
Project No: 1793.0029
Location: AB&I Foundry
Date Received: 08/30/23

Sample ID	Lab ID	Collected	Matrix
AMS-01-082923	491365-001	08/29/23 16:00	Air
AMS-02-082923	491365-002	08/29/23 16:18	Air
AMS-04-082923	491365-003	08/29/23 16:30	Air
AMS-05-082923	491365-004	08/29/23 16:37	Air

Case Narrative

Roux Associates
555 12th Street
Suite 250
Oakland, CA 94607
Harold Rush


Lab Job Number: 491365
Project No: 1793.0029
Location: AB&I Foundry
Date Received: 08/30/23

This data package contains sample and QC results for four air samples, requested for the above referenced project on 08/30/23. The samples were received intact. Revised and reissued on 9/1/23 to report in ug/m3.

Metals (EPA 6010B):

No analytical problems were encountered.

		Chain of Custody Record		Turn Around Time (rush by advanced notice only)		
		Lab No: 491365	Standard:	5 Day:	3 Day:	
<<< Select a Laboratory >>> #N/A #N/A		Page: 1 of 1	2 Day:	1 Day:	Custom TAT:	
Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Water SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other		Preservatives: 1 = Na ₂ S ₂ O ₃ 2 = HCl 3 = HNO ₃ 4 = H ₂ SO ₄ 5 = NaOH 6 = Other		Sample Receipt Temp:		
PROJECT INFORMATION Company: ROUX Name: AB&I Report To: Harold Fugh + Rich Maxwell Number: 1793.0029 Email: hugh@roux.com + rmaxwell@roux.com B.O. #: 2925 San Leandro Street Address: Oakland CA Phone: (415) 967-6040 Global ID: Sampled By: JTA		ANALYSIS REQUEST Lead NIOSH Method 7300		Test Instructions / Comments RUGH 24hr. TAT.		
Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	
AMS-01-082923	08/29/23	1600	A	1	NA	
AMS-02-082923		1618				
AMS-04-082923		1630				
AMS-05-082923		1637				
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

Relinquished By:	Signature	Print Name	Company / Title	Date / Time
Received By:		Audrey Hudson	POU - Street Biologist II	08/30/23 10:00
Relinquished By:		Audrey Hudson	ENTHALPY	8/30/23 10:00
Received By:		Audrey Hudson	"	8/30/23 10:37
Relinquished By:		Audrey Hudson	BA	8/30/23 10:37
Received By:		Audrey Hudson	BA	8/30/23 11:31

RECEIVED BY:  8/31/23 0900



ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

491365

Section 1	
Client: <u>Roux Associates</u>	Project: <u>AB&I Foundry</u>
Date Received: <u>08/31/23</u>	Sampler's Name Present: ☒ Yes ☐ No

Section 2	
Sample(s) received in a cooler? ☒ Yes, How many? <u>1</u> ☒ No (skip section 2)	Sample Temp (°C) <u>5.5</u> (No Cooler) <u>Ambient</u>
Sample Temp (°C), One from each cooler: #1: <u>5.5</u> #2: <u> </u> #3: <u> </u> #4: <u> </u>	
(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)	
Shipping Information: <u>Southwest Airlines</u>	

Section 3	
Was the cooler packed with: ☒ Ice ☐ Ice Packs ☐ Bubble Wrap ☐ Styrofoam	
☐ Paper ☐ None ☐ Other <u> </u>	
Cooler Temp (°C): #1: <u>2.1</u> #2: <u> </u> #3: <u> </u> #4: <u> </u>	

Section 4	YES	NO	N/A
Was a COC received?	☒		
Are sample IDs present?	☒		
Are sampling dates & times present?	☒		
Is a relinquished signature present?	☒		
Are the tests required clearly indicated on the COC?	☒		
Are custody seals present?	☒		
If custody seals are present, were they intact?	☒		
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			☒
Did all samples arrive intact? If no, indicate in Section 4 below.	☒		
Did all bottle labels agree with COC? (ID, dates and times)	☒		
Were the samples collected in the correct containers for the required tests?	☒		
Are the containers labeled with the correct preservatives?			☒
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			☒
Was a sufficient amount of sample submitted for the requested tests?	☒		


Section 5 Explanations/Comments

Section 6
For discrepancies, how was the Project Manager notified? ☐ Verbal PM Initials: <u> </u> Date/Time: <u> </u>
☐ Email (email sent to/on): <u> </u> / <u> </u>
Project Manager's response:

Completed By: [Signature] Date: AUG 31 2023

SOH
OAK 9271 **1500** 

SNA		PC# 4 OF 6		
		DG G		
		LOT WT 150 LB (68.0 KG)		
OAK	WN 3245	31 AUG	06:35	
STN	FLT	DATE	ETD	LOT 01



PC ID: 0004
PC WT: 25LB

S

526 92711500 0004

526 92711500 0003

2.1/5.5

[EXTERNAL] RE: 1793.0029 - Enthalpy Data (491365)

Harold Rush <hrush@rouxinc.com>

Fri, Sep 1, 2023 at 2:04 PM

To: "john.goyette@enthalpy.com" <john.goyette@enthalpy.com>

Hello Joh,

Can you prepare revised analytical reports in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) using the volumetric data in the table below for the lead samples collected on 8/29/23 and 8/31/23?

SAMPLE ID	START TIME	END TIME
AMS-01-082923	0710	1600
AMS-02-082923	0730	1618
AMS-04-082923	0750	1630
AMS-05-082923	0800	1637
AMS-01-083123	0702	1518
AMS-02-083123	0708	1523
AMS-04-083123	0726	1531
AMS-05-083123	0731	1536

The flow rate for all samples was 2,000 cc/min (2 L/min).

Regards,

Harold C. Rush | Senior Engineer

555 12th Street, Suite 250, Oakland, CA 94607

Main: (415) 967-6000 | Direct: (415) 967-6037 | Mobile: (510) 703-6273

Email: hrush@rouxinc.com | Website: www.rouxinc.com

Lead

Lab #: 491365

Project#: 1793.0029

Client: Roux Associates

Location: AB&I Foundry

Field ID: AMS-01-082923

Batch#: 321532

Prep: EPA 3050B

Type: SAMPLE

Sampled: 08/29/23

Analysis: EPA 6010B

Lab ID: 491365-001

Received: 08/30/23

Analyst: SBW

Matrix: Air

Prepared: 08/31/23

Diln Fac: 1.000

Analyzed: 09/01/23

491365-001 Analyte	Result	RL	Units
Lead	ND	0.94	ug/m3

Field ID: AMS-02-082923

Batch#: 321532

Prep: EPA 3050B

Type: SAMPLE

Sampled: 08/29/23

Analysis: EPA 6010B

Lab ID: 491365-002

Received: 08/30/23

Analyst: SBW

Matrix: Air

Prepared: 08/31/23

Diln Fac: 1.000

Analyzed: 09/01/23

491365-002 Analyte	Result	RL	Units
Lead	ND	0.95	ug/m3

Field ID: AMS-04-082923

Batch#: 321532

Prep: EPA 3050B

Type: SAMPLE

Sampled: 08/29/23

Analysis: EPA 6010B

Lab ID: 491365-003

Received: 08/30/23

Analyst: SBW

Matrix: Air

Prepared: 08/31/23

Diln Fac: 1.000

Analyzed: 09/01/23

491365-003 Analyte	Result	RL	Units
Lead	ND	0.96	ug/m3

Field ID: AMS-05-082923

Batch#: 321532

Prep: EPA 3050B

Type: SAMPLE

Sampled: 08/29/23

Analysis: EPA 6010B

Lab ID: 491365-004

Received: 08/30/23

Analyst: SBW

Matrix: Air

Prepared: 08/31/23

Diln Fac: 1.000

Analyzed: 09/01/23

491365-004 Analyte	Result	RL	Units
Lead	ND	0.97	ug/m3

Type: BLANK

Batch#: 321532

Analysis: EPA 6010B

Lab ID: QC1090773

Prepared: 08/31/23

Analyst: SBW

Matrix: Air

Analyzed: 09/01/23

Diln Fac: 1.000

Prep: EPA 3050B

QC1090773 Analyte	Result	RL	Units
Lead	ND	1.0	ug/m3

Legend

ND: Not Detected

RL: Reporting Limit

Lead: Batch QC

Lab #: 491365

Project#: 1793.0029

Client: Roux Associates

Location: AB&I Foundry

Type: BS

Batch#: 321532

Analysis: EPA 6010B

Lab ID: QC1090774

Prepared: 08/31/23

Analyst: SBW

Matrix: Air

Analyzed: 09/01/23

Diln Fac: 1.000

Prep: EPA 3050B

QC1090774 Analyte	Spiked	Result	%REC	Limits	Units
Lead	100.0	98.73	99	80-120	ug/m3

Type: BSD

Batch#: 321532

Analysis: EPA 6010B

Lab ID: QC1090775

Prepared: 08/31/23

Analyst: SBW

Matrix: Air

Analyzed: 09/01/23

Diln Fac: 1.000

Prep: EPA 3050B

QC1090775 Analyte	Spiked	Result	%REC	Limits	Units	RPD	Lim
Lead	100.0	96.68	97	80-120	ug/m3	2	20

Legend

RPD: Relative Percent Difference